

Kosuke Ebina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3557102/publications.pdf>

Version: 2024-02-01

83
papers

2,007
citations

279798

23
h-index

276875

41
g-index

89
all docs

89
docs citations

89
times ranked

2439
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Favorable clinical response and drug retention of anti-IL-6 receptor inhibitor in rheumatoid arthritis with high CRP levels: the ANSWER cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2022, 51, 431-440. | 1.1 | 4 |
| 2 | Low serum albumin concentration is associated with increased risk of osteoporosis in postmenopausal patients with rheumatoid arthritis. <i>Journal of Orthopaedic Science</i> , 2022, 27, 1283-1290. | 1.1 | 8 |
| 3 | The real-world effectiveness of anti-RANKL antibody denosumab on the clinical fracture prevention in patients with rheumatoid arthritis: The ANSWER cohort study. <i>Modern Rheumatology</i> , 2022, 32, 834-838. | 1.8 | 4 |
| 4 | Drug efficacy and safety of biologics and Janus kinase inhibitors in elderly patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2022, 32, 256-262. | 1.8 | 4 |
| 5 | Factors affecting drug retention of Janus kinase inhibitors in patients with rheumatoid arthritis: the ANSWER cohort study. <i>Scientific Reports</i> , 2022, 12, 134. | 3.3 | 18 |
| 6 | Midfoot Derotational Osteotomy for Ankylosing Inversion Deformity in Patients with Rheumatoid Arthritis. <i>JBJS Case Connector</i> , 2022, 12, . | 0.3 | 1 |
| 7 | Differential efficacy of TNF inhibitors with or without the immunoglobulin fragment crystallizable (Fc) portion in rheumatoid arthritis: the ANSWER cohort study. <i>Rheumatology International</i> , 2022, 42, 1227-1234. | 3.0 | 8 |
| 8 | Effects of prior osteoporosis treatment on the treatment response of romosozumab followed by denosumab in patients with postmenopausal osteoporosis. <i>Osteoporosis International</i> , 2022, 33, 1807-1813. | 3.1 | 10 |
| 9 | Modified Scarf Osteotomy with Medial Capsular Interposition Combined with Metatarsal Shortening Offset Osteotomy. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1269-1280. | 3.0 | 0 |
| 10 | Effects of follow-on therapy after denosumab discontinuation in patients with postmenopausal osteoporosis. <i>Modern Rheumatology</i> , 2021, 31, 485-492. | 1.8 | 13 |
| 11 | Modified Anterolateral Approach for Total Ankle Arthroplasty. <i>Foot & Ankle Orthopaedics</i> , 2021, 6, 247301142110133. | 0.2 | 1 |
| 12 | Drug retention of sarilumab, baricitinib, and tofacitinib in patients with rheumatoid arthritis: the ANSWER cohort study. <i>Clinical Rheumatology</i> , 2021, 40, 2673-2680. | 2.2 | 13 |
| 13 | Effects of iguratimod on glucocorticoid-induced disorder of bone metabolism in vitro. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 639-648. | 2.7 | 3 |
| 14 | Comparison of the drug retention and reasons for discontinuation of tumor necrosis factor inhibitors and interleukin-6 inhibitors in Japanese patients with elderly-onset rheumatoid arthritis—the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2021, 23, 116. | 3.5 | 16 |
| 15 | Comparison of efficacy between anti-IL-6 receptor antibody and other biological disease-modifying antirheumatic drugs in the patients with rheumatoid arthritis who have knee joint involvement: the ANSWER cohort, retrospective study. <i>Rheumatology International</i> , 2021, 41, 1233-1241. | 3.0 | 5 |
| 16 | The Association of Disease Activity and Estimated GFR in Patients With Rheumatoid Arthritis: Findings From the ANSWER Study. <i>American Journal of Kidney Diseases</i> , 2021, 78, 761-764. | 1.9 | 6 |
| 17 | Association of Decreased Physical Activity with Rheumatoid Mid-Hindfoot Deformity/Destruction. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10037. | 2.6 | 2 |
| 18 | Effects of prior osteoporosis treatment on 12-month treatment response of romosozumab in patients with postmenopausal osteoporosis. <i>Joint Bone Spine</i> , 2021, 88, 105219. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Promoting Effect of Basic Fibroblast Growth Factor in Synovial Mesenchymal Stem Cell-Based Cartilage Regeneration. <i>International Journal of Molecular Sciences</i> , 2021, 22, 300. | 4.1 | 8 |
| 20 | Combination of Modified Scarf Osteotomy and Metatarsal Shortening Offset Osteotomy for Rheumatoid Forefoot Deformity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10473. | 2.6 | 5 |
| 21 | Impact of combining medial capsule interposition with modified scarf osteotomy for hallux valgus. <i>Modern Rheumatology</i> , 2020, 30, 204-210. | 1.8 | 6 |
| 22 | Effects of range of motion exercise of the metatarsophalangeal joint from 2-weeks after joint-preserving rheumatoid forefoot surgery. <i>Modern Rheumatology</i> , 2020, 30, 305-312. | 1.8 | 4 |
| 23 | The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 217-225. | 3.0 | 3 |
| 24 | The combined effects of teriparatide and anti-RANKL monoclonal antibody on bone defect regeneration in ovariectomized mice. <i>Bone</i> , 2020, 130, 115077. | 2.9 | 6 |
| 25 | A report of three cases which required tibialis anterior tendon resection to recover delayed wound healing after total ankle arthroplasty in patients with rheumatoid arthritis. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 6-10. | 0.7 | 4 |
| 26 | Effects of prior osteoporosis treatment on early treatment response of romosozumab in patients with postmenopausal osteoporosis. <i>Bone</i> , 2020, 140, 115574. | 2.9 | 33 |
| 27 | Comparison of the efficacy and safety of biologic agents between elderly-onset and young-onset RA patients: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 1987-1995. | 3.0 | 11 |
| 28 | Drug retention of 7 biologics and tofacitinib in biologics-naïve and biologics-switched patients with rheumatoid arthritis: the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2020, 22, 142. | 3.5 | 24 |
| 29 | Drug retention of secondary biologics or JAK inhibitors after tocilizumab or abatacept failure as first biologics in patients with rheumatoid arthritis -the ANSWER cohort study-. <i>Clinical Rheumatology</i> , 2020, 39, 2563-2572. | 2.2 | 11 |
| 30 | Combined effect of teriparatide and an anti-RANKL monoclonal antibody on bone defect regeneration in mice with glucocorticoid-induced osteoporosis. <i>Bone</i> , 2020, 139, 115525. | 2.9 | 11 |
| 31 | Romosozumab was not effective in preventing multiple spontaneous clinical vertebral fractures after denosumab discontinuation: A case report. <i>Bone Reports</i> , 2020, 13, 100288. | 0.4 | 14 |
| 32 | Utility of Distal Forearm DXA as a Screening Tool for Primary Osteoporotic Fragility Fractures of the Distal Radius. <i>JBS Open Access</i> , 2020, 5, e0036. | 1.5 | 19 |
| 33 | OP0025...DRUG RETENTION OF 7 BIOLOGICS AND TOFACITINIB IN BIOLOGICS-NAÏVE AND BIOLOGICS-SWITCHED PATIENTS WITH RHEUMATOID ARTHRITIS -THE ANSWER COHORT STUDY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 18.2-19. | 0.9 | 0 |
| 34 | The add-on effectiveness and safety of iguratimod in patients with rheumatoid arthritis who showed an inadequate response to tocilizumab. <i>Modern Rheumatology</i> , 2019, 29, 581-588. | 1.8 | 17 |
| 35 | Nurse-like cells in rheumatoid arthritis: Formation of survival niches cooperating between the cell types. <i>Modern Rheumatology</i> , 2019, 29, 401-405. | 1.8 | 4 |
| 36 | Drug tolerability and reasons for discontinuation of seven biologics in elderly patients with rheumatoid arthritis -The ANSWER cohort study-. <i>PLoS ONE</i> , 2019, 14, e0216624. | 2.5 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Drug tolerability and reasons for discontinuation of seven biologics in 4466 treatment courses of rheumatoid arthritis—the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2019, 21, 91. | 3.5 | 36 |
| 38 | Identification of a novel arthritis-associated osteoclast precursor macrophage regulated by FoxM1. <i>Nature Immunology</i> , 2019, 20, 1631-1643. | 14.5 | 107 |
| 39 | Development and validation of a deep-learning model for scoring of radiographic finger joint destruction in rheumatoid arthritis. <i>Rheumatology Advances in Practice</i> , 2019, 3, rkz047. | 0.7 | 42 |
| 40 | Effects of Weekly Teriparatide Administration for Vertebral Stability and Bony Union in Patients with Acute Osteoporotic Vertebral Fractures. <i>Asian Spine Journal</i> , 2019, 13, 763-771. | 2.0 | 18 |
| 41 | Impact of dexamethasone concentration on cartilage tissue formation from human synovial derived stem cells in vitro. <i>Cytotechnology</i> , 2018, 70, 819-829. | 1.6 | 21 |
| 42 | Modified Scarf Osteotomy with Medial Capsule Interposition for Hallux Valgus in Rheumatoid Arthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 765-776. | 3.0 | 28 |
| 43 | Impact of switching oral bisphosphonates to denosumab or daily teriparatide on the progression of radiographic joint destruction in patients with biologic-naïve rheumatoid arthritis. <i>Osteoporosis International</i> , 2018, 29, 1627-1636. | 3.1 | 20 |
| 44 | Effects of single or combination therapy of teriparatide and anti-RANKL monoclonal antibody on bone defect regeneration in mice. <i>Bone</i> , 2018, 106, 1-10. | 2.9 | 16 |
| 45 | Assessment of the effects of switching oral bisphosphonates to denosumab or daily teriparatide in patients with rheumatoid arthritis. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 478-487. | 2.7 | 23 |
| 46 | Modified Scarf Osteotomy with Medial Capsular Interposition in Great Toe and Metatarsal Shortening Offset Osteotomy in Lesser Toes for Rheumatoid Deformity. <i>JBJS Essential Surgical Techniques</i> , 2018, 8, e27. | 0.8 | 6 |
| 47 | Factors associated with the achievement of biological disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: the ANSWER cohort study. <i>Arthritis Research and Therapy</i> , 2018, 20, 165. | 3.5 | 33 |
| 48 | Use of autologous bone grafting from the calcaneus and interconnected porous hydroxyapatite ceramic for bone transplantation in rheumatoid foot surgery. <i>SAGE Open Medical Case Reports</i> , 2018, 6, 2050313X1878441. | 0.3 | 2 |
| 49 | Administration of Oxygen Ultra-Fine Bubbles Improves Nerve Dysfunction in a Rat Sciatic Nerve Crush Injury Model. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1395. | 4.1 | 13 |
| 50 | Apolipoprotein E plays crucial roles in maintaining bone mass by promoting osteoblast differentiation via ERK1/2 pathway and by suppressing osteoclast differentiation via c-Fos, NFATc1, and NF- κ B pathway. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 644-650. | 2.1 | 26 |
| 51 | Drug retention and discontinuation reasons between seven biologics in patients with rheumatoid arthritis -The ANSWER cohort study-. <i>PLoS ONE</i> , 2018, 13, e0194130. | 2.5 | 65 |
| 52 | The effects of switching daily teriparatide to oral bisphosphonates or denosumab in patients with primary osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 91-98. | 2.7 | 52 |
| 53 | Association between preoperative pain intensity of MTP joint callosities of the lesser toes and fore-mid-hindfoot deformities in rheumatoid arthritis cases. <i>Modern Rheumatology</i> , 2017, 27, 50-53. | 1.8 | 5 |
| 54 | The efficacy and safety of additional administration of tacrolimus in patients with rheumatoid arthritis who showed an inadequate response to tocilizumab. <i>Modern Rheumatology</i> , 2017, 27, 42-49. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Comparison of a self-administered foot evaluation questionnaire (SAFE-Q) between joint-preserving arthroplasty and resection-replacement arthroplasty in forefoot surgery for patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 795-800. | 1.8 | 16 |
| 56 | Outcomes of modified metatarsal shortening offset osteotomy for forefoot deformity in patients with rheumatoid arthritis: Short to mid-term follow-up. <i>Modern Rheumatology</i> , 2017, 27, 981-989. | 1.8 | 31 |
| 57 | Oxygen ultra-fine bubbles water administration prevents bone loss of glucocorticoid-induced osteoporosis in mice by suppressing osteoclast differentiation. <i>Osteoporosis International</i> , 2017, 28, 1063-1075. | 3.1 | 18 |
| 58 | Total Ankle Arthroplasty for Rheumatoid Arthritis in Japanese Patients. <i>JBJS Open Access</i> , 2017, 2, e0033. | 1.5 | 13 |
| 59 | Comparison of the effects of denosumab between a native vitamin D combination and an active vitamin D combination in patients with postmenopausal osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 571-580. | 2.7 | 17 |
| 60 | THU0207...The effect of the use of glucocorticoids on health assessment questionnaire in patients with rheumatoid arthritis in clinical remission "data from kansai consortium for well-being of rheumatic disease patients (answer cohort)-. , 2017, , . | | 0 |
| 61 | OP0152...A longitudinal study of the effects of disease activity on renal function in patients with rheumatoid arthritis utilizing linear mixed effect models - answer cohort study -. , 2017, , . | | 0 |
| 62 | Characterization of Mesenchymal Stem Cell-Like Cells Derived From Human iPSCs via Neural Crest Development and Their Application for Osteochondral Repair. <i>Stem Cells International</i> , 2017, 2017, 1-18. | 2.5 | 55 |
| 63 | Comparison of the effects of forefoot joint-preserving arthroplasty and resection-replacement arthroplasty on walking plantar pressure distribution and patient-based outcomes in patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2017, 12, e0183805. | 2.5 | 18 |
| 64 | Synovial mesenchymal stem cells from osteo- or rheumatoid arthritis joints exhibit good potential for cartilage repair using a scaffold-free tissue engineering approach. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1413-1422. | 1.3 | 46 |
| 65 | Comparison of the effects of 12 months of monthly minodronate monotherapy and monthly minodronate combination therapy with vitamin K2 or eldcalcitol in patients with primary osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 243-250. | 2.7 | 21 |
| 66 | Effects of switching weekly alendronate or risedronate to monthly minodronate in patients with rheumatoid arthritis: a 12-month prospective study. <i>Osteoporosis International</i> , 2016, 27, 351-359. | 3.1 | 13 |
| 67 | Circulating sclerostin and dickkopf-1 levels in ossification of the posterior longitudinal ligament of the spine. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 315-324. | 2.7 | 22 |
| 68 | A case of adolescent giant parathyroid adenoma presenting multiple osteolytic fractures and postoperative hungry bone syndrome. <i>Clinical Case Reports (discontinued)</i> , 2015, 3, 835-840. | 0.5 | 10 |
| 69 | Undercarboxylated osteocalcin may be an attractive marker of teriparatide treatment in RA patients: response to Mokuda. <i>Osteoporosis International</i> , 2015, 26, 1445-1445. | 3.1 | 9 |
| 70 | Progranulin plays crucial roles in preserving bone mass by inhibiting TNF- α -induced osteoclastogenesis and promoting osteoblastic differentiation in mice. <i>Biochemical and Biophysical Research Communications</i> , 2015, 465, 638-643. | 2.1 | 31 |
| 71 | Bruton tyrosine kinase (Btk) suppresses osteoblastic differentiation. <i>Journal of Bone and Mineral Metabolism</i> , 2015, 33, 486-495. | 2.7 | 6 |
| 72 | Comparison of the effect of 18-month daily teriparatide administration on patients with rheumatoid arthritis and postmenopausal osteoporosis patients. <i>Osteoporosis International</i> , 2014, 25, 2755-2765. | 3.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | IL-6 negatively regulates osteoblast differentiation through the SHP2/MEK2 and SHP2/Akt2 pathways in vitro. <i>Journal of Bone and Mineral Metabolism</i> , 2014, 32, 378-392. | 2.7 | 156 |
| 74 | FR10345 Autoantibodies in Rheumatoid Arthritis Specifically Recognize IgG Heavy Chain Complexed with HLA-DR, Which is Strongly Associated with Rheumatoid Arthritis Susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 512.1-512. | 0.9 | 0 |
| 75 | Retention of tocilizumab and anti-tumour necrosis factor drugs in the treatment of rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 253-259. | 1.1 | 33 |
| 76 | Vitamin K2 administration is associated with decreased disease activity in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, 23, 1001-1007. | 1.8 | 34 |
| 77 | Oxygen and Air Nanobubble Water Solution Promote the Growth of Plants, Fishes, and Mice. <i>PLoS ONE</i> , 2013, 8, e65339. | 2.5 | 275 |
| 78 | Vitamin K2 administration is associated with decreased disease activity in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, 23, 1001-1007. | 1.8 | 18 |
| 79 | Serum level of oxidative stress marker is dramatically low in patients with rheumatoid arthritis treated with tocilizumab. <i>Rheumatology International</i> , 2012, 32, 4041-4045. | 3.0 | 41 |
| 80 | Nkx3.2 Promotes Primary Chondrogenic Differentiation by Upregulating Col2a1 Transcription. <i>PLoS ONE</i> , 2012, 7, e34703. | 2.5 | 31 |
| 81 | Impact of medium volume and oxygen concentration in the incubator on pericellular oxygen concentration and differentiation of murine chondrogenic cell culture. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2012, 48, 123-130. | 1.5 | 20 |
| 82 | Serum adiponectin concentrations correlate with severity of rheumatoid arthritis evaluated by extent of joint destruction. <i>Clinical Rheumatology</i> , 2009, 28, 445-451. | 2.2 | 89 |
| 83 | Adenovirus-mediated gene transfer of adiponectin reduces the severity of collagen-induced arthritis in mice. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 186-191. | 2.1 | 44 |