

JosÃ© Domingos Fabris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3557798/publications.pdf>

Version: 2024-02-01

102
papers

3,074
citations

159358

30
h-index

161609

54
g-index

102
all docs

102
docs citations

102
times ranked

4412
citing authors

#	ARTICLE	IF	CITATIONS
1	Removing phorbol esters from the biomass to add extra value to the byproduct from deoiling seeds of <i>Jatropha curcas</i> in the biodiesel industry. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 1779-1791.	2.9	2
2	Quartz Mining Waste for Concrete Production: Environment and Public Health. <i>Sustainability</i> , 2022, 14, 389.	1.6	8
3	Use of Mining Tailings or Their Sedimentation and Flotation Fractions in a Mixture with Soil to Produce Structural Ceramics. <i>Sustainability</i> , 2021, 13, 911.	1.6	4
4	Preparation of hybrid nanocomposite particles for medical practices. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 624, 126706.	2.3	4
5	Light biodiesel from macaãba and palm kernel: Properties of their blends with fossil kerosene in the perspective of an alternative aviation fuel. <i>Renewable Energy</i> , 2020, 151, 426-433.	4.3	19
6	Zeolite-magnetite composites to remove Hg ²⁺ from water. <i>Hyperfine Interactions</i> , 2019, 240, 1.	0.2	5
7	A novel hybrid nanoparticle based on Fe ₃ O ₄ /TMAOH/poly(L-co-D,L lactic acid-co-trimethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10T	0.2	2
8	Copper local structure in spinel ferrites determined by X-ray absorption and Mössbauer spectroscopy and their catalytic performance. <i>Materials Research Bulletin</i> , 2019, 109, 117-123.	2.7	6
9	Chemical and mineralogical characteristics of the pigments of archaeological rupestrian paintings from the Salão dos Índios site, in Piauí, Brazil. <i>Journal of Archaeological Science: Reports</i> , 2018, 18, 792-797.	0.2	3
10	Archaeometric analysis of prehistoric rupestrian paintings from the Toca do Estevo III site, Piauí, Brazil. <i>Journal of Archaeological Science: Reports</i> , 2018, 18, 798-803.	0.2	3
11	Iron-bearing minerals from soils developing on volcanic materials from Southern Chile: Application in heterogeneous catalysis. <i>Journal of Soil Science and Plant Nutrition</i> , 2018, , 0-0.	1.7	2
12	Development of a novel nano-biomaterial for biomedical applications. <i>Materials Research Express</i> , 2018, 5, 125014.	0.8	2
13	Removal of textile dye by adsorption on the cake as solid waste from the press-extraction of the macaãba (<i>Acrocomia aculeata</i>) kernel oil. <i>Eletica Quimica</i> , 2018, 43, 48.	0.2	3
14	Selective adsorption of fatty acid methyl esters onto a commercial molecular sieve or activated charcoal prepared from the <i>Acrocomia aculeata</i> ; cake remaining from press-extracting the fruit kernel oil. <i>AIMS Energy</i> , 2018, 6, 801-809.	1.1	6
15	Nb ₂ O ₅ PREPARADO EM MISTURA COM CaO COMO CATALISADOR HETEROGÊNEO EM REAÇÕES DE TRANSESTERIFICAÇÃO DE TRIACILGLICÉIS DE BIO-ÓLEO COM METANOL PARA PRODUIR BIODIESEL. <i>Tecnologia Em Metalurgia, Materiais E Mineracao</i> , 2018, 15, 49-55.	0.1	0
16	Minerais ferruginosos e fertilidade natural de solos magnéticos do Vale do Jequitinhonha, Minas Gerais, Brasil. <i>Revista Brasileira de Ciências Agrárias</i> , 2018, 13, 1-10.	0.3	0
17	Preparation and characterization of Fe ₃ O ₄ -Pt nanoparticles. <i>Hyperfine Interactions</i> , 2017, 238, 1.	0.2	2
18	Red and yellow ochres from the archaeological site Pedra do Cantagalo I, in Piripiri, Piauí, Brazil. <i>Hyperfine Interactions</i> , 2017, 238, 1.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Ferruginous compounds in the airborne particulate matter of the metropolitan area of Belo Horizonte, Minas Gerais, Brazil. <i>Environmental Science and Pollution Research</i> , 2017, 24, 19683-19692.	2.7	7
20	Synthesis and characterization of Fe_2O_3 (M = Co, Ni, Cu or Zn) photocatalysts for the degradation of the indigo carmine dye in water. <i>Hyperfine Interactions</i> , 2017, 238, 1.	0.2	9
21	Iron-bearing minerals of a rupestrian painting from the Manantial Solãs site, Cardiel Lake, Patagonia, Argentina. <i>Hyperfine Interactions</i> , 2017, 238, 1.	0.2	1
22	Chemical-Mineralogical Characterization of Magnetic Materials from Magnetic Soils of the Southern Espinhaço Mountain Chain and of the Upper Jequitinhonha Valley, State of Minas Gerais, Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , 2017, 41, .	0.5	3
23	Magnetic fraction from phosphate mining tailings as heterogeneous catalyst for biodiesel production through transesterification reaction of triacylglycerols in bio-oil. <i>AIMS Energy</i> , 2017, 5, 864-872.	1.1	2
24	A Mesoporous $\text{SiO}_2/\text{Fe}_2\text{O}_3/\text{KI}$ Heterogeneous Magnetic Catalyst for the Green Synthesis of Biodiesel. <i>Journal of the Brazilian Chemical Society</i> , 2016, , .	0.6	1
25	Bio-inactivation of human malignant cells through highly responsive diluted colloidal suspension of functionalized magnetic iron oxide nanoparticles. <i>Journal of Nanoparticle Research</i> , 2016, 18, 1.	0.8	7
26	A hole inversion layer at the $\text{BiVO}_4/\text{Bi}_4\text{V}_2\text{O}_{11}$ interface produces a high tunable photovoltage for water splitting. <i>Scientific Reports</i> , 2016, 6, 31406.	1.6	54
27	Hydrology and carbon dynamics of tropical peatlands from Southeast Brazil. <i>Catena</i> , 2016, 143, 18-25.	2.2	18
28	In-situ ^{57}Fe Mössbauer characterization of iron oxides in pigments of a rupestrian painting from the Serra da Capivara National Park, in Brazil, with the backscattering Mössbauer spectrometer MIMOS II. <i>Hyperfine Interactions</i> , 2016, 237, 1.	0.2	6
29	Thermosensitive gemcitabine-magnetoliposomes for combined hyperthermia and chemotherapy. <i>Nanotechnology</i> , 2016, 27, 085105.	1.3	43
30	Hybrid heterostructures based on hematite and highly hydrophilic carbon dots with photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2016, 182, 204-212.	10.8	47
31	Photoelectrochemical water oxidation over fibrous and sponge-like $\text{BiVO}_4/\text{Bi}_4\text{V}_2\text{O}_{11}$ photoanodes fabricated by spray pyrolysis. <i>Applied Catalysis B: Environmental</i> , 2016, 182, 247-256.	10.8	49
32	Nanomagnetite-Zeolite Composites in the Removal of Arsenate from Aqueous Systems. <i>Journal of the Brazilian Chemical Society</i> , 2015, , .	0.6	7
33	Synergism between n-type WO_3 and p-type FeOOH semiconductors: High interfacial contacts and enhanced photocatalysis. <i>Applied Catalysis B: Environmental</i> , 2015, 165, 579-588.	10.8	54
34	EFLORESCÊNCIAS SALINAS DO SÍTIO DE ARTE RUPESTRE PEDRA DO CASTELO, PIAUÍ, BRASIL. <i>Clio Arqueológica</i> , 2015, 30, 120.	0.0	2
35	Current Status of Magnetite-Based Core@Shell Structures for Diagnosis and Therapy in Oncology Short running title: Biomedical Applications of Magnetite@Shell Structures. <i>Current Pharmaceutical Design</i> , 2015, 21, 5417-5433.	0.9	14
36	Iron-bearing minerals in ashes emanated from Osorno volcano, in Chile. <i>Hyperfine Interactions</i> , 2014, 224, 153-159.	0.2	2

#	ARTICLE	IF	CITATIONS
37	Chemical reducing pedoenvironment in a peatland influenced by hematitic phyllite lithology in the southern Espinhaço chain, Brazil. <i>Hyperfine Interactions</i> , 2014, 226, 585-592.	0.2	1
38	Micro- to nano-scale characterization of martite from a banded iron formation in India and a lateritic soil in Brazil. <i>Physics and Chemistry of Minerals</i> , 2014, 41, 651-667.	0.3	16
39	Preparation and characterization of a single-walled aluminosilicate nanotube-iron oxide composite: Its applications to removal of aqueous arsenate. <i>Materials Research Bulletin</i> , 2014, 51, 145-152.	2.7	36
40	Pedogênese e classificaçãŁo de latossolos desenvolvidos de itabiritos no Quadrilãtero Ferrãfero, MG. <i>Revista Brasileira De Ciencia Do Solo</i> , 2014, 38, 359-371.	0.5	12
41	Evaluation and Characterization of Biodiesels Obtained Through Ethylic or Methylic Transesterification of Triacylglycerides in Corn Oil. <i>AIMS Energy</i> , 2014, 2, 183-192.	1.1	8
42	Thermal expansion coefficient and algebraic models to correct values of specific mass as a function of temperature for corn biodiesel. <i>Fuel</i> , 2013, 106, 646-650.	3.4	8
43	Performance of blast furnace waste for azo dye degradation through photo-Fenton-like processes. <i>Chemical Engineering Journal</i> , 2013, 224, 59-66.	6.6	81
44	A novel floating photocatalyst device based on cloth canvas impregnated with iron oxide. <i>New Journal of Chemistry</i> , 2013, 37, 2486.	1.4	14
45	Î-FeOOH: a superparamagnetic material for controlled heat release under AC magnetic field. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	47
46	Preparation of composite with silica-coated nanoparticles of iron oxide spinels for applications based on magnetically induced hyperthermia. <i>Hyperfine Interactions</i> , 2013, 218, 71-82.	0.2	12
47	Ã“xidos de ferro e suas aplicaçŁes em processos catalãticos: uma revisãŁo. <i>Quimica Nova</i> , 2013, 36, 123-130.	0.3	49
48	Effect of Tetramethylammonium Hydroxide on Nucleation, Surface Modification and Growth of Magnetic Nanoparticles. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-10.	1.5	34
49	Controlled reduction of steel waste to produce active iron phases for environmental applications. <i>Chemical Engineering Journal</i> , 2012, 209, 645-651.	6.6	16
50	Magnetostratigraphy and mid-palaeolatitude VGP dispersion during the Permo-Carboniferous Superchron: results from Paranã Basin (Southern Brazil) rhythmites. <i>Geophysical Journal International</i> , 2012, , no-no.	1.0	12
51	Nanostructured Î-FeOOH: An efficient Fenton-like catalyst for the oxidation of organics in water. <i>Applied Catalysis B: Environmental</i> , 2012, 119-120, 175-182.	10.8	126
52	Preparation of size-controlled nanoparticles of magnetite. <i>Journal of Magnetism and Magnetic Materials</i> , 2012, 324, 1753-1757.	1.0	74
53	Nanostructured Î-FeOOH: a novel photocatalyst for water splitting. <i>Journal of Materials Chemistry</i> , 2011, 21, 10280.	6.7	66
54	Catalysts based on clay and iron oxide for oxidation of toluene. <i>Applied Clay Science</i> , 2011, 51, 385-389.	2.6	73

#	ARTICLE	IF	CITATIONS
55	Heterogeneous catalyst based on peroxo-niobium complexes immobilized over iron oxide for organic oxidation in water. <i>Applied Catalysis B: Environmental</i> , 2011, 107, 237-244.	10.8	59
56	Ochres from rituals of prehistoric human funerals at the Toca do Enoque site, Piauí, Brazil. <i>Hyperfine Interactions</i> , 2011, 203, 39-45.	0.2	7
57	Structural characteristics of chalcopyrite from a Cu(Au) ore deposit in the Carajás Mineral Province, Brazil. <i>Hyperfine Interactions</i> , 2011, 203, 47-50.	0.2	0
58	Mössbauer analysis of high-energy mechanical-milled sand fraction of a magnetic soil developing on basalt. <i>Hyperfine Interactions</i> , 2011, 203, 9-15.	0.2	1
59	Preparative treatment with NaOH to selectively concentrate iron oxides of a Chilean volcanic soil material to produce effective heterogeneous Fenton catalyst. <i>Hyperfine Interactions</i> , 2011, 203, 59-66.	0.2	2
60	Composites prepared from natural iron oxides and sucrose: A highly reactive system for the oxidation of organic contaminants in water. <i>Chemical Engineering Journal</i> , 2011, 166, 962-969.	6.6	26
61	Cobalt-iron magnetic composites as heterogeneous catalysts for the aerobic oxidation of thiols under alkali free conditions. <i>Applied Catalysis A: General</i> , 2011, 392, 151-157.	2.2	58
62	Pigmentos de pinturas rupestres pré-históricas do Sítio Letreiro do Quinto, Pedro II, Piauí, Brasil. <i>Química Nova</i> , 2011, 34, 181-185.	0.3	6
63	pH effect on the synthesis of magnetite nanoparticles by the chemical reduction-precipitation method. <i>Química Nova</i> , 2010, 33, 524-527.	0.3	56
64	Niobian iron oxides as heterogeneous Fenton catalysts for environmental remediation. <i>Hyperfine Interactions</i> , 2010, 195, 27-34.	0.2	9
65	Hematite reaction with tar to produce carbon/iron composites for the reduction of Cr(VI) contaminant. <i>Hyperfine Interactions</i> , 2010, 195, 43-48.	0.2	1
66	Hematite from a mining area in the east border of Quadrilátero Ferrífero, Minas Gerais, Brazil. <i>Hyperfine Interactions</i> , 2010, 195, 69-76.	0.2	4
67	Use of activated carbon as a reactive support to produce highly active-regenerable Fe-based reduction system for environmental remediation. <i>Chemosphere</i> , 2010, 81, 7-12.	4.2	55
68	Kaolin mining and beneficiation: The role of iron. <i>Journal of Physics: Conference Series</i> , 2010, 217, 012066.	0.3	4
69	Preparation and characterization of tin-doped spinel ferrite. <i>Journal of Alloys and Compounds</i> , 2010, 505, 125-129.	2.8	19
70	Properties of iron sulphides from a copper mine in southern Brazil. <i>Journal of Physics: Conference Series</i> , 2010, 217, 012054.	0.3	0
71	Preparation and Characterization of Magnetic Composites Based on a Natural Zeolite. <i>Clays and Clay Minerals</i> , 2010, 58, 589-595.	0.6	12
72	Magnetic Properties of Nanoparticles Obtained by Different Chemical Routes. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 2081-2087.	0.9	16

#	ARTICLE	IF	CITATIONS
73	Comparisons of structural iron reduction in smectites by bacteria and dithionite: II. A variable-temperature Mössbauer spectroscopic study of Garfield nontronite. <i>Pure and Applied Chemistry</i> , 2009, 81, 1499-1509.	0.9	79
74	Synthesis and thermal treatment of cu-doped goethite: Oxidation of quinoline through heterogeneous fenton process. <i>Applied Catalysis B: Environmental</i> , 2009, 91, 581-586.	10.8	92
75	Mecanismos químicos e mineralógicos de transformação da magnesioferrita de solo derivado de tufito, da região do Alto Paranaíba, MG. <i>Química Nova</i> , 2009, 32, 1850-1855.	0.3	2
76	Modified goethites as catalyst for oxidation of quinoline: Evidence of heterogeneous Fenton process. <i>Applied Catalysis A: General</i> , 2008, 347, 89-93.	2.2	59
77	Catalytic properties of goethite prepared in the presence of Nb on oxidation reactions in water: Computational and experimental studies. <i>Applied Catalysis B: Environmental</i> , 2008, 83, 169-176.	10.8	84
78	Limitations of the ferrozine method for quantitative assay of mineral systems for ferrous and total iron. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 5001-5008.	1.6	63
79	Potential application of highly reactive Fe(0)/Fe ₃ O ₄ composites for the reduction of Cr(VI) environmental contaminants. <i>Chemosphere</i> , 2008, 71, 90-96.	4.2	72
80	Characterization of a redox-modified clay mineral with respect to its suitability as a barrier in radioactive waste confinement. <i>Applied Clay Science</i> , 2008, 39, 172-179.	2.6	36
81	Espectroscopia Mössbauer na caracterização de compostos ferrosos em solos e sua relação com retenção de ³ Sforo. <i>Química Nova</i> , 2008, 31, 1467-1471.	0.3	7
82	Análise química de pigmento vermelho em osso humano. <i>Química Nova</i> , 2008, 31, 1117-1120.	0.3	5
83	Controlled reduction of LaFe _x Mn _y Mo _z O ₃ /Al ₂ O ₃ composites to produce highly dispersed and stable Fe ₀ catalysts: a Mössbauer investigation. <i>Materials Research</i> , 2008, 11, 233-238.	0.6	2
84	Óxidos de ferro de solos formados sobre gnaiss do Complexo Baixo, Quadrilátero Ferrífero, Minas Gerais. <i>Pesquisa Agropecuária Brasileira</i> , 2006, 41, 313-321.	0.9	12
85	Óxidos de ferro e monazita de areias de praias do Espírito Santo. <i>Química Nova</i> , 2005, 28, 233-237.	0.3	13
86	Óxidos de ferro magnéticos de um tufito da região do Alto Paranaíba, MG. <i>Química Nova</i> , 2005, 28, 5-9.	0.3	2
87	Magnesioferrita e caminho pedogenético de transformação de óxidos de ferro magnéticos em dois perfis de solo derivados de tufito da região do Alto Paranaíba (MG). <i>Revista Brasileira De Ciencia Do Solo</i> , 2005, 29, 763-775.	0.5	2
88	Efficient use of Fe metal as an electron transfer agent in a heterogeneous Fenton system based on Fe ₀ /Fe ₃ O ₄ composites. <i>Chemosphere</i> , 2005, 60, 1118-1123.	4.2	154
89	Effectiveness of selective chemical treatments on concentrating magnetic minerals of samples from a nickel-ore peridotite mantle. <i>Journal of the Brazilian Chemical Society</i> , 2004, 15, 884-889.	0.6	3
90	Novel solvent free liquid-phase oxidation of β -pinene over heterogeneous catalysts based on Fe _{3-x} M _x O ₄ (M=Co and Mn). <i>Applied Catalysis A: General</i> , 2004, 269, 117-121.	2.2	36

#	ARTICLE	IF	CITATIONS
91	Magnetic Particle Technology. A Simple Preparation of Magnetic Composites for the Adsorption of Water Contaminants. Journal of Chemical Education, 2004, 81, 248.	1.1	13
92	Remarkable effect of Co and Mn on the activity of Fe ³⁺ /MnO ₂ promoted oxidation of organic contaminants in aqueous medium with H ₂ O ₂ . Catalysis Communications, 2003, 4, 525-529.	1.6	130
93	Clay-iron oxide magnetic composites for the adsorption of contaminants in water. Applied Clay Science, 2003, 22, 169-177.	2.6	312
94	Activated carbon/iron oxide magnetic composites for the adsorption of contaminants in water. Carbon, 2002, 40, 2177-2183.	5.4	449
95	Characterization of iron sulphides from ore mining rejects. , 2002, , 447-451.		0
96	Nickel- and Cobalt-doped magnetite as catalysts on the oxidation of CO. , 2002, , 345-349.		1
97	Iron-rich spinel phases from sand fraction of three Chilean soils developing on volcanic materials. Communications in Soil Science and Plant Analysis, 2001, 32, 2741-2754.	0.6	6
98	2,2'-Bipyridine-6,6'-bis(carbothioamide) metal complexes. Transition Metal Chemistry, 2000, 25, 338-340.	0.7	1
99	Effects of sodium hydroxide-selective chemical treatment on samples from some Chilean soils. Communications in Soil Science and Plant Analysis, 2000, 31, 3113-3119.	0.6	4
100	Ilmenite and Magnetite of a Tholeiitic Basalt. Clays and Clay Minerals, 1995, 43, 641-642.	0.6	13
101	Ethanol and organic acid production related to the microbial population in sugarcane silages with admixed crambe (<i>Crambe abyssinica</i> Hochst) bran. New Zealand Journal of Agricultural Research, 0, , 1-20.	0.9	2
102	PARÂMETROS DA REAÇÃO DE TRANSESTERIFICAÇÃO ETÉRICA COM ÓLEO DE MILHO PARA PRODUÇÃO DE BIODIESEL. Ectetica Quimica, 0, 35, 101.	0.2	0