

# Masakazu Yashiro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/355893/publications.pdf>

Version: 2024-02-01

185  
papers

6,896  
citations

53794

45  
h-index

82547

72  
g-index

189  
all docs

189  
docs citations

189  
times ranked

9270  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cancer-associated fibroblasts educate normal fibroblasts to facilitate cancer cell spreading and T cell suppression. <i>Molecular Oncology</i> , 2022, 16, 166-187.	4.6	21
2	Integrin $\alpha 5$ mediates cancer cell-fibroblast adhesion and peritoneal dissemination of diffuse-type gastric carcinoma. <i>Cancer Letters</i> , 2022, 526, 335-345.	7.2	7
3	Transferrin receptor 1 promotes the fibroblast growth factor receptor-mediated oncogenic potential of diffused-type gastric cancer. <i>Oncogene</i> , 2022, 41, 2587-2596.	5.9	6
4	CXCR2 signaling might have a tumor-suppressive role in patients with cholangiocarcinoma. <i>PLoS ONE</i> , 2022, 17, e0266027.	2.5	8
5	Dipeptidyl Peptidase-4 from Cancer-associated Fibroblasts Stimulates the Proliferation of Scirrhous-type Gastric Cancer Cells. <i>Anticancer Research</i> , 2022, 42, 501-509.	1.1	1
6	Significance of tumor heterogeneity of p-Smad2 and c-Met in HER2-positive gastric carcinoma with lymph node metastasis. <i>BMC Cancer</i> , 2022, 22, .	2.6	3
7	Lipocalin-2 negatively regulates epithelial-mesenchymal transition through matrix metalloprotease-2 downregulation in gastric cancer. <i>Gastric Cancer</i> , 2022, 25, 850-861.	5.3	3
8	Interleukin-8 produced from cancer-associated fibroblasts suppresses proliferation of the OCUCh-LM1 cancer cell line. <i>BMC Cancer</i> , 2022, 22, .	2.6	4
9	Stromal SOX2 Upregulation Promotes Tumorigenesis through the Generation of a SFRP1/2-Expressing Cancer-Associated Fibroblast Population. <i>Developmental Cell</i> , 2021, 56, 95-110.e10.	7.0	50
10	Clinical difference between fibroblast growth factor receptor 2 subclass, type IIIb and type IIIc, in gastric cancer. <i>Scientific Reports</i> , 2021, 11, 4698.	3.3	11
11	Expression of asporin reprograms cancer cells to acquire resistance to oxidative stress. <i>Cancer Science</i> , 2021, 112, 1251-1261.	3.9	16
12	Clinical benefit for clinical sequencing using cancer panel testing. <i>PLoS ONE</i> , 2021, 16, e0247090.	2.5	3
13	Molecular-targeted therapy toward precision medicine for gastrointestinal cancer: Current progress and challenges. <i>World Journal of Gastrointestinal Oncology</i> , 2021, 13, 366-390.	2.0	4
14	The clinicopathologic significance of Tks5 expression of peritoneal mesothelial cells in gastric cancer patients. <i>PLoS ONE</i> , 2021, 16, e0253702.	2.5	3
15	PKC $\beta 1$ inhibition activates an ULK2-mediated interferon response to repress tumorigenesis. <i>Molecular Cell</i> , 2021, 81, 4509-4526.e10.	9.7	12
16	EMMPRIN in extracellular vesicles from peritoneal mesothelial cells stimulates the invasion activity of diffuse-type gastric cancer cells. <i>Cancer Letters</i> , 2021, 521, 169-177.	7.2	6
17	Asporin Expression on Stromal Cells and/or Cancer Cells Might Be A Useful Prognostic Marker in Patients with Diffuse-Type Gastric Cancer. <i>European Surgical Research</i> , 2021, 62, 53-60.	1.3	3
18	Cancer-associated Fibroblast-derived Spondin-2 Promotes Motility of Gastric Cancer Cells. <i>Cancer Genomics and Proteomics</i> , 2021, 18, 521-529.	2.0	9

#	ARTICLE	IF	CITATIONS
19	Combination of p53 and Ki67 as a Promising Predictor of Postoperative Recurrence of Meningioma. <i>Anticancer Research</i> , 2021, 41, 203-210.	1.1	5
20	Circulating CEA-positive and EpCAM-negative tumor cells might be a predictive biomarker for recurrence in patients with gastric cancer. <i>Cancer Medicine</i> , 2021, 10, 521-528.	2.8	12
21	Gastric cancer stem cells survive in stress environments via their autophagy system. <i>Scientific Reports</i> , 2021, 11, 20664.	3.3	9
22	SDF1 $\alpha$ /CXCR4 axis may be associated with the malignant progression of gastric cancer in the hypoxic tumor microenvironment. <i>Oncology Letters</i> , 2021, 21, 38.	1.8	2
23	Circulating tumor cells with FGFR2 expression might be useful to identify patients with existing FGFR2-overexpressing tumor. <i>Cancer Science</i> , 2020, 111, 4500-4509.	3.9	12
24	Futibatinib Is a Novel Irreversible FGFR 1 $\alpha$ -4 Inhibitor That Shows Selective Antitumor Activity against FGFR-Deregulated Tumors. <i>Cancer Research</i> , 2020, 80, 4986-4997.	0.9	102
25	Crosstalk Between Cancer Associated Fibroblasts and Cancer Cells in Scirrhous Type Gastric Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 568557.	2.8	26
26	Cancer cells with high-metastatic potential promote a glycolytic shift in activated fibroblasts. <i>PLoS ONE</i> , 2020, 15, e0234613.	2.5	12
27	Extracellular Vesicles from Cancer-Associated Fibroblasts Containing Annexin A6 Induces FAK-YAP Activation by Stabilizing $\beta$ 1 Integrin, Enhancing Drug Resistance. <i>Cancer Research</i> , 2020, 80, 3222-3235.	0.9	94
28	Microscopic distance from tumor invasion front to serosa might be a useful predictive factor for peritoneal recurrence after curative resection of T3-gastric cancer. <i>PLoS ONE</i> , 2020, 15, e0225958.	2.5	8
29	Serine threonine kinase 11/liver kinase B1 mutation in sporadic scirrhous-type gastric cancer cells. <i>Carcinogenesis</i> , 2020, 41, 1616-1623.	2.8	5
30	SDF1 $\alpha$ /CXCR4 axis may be associated with the malignant progression of gastric cancer in the hypoxic tumor microenvironment. <i>Oncology Letters</i> , 2020, 21, 1-1.	1.8	6
31	Title is missing!. , 2020, 15, e0225958.		0
32	Title is missing!. , 2020, 15, e0225958.		0
33	Title is missing!. , 2020, 15, e0225958.		0
34	Title is missing!. , 2020, 15, e0225958.		0
35	Identification of candidates for driver oncogenes in scirrhous-type gastric cancer cell lines. <i>Cancer Science</i> , 2019, 110, 2643-2651.	3.9	8
36	The clinicopathological significance of Thrombospondin-4 expression in the tumor microenvironment of gastric cancer. <i>PLoS ONE</i> , 2019, 14, e0224727.	2.5	22

#	ARTICLE	IF	CITATIONS
37	High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005.	2.8	16
38	Feasibility of Identifying Patients at High Risk of Hereditary Gastric Cancer Based on Clinicopathological Variables. <i>Anticancer Research</i> , 2019, 39, 5057-5064.	1.1	1
39	Long-term survival estimates in older patients with pathological stage I gastric cancer undergoing gastrectomy: Duocentric analysis of simplified scoring system. <i>Journal of Geriatric Oncology</i> , 2019, 10, 604-609.	1.0	7
40	Adverse Effects of Preoperative Sarcopenia on Postoperative Complications of Patients With Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 987-992.	1.1	45
41	Cancer extracellular vesicles contribute to stromal heterogeneity by inducing chemokines in cancer-associated fibroblasts. <i>Oncogene</i> , 2019, 38, 5566-5579.	5.9	87
42	Clinicopathological Significance of Autophagy-related Proteins and its Association With Genetic Alterations in Gliomas. <i>Anticancer Research</i> , 2019, 39, 1233-1242.	1.1	24
43	Oligodendrocytes Up-regulate the Invasive Activity of Glioblastoma Cells <i>via</i> the Angiopoietin-2 Signaling Pathway. <i>Anticancer Research</i> , 2019, 39, 577-584.	1.1	15
44	The Clinicopathological Significance of the CXCR2 Ligands, CXCL1, CXCL2, CXCL3, CXCL5, CXCL6, CXCL7, and CXCL8 in Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 6645-6652.	1.1	43
45	Macrophage-mediated transfer of cancer-derived components to stromal cells contributes to establishment of a pro-tumor microenvironment. <i>Oncogene</i> , 2019, 38, 2162-2176.	5.9	54
46	Establishment of a New Scirrhous Gastric Cancer Cell Line with FGFR2 Overexpression, OCUM-14. <i>Annals of Surgical Oncology</i> , 2019, 26, 1093-1102.	1.5	11
47	A Pretreatment-Free, Polymer-Based Platform Prepared by Molecular Imprinting and Post-Imprinting Modifications for Sensing Intact Exosomes. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 1612-1615.	13.8	87
48	Precision medicine for gastrointestinal cancer: Recent progress and future perspective. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 12, 1-20.	2.0	31
49	Title is missing!. , 2019, 14, e0224727.		0
50	Title is missing!. , 2019, 14, e0224727.		0
51	Title is missing!. , 2019, 14, e0224727.		0
52	Title is missing!. , 2019, 14, e0224727.		0
53	CD9-positive exosomes from cancer-associated fibroblasts stimulate the migration ability of scirrhous-type gastric cancer cells. <i>British Journal of Cancer</i> , 2018, 118, 867-877.	6.4	63
54	PS02.233: PRETREATMENT PROGNOSTIC FACTORS IN PATIENTS WITH RESECTABLE C STAGE II-IV THORACIC ESOPHAGEAL SQUAMOUS CELL CARCINOMA. <i>Ecological Management and Restoration</i> , 2018, 31, 188-188.	0.4	0

#	ARTICLE	IF	CITATIONS
55	FA08.03: PREOPERATIVE SARCOPENIA INFLUENCES THE RISK OF POSTOPERATIVE PNEUMONIA IN PATIENTS WITH ESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018, 31, 15-16.	0.4	0
56	PS01.132: RISK FACTORS OF ANASTOMOTIC LEAKAGE AFTER ESOPHAGECTOMY WITH GASTRIC TUBE RECONSTRUCTION FOR THORACIC ESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2018, 31, 87-87.	0.4	0
57	High stromal transforming growth factor $\beta$ induced expression is a novel marker of progression and poor prognosis in gastric cancer. <i>Journal of Surgical Oncology</i> , 2018, 118, 966-974.	1.7	20
58	Clinico-pathological significance of exosome marker CD63 expression on cancer cells and stromal cells in gastric cancer. <i>PLoS ONE</i> , 2018, 13, e0202956.	2.5	32
59	Biomarkers of gastric cancer: Current topics and future perspective. <i>World Journal of Gastroenterology</i> , 2018, 24, 2818-2832.	3.3	300
60	Significance of the Lysyl Oxidase Members Lysyl Oxidase Like 1, 3, and 4 in Gastric Cancer. <i>Digestion</i> , 2018, 98, 238-248.	2.3	36
61	The significance of scirrhous gastric cancer cell lines: the molecular characterization using cell lines and mouse models. <i>Human Cell</i> , 2018, 31, 271-281.	2.7	13
62	Activation of Transforming Growth Factor Beta 1 Signaling in Gastric Cancer-associated Fibroblasts Increases Their Motility, via Expression of Rho GTPase 1, and Ability to Induce Invasiveness of Gastric Cancer Cells. <i>Gastroenterology</i> , 2017, 153, 191-204.e16.	1.3	158
63	Mesothelial Cells Create a Novel Tissue Niche That Facilitates Gastric Cancer Invasion. <i>Cancer Research</i> , 2017, 77, 684-695.	0.9	28
64	Examination of cancer cells exposed to gastric serosa by serosal stamp cytology plus RT-PCR is useful for the identification of gastric cancer patients at high risk of peritoneal recurrence. <i>Surgical Oncology</i> , 2017, 26, 352-358.	1.6	7
65	Pyruvate kinase isozyme M2 and glutaminase might be promising molecular targets for the treatment of gastric cancer. <i>Cancer Science</i> , 2017, 108, 2462-2469.	3.9	22
66	Cervical chylous leakage following esophagectomy that was successfully treated by intranodal lipiodol lymphangiography: a case report. <i>BMC Surgery</i> , 2017, 17, 20.	1.3	6
67	Clinicopathologic significance of the CXCL1-CXCR2 axis in the tumor microenvironment of gastric carcinoma. <i>PLoS ONE</i> , 2017, 12, e0178635.	2.5	26
68	Tumor-associated macrophages induce capillary morphogenesis of lymphatic endothelial cells derived from human gastric cancer. <i>Cancer Science</i> , 2016, 107, 1101-1109.	3.9	20
69	CXCL1 Chemokine (C-X-C Motif) Receptor 2 Signaling Stimulates the Recruitment of Bone Marrow-Derived Mesenchymal Cells into Diffuse-Type Gastric Cancer Stroma. <i>American Journal of Pathology</i> , 2016, 186, 3028-3039.	3.8	39
70	Elevated alpha1-acid glycoprotein in gastric cancer patients inhibits the anticancer effects of paclitaxel, effects restored by co-administration of erythromycin. <i>Clinical and Experimental Medicine</i> , 2016, 16, 585-592.	3.6	16
71	Predictive Potential of Preoperative Nutritional Status in Long-Term Outcome Projections for Patients with Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 525-533.	1.5	118
72	Lysyl oxidase is associated with the epithelial-mesenchymal transition of gastric cancer cells in hypoxia. <i>Gastric Cancer</i> , 2016, 19, 431-442.	5.3	67

#	ARTICLE	IF	CITATIONS
73	Pancreatic Fibroblasts Stimulate the Motility of Pancreatic Cancer Cells through IGF1/IGF1R Signaling under Hypoxia. PLoS ONE, 2016, 11, e0159912.	2.5	45
74	Molecular targets for the treatment of pancreatic cancer: Clinical and experimental studies. World Journal of Gastroenterology, 2016, 22, 776.	3.3	48
75	Fibroblast growth factor receptor signaling as therapeutic targets in gastric cancer. World Journal of Gastroenterology, 2016, 22, 2415.	3.3	30
76	Clinicopathological Correlations of Autophagy-related Proteins LC3, Beclin 1 and p62 in Gastric Cancer. Anticancer Research, 2016, 36, 129-36.	1.1	54
77	The outcome of surgical treatment for elderly patients with gastric carcinoma. Journal of Surgical Oncology, 2015, 111, 848-854.	1.7	51
78	Protein-bound polysaccharide K suppresses tumor fibrosis in gastric cancer by inhibiting the TGF- $\beta$ <sup>2</sup> signaling pathway. Oncology Reports, 2015, 33, 553-558.	2.6	15
79	Recent advances in the HER2 targeted therapy of gastric cancer. World Journal of Clinical Cases, 2015, 3, 42.	0.8	39
80	Cronkhite-Canada Syndrome with Complete Remission after Four Months of Prednisolone Therapy and Polypectomy. Journal of General and Family Medicine, 2015, 16, 297-301.	0.8	0
81	rostaglandin synthase is a potential novel therapeutic agent for the treatment of gastric carcinomas expressing PPAR $\beta$ . International Journal of Cancer, 2015, 137, 1235-1244.	5.1	16
82	Molecular Alterations of Colorectal Cancer with Inflammatory Bowel Disease. Digestive Diseases and Sciences, 2015, 60, 2251-2263.	2.3	38
83	Diffuse-type gastric cancer cells switch their driver pathways from FGFR2 signaling to SDF1/CXCR4 axis in hypoxic tumor microenvironments. Carcinogenesis, 2015, 36, bgv134.	2.8	24
84	Polymeric Micelle Platform for Multimodal Tomographic Imaging to Detect Scirrhou Gastric Cancer. ACS Biomaterials Science and Engineering, 2015, 1, 1067-1076.	5.2	20
85	Epigenetic modulation and repression of miR-200b by cancer-associated fibroblasts contribute to cancer invasion and peritoneal dissemination in gastric cancer. Carcinogenesis, 2015, 36, 133-141.	2.8	76
86	Desmoglein-2. , 2015, , 1-3.		0
87	Desmoglein-2. , 2015, , 1339-1341.		0
88	Stromal Fibroblasts Mediate Extracellular Matrix Remodeling and Invasion of Scirrhou Gastric Carcinoma Cells. PLoS ONE, 2014, 9, e85485.	2.5	43
89	Comparative Proteomics Analysis of Gastric Cancer Stem Cells. PLoS ONE, 2014, 9, e110736.	2.5	39
90	The Role of PI3K/Akt/mTOR Signaling in Gastric Carcinoma. Cancers, 2014, 6, 1441-1463.	3.7	167

#	ARTICLE	IF	CITATIONS
91	MicroRNA-143 regulates collagen type III expression in stromal fibroblasts of scirrhous type gastric cancer. <i>Cancer Science</i> , 2014, 105, 228-235.	3.9	68
92	Cancer-associated fibroblasts might sustain the stemness of scirrhous gastric cancer cells via transforming growth factor- $\beta^2$ signaling. <i>International Journal of Cancer</i> , 2014, 134, 1785-1795.	5.1	94
93	Lysyl oxidase-like 2 (LOXL2) from stromal fibroblasts stimulates the progression of gastric cancer. <i>Cancer Letters</i> , 2014, 354, 438-446.	7.2	77
94	Carbonic anhydrase 9 is associated with chemosensitivity and prognosis in breast cancer patients treated with taxane and anthracycline. <i>BMC Cancer</i> , 2014, 14, 400.	2.6	27
95	The Niche Component Periostin Is Produced by Cancer-Associated Fibroblasts, Supporting Growth of Gastric Cancer through ERK Activation. <i>American Journal of Pathology</i> , 2014, 184, 859-870.	3.8	100
96	MicroRNA-145 is a potential prognostic factor of scirrhous type gastric cancer. <i>Oncology Reports</i> , 2014, 32, 1720-1726.	2.6	33
97	The role of type D prostanoid receptors and PPAR $\beta^3$ in gastric cancer progression. <i>Anticancer Research</i> , 2014, 34, 2771-8.	1.1	6
98	IGF-1 receptor and IGF binding protein-3 might predict prognosis of patients with resectable pancreatic cancer. <i>BMC Cancer</i> , 2013, 13, 392.	2.6	44
99	Design and synthesis of a series of $\beta$ -benzyl phenylpropanoic acid-type peroxisome proliferator-activated receptor (PPAR) gamma partial agonists with improved aqueous solubility. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 2319-2332.	3.0	26
100	Hypoxia Stimulates the EMT of Gastric Cancer Cells through Autocrine TGF $\beta^2$ Signaling. <i>PLoS ONE</i> , 2013, 8, e62310.	2.5	91
101	VEGF-A/VEGFR-2 Signaling Plays an Important Role for the Motility of Pancreas Cancer Cells. <i>Annals of Surgical Oncology</i> , 2012, 19, 2733-2743.	1.5	56
102	CD133 Is a Useful Surrogate Marker for Predicting Chemosensitivity to Neoadjuvant Chemotherapy in Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e45865.	2.5	44
103	NC-6301, a polymeric micelle rationally optimized for effective release of docetaxel, is potent but is less toxic than native docetaxel in vivo. <i>International Journal of Nanomedicine</i> , 2012, 7, 2713.	6.7	8
104	Coordinated expression of REG4 and aldehyde dehydrogenase 1 regulating tumorigenic capacity of diffuse-type gastric carcinoma-initiating cells is inhibited by TGF $\beta^2$ . <i>Journal of Pathology</i> , 2012, 228, 391-404.	4.5	91
105	Cancer-associated orthotopic myofibroblasts stimulates the motility of gastric carcinoma cells. <i>Cancer Science</i> , 2012, 103, 797-805.	3.9	57
106	A FGFR2 inhibitor, Ki23057, enhances the chemosensitivity of drug-resistant gastric cancer cells. <i>Cancer Letters</i> , 2011, 307, 47-52.	7.2	41
107	Identification of HLA-A*2402-restricted epitope peptide derived from ERas oncogene expressed in human scirrhous gastric cancer. <i>Cancer Science</i> , 2011, 102, 683-689.	3.9	5
108	Borrmann's Macroscopic Criteria and p-Smad2 Expression Are Useful Predictive Prognostic Markers for Cytology-Positive Gastric Cancer Patients Without Overt Peritoneal Metastasis. <i>Annals of Surgical Oncology</i> , 2011, 18, 3718-3725.	1.5	15

#	ARTICLE	IF	CITATIONS
109	RhoA/ROCK signaling mediates plasticity of scirrhous gastric carcinoma motility. <i>Clinical and Experimental Metastasis</i> , 2011, 28, 627-636.	3.3	33
110	THBS4, a novel stromal molecule of diffuse-type gastric adenocarcinomas, identified by transcriptome-wide expression profiling. <i>Modern Pathology</i> , 2011, 24, 1390-1403.	5.5	96
111	Desmoglein-2. , 2011, , 1089-1090.		0
112	Effects of acute and chronic hypoxia on the radiosensitivity of gastric and esophageal cancer cells. <i>Anticancer Research</i> , 2011, 31, 3369-75.	1.1	44
113	Synergistic antitumor effects of FGFR2 inhibitor with 5-Fluorouracil on scirrhous gastric carcinoma. <i>International Journal of Cancer</i> , 2010, 126, 1004-1016.	5.1	40
114	Cancer-Stromal Interactions in Scirrhous Gastric Carcinoma. <i>Cancer Microenvironment</i> , 2010, 3, 127-135.	3.1	87
115	Mutations in TGFbeta-RII and BAX mediate tumor progression in the later stages of colorectal cancer with microsatellite instability. <i>BMC Cancer</i> , 2010, 10, 303.	2.6	29
116	Phosphorylated Smad2 in Advanced Stage Gastric Carcinoma. <i>BMC Cancer</i> , 2010, 10, 652.	2.6	41
117	Significance of phospho-vascular endothelial growth factor receptor-2 expression in pancreatic cancer. <i>Cancer Science</i> , 2010, 101, 1529-1535.	3.9	17
118	Combination effect of a TGF- $\alpha$ 2 receptor kinase inhibitor with 5-FU analog S1 on lymph node metastasis of scirrhous gastric cancer in mice. <i>Cancer Science</i> , 2010, 101, 1846-1852.	3.9	12
119	Myofibroblasts are associated with the progression of scirrhous gastric carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2010, 1, 547-551.	1.8	15
120	Monoclonal Antibodies to Fibroblast Growth Factor Receptor 2 Effectively Inhibit Growth of Gastric Tumor Xenografts. <i>Clinical Cancer Research</i> , 2010, 16, 5750-5758.	7.0	66
121	Expression of a Hypoxia-Associated Protein, Carbonic Anhydrase-9, Correlates with Malignant Phenotypes of Gastric Carcinoma. <i>Digestion</i> , 2010, 82, 246-251.	2.3	18
122	Transforming growth factor $\beta$ 2 signaling inhibitor, SB-431542, induces maturation of dendritic cells and enhances anti-tumor activity. <i>Oncology Reports</i> , 2010, 24, 1637-43.	2.6	60
123	Hypoxia upregulates adhesion ability to peritoneum through a transforming growth factor- $\beta$ 2-dependent mechanism in diffuse-type gastric cancer cells. <i>European Journal of Cancer</i> , 2010, 46, 995-1005.	2.8	23
124	Establishment and characterization of multidrug-resistant gastric cancer cell lines. <i>Anticancer Research</i> , 2010, 30, 915-21.	1.1	46
125	Proteomic differential display analysis shows up-regulation of 14-3-3 sigma protein in human scirrhous-type gastric carcinoma cells. <i>Anticancer Research</i> , 2010, 30, 4459-65.	1.1	18
126	Clinical significance of vimentin-positive gastric cancer cells. <i>Anticancer Research</i> , 2010, 30, 5239-43.	1.1	44



#	ARTICLE	IF	CITATIONS
127	Diffuse-Type Gastric Carcinoma: Progression, Angiogenesis, and Transforming Growth Factor $\beta$ Signaling. <i>Journal of the National Cancer Institute</i> , 2009, 101, 592-604.	6.3	66
128	DNA methyltransferase inhibitor 5-aza-2-deoxycytidine enhances the radiosensitivity of gastric cancer cells. <i>Cancer Science</i> , 2009, 100, 181-188.	3.9	52
129	Cancer stem cell-like SP cells have a high adhesion ability to the peritoneum in gastric carcinoma. <i>Cancer Science</i> , 2009, 100, 1397-1402.	3.9	72
130	Synergistic antiproliferative effect of mTOR inhibitors in combination with 5-fluorouracil in scirrhous gastric cancer. <i>Cancer Science</i> , 2009, 100, 2402-2410.	3.9	39
131	Allelic Imbalance at p53 and Microsatellite Instability Are Predictive Markers for Resistance to Chemotherapy in Gastric Carcinoma. <i>Annals of Surgical Oncology</i> , 2009, 16, 2926-2935.	1.5	16
132	Epigenetic regulation of the embryonic oncogene ERas in gastric cancer cells. <i>International Journal of Oncology</i> , 2009, 35, 997-1003.	3.3	23
133	Co-expression of keratinocyte growth factor and K-sam is an independent prognostic factor in gastric carcinoma. <i>Oncology Reports</i> , 2009, 21, 875-80.	2.6	47
134	Expression of ERas oncogene in gastric carcinoma. <i>Anticancer Research</i> , 2009, 29, 2189-93.	1.1	19
135	Ulcerative Colitis-Associated Colorectal Cancer is Frequently Associated with the Microsatellite Instability Pathway. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 1387-1394.	1.3	45
136	A Novel Transforming Growth Factor $\beta$ Receptor Kinase Inhibitor, A-77, Prevents the Peritoneal Dissemination of Scirrhous Gastric Carcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 2850-2860.	7.0	37
137	FGFR2-Amplified Gastric Cancer Cell Lines Require FGFR2 and ErbB3 Signaling for Growth and Survival. <i>Cancer Research</i> , 2008, 68, 2340-2348.	0.9	259
138	Improvement of cancer-targeting therapy, using nanocarriers for intractable solid tumors by inhibition of TGF-beta signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3460-3465.	7.1	404
139	Inhibition of Cyclooxygenase-2 Suppresses Lymph Node Metastasis via Reduction of Lymphangiogenesis. <i>Cancer Research</i> , 2007, 67, 10181-10189.	0.9	117
140	A novel angiogenesis inhibitor, Ki23057, is useful for preventing the progression of colon cancer and the spreading of cancer cells to the liver. <i>European Journal of Cancer</i> , 2007, 43, 2612-2620.	2.8	13
141	Selective cyclooxygenase-2 inhibitor downregulates the paracrine epithelial-mesenchymal interactions of growth in scirrhous gastric carcinoma. <i>International Journal of Cancer</i> , 2007, 120, 686-693.	5.1	15
142	A Synergistic Antitumor Effect of Interleukin-2 Addition with CD80 Immunogene Therapy for Peritoneal Metastasis of Gastric Carcinoma. <i>Digestive Diseases and Sciences</i> , 2007, 52, 1946-1953.	2.3	5
143	A Novel Molecular Targeting Compound as K-samIII/FGF-R2 Phosphorylation Inhibitor, Ki23057, for Scirrhous Gastric Cancer. <i>Gastroenterology</i> , 2006, 131, 1530-1541.	1.3	70
144	A synergic inhibitory-effect of combination with selective cyclooxygenase-2 inhibitor and S-1 on the peritoneal metastasis for scirrhous gastric cancer cells. <i>Cancer Letters</i> , 2006, 244, 247-251.	7.2	15

#	ARTICLE	IF	CITATIONS
145	Decreased expression of the adhesion molecule desmoglein-2 is associated with diffuse-type gastric carcinoma. <i>European Journal of Cancer</i> , 2006, 42, 2397-2403.	2.8	75
146	Histone deacetylase inhibitor, trichostatin A, increases the chemosensitivity of anticancer drugs in gastric cancer cell lines. <i>Oncology Reports</i> , 2006, 16, 563.	2.6	33
147	Synergic antiproliferative effect of DNA methyltransferase inhibitor in combination with anticancer drugs in gastric carcinoma. <i>Cancer Science</i> , 2006, 97, 938-944.	3.9	26
148	Histone deacetylase inhibitor, trichostatin A, increases the chemosensitivity of anticancer drugs in gastric cancer cell lines. <i>Oncology Reports</i> , 2006, 16, 563-8.	2.6	67
149	Inhibitory effect of a selective cyclooxygenase inhibitor on the invasion-stimulating activity of orthotopic fibroblasts for scirrhous gastric cancer cells. <i>Cancer Science</i> , 2005, 96, 451-455.	3.9	17
150	A novel high-specificity approach for colorectal neoplasia: Detection of K-ras2 oncogene mutation in normal mucosa. <i>International Journal of Cancer</i> , 2005, 113, 1015-1021.	5.1	13
151	Frequent microsatellite instability in primary esophageal carcinoma associated with extraesophageal primary carcinoma. <i>International Journal of Cancer</i> , 2005, 114, 166-173.	5.1	14
152	CD54 Expression Is Predictive for Lymphatic Spread in Human Gastric Carcinoma. <i>Digestive Diseases and Sciences</i> , 2005, 50, 2224-2230.	2.3	15
153	Effect of organ-specific fibroblasts on proliferation and differentiation of breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2005, 90, 307-313.	2.5	32
154	Serrated Adenomas Have a Pattern of Genetic Alterations That Distinguishes Them from Other Colorectal Polyps. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2253-2256.	2.5	23
155	Up regulation of ICAM-1 gene expression inhibits tumour growth and liver metastasis in colorectal carcinoma. <i>European Journal of Cancer</i> , 2005, 41, 1802-1810.	2.8	46
156	K-ras mutation influences macroscopic features of gastric carcinoma. <i>Journal of Surgical Research</i> , 2005, 124, 74-78.	1.6	22
157	Suppression of peritoneal metastasis in human gastric carcinoma by enhanced immunogenicity of B7-1 transfection. <i>Oncology Reports</i> , 2004, 12, 53.	2.6	3
158	Is a Lymph Node Detected by the Dye-Guided Method a True Sentinel Node in Gastric Cancer?. <i>Clinical Cancer Research</i> , 2004, 10, 6912-6918.	7.0	50
159	ICAM-2 Gene Therapy for Peritoneal Dissemination of Scirrhous Gastric Carcinoma. <i>Clinical Cancer Research</i> , 2004, 10, 4885-4892.	7.0	29
160	Cronkhite-Canada Syndrome Containing Colon Cancer and Serrated Adenoma Lesions. <i>Digestion</i> , 2004, 69, 57-62.	2.3	86
161	CD80 gene therapy for lymph node involvement by gastric carcinoma. <i>International Journal of Oncology</i> , 2004, 25, 1319.	3.3	1
162	SUCCESSFUL TREATMENT USING A SELF-EXPANDABLE METALLIC STENT IN THE PALLIATION FOR UNRESECTABLE MALIGNANT OBSTRUCTION OF THE COLON AND RECTUM. <i>Digestive Endoscopy</i> , 2004, 16, 332-336.	2.3	4

#	ARTICLE	IF	CITATIONS
163	Novel models for human scirrhous gastric carcinoma in vivo. <i>Cancer Science</i> , 2004, 95, 893-900.	3.9	40
164	Usefulness of inhibiting the lymph node metastasis in human gastric carcinoma by B7-1 gene transfection. <i>Journal of Surgical Research</i> , 2004, 122, 89-95.	1.6	11
165	Suppression of peritoneal metastasis in human gastric carcinoma by enhanced immunogenicity of B7-1 transfection. <i>Oncology Reports</i> , 2004, 12, 53-7.	2.6	3
166	Tranilast (N-3,4-dimethoxycynamoyl anthranilic acid): a novel inhibitor of invasion-stimulating interaction between gastric cancer cells and orthotopic fibroblasts. <i>Anticancer Research</i> , 2003, 23, 3899-904.	1.1	23
167	Keratinocyte growth factor produced by gastric fibroblasts specifically stimulates proliferation of cancer cells from scirrhous gastric carcinoma. <i>Cancer Research</i> , 2003, 63, 8848-52.	0.9	77
168	Expression of intercellular adhesion molecule-1 and prognosis in colorectal cancer. <i>Oncology Reports</i> , 2002, 9, 511-4.	2.6	59
169	MR 77 KDA factor derived from fibroblasts stimulates the invasion ability of breast-cancer cells. <i>International Journal of Cancer</i> , 2001, 92, 181-186.	5.1	3
170	Establishment of a new scirrhous gastric cancer cell line with loss of heterozygosity at E-cadherin locus. <i>International Journal of Oncology</i> , 2001, 19, 1029-33.	3.3	4
171	Synchronous multiple primary gastrointestinal cancer exhibits frequent microsatellite instability. , 2000, 86, 678-683.		46
172	ICAM-1 (Intercellular Adhesion Molecule-1) Gene Transfection Inhibits Lymph Node Metastasis by Human Gastric Cancer Cells. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 925-933.	1.7	25
173	Decrease in ICAM-1 expression on gastric cancer cells is correlated with lymph node metastasis. <i>Gastric Cancer</i> , 1999, 2, 221-225.	5.3	40
174	Transforming Growth Factor- $\beta$ 2 and Hepatocyte Growth Factor Produced by Gastric Fibroblasts Stimulate the Invasiveness of Scirrhous Gastric Cancer Cells. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 152-159.	1.7	74
175	Establishment of lymph node metastatic model for human gastric cancer in nude mice and analysis of factors associated with metastasis. <i>Clinical and Experimental Metastasis</i> , 1997, 16, 389-398.	3.3	46
176	Adhesion polypeptides are useful for the prevention of peritoneal dissemination of gastric cancer. <i>Clinical and Experimental Metastasis</i> , 1997, 16, 381-388.	3.3	22
177	Inhibition of Adhesion and Invasion by Adhesion Peptide in Peritoneal Disseminating Gastric Cancer Cell. <i>Japanese Journal of Gastroenterological Surgery</i> , 1997, 30, 799-799.	0.1	0
178	Fibrosis in the peritoneum induced by Scirrhous gastric cancer cells may act as a barrier for peritoneal dissemination. , 1996, 77, 1668-1675.		65
179	Hepatocyte growth factor (HGF) produced by peritoneal fibroblasts may affect mesothelial cell morphology and promote peritoneal dissemination. , 1996, 67, 289-293.		60
180	Peritoneal metastatic model for human scirrhous gastric carcinoma in nude mice. <i>Clinical and Experimental Metastasis</i> , 1996, 14, 43-54.	3.3	113

#	ARTICLE	IF	CITATIONS
181	CD44H Plays an Important Role in Peritoneal Dissemination of Scirrhou Gastric Cancer Cells. Japanese Journal of Cancer Research, 1996, 87, 1235-1244.	1.7	43
182	Fibrosis in the peritoneum induced by scirrhou gastric cancer cells may act as ?Soil? for peritoneal dissemination. Cancer, 1996, 77, 1668-1675.	4.1	65
183	Role of Orthotopic Fibroblasts in the Development of Scirrhou Gastric Carcinoma. Japanese Journal of Cancer Research, 1994, 85, 883-886.	1.7	45
184	Effect of Gastric Fibroblast on the Growth of Human Gastric Scirrhou Carcinoma Cell. Japanese Journal of Gastroenterological Surgery, 1993, 26, 2554-2554.	0.1	0
185	A CASE REPORT OF MALIGNANT LYMPHOMA OF THE CECUM WITH ELEVATED LEVELS OF SERUM LACTIC DEHYDROGENASE. The Journal of the Japanese Practical Surgeon Society, 1990, 51, 2005-2009.	0.0	0