

Andrzej Kacperek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3561002/publications.pdf>

Version: 2024-02-01

57
papers

1,684
citations

361045

20
h-index

288905

40
g-index

59
all docs

59
docs citations

59
times ranked

1406
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Local tumour control and radiation side effects for fractionated stereotactic photon beam radiotherapy compared to proton beam radiotherapy in uveal melanoma. <i>Radiotherapy and Oncology</i> , 2021, 157, 219-224. | 0.3 | 12 |
| 2 | USP9X Is Required to Maintain Cell Survival in Response to High-LET Radiation. <i>Frontiers in Oncology</i> , 2021, 11, 671431. | 1.3 | 6 |
| 3 | Beam characterisation studies of the 62 MeV proton therapy beamline at the Clatterbridge Cancer Centre. <i>Physica Medica</i> , 2020, 77, 108-120. | 0.4 | 2 |
| 4 | Effects of plaque brachytherapy and proton beam radiotherapy on prognostic testing: a comparison of uveal melanoma genotyped by microsatellite analysis. <i>British Journal of Ophthalmology</i> , 2020, 104, 1462-1466. | 2.1 | 10 |
| 5 | Practice Considerations for Proton Beam Radiation Therapy of Uveal Melanoma During the Coronavirus Disease Pandemic: Particle Therapy Co-Operative Group Ocular Experience. <i>Advances in Radiation Oncology</i> , 2020, 5, 682-686. | 0.6 | 11 |
| 6 | Characterisation of Deubiquitylating Enzymes in the Cellular Response to High-LET Ionizing Radiation and Complex DNA Damage. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 656-665. | 0.4 | 30 |
| 7 | Proton beam radiotherapy (PBR) for the treatment of retinal capillary haemangioblastoma stabilises tumour progression but with poor visual outcomes. <i>Eye</i> , 2019, 33, 1188-1190. | 1.1 | 3 |
| 8 | Complex DNA Damage Induced by High Linear Energy Transfer Alpha-Particles and Protons Triggers a Specific Cellular DNA Damage Response. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 776-784. | 0.4 | 86 |
| 9 | Response of synthetic diamond detectors in proton, carbon, and oxygen ion beams. <i>Medical Physics</i> , 2017, 44, 5445-5449. | 1.6 | 12 |
| 10 | Profile of European proton and carbon ion therapy centers assessed by the EORTC facility questionnaire. <i>Radiotherapy and Oncology</i> , 2017, 124, 185-189. | 0.3 | 33 |
| 11 | The influence of physical wedges on penumbra and in-field dose uniformity in ocular proton beams. <i>Physica Medica</i> , 2016, 32, 612-617. | 0.4 | 3 |
| 12 | Experimental and Monte Carlo studies of fluence corrections for graphite calorimetry in low and high energy clinical proton beams. <i>Medical Physics</i> , 2016, 43, 4122-4132. | 1.6 | 16 |
| 13 | Practice Patterns Analysis of Ocular Proton Therapy Centers: The International OPTIC Survey. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 95, 336-343. | 0.4 | 69 |
| 14 | Variations in the Processing of DNA Double-Strand Breaks Along 60-MeV Therapeutic Proton Beams. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 95, 86-94. | 0.4 | 74 |
| 15 | The quenching effect in PRESAGE® dosimetry of proton beams: Is an empirical correction feasible?. <i>Journal of Physics: Conference Series</i> , 2015, 573, 012043. | 0.3 | 4 |
| 16 | Transpalpebral proton beam radiotherapy of choroidal melanoma. <i>British Journal of Ophthalmology</i> , 2015, 99, 232-235. | 2.1 | 13 |
| 17 | Issues involved in the quantitative 3D imaging of proton doses using optical CT and chemical dosimeters. <i>Physics in Medicine and Biology</i> , 2015, 60, 709-726. | 1.6 | 17 |
| 18 | Outcomes of treatment with stereotactic radiosurgery or proton beam therapy for choroidal melanoma. <i>Eye</i> , 2015, 29, 1194-1198. | 1.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Recurrence of iris melanoma after proton beam therapy. British Journal of Ophthalmology, 2014, 98, 484-487. | 2.1 | 13 |
| 20 | Range verification for eye proton therapy based on proton-induced x-ray emissions from implanted metal markers. Physics in Medicine and Biology, 2014, 59, 2623-2638. | 1.6 | 3 |
| 21 | The physics of Cerenkov light production during proton therapy. Physics in Medicine and Biology, 2014, 59, 7107-7123. | 1.6 | 56 |
| 22 | Cerenkov optical emissions in particle radiotherapy. , 2014, , . | | 0 |
| 23 | Determination of depth of a radionuclide source in a tissue equivalent phantom. Journal of Radioanalytical and Nuclear Chemistry, 2013, 296, 807-810. | 0.7 | 0 |
| 24 | Proton beam radiotherapy of uveal melanoma. Saudi Journal of Ophthalmology, 2013, 27, 151-157. | 0.3 | 57 |
| 25 | Evaluation of Gafchromic® EBT3 films characteristics in therapy photon, electron and proton beams. Physica Medica, 2013, 29, 599-606. | 0.4 | 170 |
| 26 | Fluence correction factors for graphite calorimetry in a low-energy clinical proton beam: I. Analytical and Monte Carlo simulations. Physics in Medicine and Biology, 2013, 58, 3481-3499. | 1.6 | 22 |
| 27 | Whole anterior segment proton beam radiotherapy for diffuse iris melanoma. British Journal of Ophthalmology, 2013, 97, 471-474. | 2.1 | 38 |
| 28 | Preliminary characterization of PRESAGE® for 3D dosimetry of 62 MeV proton beam. Journal of Physics: Conference Series, 2013, 444, 012058. | 0.3 | 3 |
| 29 | Water equivalence of some plastic-water phantom materials for clinical proton beam dosimetry. Applied Radiation and Isotopes, 2012, 70, 1052-1057. | 0.7 | 10 |
| 30 | Ocular Proton Therapy Centers. Biological and Medical Physics Series, 2012, , 149-177. | 0.3 | 13 |
| 31 | An investigation of the response of the radiochromic dosimeter PRESAGE™ to irradiation by 62 MeV protons. Journal of Physics: Conference Series, 2010, 250, 012034. | 0.3 | 7 |
| 32 | Water equivalence of various materials for clinical proton dosimetry by experiment and Monte Carlo simulation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 619, 344-347. | 0.7 | 19 |
| 33 | Protontherapy of eye tumours in the UK: A review of treatment at Clatterbridge. Applied Radiation and Isotopes, 2009, 67, 378-386. | 0.7 | 40 |
| 34 | A preliminary analysis of LET effects in the dosimetry of proton beams using PRESAGE® and optical CT. Applied Radiation and Isotopes, 2009, 67, 415-418. | 0.7 | 30 |
| 35 | Monte Carlo simulation and polymer gel dosimetry of 60MeV clinical proton beams for the treatment of ocular tumours. Applied Radiation and Isotopes, 2009, 67, 402-405. | 0.7 | 15 |
| 36 | Proton and particle radiotherapy – a report on the Franco-British seminar on the future of cancer treatment and imaging using new physics-based technologies. British Journal of Radiology, 2009, 82, 183-189. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Iridocyclectomy for neovascular glaucoma caused by proton-beam radiotherapy of pigmented ciliary adenocarcinoma. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2008, 246, 1499-1501. | 1.0 | 14 |
| 38 | A high-resolution anthropomorphic voxel-based tomographic phantom for proton therapy of the eye. <i>Physics in Medicine and Biology</i> , 2007, 52, N51-N59. | 1.6 | 8 |
| 39 | Dose verification by activation in vivo following proton beam eye radiotherapy. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2007, 271, 731-740. | 0.7 | 8 |
| 40 | True-3D scans using PRESAGETM and Optical-CT: A case study in proton therapy. <i>Journal of Physics: Conference Series</i> , 2006, 56, 231-234. | 0.3 | 15 |
| 41 | Monte carlo modelling of a clinical proton beam-line for the treatment of ocular tumours. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006, 562, 1005-1008. | 0.7 | 16 |
| 42 | Ion recombination correction in the Clatterbridge Centre of Oncology clinical proton beam. <i>Physics in Medicine and Biology</i> , 2006, 51, 903-917. | 1.6 | 45 |
| 43 | Proton beam radiotherapy of choroidal melanoma: The Liverpool-Clatterbridge experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 1405-1411. | 0.4 | 196 |
| 44 | Proton beam radiotherapy of iris melanoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 63, 109-115. | 0.4 | 108 |
| 45 | An approach to 3D dose mapping using gafchromic [®] film. <i>Radiation Protection Dosimetry</i> , 2005, 115, 616-622. | 0.4 | 11 |
| 46 | A small-body portable graphite calorimeter for dosimetry in low-energy clinical proton beams. <i>Physics in Medicine and Biology</i> , 2004, 49, 3737-3749. | 1.6 | 60 |
| 47 | Medical benefits of nuclear physics. <i>Physics World</i> , 2003, 16, 19-20. | 0.0 | 0 |
| 48 | A correction method for diamond detector signal dependence with proton energy. <i>Medical Physics</i> , 2002, 29, 669-675. | 1.6 | 9 |
| 49 | Characteristics of silicon and diamond detectors in a 60 MeV proton beam. <i>Physics in Medicine and Biology</i> , 2002, 47, N107-N112. | 1.6 | 27 |
| 50 | Modelling concepts of proton eye radiotherapy. <i>Physiological Measurement</i> , 2001, 22, 611-623. | 1.2 | 6 |
| 51 | Predictive factors for the development of rubeosis following proton beam radiotherapy for uveal melanoma. <i>British Journal of Ophthalmology</i> , 1997, 81, 748-754. | 2.1 | 86 |
| 52 | Proton dosimetry intercomparison. <i>Radiotherapy and Oncology</i> , 1996, 41, 169-177. | 0.3 | 41 |
| 53 | The 62 MeV proton beam for the treatment of ocular melanoma at Clatterbridge. <i>British Journal of Radiology</i> , 1993, 66, 907-914. | 1.0 | 52 |
| 54 | The measurement of silicon in a lung phantom-a comparison of two nuclear reactions for in vivo activation analysis. <i>Physics in Medicine and Biology</i> , 1993, 38, 689-698. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The application of a pulsed fast neutron beam to partial body in vivo activation analysis of minerals and trace elements. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1990, 140, 141-151. | 0.7 | 12 |
| 56 | Modulation of fast neutron pulses for dose reduction during in vivo activation analysis: application to the measurement of magnesium in a bone phantom. <i>Physics in Medicine and Biology</i> , 1987, 32, 1649-1653. | 1.6 | 1 |
| 57 | A system for the determination of silicon in the human lung using neutrons from A 2MV Van de Graaff generator. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1987, 114, 165-172. | 0.7 | 4 |