

# Roberta Callicã<sup>3</sup> Fortunato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3561163/publications.pdf>

Version: 2024-02-01

14  
papers

140  
citations

1163117

8  
h-index

1199594

12  
g-index

14  
all docs

14  
docs citations

14  
times ranked

165  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unraveling the <i>Mugil curema</i> complex of American coasts integrating genetic variations and otolith shapes. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 273, 107914.	2.1	5
2	Unravelling the complex habitat use of the white mullet, <i>Mugil curema</i> , in several coastal environments from Neotropical Pacific and Atlantic waters. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 789-801.	2.0	9
3	White mullet <i>Mugil curema</i> population structure from Mexico and Brazil revealed by otolith chemistry. <i>Journal of Fish Biology</i> , 2020, 97, 1187-1200.	1.6	21
4	Exploratory study on the optimisation of sampling effort in a non-vegetated lagoon within a Mediterranean wetland (Albufera Natural Park, Valencia, Spain). <i>Ecological Indicators</i> , 2020, 117, 106538.	6.3	2
5	Application of otolith morphometry for the study of ontogenetic variations of <i>Odontesthes argentinensis</i> . <i>Environmental Biology of Fishes</i> , 2019, 102, 1301-1310.	1.0	9
6	Otolith morphometry and microchemistry as habitat markers for juvenile <i>Mugil cephalus</i> Linnaeus 1758 in nursery grounds in the Valencian community, Spain. <i>Journal of Applied Ichthyology</i> , 2017, 33, 163-167.	0.7	11
7	Environmental migratory patterns and stock identification of <i>Mugil cephalus</i> in the Spanish Mediterranean Sea, by means of otolith microchemistry. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 188, 174-180.	2.1	16
8	Morphological and morphometric changes of <i>sagittae</i> otoliths related to fish growth in three <i>Mugilidae</i> species. <i>Journal of Applied Ichthyology</i> , 2017, 33, 1137-1145.	0.7	9
9	Identification of nurseries areas of juvenile <i>Prochilodus lineatus</i> (Valenciennes, 1836) (Characiformes: Tj ETQq1 1 0.784314 rgBT /Ov... 2016, 14, .	1.0	7
10	Is otolith microchemistry (Sr: Ca and Ba:Ca ratios) useful to identify <i>Mugil curema</i> populations in the southeastern Caribbean Sea?. <i>Brazilian Journal of Biology</i> , 2015, 75, 45-51.	0.9	11
11	Trophic ecology of <i>Mugil liza</i> at the southern limit of its distribution (Buenos Aires, Argentina). <i>Brazilian Journal of Oceanography</i> , 2015, 63, 271-277.	0.6	9
12	Presence of Genus <i>Pterois</i> (Oken, 1817) (Scorpaeniformes, Scorpaenidae): Extension of Invasive Range in Caribbean Sea and First Published Record for Los Frailes Archipelago. <i>Journal of Fisheries Sciences</i> , 2014, . .	0.2	2
13	On how Cattle Egret ( <i>Bubulcus ibis</i> ) spread to the Americas: meteorological tools to assess probable colonization trajectories. <i>International Journal of Biometeorology</i> , 2014, 58, 1879-1891.	3.0	13
14	The morphology of saccular otoliths as a tool to identify different mugilid species from the Northeastern Atlantic and Mediterranean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 146, 95-101.	2.1	16