

Jau-Ho Jean

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3562687/jau-ho-jean-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,630
citations

24
h-index

37
g-index

75
ext. papers

1,729
ext. citations

3.4
avg, IF

4.79
L-index

#	Paper	IF	Citations
73	Processing and properties of a low-fire, high-thermal-conductivity alumina with CuTiNb ₂ O ₈ . <i>International Journal of Ceramic Engineering & Science</i> , 2020 , 2, 38-45	2	3
72	Constrained sintering of Bi ₂ O ₃ -doped ZnO. <i>International Journal of Ceramic Engineering & Science</i> , 2019 , 1, 155-165	2	1
71	Effects of CuO on constrained sintering of a polycrystalline TiO ₂ ceramics. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 158-166	3.8	5
70	Composition-structure-properties relationship of lithium-calcium borosilicate glasses studied by molecular dynamics simulation. <i>Ceramics International</i> , 2018 , 44, 11554-11561	5.1	5
69	Low-fire Processing and Dielectric Properties of a Binary Crystallizable Glasses+alumina System. <i>International Symposium on Microelectronics</i> , 2018 , 2018, 000365-000379	0.2	
68	Low-fire processing of microwave (Ca _{1-x} Sr _x)(Zr _{1-y} Mn _y)O ₃ dielectric with Li ₂ O-B ₂ O ₃ -SiO ₂ glass in H ₂ /N ₂ . <i>Ceramics International</i> , 2017 , 43, S306-S311	5.1	1
67	Mixed modifier effect in lithium-calcium borosilicate glasses. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 5482-5489	3.8	12
66	Crystallization Kinetics and Dielectric Properties of a Low-Fire CaO-Al ₂ O ₃ -SiO ₂ Glass + Alumina System. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2664-2671	3.8	13
65	Constrained Sintering of a Low-Fire, Polycrystalline Bi ₂ (Zn _{1/3} Nb _{2/3}) ₂ O ₇ Dielectric. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1080-1086	3.8	3
64	Using Optical Coherence Tomography to Examine Additives in Chinese Song Jun Glaze. <i>Archaeometry</i> , 2015 , 57, 837-855	1.6	1
63	Low-fire processing of microwave BaTi ₄ O ₉ dielectric with crystalline CuB ₂ O ₄ and BaCuB ₂ O ₅ additives. <i>Ceramics International</i> , 2013 , 39, 5151-5158	5.1	23
62	Effects of a non-magnetic CuZn ferrite layer on cofiring and electrical properties of a low-fire, multilayer NiCuZn ferrite inductor. <i>Ceramics International</i> , 2013 , 39, 7583-7587	5.1	1
61	Low-Fire Processing of Microwave BNBT-Based High-k Dielectric with Li ₂ O-ZnO-B ₂ O ₃ Glass. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3849-3856	3.8	9
60	The Effect of Anisotropic Shrinkage in Tape-Cast Low-Temperature Cofired Ceramics on Camber Development of Bilayer Laminates. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 683-686	3.8	3
59	Effects of Processing Parameters on Electrical Properties of p-Type Li-Doped ZnO Films by DC Pulsed Sputtering. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3711-3715	3.8	3
58	Effects of green density difference on camber development during the cofiring of a bi-layer glass-based dielectric laminate. <i>Materials Chemistry and Physics</i> , 2011 , 128, 413-417	4.4	12
57	Fabrication of p-Type Li-Doped ZnO Films by RF Magnetron Sputtering. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1860	3.8	15

56	Failure Mechanism of a Low-Temperature-Cofired Ceramic Capacitor with an Inner Ag Electrode. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3278-3283	3.8	12
55	Synthesis of Ca-BiAlON:Eu phosphor powder by carbothermal-reduction-oxidation process. <i>Materials Chemistry and Physics</i> , 2010 , 123, 13-15	4.4	16
54	Chemical Synthesis of a Blue-Emitting NaSr $_{1-x}$ PO $_4$:Eu $_x$ Phosphor Powder. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1860-1862	3.8	9
53	The Effect of Applied Stress on the Densification of a Low-Temperature Cofired Ceramic-Filled Glass System Under Constrained Sintering. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1946-1950	3.8	10
52	Preparation and Electrical Properties of LaFeO $_3$ Compacts Using Chemically Synthesized Powders. <i>Japanese Journal of Applied Physics</i> , 2008 , 47, 8498-8501	1.4	16
51	Self-Constrained Sintering of a Multilayer Low-Temperature-Cofired Glass-Ceramics/Alumina Laminate. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 648-651	3.8	7
50	Stress Required to Densify a Low-Fire NiCuZn Ferrite Under Constrained Sintering. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2051-2054	3.8	16
49	Synthesis of Hollow Titania Powder by the Hydrothermal Method. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 3074-3077	3.8	9
48	Dispersion of Oleate-Modified CuO Nanoparticles in a Nonpolar Solvent. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3676-3679	3.8	21
47	Dispersion of Titania Powder in an Electronic Ink for Electrophoretic Display. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3490-3495	3.8	9
46	Low-Fire Processing of Microwave BaTi $_4$ O $_9$ Dielectric with BaO-nOB $_2$ O $_3$ Glass. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 786-791	3.8	42
45	Self-Constrained Sintering of Mixed Low-Temperature-Cofired Ceramic Laminates. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 829-835	3.8	18
44	Dispersion of Nano-Sized γ -Alumina Powder in Non-Polar Solvents. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 882-887	3.8	54
43	Protective Magnesia Coating on Y $_2$ O $_3$:Eu Phosphor Powders. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 060613004617007-???	3.8	
42	Low-Fire Processing and Properties of Ferrite+Dielectric Ceramic Composite. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 060628061644003-???	3.8	3
41	Effect of Densification Mismatch on Camber Development during Cofiring of Nickel-Based Multilayer Ceramic Capacitors. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2401-2406	3.8	48
40	Cofiring Kinetics and Mechanisms of an Ag-Metallized Ceramic-Filled Glass Electronic Package. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 3084-3092	3.8	46
39	Dispersion of Aqueous Barium Titanate Suspensions with Ammonium Salt of Poly(methacrylic acid). <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1589-1599	3.8	77

38	Effects of Silver-Paste Formulation on Camber Development during the Cofiring of a Silver-Based, Low-Temperature-Cofired Ceramic Package. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2805-2814	3.8	76
37	Effect of Crystallization on the Stress Required for Constrained Sintering of CaO-B ₂ O ₃ -SiO ₂ Glass-Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 599-603	3.8	12
36	Aqueous Synthesis of Y ₂ O ₃ :Eu/Silica Core-Shell Particles. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1341-1344	3.8	7
35	Camber Development During the Cofiring of Bi-Layer Glass-Based Dielectric Laminate. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1165-1170	3.8	21
34	Key Factors Controlling Camber Behavior During the Cofiring of Bi-Layer Ceramic Dielectric Laminates. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2429-2434	3.8	28
33	Low-Fire Processing of CaTiO ₃ with 2ZnO-B ₂ O ₃ Glass. <i>Japanese Journal of Applied Physics</i> , 2004 , 43, 3516-3520	3.8	3
32	Effects of Solids Loading, pH, and Polyelectrolyte Addition on the Stabilization of Concentrated Aqueous BaTiO ₃ Suspensions. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 277-280	3.8	47
31	Y ₂ O ₃ :Eu Red Phosphor Powders Coated with Silica. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 1928-1934	3.8	22
30	Organic Distributions in Dried Alumina Green Tape. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 267-72	3.8	26
29	Devitrification Kinetics and Mechanism of K ₂ O-CaO-B ₂ O ₃ -BaO-B ₂ O ₃ -SiO ₂ Glass-Ceramic. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 1354-1360	3.8	52
28	Constrained Densification Kinetics of Alumina/Borosilicate Glass + Alumina/Alumina Sandwich Structure. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 150-154	3.8	31
27	Stress Development during Constrained Sintering of Alumina/Glass/Alumina Sandwich Structure. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 335-340	3.8	44
26	Dissolution and Dispersion Behavior of Barium Carbonate in Aqueous Suspensions. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 2977-2983	3.8	14
25	Sintering of a Crystallizable CaO-B ₂ O ₃ -SiO ₂ Glass with Silver. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1244-1249	3.8	33
24	Interfacial Reaction Kinetics between Silver and Ceramic-Filled Glass Substrate. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1287-1293	3.8	17
23	Effects of Lead(II) Oxide on Processing and Properties of Low-Temperature-Cofirable Ni-Cu-Zn Ferrite. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 343-350	3.8	50
22	Constrained Sintering of Silver Circuit Paste. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 187-191	3.8	40
21	Stress Required for Constrained Sintering of a Ceramic-Filled Glass Composite. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1454-1458	3.8	17

20	Formulation and dispersion of NiCuZn ferrite paste. <i>Materials Chemistry and Physics</i> , 2003 , 78, 323-329	4.4	24
19	Low-Fire Processing (Ca _{1-x} Nd _{2x/3})TiO ₃ Microwave Ceramics. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 93-98	3.8	22
18	Interactions of Organic Additives with Boric Oxide in Aqueous Barium Titanate Suspensions. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1441-1448	3.8	22
17	Interaction between Dissolved Ba ²⁺ and PAA-NH ₄ Dispersant in Aqueous Barium Titanate Suspensions. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1449-1455	3.8	18
16	Sintering of a Crystallizable K ₂ O-CaO-B ₂ O ₃ -SiO ₂ Glass with Titania Present. <i>Journal of Materials Research</i> , 2002 , 17, 1772-1778	2.5	7
15	Devitrification kinetics and mechanism of Pyrex borosilicate glass. <i>Journal of Materials Research</i> , 2001 , 16, 1752-1758	2.5	10
14	Low-Fire Processing of ZrO ₂ -SnO ₂ -TiO ₂ Ceramics. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 1417-1422	3.8	52
13	Kinetics and mechanism of anatase-to-rutile phase transformation in the presence of borosilicate glass. <i>Journal of Materials Research</i> , 1999 , 14, 2922-2928	2.5	14
12	Effects of Borosilicate Glass on Densification and Properties of Borosilicate Glass + TiO ₂ Ceramics. <i>Journal of Materials Research</i> , 1999 , 14, 1359-1363	2.5	29
11	Low-Fire NiO-CuO-ZnO Ferrite with Bi ₂ O ₃ . <i>Japanese Journal of Applied Physics</i> , 1999 , 38, 3508-3512	1.4	42
10	Crystallization Kinetics and Mechanism of Low-Dielectric, Low-Temperature, Cofirable CaO-B ₂ O ₃ -SiO ₂ Glass-Ceramics. <i>Journal of the American Ceramic Society</i> , 1999 , 82, 1725-1732	3.8	130
9	Stabilization of aqueous BaTiO ₃ suspensions with ammonium salt of poly(acrylic acid) at various pH values. <i>Journal of Materials Research</i> , 1998 , 13, 2245-2250	2.5	41
8	Camber development during cofiring Ag-based low-dielectric-constant ceramic package. <i>Journal of Materials Research</i> , 1997 , 12, 2743-2750	2.5	52
7	Adsorption of poly(vinyl butyral) in nonaqueous ferrite suspensions. <i>Journal of Materials Research</i> , 1997 , 12, 1062-1068	2.5	29
6	High-temperature creep of low-dielectric-constant glass composites. <i>Journal of Materials Research</i> , 1996 , 11, 2098-2103	2.5	3
5	Principles of the development of a silica dielectric for microelectronics packaging. <i>Journal of Materials Research</i> , 1996 , 11, 243-263	2.5	42
4	Devitrification inhibitors in borosilicate glass and binary borosilicate glass composite. <i>Journal of Materials Research</i> , 1995 , 10, 1312-1320	2.5	20
3	Densification kinetics and modeling of glass-filled alumina composite. <i>Journal of Materials Research</i> , 1994 , 9, 771-780	2.5	10

- | | | |
|---|---|-----|
| 2 | Effects of Added Boric Oxide on the Dispersion of Aqueous Barium Titanate Suspensions. <i>Ceramic Transactions</i> ,427-435 | 0.1 |
| 1 | Additive Interactions in Aqueous BaTiO ₃ Suspension. <i>Ceramic Transactions</i> ,251-258 | 0.1 |