

Linsheng Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3562765/linsheng-wu-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

2,110
citations

24
h-index

39
g-index

290
ext. papers

2,791
ext. citations

2.7
avg, IF

5.18
L-index

#	Paper	IF	Citations
177	Circuit Modeling and Performance Analysis of Multi-Walled Carbon Nanotube Interconnects. <i>IEEE Transactions on Electron Devices</i> , 2008 , 55, 1328-1337	2.9	261
176	A New Balanced-to-Balanced Power Divider/Combiner. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2012 , 60, 2791-2798	4.1	86
175	Design of a Beam Reconfigurable THz Antenna With Graphene-Based Switchable High-Impedance Surface. <i>IEEE Nanotechnology Magazine</i> , 2012 , 11, 836-842	2.6	79
174	A Balanced-to-Balanced Power Divider With Arbitrary Power Division. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 2831-2840	4.1	69
173	A Novel Single-Cavity Dual Mode Substrate Integrated Waveguide Filter With Non-Resonating Node. <i>IEEE Microwave and Wireless Components Letters</i> , 2009 , 19, 368-370	2.6	65
172	Tuning of the Contact Properties for High-Efficiency Si/PEDOT:PSS Heterojunction Solar Cells. <i>ACS Energy Letters</i> , 2017 , 2, 556-562	20.1	64
171	A Four-Way Microstrip Filtering Power Divider With Frequency-Dependent Couplings. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 3494-3504	4.1	62
170	A Reconfigurable Graphene Reflectarray for Generation of Vortex THz Waves. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2016 , 15, 1537-1540	3.8	49
169	Absorptive Bandstop Filter With Prescribed Negative Group Delay and Bandwidth. <i>IEEE Microwave and Wireless Components Letters</i> , 2017 , 27, 639-641	2.6	44
168	A Bandpass Graphene Frequency Selective Surface With Tunable Polarization Rotation for THz Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 662-672	4.9	44
167	An Arbitrary-Order LOD-FDTD Method and its Stability and Numerical Dispersion. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 2409-2417	4.9	43
166	A New Type of Periodically Loaded Half-Mode Substrate Integrated Waveguide and Its Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2010 , 58, 882-893	4.1	42
165	Design of a Substrate Integrated Waveguide Balun Filter Based on Three-Port Coupled-Resonator Circuit Model. <i>IEEE Microwave and Wireless Components Letters</i> , 2011 , 21, 252-254	2.6	39
164	A Low-Profile Broadband Bandpass Frequency Selective Surface With Two Rapid Band Edges for 5G Near-Field Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 670-676	2	37
163	Tunable THz Multiband Frequency-Selective Surface Based on Hybrid Metal-Graphene Structures. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 1132-1137	2.6	32
162	A Compact Gysel Power Divider With Unequal Power-Dividing Ratio Using One Resistor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2014 , 62, 1480-1486	4.1	31
161	Differential Microwave Microfluidic Sensor Based on Microstrip Complementary Split-Ring Resonator (MCSRR) Structure. <i>IEEE Sensors Journal</i> , 2020 , 20, 5876-5884	4	28

160	Accurate Characterization of Shielding Effectiveness of Metallic Enclosures With Thin Wires and Thin Slots. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009 , 51, 293-300	2	27
159	Collaborative Design of a New Dual-Bandpass 180° Hybrid Coupler. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 1053-1066	4.1	26
158	Shielding Characterization of Metallic Enclosures With Multiple Slots and a Thin-Wire Antenna Loaded: Multiple Oblique EMP Incidences With Arbitrary Polarizations. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009 , 51, 284-292	2	25
157	Dynamic Power Model of CMOS Gates Driving Transmission Lines Based on Fourier Analysis. <i>IEEE Transactions on Electron Devices</i> , 2008 , 55, 594-600	2.9	25
156	Analysis and Design of Inductorless Wideband Low-Noise Amplifier With Noise Cancellation Technique. <i>IEEE Access</i> , 2017 , 5, 9389-9397	3.5	24
155	The Conformal HIE-FDTD Method for Simulating Tunable Graphene-Based Couplers for THz Applications. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2015 , 5, 368-376	3.4	24
154	Transient Electrothermal Analysis of Multilevel Interconnects in the Presence of ESD Pulses Using the Nonlinear Time-Domain Finite-Element Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009 , 51, 774-783	2	24
153	Analysis of Frequency- and Temperature-Dependent Substrate Eddy Currents in On-Chip Spiral Inductors Using the Complex Image Method. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 3243-3253	2	23
152	Vertical Topologies of Miniature Multispiral Stacked Inductors. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2008 , 56, 475-486	4.1	22
151	Perfectly matched layer implementation using bilinear transform for microwave device applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2005 , 53, 3098-3105	4.1	22
150	Transient Thermal Analysis of GaN Heterojunction Transistors (HFETs) for High-Power Applications. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 55-57	2.6	21
149	A Wideband Millimeter-Wave Substrate Integrated Coaxial Line Array for High-Speed Data Transmission. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2789-2800	4.1	20
148	Wideband Modeling of Graphene-Based Structures at Different Temperatures Using Hybrid FDTD Method. <i>IEEE Nanotechnology Magazine</i> , 2015 , 14, 250-258	2.6	20
147	Fully Coupled Multiphysics Simulation of Crosstalk Effect in Bipolar Resistive Random Access Memory. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 3647-3653	2.9	19
146	Electrothermal Cosimulation of 3-D Carbon-Based Heterogeneous Interconnects. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2016 , 6, 518-526	1.7	19
145	Massively Parallel Simulation of Large-Scale Electromagnetic Problems Using One High-Performance Computing Scheme and Domain Decomposition Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 1523-1531	2	18
144	Mini-Review: Modeling and Performance Analysis of Nanocarbon Interconnects. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2174	2.6	18
143	Thermal Transient Response of GaAs FETs Under Intentional Electromagnetic Interference (IEMI). <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2008 , 50, 340-346	2	18

142	Electrothermal Characterization in 3-D Resistive Random Access Memory Arrays. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 4720-4728	2.9	17
141	Microstrip-Fed Differential Dielectric Resonator Antenna and Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 1736-1739	3.8	17
140	A Novel Compact Dual-Band Antenna Array With High Isolations Realized Using the Neutralization Technique. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 1956-1962	4.9	17
139	High-Order Interface Treatment Techniques for Modeling Curved Dielectric Objects. <i>IEEE Transactions on Antennas and Propagation</i> , 2010 , 58, 2946-2953	4.9	16
138	A Sinusoidally-Modulated Leaky-Wave Antenna With Gapped Graphene Ribbons. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 3000-3004	3.8	15
137	Dual-Band Differential Shifted-Feed Microstrip Grid Array Antenna With Two Parasitic Patches. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 2434-2439	4.9	15
136	All-Two-Dimensional-Material Hot Electron Transistor. <i>IEEE Electron Device Letters</i> , 2018 , 39, 634-637	4.4	14
135	A New Wideband Elliptic Bandstop Filter With Cross Coupling. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 639-641	2.6	13
134	A Flat-Passband Microstrip Filter With Nonuniform- Q Dual-Mode Resonators. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 183-185	2.6	13
133	Electrothermal Effects on Hot-Carrier Reliability in SOI MOSFETs Versus Circuit-Speed Random Stress. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 3669-3676	2.9	13
132	28-GHz High-Selectivity Bandpass Filters With Dual-Behavior Resonators Using GaAs Technology. <i>IEEE Transactions on Plasma Science</i> , 2019 , 47, 5277-5282	1.3	13
131	Time-Domain Investigation on Cable-Induced Transient Coupling Into Metallic Enclosures. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009 , 51, 953-962	2	12
130	The Implementation of Convolutional Perfectly Matched Layer (CPML) for One-Step Leapfrog HIE-FDTD Method. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1694-1697	3.8	11
129	Investigating a Thermal Breakdown Model and Experiments on a Silicon-Based Low-Noise Amplifier Under High-Power Microwave Pulses. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2016 , 58, 487-493		11
128	Substrate Integrated Waveguide Filter With Flat Passband Based on Complex Couplings. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 494-496	2.6	11
127	Wideband Pulse Responses of Metallic Rectangular Multistage Cascaded Enclosures Illuminated by an EMP. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2008 , 50, 928-939	2	11
126	A Novel Leaky Wave Endfire Filtering Antenna Based on Spoof Surface Plasmon Polaritons. <i>IEEE Transactions on Plasma Science</i> , 2020 , 48, 3061-3066	1.3	11
125	A Single-Ended-to-Balanced Impedance-Transforming Branch-Line Coupler With Arbitrary Power Division Ratio. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 949-956	4.1	10

124	Electrothermal Investigation on Vertically Aligned Single-Walled Carbon Nanotube Contacted Phase-Change Memory Array for 3-D ICs. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 3258-3263	2.9	10
123	Scaling Analysis of High Gain Monolayer MoS ₂ Photodetector for Its Performance Optimization. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 1608-1614	2.9	10
122	A Balanced-to-Balanced Rat-Race Coupling Network Based on Defected Slots. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 459-461	2.6	10
121	Generation of THz wave with orbital angular momentum by graphene patch reflectarray 2015 ,		10
120	Study on High-Density Integration Resistive Random Access Memory Array From Multiphysics Perspective by Parallel Computing. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 1747-1753	2.9	9
119	A Novel Surface-Mounted Monoblock Dielectric Filter. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2014 , 4, 1822-1827	1.7	9
118	Hybrid FDTD Method for Studying Electromagnetic Coupling Effects of Transmission Line Networks. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 1650-1653	2	8
117	Implementation of CPML for One-Step Leapfrog WCS-FDTD Method. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 496-498	2.6	8
116	All-resonator based LTCC diplexer using substrate-integrated-waveguides. <i>Electronics Letters</i> , 2017 , 53, 1410-1412	1.1	8
115	Experimental Investigation and Analysis of the LDMOS FET Breakdown Under HPM Pulses. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2013 , 55, 909-916	2	8
114	Investigation on Self-Heating Effect in Carbon Nanotube Field-Effect Transistors. <i>IEEE Transactions on Electron Devices</i> , 2011 , 58, 523-529	2.9	8
113	A novel multilayered cross-coupled substrate-integrated waveguide (SIW) circular cavity filter in LTCC. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 1686-1689	1.2	8
112	A Wideband Filtering Balanced-to-Unbalanced Out-of-Phase Power Divider. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 870-872	2.6	8
111	Characterization of Electromagnetic Wave Coupling With a Twisted Bundle of Twisted Wire Pairs (TBTWPs) Above a Ground Plane. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2019 , 61, 251-260	2	7
110	An Adaptive High-Order Transient Algorithm to Solve Large-Scale Anisotropic Maxwell's Equations. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	7
109	Characterization of Near-Field Coupling Effects From Complicated Three-Dimensional Structures in Rectangular Cavities Using Fast Integral Equation Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 639-645	2	6
108	Improved Hybrid Leapfrog ADI-FDTD Method for Simulating Near-Field Coupling Effects Among Multiple Thin Wire Monopole Antennas on a Complex Platform. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2017 , 59, 618-626	2	6
107	An Absorptive Balanced-to-Balanced Power Divider. <i>IEEE Access</i> , 2018 , 6, 14613-14619	3.5	6

106	Ultra-Wideband Filtering 180° Hybrid Coupler With Super Wide Upper Stopband Using Swap Phase Inverter and Electromagnetic Bandgap Structures on Double-Sided Parallel-Strip Line. <i>IEEE Access</i> , 2018 , 6, 41099-41106	3.5	6
105	Stacked patch array in LTCC for 28 GHz antenna-in-package applications 2017 ,		6
104	Compact quasi-elliptic bandpass filter based on folded ridge substrate integrated waveguide (FRSIW) 2012 ,		6
103	One-Step Leapfrog ADI-FDTD Method Including Lumped Elements and Its Stability Analysis. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 1406-1409	3.8	6
102	Implementation of New CMOS Differential Stacked Spiral Inductor for VCO Design. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 727-729	2.6	6
101	A New Compact Power Divider Based on Capacitor Central Loaded Coupled Microstrip Line. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 4249-4256	4.1	6
100	An Overview of Probe-Based Millimeter-Wave/Terahertz Far-Field Antenna Measurement Setups [Measurements Corner]. <i>IEEE Antennas and Propagation Magazine</i> , 2021 , 63, 63-118	1.7	6
99	Fully Coupled Electrothermal Simulation of Large RRAM Arrays in the Thermal-House <i>IEEE Access</i> , 2019 , 7, 3897-3908	3.5	5
98	Efficient Analytical Model for the Transfer Impedance and Admittance of Noncoaxial/Twinax Braided Shielded Cables. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020 , 62, 2725-2736	2	5
97	Experiments and Comparisons of Power to Failure for SiGe-Based Low-Noise Amplifiers Under High-Power Microwave Pulses. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018 , 60, 1427-1435	2	5
96	A new quad-band Wilkinson power divider. <i>Journal of Electromagnetic Waves and Applications</i> , 2014 , 28, 1622-1634	1.3	5
95	N+1 transmission zeros in Nth-order cross-coupled filter with mixed source and load coupling (MSLC) 2009 ,		5
94	Design of multilayer triangular substrate integrated waveguide filter in LTCC. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2582-2585	1.2	5
93	A Hybrid Method Based on Leapfrog ADI-FDTD and FDTD for Solving Multiscale Transmission Line Network. <i>IEEE Journal on Multiscale and Multiphysics Computational Techniques</i> , 2020 , 5, 273-280	1.5	5
92	A planar filtering crossover for three intersecting channels 2016 ,		5
91	Quantum Transport Study of Si Ultrathin-Body Double-Gate pMOSFETs: I_{DS} vs V_{GS} , I_{CS} vs V_{GS} , Energy Delay, and Parasitic Effects. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 655-663	2.9	5
90	An Improved Algorithm for Drift Diffusion Transport and Its Application on Large Scale Parallel Simulation of Resistive Random Access Memory Arrays. <i>IEEE Access</i> , 2019 , 7, 31273-31285	3.5	4
89	Modeling and Simulation of Resistive Random Access Memory With Graphene Electrode. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 915-921	2.9	4

88	Stochastic Analysis of Multitwisted Cables With Random Parameters Excited by Random Plane-Wave Fields. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020 , 62, 2084-2095	2	4
87	Study on SAR Distribution of Human Body on the Vehicle Platform Using a Modified FDTD Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2018 , 60, 840-848	2	4
86	High-Frequency Electrothermal Characterization of TSV-Based Power Delivery Network. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2018 , 8, 2171-2179	1.7	4
85	Optimized Conformal FDTD (2, 4) Method for Calculating Reflected and Diffracted Electromagnetic Fields of Perfectly Conducting Wedges. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2014 , 56, 466-474	2	4
84	Parallel Simulation of Fully Coupled Electrothermal Processes in Large-Scale Phase-Change Memory Arrays. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 5117-5125	2.9	4
83	A Flat Passband Predistorted Bandpass Filter with Folded Substrate Integrated Waveguide. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 1-1	3.5	4
82	A Compact Passive Equalizer Design for Differential Channels in TSV-Based 3-D ICs. <i>IEEE Access</i> , 2018 , 6, 75278-75292	3.5	4
81	Fourier Subspace-Based Deep Learning Method for Inverse Design of Frequency Selective Surface. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	4
80	Active Integrated Dielectric Resonator Antenna-in-Package Design. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 2414-2418	3.8	3
79	Ruggedness Characterization of Bonding Wire Arrays in LD MOSFET-Based Power Amplifiers. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2018 , 8, 1032-1041	1.7	3
78	A negative group delay tuner with stable insertion loss 2017 ,		3
77	A balanced-to-balanced filtering gysel power divider with unequal power division 2017 ,		3
76	High-Performance Resonator Based on Multiwalled Carbon Nanotube (MWCNT). <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 1240-1249	2.6	3
75	Efficient Solution of Time-Domain Surface-Wire Integral Equation for Predicting Electromagnetic Responses of Complex Structures. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 1465-1468	3.8	3
74	Modeling and Performance Characterization of Double-Walled Carbon Nanotube Array Field-Effect Transistors. <i>IEEE Transactions on Electron Devices</i> , 2011 , 58, 17-25	2.9	3
73	Design of a switchable high impedance surface based on single-layer doped graphene for THz application 2011 ,		3
72	Massively Parallel ElectromagneticThermal Cosimulation of Large Antenna Arrays. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 1551-1555	3.8	3
71	Microstrip Grid and Patch-Based Dual-Band Shared-Aperture Differentially Fed Array Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 1043-1047	3.8	3

70	Theory of Reflective Phase-Shifting Surface for Generating Vortex Radio Waves. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 4942-4948	4.9	3
69	Massively Parallel Simulation of Antenna Array Using Domain Decomposition Method and a High-Performance Computing Scheme 2019 ,		3
68	High-Frequency Analysis of Intercalated Multilayer Graphene (IMLG) and Implication for Tunable Terahertz Resonator Design. <i>IEEE Access</i> , 2017 , 5, 7532-7541	3.5	2
67	A General Method for Balanced-to-Unbalanced Filtering Out-of-Phase Power Divider Design. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 2693-2700	4.1	2
66	A Novel Design of Compact Out-of-Phase Power Divider With Arbitrary Ratio. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 5235-5243	4.1	2
65	Magnetic Metamirrors as Spatial Frequency Filters. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 5505-5511	4.9	2
64	Carrier Dynamics of Nanopillar Textured Ultrathin Si Film/PEDOT:PSS Heterojunction Solar Cell. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 757-762	3.7	2
63	45-Degree polarized microstrip grid arrays for millimeter-wave micro base station 2018 ,		2
62	Steady-state electro-thermal analysis and optimization of multilayer boards and substrate-integrated waveguide filters. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2014 , 24, 594-604	1.5	2
61	Influence of channel length, thickness, and crystal orientation in ultra-scaled double-gate pMOSFETs 2017 ,		2
60	Modeling of magnetically biased graphene patch frequency selective surface (FSS) 2015 ,		2
59	Design of compact dual-band quasi-elliptic filter with high selectivity and wide stopband rejection 2012 ,		2
58	Notched ultra-wideband (UWB) bandpass filter with wide upper stopband based on electromagnetic bandgap (EBG) structures 2012 ,		2
57	Study on multi-walled carbon nanotube resonator 2010 ,		2
56	A novel LTCC multilayer SIW linear phase filter. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2357-2360	2.36	2
55	Experimental characterization of hybrid temperature and frequency effects on the performance of transformers on silicon substrate. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 2107-2109	2	2
54	Performance degradation of some on-chip finite-ground coplanar waveguide (FGCPW)-built passive devices at high temperature. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 1754-1759	1.2	2
53	Modeling of carbon nanotube interconnects and comparative analysis with Cu interconnects 2006 ,		2

52	Performance Predication of Carbon Nanotube Bundle Dipole Antenna 2007 ,		2
51	A 68.5~90 GHz High-Gain Power Amplifier With Capacitive Stability Enhancement Technique in 0.13 μm SiGe BiCMOS. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 1-1	4.1	2
50	A transparent broadband absorber based on graphene 2016 ,		2
49	A Wideband CMOS Frequency Quadrupler With Transformer-Based Tail Feedback Loop. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 1153-1157	3.5	2
48	Theoretical and Experimental Investigation of HMSIW-Based High-Speed Data Transmission System Using QPSK Scheme. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2018 , 8, 1938-1947	1.7	2
47	EMI Analysis of Multiscale Transmission Line Network Using a Hybrid FDTD Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021 , 63, 1202-1211	2	2
46	Characterization of tunable graphene metasurfaces over an ultrawide terahertz band using a 1-step leapfrog hybrid implicit-explicit FDTD method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2017 , 30, e2250	1	1
45	A Wideband Microstrip-Fed Dielectric Resonator Antenna Array With Defected Ground Structure 2019 ,		1
44	An Improved MOD Discontinuous Galerkin Method for Solving Time-Domain Electric Field Integral Equation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 851-855	3.8	1
43	Fully coupled electrothermal simulation of resistive random access memory (RRAM) array. <i>Science China Information Sciences</i> , 2020 , 63, 1	3.4	1
42	A Multilevel Method With Novel Correction Strategy for Parallel Finite-Element Analysis of Electromagnetic Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 3787-3791	4.9	1
41	Lossy substrate integrated waveguide filter with flat passband 2016 ,		1
40	A filter with equal-ripple negative group delay 2018 ,		1
39	Terahertz frequency selective surface based on metal-graphene structure with independent frequency tuneability. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 911-916	1.6	1
38	LTCC based substrate integrated waveguide (SIW) bandpass filters with CPW transitions 2017 ,		1
37	Modeling and simulation of Si/PEDOT:PSS planar heterojunction photovoltaics by finite element method 2017 ,		1
36	High-selectivity triband bandpass filter based on dual-plane microstrip/slotline structure. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2225-2228	1.2	1
35	Performance enhancement research for printed circuit board manufacture in China 2011 ,		1

34	Characterization of on-chip miniature multi-layer spiral inductors for RFICs. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 2932-2936	1.2	1
33	Characterization of on-chip miniature multilayer spiral inductors for RFICS. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 3180-3184	1.2	1
32	Numerical investigation on thermal characteristics of GaN HFETs for high power applications 2006 ,		1
31	Shielding Effectiveness Characterization of Metallic Rectangular Cascaded Enclosures 2007 ,		1
30	Circuit Modeling and Time Delay Analysis of Double-Walled Carbon Nanotube Interconnects 2007 ,		1
29	Electromagnetic-Thermal Analysis for Inductances and Eddy Current Losses of On-chip Spiral Inductors on Lossy Silicon Substrate 2006 ,		1
28	Multiphysics Computation for Resistive Random Access Memories With Different Metal Oxides. <i>IEEE Transactions on Electron Devices</i> , 2022 , 69, 133-140	2.9	1
27	Mutual Coupling Analysis of High-Directivity Stacked Patch Array for 77 GHz MIMO Radar 2020 ,		1
26	Microstrip Memristive Switch and Its Applications to RF Devices 2020 ,		1
25	Memristive Switch for Intelligent RF Applications 2020 ,		1
24	Modeling and measurement of a novel shielding design in silicon interposer 2016 ,		1
23	Cavity model analysis of differential dual-polarised annular-ring patch antenna. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 1389-1393	1.6	1
22	Modeling electromagnetic wave coupling and mode conversion effects in multitwisted bundle of twisted-wire pairs (MTB-TWP) above ground plane. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2020 , 33, e2539	1	1
21	A Hybrid Streamline Upwind Finite Volume-Finite Element Method for Semiconductor Continuity Equations. <i>IEEE Transactions on Electron Devices</i> , 2021 , 1-9	2.9	1
20	183-GHz Frequency Selective Surface Using Aligned Eight-Layer Microstructure. <i>IEEE Electron Device Letters</i> , 2018 , 1-1	4.4	1
19	A 77GHz High-Directivity Antenna with Stacked Patches for Automotive Radar 2018 ,		1
18	High-Speed Efficient On-Chip Electro-Optic Modulator Based on Midinfrared Hyperbolic Metamaterials. <i>Physical Review Applied</i> , 2021 , 16,	4.3	1
17	Hexahedron-Based Control Volume Finite Element Method for Fully Coupled Nonlinear Drift-Diffusion Transport Equations in Semiconductor Devices. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1	4.1	1

16	A New Gysel Out-of-Phase Power Divider With Arbitrary Power Dividing Ratio Based on Analysis Method of Equivalence of N-Port Networks. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 1335-1343	4.1	0
15	Lumped-Network FDTD Method for Simulating Transient Responses of RF Amplifiers Excited by Intentional Electromagnetic Interference Signals. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021 , 1-10	2	0
14	A Method of Introducing Coupling Null by Shorting Pins for Stacked Microstrip Patch Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	0
13	An improved multifilamentary conduction model for multiphysics analysis of reset process in resistive random access memory. <i>AIP Advances</i> , 2019 , 9, 045310	1.5	
12	BALANCED POWER DIVIDERS/COMBINERS 2018 , 565-606		
11	Wideband description of the finite-ground coplanar waveguide-type structures with discontinuities. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2007 , 17, 377-386 ^{1.5}		
10	Improved circuit model for coplanar-waveguide to microstrip-line transition on silicon substrate. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 141-144	1.2	
9	On-chip slot antennas in 0.18 μm CMOS for wireless application. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 1187-1191	1.2	
8	On-chip dipoles in CMOS for wireless interconnect application. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 2446-2449	1.2	
7	Electromagnetic Scattering from an Array of Multiple Slit Coupled Cylindrical Impedance Cavities. <i>Electromagnetics</i> , 2006 , 26, 387-403	0.8	
6	Conductive Bridging-Based Memristive RF Switches on a Silicon Substrate. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 70, 24-34	4.1	
5	Liquid crystal-based beam switchable three-element microstrip parasitic array. <i>IET Microwaves, Antennas and Propagation</i> , 2020 , 14, 1857-1861	1.6	
4	An Unequal Wilkinson Power Divider Based on Integrated Passive Device Technology and Parametric Model. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4	2.6	
3	Investigation on harmonic spur characteristics of hybrid integrated LDMOS and AlGaN/GaN power amplifiers at different temperatures. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22345	1.5	
2	A Ku-Band Eight-Element Phased-Array Transmitter With Built-in Self-Test Capability in 180-nm CMOS Technology. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2022 , 1-12	2.6	
1	A Near-Field Motion Detection Technique Based on a Resonant Magnetic Probe 2022 , 6, 1-4		