

Libor Mikes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3564098/libor-mikes-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

661
citations

15
h-index

25
g-index

38
ext. papers

783
ext. citations

3.9
avg, IF

3.48
L-index

#	Paper	IF	Citations
38	Differential proteomic analysis of laser-microdissected penetration glands of avian schistosome cercariae with a focus on proteins involved in host invasion.. <i>International Journal for Parasitology</i> , 2022 ,	4.3	1
37	Eudiplozoon nipponicum (Monogenea, Diplozoidae) and its adaptation to haematophagy as revealed by transcriptome and secretome profiling. <i>BMC Genomics</i> , 2021 , 22, 274	4.5	3
36	Isoforms of Cathepsin B1 in Neurotropic Schistosomula of Differ in Substrate Preferences and a Highly Expressed Catalytically Inactive Paralog Binds Cystatin. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 66	5.9	2
35	A novel Kunitz protein with proposed dual function from Eudiplozoon nipponicum (Monogenea) impairs haemostasis and action of complement in vitro. <i>International Journal for Parasitology</i> , 2019 , 49, 337-346	4.3	9
34	Schistosomatoidea and Diplostomoidea. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1154, 217-254	3.54	0
33	Secreted cathepsin L-like peptidases are involved in the degradation of trapped antibodies on the surface of Echinostoma caproni. <i>Parasitology Research</i> , 2019 , 118, 3377-3386	2.4	3
32	Cysteine peptidases of Eudiplozoon nipponicum: a broad repertoire of structurally assorted cathepsins L in contrast to the scarcity of cathepsins B in an invasive species of haematophagous monogenean of common carp. <i>Parasites and Vectors</i> , 2018 , 11, 142	4	15
31	Identification and partial characterization of a novel serpin from Eudiplozoon nipponicum (Monogenea, Polyopisthocotylea). <i>Parasite</i> , 2018 , 25, 61	3	9
30	Cercarial dermatitis: a systematic follow-up study of human cases with implications for diagnostics. <i>Parasitology Research</i> , 2018 , 117, 3881-3895	2.4	15
29	Changes in surface glycosylation and glycocalyx shedding in Trichobilharzia regenti (Schistosomatidae) during the transformation of cercaria to schistosomulum. <i>PLoS ONE</i> , 2017 , 12, e0173217	3.7	10
28	A novel type I cystatin of parasite origin with atypical legumain-binding domain. <i>Scientific Reports</i> , 2017 , 7, 17526	4.9	12
27	Comparative Transcriptomic Exploration Reveals Unique Molecular Adaptations of Neuropathogenic Trichobilharzia to Invade and Parasitize Its Avian Definitive Host. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004406	4.8	16
26	Major acid endopeptidases of the blood-feeding monogenean Eudiplozoon nipponicum (Heteronchoinea: Diplozoidae). <i>Parasitology</i> , 2016 , 143, 494-506	2.7	10
25	Antibody response of definitive hosts against antigens of two life stages of the neuropathogenic schistosome Trichobilharzia regenti. <i>Parasites and Vectors</i> , 2015 , 8, 400	4	4
24	Avian schistosomes and outbreaks of cercarial dermatitis. <i>Clinical Microbiology Reviews</i> , 2015 , 28, 165-90	3.4	89
23	Schistosomatoidea and Diplostomoidea. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 766, 331-646	3.46	6
22	Radix spp.: Identification of trematode intermediate hosts in the Czech Republic. <i>Acta Parasitologica</i> , 2012 , 57, 273-84	1.7	26

21	Trichobilharzia regenti: Antigenic structures of intravertebrate stages. <i>Open Life Sciences</i> , 2012 , 7, 83-90	1.2	2
20	Secretory glands in cercaria of the neuropathogenic schistosome <i>Trichobilharzia regenti</i> - ultrastructural characterization, 3-D modelling, volume and pH estimations. <i>Parasites and Vectors</i> , 2011 , 4, 162	4	15
19	Cathepsins B1 and B2 of <i>Trichobilharzia</i> spp., bird schistosomes causing cercarial dermatitis. <i>Advances in Experimental Medicine and Biology</i> , 2011 , 712, 136-54	3.6	8
18	Cathepsins B1 and B2 in the neuropathogenic schistosome <i>Trichobilharzia regenti</i> : distinct gene expression profiles and presumptive roles throughout the life cycle. <i>Parasitology Research</i> , 2010 , 107, 751-5	2.4	11
17	The functional expression and characterisation of a cysteine peptidase from the invasive stage of the neuropathogenic schistosome <i>Trichobilharzia regenti</i> . <i>International Journal for Parasitology</i> , 2009 , 39, 201-11	4.3	30
16	Cercarial dimensions and surface structures as a tool for species determination of <i>Trichobilharzia</i> spp.. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	26
15	Chapter 4. Peptidases of trematodes. <i>Advances in Parasitology</i> , 2009 , 69, 205-97	3.2	59
14	Antibody responses induced by <i>Trichobilharzia regenti</i> antigens in murine and human hosts exhibiting cercarial dermatitis. <i>Parasite Immunology</i> , 2008 , 30, 585-95	2.2	13
13	Penetration of <i>Trichobilharzia</i> cercariae into mammals: dangerous or negligible event?. <i>Parasite</i> , 2008 , 15, 299-303	3	26
12	Humoral immune responses during experimental infection with <i>Fascioloides magna</i> and <i>Fasciola hepatica</i> in goats and comparison of their excretory/secretory products. <i>Parasitology Research</i> , 2007 , 101, 357-64	2.4	18
11	Comparison of cysteine peptidase activities in <i>Trichobilharzia regenti</i> and <i>Schistosoma mansoni</i> cercariae. <i>Parasitology</i> , 2007 , 134, 1599-609	2.7	30
10	Peptidases of <i>Trichobilharzia regenti</i> (Schistosomatidae) and its molluscan host <i>Radix peregra</i> s. lat. (Lymnaeidae): construction and screening of cDNA library from intramolluscan stages of the parasite. <i>Folia Parasitologica</i> , 2007 , 54, 94-98	1.8	14
9	Peptidases of <i>Trichobilharzia regenti</i> (Schistosomatidae) and its molluscan host <i>Radix peregra</i> S. Lat. (Lymnaeidae): construction and screening of cDNA library from intramolluscan stages of the parasite. <i>Folia Parasitologica</i> , 2007 , 54, 94-8	1.8	5
8	Multiple cathepsin B isoforms in schistosomula of <i>Trichobilharzia regenti</i> : identification, characterisation and putative role in migration and nutrition. <i>International Journal for Parasitology</i> , 2005 , 35, 895-910	4.3	40
7	In vitro stimulation of penetration gland emptying by <i>Trichobilharzia szidati</i> and <i>T. regenti</i> (Schistosomatidae) cercariae. Quantitative collection and partial characterization of the products. <i>Parasitology Research</i> , 2005 , 96, 230-41	2.4	31
6	Purification and characterization of a saccharide-binding protein from penetration glands of <i>Diplostomum pseudospathaceum</i> --a bifunctional molecule with cysteine protease activity. <i>Parasitology</i> , 2003 , 127, 69-77	2.7	27
5	Salivary gland hyaluronidase in various species of phlebotomine sand flies (Diptera: psychodidae). <i>Insect Biochemistry and Molecular Biology</i> , 2002 , 32, 1691-7	4.5	40
4	A protein with lectin activity in penetration glands of <i>Diplostomum pseudospathaceum</i> cercariae. <i>International Journal for Parasitology</i> , 2001 , 31, 245-52	4.3	9

3	Lectins of <i>Trichobilharzia szidaticercariae</i> . <i>Parasite</i> , 1997 , 4, 27-35	3	15
2	The Effect of <i>Bacillus thuringiensis</i> M-exotoxin on Trematode Cercariae. <i>Journal of Invertebrate Pathology</i> , 1996 , 68, 41-9	2.6	11
1	Differential proteomic analysis of laser-microdissected penetration glands of avian schistosome cercariae with a focus on proteins involved in host invasion		1