

Marcella Capua

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3565485/marcella-capua-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

681
papers

22,920
citations

68
h-index

110
g-index

712
ext. papers

26,173
ext. citations

4.5
avg, IF

1.99
L-index

#	Paper	IF	Citations
681	Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
680	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
679	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
678	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
677	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	0
676	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
675	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	
674	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
673	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ($\sqrt{s} = 13$ TeV) proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
672	Measurement of the $t(\bar{t})t(\bar{t})$ production cross section in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
671	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
670	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
669	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
668	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
667	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
666	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
665	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5

664	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
663	Search for heavy resonances decaying into a pair of Z bosons in the $(e^+e^-e^+e^-)$ and $(e^+e^-e^+\nu_{\bar{\nu}})$ final states using 139 (fb^{-1}) of proton-proton collisions at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	8
662	Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
661	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (e^+e^-bb) and (e^+e^-WW) final states in pp collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
660	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
659	Measurements of $W+W\rightarrow jj$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
658	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
657	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13,\text{text {TeV}})$. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
656	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
655	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
654	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\rightarrow jj$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
653	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
652	A search for the decays of stopped long-lived particles at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
651	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
650	Measurement of hadronic event shapes in high-pT multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
649	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
648	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
647	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(13,\text{text {TeV}})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7

646	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
645	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	0
644	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s} = 8, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
643	Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
642	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
641	Search for dark matter produced in association with a single top quark in $(\sqrt{s}=13)$ TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
640	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
639	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
638	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
637	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
636	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
635	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
634	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
633	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
632	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
631	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
630	Study of proton parton distribution functions at high x using ZEUS data. <i>Physical Review D</i> , 2020 , 101,	4.9	1
629	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8

628	Measurement of the $Z \rightarrow \mu\mu$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
627	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
626	Transverse momentum and process dependent azimuthal anisotropies in $(\sqrt{s_{\text{NN}}}=8.16)$ TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
625	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
624	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $(\sqrt{s}=13)$ (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50
623	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
622	Evidence for $(\bar{t}t)$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
621	Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
620	Search for a scalar partner of the top quark in the all-hadronic $(\bar{t}t)$ plus missing transverse momentum final state at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
619	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
618	Determination of jet calibration and energy resolution in proton-proton collisions at $(\sqrt{s} = 8\text{-}13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
617	Measurement of J/ψ production in association with a W boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
616	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
615	Two-particle azimuthal correlations as a probe of collective behaviour in deep inelastic ep scattering at HERA. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
614	Search for $(\bar{t}t)$ resonances in fully hadronic final states in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
613	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
612	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
611	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9

610	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
609	Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s}_{NN}) = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
608	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
607	Measurement of differential cross sections for single diffractive dissociation in $(\sqrt{s}) = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
606	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
605	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
604	Search for the $HH \rightarrow (\overline{b}b)$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
603	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
602	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s}) = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
601	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s})=8\sim\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
600	Limits on contact interactions and leptoquarks at HERA. <i>Physical Review D</i> , 2019 , 99,	4.9	5
599	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
598	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s}) = 13$ (TeV). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
597	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
596	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $(\sqrt{s}) = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
595	Search for single production of vector-like quarks decaying into Wb in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
594	Search for top-quark decays $t \rightarrow Hq$ with 36 fb of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
593	Measurement of VH , $(\text{H}) \rightarrow \overline{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8

592	Charm production in charged current deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
591	Measurements of W and Z boson production in pp collisions at ($\sqrt{s}=5.02$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
590	Performance of top-quark and (\vec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
589	Measurements of inclusive and differential fiducial cross-sections of ($t\bar{t}\gamma$) production in leptonic final states at ($\sqrt{s}=13\text{~text {TeV}}$) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
588	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
587	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
586	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
585	In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
584	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
583	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (\sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
582	Measurement of the top quark mass in the ($t\bar{t}\rightarrow$) lepton+jets channel from ($\sqrt{s}=8$) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24
581	Search for pair production of Higgs bosons in the ($b\bar{b}$) final state using proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
580	Constraints on mediator-based dark matter and scalar dark energy models using (\sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
579	Search for long-lived neutral particles in pp collisions at ($\sqrt{s} = 13\text{~text {TeV}}$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
578	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
577	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
576	Measurement of ($W^{\pm}Z$) production cross sections and gauge boson polarisation in pp collisions at ($\sqrt{s} = 13\text{~text {TeV}}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
575	Searches for third-generation scalar leptoquarks in (\sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18

574	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
573	Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	10
572	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4-2	3
571	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. <i>European Physical Journal C</i> , 2019 , 79,	4-2	11
570	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	3
569	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
568	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	14
567	Measurement of the top-quark mass in $(\overline{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	12
566	Measurement of fiducial and differential (W^+W^-) production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	16
565	Measurement of ZZ production in the $\mu\mu$ final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
564	Measurement of (W^{\pm}) -boson and Z-boson production cross-sections in pp collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	2
563	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	4
562	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	21
561	Measurement of (W^{\pm}) boson production in Pb+Pb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	7
560	ATLAS b-jet identification performance and efficiency measurement with (\overline{t}) events in pp collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	43
559	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	16
558	Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell) + \text{jets}$ channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	13
557	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7

556	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
555	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
554	Measurement of the τ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
553	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
552	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
551	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
550	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
549	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
548	Search for heavy resonances in the $\tau\tau$ and $\tau\mu\mu$ final states using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
547	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
546	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
545	Search for heavy resonances decaying into $\tau\tau$ in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
544	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
543	Search for W W/W Z resonance production in $\bar{t}t$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
542	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
541	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
540	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
539	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55

538	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
537	Searches for heavy ZZ and ZW resonances in the $\bar{q}q$ and $\bar{q}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
536	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
535	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
534	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
533	Measurement of the ($Z \rightarrow \nu \bar{\nu}$) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
532	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
531	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
530	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
529	Angular analysis of $B^0 \rightarrow K^* \mu \mu$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
528	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
527	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
526	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
525	Search for Higgs boson pair production in the ($\mu\mu b\bar{b}$) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
524	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
523	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
522	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
521	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49

520	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
519	Operation and performance of the ATLAS Tile Calorimeter in Run I. <i>European Physical Journal C</i> , 2018 , 78, 987	4-2	13
518	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	28
517	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
516	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	33
515	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	48
514	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
513	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau\tau$ in the τ -jets and τ -lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	33
512	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4-2	23
511	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	22
510	Combination and QCD analysis of charm and beauty production cross-section measurements in deep inelastic ep scattering at HERA. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	24
509	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
508	Measurements of b-jet tagging efficiency with the ATLAS detector using (\overline{t}) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	31
507	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
506	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4-2	5
505	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4-2	34
504	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4-2	15
503	Further studies of isolated photon production with a jet in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2

502	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
501	Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb[Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
500	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
499	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
498	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
497	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
496	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
495	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
494	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38
493	Measurement of the prompt / [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
492	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
491	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
490	Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
489	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
488	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
487	Studies of the diffractive photoproduction of isolated photons at HERA. <i>Physical Review D</i> , 2017 , 96,	4.9	2
486	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
485	Measurement of inclusive and differential cross sections in the H -> ZZ * -> 4 decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25

484	Measurement of lepton differential distributions and the top quark mass in production in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
483	Measurement of the $(\overline{t}\gamma)$ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
482	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
481	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
480	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $[\text{Formula: see text}][\text{Formula: see text}][\text{Formula: see text}]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
479	Measurement of the ZZ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the $ZZ \rightarrow \mu\mu^+$ and $(ZZ \rightarrow \{e\ell\}^{\{-\}}\{e\ell\}^{\{+\}}\nu \overline{\nu})$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
478	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
477	Measurements of (\overline{D}_S) and $X(3872) \rightarrow J/\psi \mu\mu$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
476	Measurements of top-quark pair to Z-boson cross-section ratios at $(\sqrt{s}=13)$, 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
475	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
474	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
473	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
472	Measurements of the production cross section of a $[\text{Formula: see text}]$ boson in association with jets in collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
471	Precision measurement and interpretation of inclusive $\mu\mu$ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
470	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
469	Search for dark matter at $[\text{Formula: see text}]$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
468	Measurement of charged-particle distributions sensitive to the underlying event in $(\sqrt{s}=13)$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
467	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19

466	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
465	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
464	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
463	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
462	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
461	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
460	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
459	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
458	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
457	Searches for the $Z\ell\ell$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
456	Studies of $Z\ell\ell$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
455	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
454	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \ell\ell$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
453	Study of $\ell\ell$ production in collisions at $\sqrt{s}=13$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
452	Measurements of top quark spin observables in ($\ell\ell$) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
451	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
450	Top-quark mass measurement in the all-hadronic ($\ell\ell$) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
449	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16

448	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	30
447	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
446	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
445	Measurement of the k t splitting scales in $Z \rightarrow \ell\bar{\ell}$ events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
444	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
443	Evidence for the ($H \rightarrow b\bar{b}$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
442	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
441	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
440	Combined QCD and electroweak analysis of HERA data. <i>Physical Review D</i> , 2016 , 93,	4.9	10
439	Search for a narrow baryonic state decaying to pK_S^0 and $p\bar{K}_S^0$ in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 446-453	4.2	1
438	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
437	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
436	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
435	Measurement of jet activity in top quark events using the e ⁻ final state with two b-tagged jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
434	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4.2	63
433	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\bar{e}$ with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
432	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
431	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10

430	Identification of high transverse momentum top quarks in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
429	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
428	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
427	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
426	Measurement of the differential cross-sections of prompt and non-prompt production of Z bosons and W bosons in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
425	Luminosity determination in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
424	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=8$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
423	Addendum to Measurement of the $t\bar{t}$ production cross-section using (emu) events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
422	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
421	Searches for heavy diboson resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
420	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
419	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
418	Measurement of the CP-violating phase ϕ_1 and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
417	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
416	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24
415	Limits on the effective quark radius from inclusive ep scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 468-472	4.2	7
414	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22
413	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12

4 ¹²	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39
4 ¹¹	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
4 ¹⁰	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
4 ⁰⁹	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
4 ⁰⁸	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
4 ⁰⁷	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
4 ⁰⁶	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
4 ⁰⁵	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
4 ⁰⁴	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
4 ⁰³	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
4 ⁰²	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
4 ⁰¹	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4.2	68
4 ⁰⁰	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
399	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
398	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
397	Production of exclusive dijets in diffractive deep inelastic scattering at HERA. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	8
396	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
395	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28

394	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8, \text{TeV}$) with the ATLAS detector 2016 , 76, 1		1
393	Study of hard double-parton scattering in four-jet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
392	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
391	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
390	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
389	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
388	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
387	Search for minimal supersymmetric standard model Higgs Bosons \tilde{H} and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
386	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
385	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
384	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
383	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
382	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
381	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
380	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
379	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
378	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
377	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59

376	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
375	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
374	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
373	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
372	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
371	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4.2	17
370	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49
369	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
368	Measurement of the relative width difference of the (\overline{B}^0) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
367	Measurement of the cross-section ratio $\sigma(2S) / \sigma(1S)$ in deep inelastic exclusive ep scattering at HERA. <i>Nuclear Physics B</i> , 2016 , 909, 934-953	2.8	9
366	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
365	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
364	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4.2	62
363	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
362	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
361	Measurement of the (\overline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
360	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
359	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	29

358	Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
357	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
356	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ($\sqrt{s}=8$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
355	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
354	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
353	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51
352	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
351	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
350	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
349	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
348	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
347	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
346	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text] [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
345	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
344	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
343	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
342	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
341	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22

340	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
339	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
338	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
337	Combination of measurements of inclusive deep inelastic ($\{e^{\pm}p\}$) scattering cross sections and QCD analysis of HERA data. <i>European Physical Journal C</i> , 2015 , 75, 1	4.2	249
336	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
335	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
334	Combination of differential $D^*\mu$ cross-section measurements in deep-inelastic ep scattering at HERA. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	4
333	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
332	Search for lepton-flavour-violating $H \rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	46
331	Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
330	A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
329	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
328	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49
327	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
326	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
325	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5.4	66
324	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	31
323	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	65

322	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	54
321	Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
320	Summary of the searches for squarks and gluinos using ($\sqrt{s}=8$) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	55
319	Determination of the top-quark pole mass using (\overline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	15
318	Measurement of the ($\overline{t}W$) and ($\overline{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
317	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5-4	18
316	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
315	Top quark studies with the ATLAS detector. <i>International Journal of Modern Physics Conference Series</i> , 2015 , 39, 1560092	0-7	
314	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	37
313	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	74
312	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
311	Search for $[B_s]$ decays in $[B]$ collisions at $[B]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4-2	25
310	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $[B]$. <i>European Physical Journal C</i> , 2015 , 75, 158	4-2	8
309	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $[B]$ TeV $[B]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4-2	50
308	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	14
307	Search for metastable heavy charged particles with large ionisation energy loss in collisions at $[B]$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4-2	18
306	Measurement of the production and lepton charge asymmetry of $[B]$ bosons in Pb+Pb collisions at $[B]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4-2	31
305	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1		3

304	Measurement of neutral current $e\bar{p}$ cross sections at high Bjorken x with the ZEUS detector. <i>Physical Review D</i> , 2014 , 89,	4.9	3
303	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
302	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at (\sqrt{s})=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
301	The differential production cross section of the $[Formula: see text](1020)$ meson in $[Formula: see text] = 7 TeV$ collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
300	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
299	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
298	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $[Formula: see text] TeV$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
297	Light-quark and gluon jet discrimination in $[Formula: see text]$ collisions at $[Formula: see text]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
296	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (\sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
295	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
294	Measurement of the production cross section of prompt J/ψ mesons in association with a W boson in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
293	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
292	Measurement of the production of a W boson in association with a charm quark in pp collisions at (\sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
291	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	120
290	Search for supersymmetry at (\sqrt{s}) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39
289	Measurement of the low-mass Drell-Yan differential cross section at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
288	Search for direct top-squark pair production in final states with two leptons in pp collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
287	Measurement of $t\bar{t}$ and $t\bar{t}$ production with (\sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26

286	Further studies of the photoproduction of isolated photons with a jet at HERA. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	1
285	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
284	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
283	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
282	Photoproduction of isolated photons, inclusively and with a jet, at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 293-301	4.2	9
281	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	67
280	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
279	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
278	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
277	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
276	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $(\sqrt{s}=8)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	30
275	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of $(\sqrt{s}) = 8$ TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
274	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $(\sqrt{s}=8)$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
273	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
272	Deep inelastic cross-section measurements at large y with the ZEUS detector at HERA. <i>Physical Review D</i> , 2014 , 90,	4.9	24
271	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
270	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034	4.2	45
269	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160

268	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31
267	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
266	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\sqrt{s}=7$ TeV collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
265	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
264	Measurement of the production cross-section of $\Upsilon(2S) \rightarrow J/\psi + \Upsilon(1S) + \Upsilon(2S)$ in pp collisions at $(\sqrt{s}) = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
263	Measurement of the Z/ Υ boson transverse momentum distribution in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
262	Measurement of D* photoproduction at three different centre-of-mass energies at HERA. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	1
261	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $(\sqrt{s} = 8)$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	31
260	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	13
259	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
258	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
257	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
256	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
255	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
254	Search for third generation scalar leptoquarks in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
253	Measurement of D* π production in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	7
252	Measurement of D π production in deep inelastic ep scattering with the ZEUS detector at HERA. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	7
251	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124

250	Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	45
249	Search for charged Higgs bosons through the violation of lepton universality in (\overline{t}) events using pp collision data at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
248	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	47
247	Measurement of inelastic J/ψ and ψ' photoproduction at HERA. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	5
246	Measurement of splitting scales in \rightarrow events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432	4-2	8
245	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4-2	76
244	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	92
243	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	64
242	Measurement of the differential cross-section of B + meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	24
241	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	43
240	Measurement of charm fragmentation fractions in photoproduction at HERA. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	20
239	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4-2	276
238	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4-2	71
237	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4-2	25
236	Jet energy measurement with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4-2	209
235	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4-2	18
234	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}} = 2.76$ TeV) with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	143
233	Measurement of the top quark charge in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15

232	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72
231	Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
230	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55
229	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
228	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55
227	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	44
226	Production of the excited charm mesons D1 and D2? at HERA. <i>Nuclear Physics B</i> , 2013 , 866, 229-254	2.8	11
225	Production of χ_{c1} . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 915-921	4.2	6
224	Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12
223	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41
222	Jet energy resolution in proton-proton collisions at [$\sqrt{s}=7$ TeV] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
221	Combination and QCD analysis of charm production cross section measurements in deep-inelastic ep scattering at HERA. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	114
220	Measurement of the [$\sqrt{s}=7$ TeV] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	30
219	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
218	Measurement of high-Q ² neutral current deep inelastic e+p scattering cross sections with a longitudinally polarized positron beam at HERA. <i>Physical Review D</i> , 2013 , 87,	4.9	16
217	Measurement of the t dependence in exclusive photoproduction of $\rho(1S)$ mesons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 708, 14-20	4.2	11
216	Search for single-top production in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 708, 27-36	4.2	24
215	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14

214	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ($\sqrt{s} = 7$ mbox{TeV}) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
213	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
212	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
211	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42
210	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
209	Measurement of polarization in \rightarrow decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2062	4.2	17
208	Measurement of the cross section for top-quark pair production in pp collisions at ($\sqrt{s} = 7$ TeV) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
207	Jet mass and substructure of inclusive jets in ($\sqrt{s} = 7$ TeV) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	67
206	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
205	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb ⁻¹ of ($\sqrt{s} = 7$ TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
204	A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39
203	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in ($\sqrt{s} = 7$ TeV) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
202	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ($\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	31
201	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ($\sqrt{s}=7$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
200	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53
199	Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
198	Search for anomalous production of prompt like-sign lepton pairs at ($\sqrt{s}=7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
197	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s}=7$ TeV) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45

196	Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s}=7\text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
195	Angular correlations in three-jet events in ep collisions at HERA. <i>Physical Review D</i> , 2012 , 85,	4.9	2
194	Inclusive-jet photoproduction at HERA and determination of μ_s . <i>Nuclear Physics B</i> , 2012 , 864, 1-37	2.8	30
193	Measurement of isolated photons accompanied by jets in deep inelastic ep scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 88-97	4.2	7
192	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
191	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	70
190	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
189	Measurement of $[Formula: see text]$ production with a veto on additional central jet activity in collisions at $[Formula: see text]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
188	A search for $[Formula: see text]$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
187	Search for second generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
186	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
185	Measurement of $W \mp Z$ production in proton-proton collisions at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
184	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
183	Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	25
182	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ($\sqrt{s}=7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	18
181	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
180	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7\text{TeV}$) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
179	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34

178	Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
177	Search for first-generation leptoquarks at HERA. <i>Physical Review D</i> , 2012 , 86,	4.9	22
176	Performance of missing transverse momentum reconstruction in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$) with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
175	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	232
174	Exclusive electroproduction of two pions at HERA. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	7
173	Scaled momentum distributions for (K_S^0)KS and ($\Lambda/\bar{\Lambda}$) in DIS at HERA. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	1
172	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
171	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \bar{\nu}_n (\overline{t})$ events using pp collision data at ($\sqrt{s} = 7 \text{ TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
170	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
169	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23
168	3D-FBK pixel sensors: Recent beam tests results with irradiated devices. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 650, 150-157	1.2	5
167	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
166	Measurement of beauty production in deep inelastic scattering at HERA using decays into electrons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
165	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
164	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
163	Luminosity determination in pp collisions at ($\sqrt{s} = 7$) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	167
162	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ($\sqrt{s}=900$) GeV and ($\sqrt{s}=7$) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	30
161	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ($\sqrt{s}=7$) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18

160	Measurement of heavy-quark jet photoproduction at HERA. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	12
159	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ($\sqrt{s}=7\text{ TeV}$) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41
158	Limits on the production of the standard model Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
157	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
156	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
155	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
154	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
153	Search for massive colored scalars in four-jet final states in ($\sqrt{s}=7\text{ TeV}$) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
152	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ($\sqrt{s}=7\text{ TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
151	Study of taupair production at HERA. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	1
150	Measurement of W and Z production in proton-proton collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
149	Inclusive search for same-sign dilepton signatures in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	31
148	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ($\sqrt{s} = 7$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
147	Test beam results of 3D silicon pixel sensors for the ATLAS upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 638, 33-40	1.2	17
146	Measurement of the energy dependence of the total photon-proton cross section at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 697, 184-193	4.2	6
145	Measurement of dijet photoproduction for events with a leading neutron at HERA. <i>Nuclear Physics B</i> , 2010 , 827, 1-33	2.8	6
144	A QCD analysis of ZEUS diffractive data. <i>Nuclear Physics B</i> , 2010 , 831, 1-25	2.8	44
143	Measurement of charm and beauty production in deep inelastic ep scattering from decays into muons at HERA. <i>European Physical Journal C</i> , 2010 , 65, 65-79	4.2	42

142	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41
141	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-821	4.2	70
140	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12
139	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
138	Measurement of beauty production in DIS and extraction at ZEUS. <i>European Physical Journal C</i> , 2010 , 69, 347-360	4.2	13
137	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010 , 70, 823-874	4.2	817
136	Measurement of high-Q ² charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. <i>European Physical Journal C</i> , 2010 , 70, 945-963	4.2	22
135	Inclusive dijet cross sections in neutral current deep inelastic scattering at HERA. <i>European Physical Journal C</i> , 2010 , 70, 965-982	4.2	13
134	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1236	4.2	82
133	Combined measurement and QCD analysis of the inclusive $e-p$ scattering cross sections at HERA. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	370
132	Events with an isolated lepton and missing transverse momentum and measurement of W production at HERA. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	7
131	Measurement of J/ψ photoproduction at large momentum transfer at HERA. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	6
130	Scaled momentum spectra in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	1
129	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
128	Measurement of D ⁺ and \bar{c} production in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	3
127	Measurement of the W $\rightarrow \bar{c}b$ and Z $\rightarrow \bar{c}c$ production cross sections in proton-proton collisions at ($\sqrt{s} = 7$;{text{TeV}}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
126	Measurement of isolated photon production in deep inelastic ep scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 687, 16-25	4.2	27
125	Inclusive-jet cross sections in NC DIS at HERA and a comparison of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 691, 127-137	4.2	22

124	Search for events with an isolated lepton and missing transverse momentum and a measurement of W production at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 672, 106-115	4.2	8
123	Exclusive photoproduction of η mesons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 4-12	4.2	63
122	Multi-lepton production at high transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 13-23	4.2	5
121	Measurement of the longitudinal proton structure function at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 682, 8-22	4.2	54
120	Production of excited charm and charm-strange mesons at HERA. <i>European Physical Journal C</i> , 2009 , 60, 25-45	4.2	21
119	Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA. <i>European Physical Journal C</i> , 2009 , 61, 223-235	4.2	26
118	Measurement of high- Q^2 neutral current deep inelastic $e\bar{p}$ scattering cross sections with a longitudinally polarised electron beam at HERA. <i>European Physical Journal C</i> , 2009 , 62, 625-658	4.2	27
117	Measurement of D^{\pm} and D^0 production in deep inelastic scattering using a lifetime tag at HERA. <i>European Physical Journal C</i> , 2009 , 63, 171-188	4.2	27
116	Subjet distributions in deep inelastic scattering at HERA. <i>European Physical Journal C</i> , 2009 , 63, 527-548	4.2	7
115	Deep inelastic scattering with leading protons or large rapidity gaps at HERA. <i>Nuclear Physics B</i> , 2009 , 816, 1-61	2.8	47
114	Three- and four-jet final states in photoproduction at HERA. <i>Nuclear Physics B</i> , 2008 , 792, 1-47	2.8	14
113	Deep inelastic inclusive and diffractive scattering at Q^2 values from 25 to 320 GeV ² with the ZEUS forward plug calorimeter. <i>Nuclear Physics B</i> , 2008 , 800, 1-76	2.8	23
112	Multijet cross sections in charged current $e\bar{p}$ scattering at HERA. <i>Physical Review D</i> , 2008 , 78,	4.9	5
111	Beauty photoproduction using decays into electrons at HERA. <i>Physical Review D</i> , 2008 , 78,	4.9	11
110	Inclusive $K(S);(0)K(S);(0)$ resonance production in ep collisions at HERA. <i>Physical Review Letters</i> , 2008 , 101, 112003	7.4	8
109	Diffractive photoproduction of dijets in ep collisions at HERA. <i>European Physical Journal C</i> , 2008 , 55, 177-191	4.2	32
108	A deeply virtual Compton scattering amplitude. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 645, 161-166	4.2	19
107	Jet-radius dependence of inclusive-jet cross sections in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 649, 12-24	4.2	29

106	Measurement of meson production in scattering at low. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 649, 111-121	4.2	7
105	Bose-Einstein correlations of charged and neutral kaons in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 652, 1-12	4.2	9
104	Measurement of prompt photons with associated jets in photoproduction at HERA. <i>European Physical Journal C</i> , 2007 , 49, 511-522	4.2	22
103	Measurement of neutral current cross sections at high Bjorken-x with the ZEUS detector at HERA. <i>European Physical Journal C</i> , 2007 , 49, 523-544	4.2	4
102	Search for stop production in R-parity-violating supersymmetry at HERA. <i>European Physical Journal C</i> , 2007 , 50, 269	4.2	14
101	Photoproduction of events with rapidity gaps between jets at HERA. <i>European Physical Journal C</i> , 2007 , 50, 283-297	4.2	6
100	Measurement of open beauty production at HERA in the D* final state. <i>European Physical Journal C</i> , 2007 , 50, 299-314	4.2	17
99	Measurement of K ⁰ _S and Λ production at HERA. <i>European Physical Journal C</i> , 2007 , 51, 1-23	4.2	17
98	Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA. <i>European Physical Journal C</i> , 2007 , 51, 289-299	4.2	12
97	Diffraction photoproduction of D* π (2010) at HERA. <i>European Physical Journal C</i> , 2007 , 51, 301-315	4.2	16
96	Forward-jet production in deep inelastic ep scattering at HERA. <i>European Physical Journal C</i> , 2007 , 52, 515-530	4.2	11
95	Dijet production in diffractive deep inelastic scattering at HERA. <i>European Physical Journal C</i> , 2007 , 52, 813-832	4.2	28
94	High-ET dijet photoproduction at HERA. <i>Physical Review D</i> , 2007 , 76,	4.9	13
93	Event shapes in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , 2007 , 767, 1-28	2.8	14
92	Inclusive-jet and dijet cross sections in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , 2007 , 765, 1-30	2.8	38
91	Leading neutron energy and distributions in deep inelastic scattering and photoproduction at HERA. <i>Nuclear Physics B</i> , 2007 , 776, 1-37	2.8	31
90	Multijet production at low in deep inelastic scattering at HERA. <i>Nuclear Physics B</i> , 2007 , 786, 152-180	2.8	12
89	Measurement of (anti)deuteron and (anti)proton production in DIS at HERA. <i>Nuclear Physics B</i> , 2007 , 786, 181-205	2.8	16

88	Forward jet production in deep inelastic ep scattering and low-x parton dynamics at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 632, 13-26	4.2	18
87	Measurement of high-Q ² deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 637, 210-222	4.2	16
86	Study of deep inelastic inclusive and diffractive scattering with the ZEUS forward plug calorimeter. <i>Nuclear Physics B</i> , 2005 , 713, 3-80	2.8	67
85	Exclusive electroproduction of η mesons at HERA. <i>Nuclear Physics B</i> , 2005 , 718, 3-31	2.8	63
84	Inclusive jet cross sections and dijet correlations in $D^* \pi$ photoproduction at HERA. <i>Nuclear Physics B</i> , 2005 , 729, 492-525	2.8	25
83	Study of the pion trajectory in the photoproduction of leading neutrons at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 610, 199-211	4.2	14
82	Search for pentaquarks decaying to πn in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 610, 212-224	4.2	20
81	ZEUS results on inclusive diffraction. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2005 , 146, 15-19		
80	Bottom photoproduction measured using decays into muons in dijet events in ep collisions at $s=318\text{GeV}$. <i>Physical Review D</i> , 2004 , 70,	4.9	29
79	Measurement of $D^* \pi$ production in deep inelastic $e p$ scattering at DESY HERA. <i>Physical Review D</i> , 2004 , 69,	4.9	92
78	High-Q ² neutral current cross sections in e+p deep inelastic scattering at $s=318\text{ GeV}$. <i>Physical Review D</i> , 2004 , 70,	4.9	48
77	Observation of $K_S^0 K_S^0$ resonances in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 578, 33-44	4.2	7
76	Isolated tau leptons in events with large missing transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 583, 41-58	4.2	11
75	Bose-Einstein correlations in one and two dimensions in deep inelastic scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 583, 231-246	4.2	10
74	Photoproduction of $D^* \pi$ mesons associated with a leading neutron. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 590, 143-160	4.2	14
73	Search for contact interactions, large extra dimensions and finite quark radius in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 591, 23-41	4.2	27
72	Evidence for a narrow baryonic state decaying to $K^0_S p$ and $K^0_S p$ in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 591, 7-22	4.2	150
71	Observation of isolated high-ET photons in deep inelastic scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 595, 86-100	4.2	22

70	Measurement of beauty production in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 599, 173-189	4.2	33
69	Exclusive electroproduction of J/ψ mesons at HERA. <i>Nuclear Physics B</i> , 2004 , 695, 3-37	2.8	125
68	Substructure dependence of jet cross sections at HERA and determination of β_s . <i>Nuclear Physics B</i> , 2004 , 700, 3-50	2.8	11
67	Measurement of deeply virtual Compton scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 573, 46-62	4.2	123
66	Study of the azimuthal asymmetry of jets in neutral current deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 551, 226-240	4.2	12
65	Observation of the strange sea in the proton via inclusive ψ meson production in neutral current deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 553, 141-158	4.2	6
64	Measurement of subjet multiplicities in neutral current deep inelastic scattering at HERA and determination of β_s . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 558, 41-58	4.2	27
63	Search for single-top production in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 559, 153-170	4.2	77
62	Scaling violations and determination of β_s from jet production in \bar{p} interactions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 560, 7-23	4.2	24
61	Dijet angular distributions in photoproduction of charm at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 565, 87-101	4.2	20
60	Measurement of the open-charm contribution to the diffractive proton structure function. <i>Nuclear Physics B</i> , 2003 , 672, 3-35	2.8	38
59	Leading proton production in e+p collisions at HERA. <i>Nuclear Physics B</i> , 2003 , 658, 3-46	2.8	18
58	Search for resonance decays to lepton+jet at DESY HERA and limits on leptoquarks. <i>Physical Review D</i> , 2003 , 68,	4.9	35
57	ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering. <i>Physical Review D</i> , 2003 , 67,	4.9	126
56	High-mass dijet cross sections in photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 531, 9-27	4.2	23
55	Measurement of high- Q^2 charged current cross sections in $e\bar{p}$ deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 539, 197-217	4.2	40
54	Measurement of diffractive production of $D^*\psi(2010)$ mesons in deep-inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 545, 244-260	4.2	10
53	Inclusive jet cross sections in the Breit frame in neutral current deep inelastic scattering at HERA and determination of β_s . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 547, 164-180	4.2	63

52	Searches for excited fermions in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 549, 32-47	4.2	27
51	Search for lepton-flavor violation in e+p collisions at DESY HERA. <i>Physical Review D</i> , 2002 , 65,	4.9	5
50	Properties of hadronic final states in diffractive deep inelastic ep scattering at DESY HERA. <i>Physical Review D</i> , 2002 , 65,	4.9	7
49	Production and test of monitored drift tubes for the muon spectrometer of the ATLAS experiment. <i>IEEE Transactions on Nuclear Science</i> , 2002 , 49, 1077-1079	1.7	7
48	Measurement of the photon-proton total cross section at a center-of-mass energy of 209 GeV at HERA. <i>Nuclear Physics B</i> , 2002 , 627, 3-28	2.8	48
47	Leading neutron production in e+p collisions at HERA. <i>Nuclear Physics B</i> , 2002 , 637, 3-56	2.8	63
46	Measurement of dijet production in neutral current deep inelastic scattering at high Q ² and determination of β_s . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 507, 70-88	4.2	30
45	Multiplicity moments in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 510, 36-54	4.2	11
44	Study of the effective transverse momentum of partons in the proton using prompt photons in photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 511, 19-32	4.2	26
43	Three-jet production in diffractive deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 516, 273-292	4.2	9
42	FD2 at low Q ² at HERA. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2001 , 99, 148-151		1
41	Search for resonance decays to a π plus jet in e+p scattering at DESY HERA. <i>Physical Review D</i> , 2001 , 63,	4.9	12
40	Measurement of dijet cross sections for events with a leading neutron in photoproduction at HERA. <i>Nuclear Physics B</i> , 2001 , 596, 3-29	2.8	19
39	The Q ² dependence of dijet cross sections in \bar{p} interactions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 479, 37-52	4.2	17
38	Measurement of azimuthal asymmetries in deep inelastic scattering. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 481, 199-212	4.2	40
37	Measurement of inclusive (D _s [±]) photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 481, 213-227	4.2	33
36	Measurement of the proton structure function F ₂ at very low Q ² at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 487, 53-73	4.2	149
35	Measurement of exclusive $\bar{\nu}$ electroproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 487, 273-288	4.2	45

34	W production and the search for events with an isolated high-energy lepton and missing transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 471, 411-428	4.2	21
33	Measurement of inclusive prompt photon photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 472, 175-188	4.2	35
32	Measurement of the $E_T, \text{jet}_2/Q_2$ dependence of forward-jet production at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 474, 223-233	4.2	15
31	Dijet cross sections in photoproduction at HERA. <i>European Physical Journal C</i> , 1998 , 1, 109	4.2	27
30	Diffractive dijet cross sections in photoproduction at HERA. <i>European Physical Journal C</i> , 1998 , 5, 41-56	4.2	6
29	Event shape analysis of deep inelastic scattering events with a large rapidity gap at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 421, 368-384	4.2	24
28	Search for selectron and squark production in e+p collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 434, 214-230	4.2	5
27	Measurement of elastic γ photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 437, 432-444	4.2	87
26	Measurement of three-jet distributions in photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 443, 394-408	4.2	23
25	Measurement of the diffractive structure function $F_2^D(4)$ at HERA. <i>European Physical Journal C</i> , 1998 , 1, 81-96	4.2	55
24	Dijet cross sections in photoproduction at HERA. <i>European Physical Journal C</i> , 1998 , 1, 109-122	4.2	23
23	Measurement of the diffractive structure function $F_2^D(4)$ at HERA 1998 , 1, 81		49
22	Diffractive dijet cross sections in photoproduction at HERA 1998 , 5, 41		24
21	Measurement of the proton structure function F_2 and at low and very low x at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 407, 432-448	4.2	123
20	Comparison of ZEUS data with standard model predictions for e+p \rightarrow e+X scattering at high x and Q_2 . <i>Zeitschrift für Physik C-Particles and Fields</i> , 1997 , 74, 207-220		123
19	Differential cross sections of photoproduction in ep collisions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 401, 192-206	4.2	19
18	production in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 407, 402-418	4.2	85
17	Observation of isolated high- E_T photons in photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 413, 201-216	4.2	25

16	Observation of scaling violations in scaled momentum distributions at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 414, 428-443	4.2	11
15	Inclusive charged particle distributions in deep inelastic scattering events at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996 , 70, 1-15		30
14	Measurement of the F_2 structure function in deep inelastic $e+p$ scattering using 1994 data from the ZEUS detector at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996 , 72, 399-424		132
13	Study of charged-current interactions at $Q^2 > 200 \text{ GeV}^2$ with the ZEUS detector at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996 , 72, 47-64		18
12	Rapidity gaps between jets in photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 369, 55-68	4.2	51
11	Measurement of elastic π^0 photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 377, 259-272	4.2	73
10	Measurement of the reaction in deep inelastic $e+p$ scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 380, 220-234	4.2	36
9	Observation of events with an energetic forward neutron in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 384, 388-400	4.2	31
8	Dijet angular distributions in direct and resolved photoproduction at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 384, 401-413	4.2	33
7	Study of charged-current interactions at $Q^2 > 200 \text{ GeV}^2$ with the ZEUS detector at HERA 1996 , 72, 47		4
6	Measurement of the diffractive structure function in deep inelastic scattering at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 68, 569-584		97
5	Diffractive hard photoproduction at HERA and evidence for the gluon content of the pomeron. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 356, 129-146	4.2	53
4	Exclusive π^0 production in deep inelastic electron-proton scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 356, 601-616	4.2	65
3	Measurement of π^0 s from jet rates in deep inelastic scattering at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995 , 363, 201-216	4.2	24
2	Measurement of elastic π^0 photoproduction at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 69, 39-54		2
1	Measurement of the proton structure function F_2 at low x and low Q^2 at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995 , 69, 607-620		3