

Stephen M Lawrie

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3565906/stephen-m-lawrie-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

437 papers	28,162 citations	84 h-index	155 g-index
525 ext. papers	32,951 ext. citations	6.7 avg, IF	6.76 L-index

#	Paper	IF	Citations
437	Psychological autopsy studies of suicide: a systematic review. <i>Psychological Medicine</i> , 2003 , 33, 395-405	6.9	1280
436	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
435	Brain abnormality in schizophrenia. A systematic and quantitative review of volumetric magnetic resonance imaging studies. <i>British Journal of Psychiatry</i> , 1998 , 172, 110-20	5.4	687
434	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015 , 520, 224-9	50.4	601
433	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
432	Functional specialization within rostral prefrontal cortex (area 10): a meta-analysis. <i>Journal of Cognitive Neuroscience</i> , 2006 , 18, 932-48	3.1	532
431	Subcortical brain volume abnormalities in 2028 individuals with schizophrenia and 2540 healthy controls via the ENIGMA consortium. <i>Molecular Psychiatry</i> , 2016 , 21, 547-53	15.1	525
430	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012 , 44, 552-61	36.3	498
429	Reduced frontotemporal functional connectivity in schizophrenia associated with auditory hallucinations. <i>Biological Psychiatry</i> , 2002 , 51, 1008-11	7.9	485
428	Depression after stroke and lesion location: a systematic review. <i>Lancet, The</i> , 2000 , 356, 122-6	40	482
427	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
426	Are there progressive brain changes in schizophrenia? A meta-analysis of structural magnetic resonance imaging studies. <i>Biological Psychiatry</i> , 2011 , 70, 88-96	7.9	366
425	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
424	Magnetic resonance imaging studies in bipolar disorder and schizophrenia: meta-analysis. <i>British Journal of Psychiatry</i> , 2009 , 195, 194-201	5.4	345
423	Towards a neuroanatomy of autism: a systematic review and meta-analysis of structural magnetic resonance imaging studies. <i>European Psychiatry</i> , 2008 , 23, 289-99	6	342
422	Obstetric complications and schizophrenia: a meta-analysis. <i>British Journal of Psychiatry</i> , 1995 , 167, 786-93	34	337
421	Sex Differences in the Adult Human Brain: Evidence from 5216 UK Biobank Participants. <i>Cerebral Cortex</i> , 2018 , 28, 2959-2975	5.1	335

420	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
419	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 1261-1269	15.1	324
418	Cannabis as a risk factor for psychosis: systematic review. <i>Journal of Psychopharmacology</i> , 2005 , 19, 187-206	2.4	313
417	Magnetic resonance imaging of brain in people at high risk of developing schizophrenia. <i>Lancet, The</i> , 1999 , 353, 30-3	40	306
416	Obstetric complications and age at onset in schizophrenia: an international collaborative meta-analysis of individual patient data. <i>American Journal of Psychiatry</i> , 1997 , 154, 1220-7	11.9	289
415	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2003 , 182, 439-443	5.4	281
414	Neuroanatomy of vulnerability to psychosis: a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 1175-85	9	275
413	Predicting schizophrenia: findings from the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2005 , 186, 18-25	5.4	260
412	Grey matter changes over time in high risk subjects developing schizophrenia. <i>NeuroImage</i> , 2005 , 25, 1023-30	7.9	254
411	The Predictive Coding Account of Psychosis. <i>Biological Psychiatry</i> , 2018 , 84, 634-643	7.9	253
410	Progressive gray matter loss in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2007 , 62, 894-900	7.9	239
409	Schizophrenia and complications of pregnancy and labor: an individual patient data meta-analysis. <i>Schizophrenia Bulletin</i> , 1999 , 25, 413-23	1.3	234
408	White matter abnormalities in bipolar disorder and schizophrenia detected using diffusion tensor magnetic resonance imaging. <i>Bipolar Disorders</i> , 2009 , 11, 11-8	3.8	222
407	A systematic review and meta-analysis of the fMRI investigation of autism spectrum disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 901-42	9	220
406	White matter tractography in bipolar disorder and schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 1088-97	7.9	212
405	A neuregulin 1 variant associated with abnormal cortical function and psychotic symptoms. <i>Nature Neuroscience</i> , 2006 , 9, 1477-8	25.5	208
404	Brain structure, genetic liability, and psychotic symptoms in subjects at high risk of developing schizophrenia. <i>Biological Psychiatry</i> , 2001 , 49, 811-23	7.9	207
403	Structural Gray Matter Differences between First-Episode Schizophrenics and Normal Controls Using Voxel-Based Morphometry. <i>NeuroImage</i> , 2002 , 17, 880-889	7.9	202

402	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017 , 8, 13624	17.4	173
401	The effects of a neuregulin 1 variant on white matter density and integrity. <i>Molecular Psychiatry</i> , 2008 , 13, 1054-9	15.1	170
400	Deficits in facial, body movement and vocal emotional processing in autism spectrum disorders. <i>Psychological Medicine</i> , 2010 , 40, 1919-29	6.9	169
399	Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: a voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012 , 22, 100-13	1.2	166
398	Similarity-based extraction of individual networks from gray matter MRI scans. <i>Cerebral Cortex</i> , 2012 , 22, 1530-41	5.1	166
397	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016 , 19, 420-431	25.5	163
396	Voxel-based morphometry of grey matter densities in subjects at high risk of schizophrenia. <i>Schizophrenia Research</i> , 2003 , 64, 1-13	3.6	160
395	Overactivation of fear systems to neutral faces in schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 70-3	7.9	155
394	Neuropsychological change in young people at high risk for schizophrenia: results from the first two neuropsychological assessments of the Edinburgh High Risk Study. <i>Psychological Medicine</i> , 2000 , 30, 1111-21	6.9	154
393	Segregation of cognitive and emotional function in the prefrontal cortex: a stereotactic meta-analysis. <i>NeuroImage</i> , 2004 , 21, 868-75	7.9	152
392	Brain structure and function changes during the development of schizophrenia: the evidence from studies of subjects at increased genetic risk. <i>Schizophrenia Bulletin</i> , 2008 , 34, 330-40	1.3	148
391	Functional disconnectivity in subjects at high genetic risk of schizophrenia. <i>Brain</i> , 2005 , 128, 2097-108	11.2	147
390	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016 , 19, 1569-1582	25.5	147
389	Voxel-based morphometry of patients with schizophrenia or bipolar disorder and their unaffected relatives. <i>Biological Psychiatry</i> , 2004 , 56, 544-52	7.9	146
388	Deconstructing psychosis with human brain imaging. <i>Schizophrenia Bulletin</i> , 2007 , 33, 921-31	1.3	144
387	A visual joke fMRI investigation into Theory of Mind and enhanced risk of schizophrenia. <i>NeuroImage</i> , 2006 , 31, 1850-8	7.9	134
386	"First do no harm." A systematic review of the prevalence and management of antipsychotic adverse effects. <i>Journal of Psychopharmacology</i> , 2015 , 29, 353-62	4.6	125
385	Transdiagnostic psychiatry: a systematic review. <i>World Psychiatry</i> , 2019 , 18, 192-207	14.4	123

384	Neuropsychological impairments in people with schizophrenia or bipolar disorder and their unaffected relatives. <i>British Journal of Psychiatry</i> , 2005 , 186, 378-85	5.4	123
383	Prognosis of Brief Psychotic Episodes: A Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 211-20	14.5	119
382	Edinburgh high risk study--findings after four years: demographic, attainment and psychopathological issues. <i>Schizophrenia Research</i> , 2000 , 46, 1-15	3.6	119
381	fMRI correlates of state and trait effects in subjects at genetically enhanced risk of schizophrenia. <i>Brain</i> , 2004 , 127, 478-90	11.2	117
380	Screening for psychiatric illness in the palliative care inpatient setting: a comparison between the Hospital Anxiety and Depression Scale and the General Health Questionnaire-12. <i>Palliative Medicine</i> , 1999 , 13, 399-407	5.5	113
379	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2003 , 182, 439-43	5.4	113
378	White matter integrity in individuals at high genetic risk of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 350-6	7.9	109
377	Neurodevelopmental indices and the development of psychotic symptoms in subjects at high risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 178, 524-30	5.4	108
376	Genetic liability, illicit drug use, life stress and psychotic symptoms: preliminary findings from the Edinburgh study of people at high risk for schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 338-42	4.5	106
375	Relationship of catechol-O-methyltransferase variants to brain structure and function in a population at high risk of psychosis. <i>Biological Psychiatry</i> , 2007 , 61, 1127-34	7.9	102
374	Functional Magnetic Resonance Imaging (fMRI) reproducibility and variance components across visits and scanning sites with a finger tapping task. <i>NeuroImage</i> , 2010 , 49, 552-60	7.9	100
373	Diffusion tensor imaging (DTI) and proton magnetic resonance spectroscopy (1H MRS) in schizophrenic subjects and normal controls. <i>Psychiatry Research - Neuroimaging</i> , 2001 , 106, 161-70	2.9	99
372	Associations between vascular risk factors and brain MRI indices in UK Biobank. <i>European Heart Journal</i> , 2019 , 40, 2290-2300	9.5	97
371	Increased prefrontal gyrification in a large high-risk cohort characterizes those who develop schizophrenia and reflects abnormal prefrontal development. <i>Biological Psychiatry</i> , 2007 , 62, 722-9	7.9	97
370	Temporal lobe volume changes in people at high risk of schizophrenia with psychotic symptoms. <i>British Journal of Psychiatry</i> , 2002 , 181, 138-43	5.4	97
369	Social cognition and face processing in schizophrenia. <i>British Journal of Psychiatry</i> , 2004 , 185, 169-70	5.4	97
368	Abnormal cortical folding in high-risk individuals: a predictor of the development of schizophrenia?. <i>Biological Psychiatry</i> , 2004 , 56, 182-9	7.9	96
367	Polygenic risk and white matter integrity in individuals at high risk of mood disorder. <i>Biological Psychiatry</i> , 2013 , 74, 280-6	7.9	94

366	Genetic liability to schizophrenia or bipolar disorder and its relationship to brain structure. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 76-83	3.5	92
365	Longitudinal volume reductions in people at high genetic risk of schizophrenia as they develop psychosis. <i>Biological Psychiatry</i> , 2011 , 69, 953-8	7.9	90
364	A population-based incidence study of chronic fatigue. <i>Psychological Medicine</i> , 1997 , 27, 343-53	6.9	89
363	Prefrontal function and activation in bipolar disorder and schizophrenia. <i>American Journal of Psychiatry</i> , 2008 , 165, 378-84	11.9	88
362	Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 66, 628-32	5.5	88
361	The benefit of minocycline on negative symptoms of schizophrenia in patients with recent-onset psychosis (BeneMin): a randomised, double-blind, placebo-controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 885-894	23.3	88
360	A diffusion tensor MRI study of white matter integrity in subjects at high genetic risk of schizophrenia. <i>Schizophrenia Research</i> , 2008 , 106, 132-9	3.6	87
359	White matter density in patients with schizophrenia, bipolar disorder and their unaffected relatives. <i>Biological Psychiatry</i> , 2005 , 58, 254-7	7.9	87
358	Structural abnormalities of ventrolateral and orbitofrontal cortex in patients with familial bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 135-44	3.8	86
357	Gyrification in first-episode schizophrenia: a morphometric study. <i>Biological Psychiatry</i> , 2004 , 55, 141-7	7.9	86
356	Functional imaging as a predictor of schizophrenia. <i>Biological Psychiatry</i> , 2006 , 60, 454-62	7.9	85
355	Midbrain activation during Pavlovian conditioning and delusional symptoms in schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 1246-54		84
354	Multimodal voxel-based meta-analysis of structural and functional magnetic resonance imaging studies in those at elevated genetic risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 69-77	2.9	83
353	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019 , 51, 1624-1636	16.36	81
352	Brain structure in adolescents and young adults with alcohol problems: systematic review of imaging studies. <i>Alcohol and Alcoholism</i> , 2013 , 48, 433-44	3.5	80
351	Pathogenesis of schizophrenia: a psychopathological perspective. <i>British Journal of Psychiatry</i> , 2005 , 186, 386-93	5.4	80
350	Genetic variation in CNTNAP2 alters brain function during linguistic processing in healthy individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 941-8	3.5	78
349	F159. NEUROMAGNETIC 40 HZ AUDITORY STEADY STATE RESPONSES AND AUDITORY CORTICAL GABA AND GLX IN CLINICAL HIGH RISK AND FIRST EPISODE OF PSYCHOSIS INDIVIDUALS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S282-S283	1.3	78

348	F153. NEUROMAGNETIC MISMATCH NEGATIVITY IN CLINICAL HIGH RISK AND FIRST-EPISODE PSYCHOSIS INDIVIDUALS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S279-S280	1.3	78
347	DISC1 in schizophrenia: genetic mouse models and human genomic imaging. <i>Schizophrenia Bulletin</i> , 2011 , 37, 14-20	1.3	77
346	Errorless learning and the cognitive rehabilitation of memory-impaired schizophrenic patients. <i>Psychological Medicine</i> , 1999 , 29, 105-12	6.9	77
345	Prefrontal cortical functional abnormality in major depressive disorder: a stereotactic meta-analysis. <i>Journal of Affective Disorders</i> , 2007 , 101, 1-11	6.6	74
344	The influence of polygenic risk for bipolar disorder on neural activation assessed using fMRI. <i>Translational Psychiatry</i> , 2012 , 2, e130	8.6	73
343	Schizotypal components in people at high risk of developing schizophrenia: early findings from the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2002 , 180, 179-84	5.4	72
342	Cerebral perfusion in chronic fatigue syndrome and depression. <i>British Journal of Psychiatry</i> , 2000 , 176, 550-6	5.4	72
341	Functional imaging of emotional memory in bipolar disorder and schizophrenia. <i>Bipolar Disorders</i> , 2009 , 11, 840-56	3.8	71
340	Structural gray matter differences between first-episode schizophrenics and normal controls using voxel-based morphometry. <i>NeuroImage</i> , 2002 , 17, 880-9	7.9	70
339	Towards the identification of imaging biomarkers in schizophrenia, using multivariate pattern classification at a single-subject level. <i>NeuroImage: Clinical</i> , 2013 , 3, 279-89	5.3	69
338	Impact of a microRNA MIR137 susceptibility variant on brain function in people at high genetic risk of schizophrenia or bipolar disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 2720-9	8.7	69
337	Neuropsychological performance over time in people at high risk of developing schizophrenia and controls. <i>Biological Psychiatry</i> , 2006 , 59, 730-9	7.9	69
336	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
335	What does the Edinburgh high-risk study tell us about schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 906-12		67
334	Prefrontal cortical thinning links to negative symptoms in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2018 , 48, 82-94	6.9	66
333	Cortical Thickness in Individuals at High Familial Risk of Mood Disorders as They Develop Major Depressive Disorder. <i>Biological Psychiatry</i> , 2015 , 78, 58-66	7.9	66
332	Grey matter changes can improve the prediction of schizophrenia in subjects at high risk. <i>BMC Medicine</i> , 2006 , 4, 29	11.4	66
331	Prefrontal gyral folding and its cognitive correlates in bipolar disorder and schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 192-8	6.5	64

330	Chronic fatigue syndrome in the community. Prevalence and associations. <i>British Journal of Psychiatry</i> , 1995 , 166, 793-7	5.4	64
329	Cortical thickness in first-episode schizophrenia patients and individuals at high familial risk: a cross-sectional comparison. <i>Schizophrenia Research</i> , 2013 , 151, 259-64	3.6	63
328	Human brain imaging studies of DISC1 in schizophrenia, bipolar disorder and depression: a systematic review. <i>Schizophrenia Research</i> , 2013 , 147, 1-13	3.6	62
327	General practitioners' attitudes to psychiatric and medical illness. <i>Psychological Medicine</i> , 1998 , 28, 1463-7	3.9	62
326	Bitopertin in Negative Symptoms of Schizophrenia-Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017 , 82, 8-16	7.9	61
325	Pre-frontal lobe gyrification index in schizophrenia, mental retardation and comorbid groups: an automated study. <i>NeuroImage</i> , 2007 , 35, 648-54	7.9	61
324	Neuropsychology, genetic liability, and psychotic symptoms in those at high risk of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 38-48	7	61
323	Set shifting and reversal learning in patients with bipolar disorder or schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1289-93	6.9	60
322	Symptomatology and social inference: a theory of mind study of schizophrenia and psychotic affective disorder. <i>Cognitive Neuropsychiatry</i> , 2005 , 10, 347-59	2	60
321	Use of novel psychoactive substances by inpatients on general adult psychiatric wards. <i>BMJ Open</i> , 2016 , 6, e009430	3	60
320	The impact of substance use on brain structure in people at high risk of developing schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1066-76	1.3	56
319	Barriers to uptake of physical activity in community-based patients with schizophrenia. <i>Journal of Mental Health</i> , 2009 , 18, 523-532	2.7	55
318	Review of functional magnetic resonance imaging studies comparing bipolar disorder and schizophrenia. <i>Bipolar Disorders</i> , 2012 , 14, 411-31	3.8	54
317	A neuropsychological investigation into 'Theory of Mind' and enhanced risk of schizophrenia. <i>Psychiatry Research</i> , 2006 , 144, 29-37	9.9	54
316	Diurnal variation of adrenocortical activity in chronic fatigue syndrome. <i>Neuropsychobiology</i> , 1998 , 38, 213-7	4	54
315	Emotional memory in schizophrenia. <i>Neuropsychologia</i> , 2007 , 45, 1152-9	3.2	52
314	Declarative memory in unaffected adult relatives of patients with schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2005 , 78, 13-26	3.6	52
313	Structural and functional abnormalities of the amygdala in schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2003 , 985, 445-60	6.5	52

312	Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the edinburgh high risk study. <i>Psychological Medicine</i> , 2002 , 32, 173-9	6.9	52
311	The neural basis of familial risk and temperamental variation in individuals at high risk of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 343-9	7.9	51
310	Sustained attention in young people at high risk for schizophrenia. <i>Psychological Medicine</i> , 2002 , 32, 277-86	6.9	51
309	Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages. <i>ELife</i> , 2018 , 7,	8.9	50
308	White matter integrity as an intermediate phenotype: exploratory genome-wide association analysis in individuals at high risk of bipolar disorder. <i>Psychiatry Research</i> , 2013 , 206, 223-31	9.9	49
307	Voxel-based morphometry of comorbid schizophrenia and learning disability: analyses in normalized and native spaces using parametric and nonparametric statistical methods. <i>NeuroImage</i> , 2004 , 22, 188-202	7.9	49
306	Maternal recall bias, obstetric history and schizophrenia. <i>British Journal of Psychiatry</i> , 2002 , 181, 520-5	5.4	48
305	Positive symptoms associate with cortical thinning in the superior temporal gyrus via the ENIGMA Schizophrenia consortium. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 439-447	6.5	47
304	Altered amygdala connectivity within the social brain in schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 152-60	1.3	47
303	The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. <i>Psychological Medicine</i> , 2000 , 30, 433-42	6.9	47
302	Genetic variation in the DAOA (G72) gene modulates hippocampal function in subjects at high risk of schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 428-33	7.9	46
301	Empirical comparison of maximal voxel and non-isotropic adjusted cluster extent results in a voxel-based morphometry study of comorbid learning disability with schizophrenia. <i>NeuroImage</i> , 2005 , 28, 544-52	7.9	46
300	Haloperidol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD003082		46
299	A theory of mind investigation into the appreciation of visual jokes in schizophrenia. <i>BMC Psychiatry</i> , 2005 , 5, 12	4.2	46
298	Improved individualized prediction of schizophrenia in subjects at familial high risk, based on neuroanatomical data, schizotypal and neurocognitive features. <i>Schizophrenia Research</i> , 2017 , 181, 6-12	3.6	45
297	Do we have any solid evidence of clinical utility about the pathophysiology of schizophrenia?. <i>World Psychiatry</i> , 2011 , 10, 19-31	14.4	45
296	Increased right prefrontal cortical folding in adolescents at risk of schizophrenia for cognitive reasons. <i>Biological Psychiatry</i> , 2008 , 63, 80-5	7.9	45
295	The neuroimmunology of schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013 , 11, 107-17	3.4	44

294	Structural correlates of intellectual impairment and autistic features in adolescents. <i>NeuroImage</i> , 2006 , 33, 1136-44	7.9	44
293	Changes in gyrification over 4 years in bipolar disorder and their association with the brain-derived neurotrophic factor valine(66) methionine variant. <i>Biological Psychiatry</i> , 2009 , 66, 293-7	7.9	43
292	Qualitative cerebral morphology in schizophrenia: a magnetic resonance imaging study and systematic literature review. <i>Schizophrenia Research</i> , 1997 , 25, 155-66	3.6	43
291	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
290	Structural magnetic resonance imaging markers of susceptibility and transition to schizophrenia: a review of familial and clinical high risk population studies. <i>Journal of Psychopharmacology</i> , 2015 , 29, 144-54	4.6	42
289	Association of white matter integrity with genetic variation in an exonic DISC1 SNP. <i>Molecular Psychiatry</i> , 2011 , 16, 685, 688-9	15.1	42
288	Hippocampal function in schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2010 , 40, 761-70	6.9	42
287	Grey matter correlates of early psychotic symptoms in adolescents at enhanced risk of psychosis: a voxel-based study. <i>NeuroImage</i> , 2007 , 35, 1181-91	7.9	42
286	Structural MRI of the brain in presumed carriers of genes for schizophrenia, their affected and unaffected siblings. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 72, 455-8	5.5	42
285	The relationship of anterior thalamic radiation integrity to psychosis risk associated neuregulin-1 variants. <i>Molecular Psychiatry</i> , 2009 , 14, 237-8, 233	15.1	40
284	A factor model of the functional psychoses and the relationship of factors to clinical variables and brain morphology. <i>Psychological Medicine</i> , 2001 , 31, 159-71	6.9	40
283	The application of nonlinear Dynamic Causal Modelling for fMRI in subjects at high genetic risk of schizophrenia. <i>NeuroImage</i> , 2013 , 73, 16-29	7.9	39
282	Automated computation of the Gyrification Index in prefrontal lobes: methods and comparison with manual implementation. <i>NeuroImage</i> , 2006 , 31, 1560-6	7.9	39
281	Event-related fMRI of word classification and successful word recognition in subjects at genetically enhanced risk of schizophrenia. <i>Psychological Medicine</i> , 2006 , 36, 1427-39	6.9	39
280	Magnetic resonance imaging and single photon emission tomography in treatment-responsive and treatment-resistant schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 202-10	5.4	39
279	Self-reported medication use validated through record linkage to national prescribing data. <i>Journal of Clinical Epidemiology</i> , 2018 , 94, 132-142	5.7	38
278	Comprehensive review: Computational modelling of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 83, 631-646	9	38
277	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38

276	Autistic traits, but not schizotypy, predict increased weighting of sensory information in Bayesian visual integration. <i>ELife</i> , 2018 , 7,	8.9	38
275	Does undergraduate education have an effect on Edinburgh medical students' attitudes to psychiatry and psychiatric patients?. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 757-61	1.8	38
274	Hippocampal, amygdala and nucleus accumbens volume in first-episode schizophrenia patients and individuals at high familial risk: A cross-sectional comparison. <i>Schizophrenia Research</i> , 2015 , 165, 45-51	3.6	37
273	Orbitofrontal morphology in people at high risk of developing schizophrenia. <i>European Psychiatry</i> , 2010 , 25, 366-72	6	37
272	Personality dimensions in chronic fatigue syndrome and depression. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 395-400	4.1	37
271	A genome-wide association analysis of a broad psychosis phenotype identifies three loci for further investigation. <i>Biological Psychiatry</i> , 2014 , 75, 386-97	7.9	36
270	Power calculations for multicenter imaging studies controlled by the false discovery rate. <i>Human Brain Mapping</i> , 2010 , 31, 1183-95	5.9	36
269	Correlations between fMRI activation and individual psychotic symptoms in un-medicated subjects at high genetic risk of schizophrenia. <i>BMC Psychiatry</i> , 2007 , 7, 61	4.2	36
268	Comparing the use and discontinuation of antipsychotics in clinical practice: an observational study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 240-5	4.6	36
267	Imaging conditioned fear circuitry using awake rodent fMRI. <i>PLoS ONE</i> , 2013 , 8, e54197	3.7	35
266	Prospective multi-centre Voxel Based Morphometry study employing scanner specific segmentations: procedure development using CaliBrain structural MRI data. <i>BMC Medical Imaging</i> , 2009 , 9, 8	2.9	35
265	Lower effective connectivity between amygdala and parietal regions in response to fearful faces in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 134, 118-24	3.6	34
264	Impact of cannabis use on thalamic volume in people at familial high risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 199, 386-90	5.4	34
263	Genetic variants in the ErbB4 gene are associated with white matter integrity. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 133-7	2.9	34
262	Data science for mental health: a UK perspective on a global challenge. <i>Lancet Psychiatry</i> , 2016 , 3, 993-998	23.3	34
261	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
260	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
259	Methodological issues in volumetric magnetic resonance imaging of the brain in the Edinburgh High Risk Project. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 91, 31-44	2.9	33

258	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 600-609	1.3	32
257	Transition to schizophrenia in acute and transient psychotic disorders. <i>British Journal of Psychiatry</i> , 2014 , 204, 299-305	5.4	32
256	Prediction of depression in individuals at high familial risk of mood disorders using functional magnetic resonance imaging. <i>PLoS ONE</i> , 2013 , 8, e57357	3.7	32
255	The neurobiological underpinnings of risk and conversion in relatives of patients with schizophrenia. <i>International Review of Psychiatry</i> , 2007 , 19, 383-97	3.6	31
254	Temporal lobe volume changes in people at high risk of schizophrenia with psychotic symptoms. <i>British Journal of Psychiatry</i> , 2002 , 181, 138-143	5.4	31
253	Grey matter networks in people at increased familial risk for schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 1-8	3.6	30
252	Effects of environmental risks and polygenic loading for schizophrenia on cortical thickness. <i>Schizophrenia Research</i> , 2017 , 184, 128-136	3.6	29
251	A common neural system mediating two different forms of social judgement. <i>Psychological Medicine</i> , 2010 , 40, 1183-92	6.9	29
250	Relationship between gyrification and functional connectivity of the prefrontal cortex in subjects at high genetic risk of schizophrenia. <i>Current Pharmaceutical Design</i> , 2012 , 18, 434-42	3.3	29
249	Low birthweight and preterm birth in young people with special educational needs: a magnetic resonance imaging analysis. <i>BMC Medicine</i> , 2008 , 6, 1	11.4	29
248	Medial temporal lobe function during emotional memory in early Alzheimer's disease, mild cognitive impairment and healthy ageing: an fMRI study. <i>BMC Psychiatry</i> , 2013 , 13, 76	4.2	28
247	Progressive temporal lobe grey matter loss in adolescents with schizotypal traits and mild intellectual impairment. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 174, 105-9	2.9	28
246	Medical students' attitudes to psychiatric illness in primary care. <i>Medical Education</i> , 2008 , 42, 1080-7	3.7	28
245	Qualitative assessment of brain anomalies in adolescents with mental retardation. <i>American Journal of Neuroradiology</i> , 2005 , 26, 2691-7	4.4	28
244	Balanced translocation linked to psychiatric disorder, glutamate, and cortical structure/function. <i>NPJ Schizophrenia</i> , 2016 , 2, 16024	5.5	28
243	Risk of transition to schizophrenia following first admission with substance-induced psychotic disorder: a population-based longitudinal cohort study. <i>Psychological Medicine</i> , 2017 , 47, 2548-2555	6.9	27
242	Acute ketamine dysregulates task-related gamma-band oscillations in thalamo-cortical circuits in schizophrenia. <i>Brain</i> , 2018 , 141, 2511-2526	11.2	27
241	Increased prolactin levels are associated with impaired processing speed in subjects with early psychosis. <i>PLoS ONE</i> , 2014 , 9, e89428	3.7	27

240	An investigation of a genomewide supported psychosis variant in ZNF804A and white matter integrity in the human brain. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 1373-80	3.3	27
239	Reduced prefrontal gyrification in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 455-64	5.1	27
238	Brain-behaviour relationships in people at high genetic risk of schizophrenia. <i>NeuroImage</i> , 2006 , 33, 275-85	7.5	27
237	Associative learning and the genetics of schizophrenia. <i>Trends in Neurosciences</i> , 2009 , 32, 359-65	13.3	26
236	Neuroimaging and molecular genetics of schizophrenia: pathophysiological advances and therapeutic potential. <i>British Journal of Pharmacology</i> , 2008 , 153 Suppl 1, S120-4	8.6	26
235	Newspaper coverage of psychiatric and physical illness. <i>Psychiatric Bulletin</i> , 2000 , 24, 104-106		26
234	Impact of Polygenic Risk for Schizophrenia on Cortical Structure in UK Biobank. <i>Biological Psychiatry</i> , 2019 , 86, 536-544	7.9	25
233	The Neuro/PsyGRID calibration experiment: identifying sources of variance and bias in multicenter MRI studies. <i>Human Brain Mapping</i> , 2012 , 33, 373-86	5.9	25
232	Dissociation of Brain Activation in Autism and Schizotypal Personality Disorder During Social Judgments. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1220-1228	1.3	25
231	Impact of cross-disorder polygenic risk on frontal brain activation with specific effect of schizophrenia risk. <i>Schizophrenia Research</i> , 2015 , 161, 484-9	3.6	25
230	Neuroticism, depressive symptoms and white-matter integrity in the Lothian Birth Cohort 1936. <i>Psychological Medicine</i> , 2013 , 43, 1197-206	6.9	25
229	Temporal grey matter reductions in bipolar disorder are associated with the BDNF Val66Met polymorphism. <i>Molecular Psychiatry</i> , 2007 , 12, 902-3	15.1	25
228	Reversal of proliferation deficits caused by chromosome 16p13.11 microduplication through targeting NFB signaling: an integrated study of patient-derived neuronal precursor cells, cerebral organoids and in vivo brain imaging. <i>Molecular Psychiatry</i> , 2019 , 24, 294-311	15.1	25
227	Resting-State Connectivity and Its Association With Cognitive Performance, Educational Attainment, and Household Income in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 878-886	3.4	24
226	Computational neuropsychiatry - schizophrenia as a cognitive brain network disorder. <i>Frontiers in Psychiatry</i> , 2014 , 5, 30	5	24
225	Haloperidol versus placebo for schizophrenia. <i>The Cochrane Library</i> , 2013 , CD003082	5.2	24
224	An Integrative Bio-Psycho-Social Theory of Anorexia Nervosa. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 1-21	2.9	24
223	Cortical Surface Area Differentiates Familial High Risk Individuals Who Go on to Develop Schizophrenia. <i>Biological Psychiatry</i> , 2015 , 78, 413-20	7.9	24

222	Specific cognitive deficits in a group at genetic high risk of schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1649-55	6.9	24
221	Dysfunction of emotional brain systems in individuals at high risk of mood disorder with depression and predictive features prior to illness. <i>Psychological Medicine</i> , 2015 , 45, 1207-18	6.9	23
220	Shall we really say goodbye to first rank symptoms?. <i>European Psychiatry</i> , 2016 , 37, 8-13	6	23
219	Effects of the BDNF Val66Met polymorphism on neural responses to facial emotion. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 182-8	2.9	22
218	Stigmatisation of psychiatric disorder. <i>Psychiatric Bulletin</i> , 1999 , 23, 129-131		22
217	Polygenic risk score for schizophrenia and structural brain connectivity in older age: A longitudinal connectome and tractography study. <i>NeuroImage</i> , 2018 , 183, 884-896	7.9	22
216	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547	11.9	21
215	Attacks on antidepressants: signs of deep-seated stigma?. <i>Lancet Psychiatry</i> , 2014 , 1, 102-4	23.3	21
214	The effects of DISC1 risk variants on brain activation in controls, patients with bipolar disorder and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 192, 20-8	2.9	21
213	Between- and within-scanner variability in the CaliBrain study n-back cognitive task. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 86-95	2.9	21
212	A survey of rare coding variants in candidate genes in schizophrenia by deep sequencing. <i>Molecular Psychiatry</i> , 2014 , 19, 857-8	15.1	20
211	Genetic risk for white matter abnormalities in bipolar disorder. <i>International Review of Psychiatry</i> , 2009 , 21, 387-93	3.6	20
210	Self-rated schizotypal cognitions, psychotic symptoms and the onset of schizophrenia in young people at high risk of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 341-5	6.5	20
209	A controlled trial of general practitioners' attitudes to patients with schizophrenia. <i>Health Bulletin</i> , 1996 , 54, 201-3		20
208	Newspaper depictions of mental and physical health. <i>BJPsych Bulletin</i> , 2017 , 41, 308-313	1.2	19
207	Blunted medial prefrontal cortico-limbic reward-related effective connectivity and depression. <i>Brain</i> , 2020 , 143, 1946-1956	11.2	19
206	Dissection of major depressive disorder using polygenic risk scores for schizophrenia in two independent cohorts. <i>Translational Psychiatry</i> , 2016 , 6, e938	8.6	19
205	Longitudinal changes in hippocampal volume in the Edinburgh High Risk Study of Schizophrenia. <i>Schizophrenia Research</i> , 2016 , 173, 146-151	3.6	19

204	Effects of a Balanced Translocation between Chromosomes 1 and 11 Disrupting the DISC1 Locus on White Matter Integrity. <i>PLoS ONE</i> , 2015 , 10, e0130900	3.7	19
203	Schizophrenia risk genes: Implications for future drug development and discovery. <i>Biochemical Pharmacology</i> , 2011 , 81, 1367-73	6	19
202	Schizotypal cognitions as a predictor of psychopathology in adolescents with mild intellectual impairment. <i>British Journal of Psychiatry</i> , 2007 , 191, 484-92	5.4	19
201	Abnormal cerebral asymmetry and schizophrenia in a subject with Klinefelter's syndrome (XXY). <i>Biological Psychiatry</i> , 2003 , 53, 627-9	7.9	19
200	Deactivation in anterior cingulate cortex during facial processing in young individuals with high familial risk and early development of depression: fMRI findings from the Scottish Bipolar Family Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 1277-1286	7.9	18
199	Structural brain changes in First Episode Schizophrenia compared with Fronto-Temporal Lobar Degeneration: a meta-analysis. <i>BMC Psychiatry</i> , 2012 , 12, 104	4.2	18
198	fMRI changes over time and reproducibility in unmedicated subjects at high genetic risk of schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1189-99	6.9	18
197	Functional magnetic resonance imaging of BDNF val66met polymorphism in unmedicated subjects at high genetic risk of schizophrenia performing a verbal memory task. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 195-201	2.9	18
196	Neurocognition in individuals at high familial risk of mood disorders with or without subsequent onset of depression. <i>Psychological Medicine</i> , 2015 , 45, 3317-27	6.9	17
195	Copy Number Variations in DISC1 and DISC1-Interacting Partners in Major Mental Illness. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 175-190	4.9	17
194	Hippocampal and amygdala volumes in borderline personality disorder: A meta-analysis of magnetic resonance imaging studies. <i>Personality and Mental Health</i> , 2010 , 4, 172-179	3.1	17
193	Neural correlates of enhanced genetic risk for schizophrenia. <i>Neuroscientist</i> , 2005 , 11, 238-49	7.6	17
192	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766	14.5	17
191	Prospective longitudinal voxel-based morphometry study of major depressive disorder in young individuals at high familial risk. <i>Psychological Medicine</i> , 2016 , 46, 2351-61	6.9	17
190	Improving classification of psychoses. <i>Lancet Psychiatry</i> , 2016 , 3, 367-74	23.3	17
189	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017 , 17, 43	4.2	16
188	Information processing speed mediates the relationship between white matter and general intelligence in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 26-33	2.9	16
187	Group therapy for people with bulimia nervosa: systematic review and meta-analysis. <i>Psychological Medicine</i> , 2014 , 44, 2241-54	6.9	16

186	Design and validation of a novel method to measure cross-sectional area of neck muscles included during routine MR brain volume imaging. <i>PLoS ONE</i> , 2012 , 7, e34444	3.7	16
185	The Edinburgh High Risk Study: current status and future prospects. <i>World Psychiatry</i> , 2003 , 2, 45-9	14.4	16
184	Predicting major mental illness: ethical and practical considerations. <i>BJPsych Open</i> , 2019 , 5, e30	5	15
183	Association of Magnetoencephalographically Measured High-Frequency Oscillations in Visual Cortex With Circuit Dysfunctions in Local and Large-scale Networks During Emerging Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 852-862	14.5	15
182	Polygenic risk for schizophrenia, transition and cortical gyrification: a high-risk study. <i>Psychological Medicine</i> , 2018 , 48, 1532-1539	6.9	15
181	Effect of variation in diacylglycerol kinase ϵ (DGKH) gene on brain function in a cohort at familial risk of bipolar disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 919-28	8.7	15
180	Social cognition, the male brain and the autism spectrum. <i>PLoS ONE</i> , 2012 , 7, e49033	3.7	15
179	Is there a symptomatic distinction between the affective psychoses and schizophrenia? A machine learning approach. <i>Schizophrenia Research</i> , 2018 , 202, 241-247	3.6	14
178	Acquisition of visual priors and induced hallucinations in chronic schizophrenia. <i>Brain</i> , 2019 , 142, 2523-2537	5.7	14
177	Prefrontal cortex gyrification index in twins: an MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 459-65	5.1	14
176	Amygdala volume in a population with special educational needs at high risk of schizophrenia. <i>Psychological Medicine</i> , 2010 , 40, 945-54	6.9	14
175	A GRIK4 variant conferring protection against bipolar disorder modulates hippocampal function. <i>Molecular Psychiatry</i> , 2009 , 14, 467-8	15.1	14
174	Genetic variation in the G72 (DAOA) gene affects temporal lobe and amygdala structure in subjects affected by bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 621-7	3.8	14
173	Obstetric complications and mild to moderate intellectual disability. <i>British Journal of Psychiatry</i> , 2009 , 194, 224-8	5.4	14
172	Hypofrontality in subjects at high genetic risk of schizophrenia with depressive symptoms. <i>Journal of Affective Disorders</i> , 2008 , 109, 99-106	6.6	14
171	Haloperidol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD003082		14
170	The cortical thickness phenotype of individuals with DISC1 translocation resembles schizophrenia. <i>Journal of Clinical Investigation</i> , 2015 , 125, 3714-22	15.9	14
169	Towards diagnostic markers for the psychoses. <i>Lancet Psychiatry</i> , 2016 , 3, 375-85	23.3	14

168	Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , 2019 , 214, 18-23	3.6	14
167	Structural brain correlates of serum and epigenetic markers of inflammation in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2021 , 92, 39-48	16.6	14
166	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). <i>Schizophrenia Bulletin</i> , 2021 , 47, 505-516	1.3	14
165	Negative symptoms and longitudinal grey matter tissue loss in adolescents at risk of psychosis: preliminary findings from a 6-year follow-up study. <i>British Journal of Psychiatry</i> , 2016 , 208, 565-70	5.4	13
164	DNA sequence-level analyses reveal potential phenotypic modifiers in a large family with psychiatric disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 2254-2265	15.1	13
163	Central and non-central networks, cognition, clinical symptoms, and polygenic risk scores in schizophrenia. <i>Human Brain Mapping</i> , 2017 , 38, 5919-5930	5.9	13
162	Effects of a mis-sense DISC1 variant on brain activation in two cohorts at high risk of bipolar disorder or schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 343-53	3.5	13
161	Assessment of the impact of the scanner-related factors on brain morphometry analysis with Brainvisa. <i>BMC Medical Imaging</i> , 2011 , 11, 23	2.9	13
160	Systematic Review of the Clinical Presentation of Schizophrenia in Intellectual Disability. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2011 , 33, 246-253	2	13
159	Distinguishing characteristics of subjects with good and poor early outcome in the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2002 , 43, s26-9	5.4	13
158	Familial t(1;11) translocation is associated with disruption of white matter structural integrity and oligodendrocyte-myelin dysfunction. <i>Molecular Psychiatry</i> , 2019 , 24, 1641-1654	15.1	12
157	Using Twitter to assess attitudes to schizophrenia and psychosis. <i>BJPsych Bulletin</i> , 2019 , 43, 158-166	1.2	12
156	Prospective longitudinal study of subcortical brain volumes in individuals at high familial risk of mood disorders with or without subsequent onset of depression. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 248, 119-25	2.9	12
155	Use of second-person pronouns and schizophrenia. <i>British Journal of Psychiatry</i> , 2012 , 200, 342-3	5.4	12
154	NeuroGrid: using grid technology to advance neuroscience		12
153	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
152	Neuropsychology, genetic liability, and psychotic symptoms in those at high risk of schizophrenia. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 38-48	7	12
151	Longitudinal gray matter change in young people who are at enhanced risk of schizophrenia due to intellectual impairment. <i>Biological Psychiatry</i> , 2013 , 73, 985-92	7.9	11

150	Anterior cingulate morphology in people at genetic high-risk of schizophrenia. <i>European Psychiatry</i> , 2012 , 27, 377-85	6	11
149	Tensor-based morphometry of cannabis use on brain structure in individuals at elevated genetic risk of schizophrenia. <i>Psychological Medicine</i> , 2013 , 43, 2087-96	6.9	11
148	Connecting the brain and new drug targets for schizophrenia. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2615-31	3.3	11
147	Effects of the BDNF val66met polymorphism on prefrontal brain function in a population at high genetic risk of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1474-82	3.5	11
146	Measurement of lateral preferences and schizophrenia: results of the Edinburgh High-Risk Study and methodological issues. <i>Psychiatry Research</i> , 2004 , 125, 205-17	9.9	11
145	Munchausen's syndrome and organic brain disorder. <i>British Journal of Psychiatry</i> , 1993 , 162, 545-9	5.4	11
144	The effectiveness of internet-delivered cognitive behavioural therapy for those with bulimic symptoms: a systematic review : A review of iCBT treatment for bulimic symptoms. <i>BMC Research Notes</i> , 2018 , 11, 748	2.3	11
143	DISC1 regulates N-methyl-D-aspartate receptor dynamics: abnormalities induced by a Disc1 mutation modelling a translocation linked to major mental illness. <i>Translational Psychiatry</i> , 2018 , 8, 184	8.6	11
142	40-Hz Auditory Steady-State Responses Characterize Circuit Dysfunctions and Predict Clinical Outcomes in Clinical High-Risk for Psychosis Participants: A Magnetoencephalography Study. <i>Biological Psychiatry</i> , 2021 , 90, 419-429	7.9	11
141	Increased gyrification in schizophrenia and non affective first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 269-275	3.6	10
140	Intensive home treatment, admission rates and use of mental health legislation. <i>The Psychiatrist</i> , 2010 , 34, 522-524		10
139	Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. <i>Psychological Medicine</i> , 1995 , 25, 1091-5	6.9	10
138	Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments.. <i>Wellcome Open Research</i> , 2019 , 4, 185	4.8	10
137	The Neurobiology of Personal Control During Reward Learning and Its Relationship to Mood. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 190-199	3.4	10
136	Deconstructing depression and negative symptoms of schizophrenia; differential and longitudinal immune correlates, and response to minocycline treatment. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 498-504	16.6	10
135	Animal-assisted therapy for schizophrenia and related disorders: A systematic review. <i>Journal of Psychiatric Research</i> , 2019 , 115, 51-60	5.2	9
134	Psychotic-like experiences, polygenic risk scores for schizophrenia, and structural properties of the salience, default mode, and central-executive networks in healthy participants from UK Biobank. <i>Translational Psychiatry</i> , 2020 , 10, 122	8.6	9
133	Imaging and Genetic Biomarkers Predicting Transition to Psychosis. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 40, 353-388	3.4	9

132	Altered DNA methylation associated with a translocation linked to major mental illness. <i>NPJ Schizophrenia</i> , 2018 , 4, 5	5.5	9
131	Are structural brain changes in schizophrenia related to antipsychotic medication? A narrative review of the evidence from a clinical perspective. <i>Therapeutic Advances in Psychopharmacology</i> , 2018 , 8, 319-326	4.9	9
130	Imaging symptoms and syndromes: similarities and differences between schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2013 , 73, 495-6	7.9	9
129	Dermatoglyphics and schizophrenia: findings from the Edinburgh high risk study. <i>Schizophrenia Research</i> , 2005 , 74, 122-4	3.6	9
128	Post-viral onset of anorexia nervosa. <i>British Journal of Psychiatry</i> , 1995 , 166, 386-9	5.4	9
127	Characteristics of NPS use in patients admitted to acute psychiatric services in Southeast Scotland: a retrospective cross-sectional analysis following public health interventions. <i>BMJ Open</i> , 2017 , 7, e015716	4.6	8
126	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study		8
125	Peripheral immune markers and antipsychotic non-response in psychosis. <i>Schizophrenia Research</i> , 2021 , 230, 1-8	3.6	8
124	Neuropsychological deficits in participants at clinical high risk for psychosis recruited from the community: relationships to functioning and clinical symptoms. <i>Psychological Medicine</i> , 2020 , 50, 77-85	6.9	8
123	The benefit of minocycline on negative symptoms in early-phase psychosis in addition to standard care - extent and mechanism (BeneMin): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 71	2.8	7
122	Application of n-of-1 treatment trials in schizophrenia: systematic review. <i>British Journal of Psychiatry</i> , 2018 , 213, 398-403	5.4	7
121	The prediction of discharge from in-patient psychiatric rehabilitation: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 149	4.2	7
120	Cross-national differences in diet, the outcome of schizophrenia and the prevalence of depression: you are (associated with) what you eat. <i>British Journal of Psychiatry</i> , 2004 , 184, 381-2	5.4	7
119	Methylation of glucocorticoid receptor (NR3C1), BDNF and oxytocin receptor genes in association with childhood maltreatment in schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2020 , 216, 529-531	3.6	7
118	Childhood adversity and cortical thickness and surface area in a population at familial high risk of schizophrenia. <i>Psychological Medicine</i> , 2016 , 46, 891-6	6.9	7
117	Evidence-based psychiatry--do psychiatrists want it and can they do it?. <i>Health Bulletin</i> , 2000 , 58, 25-33		7
116	The role of neuroticism in self-harm and suicidal ideation: results from two UK population-based cohorts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1505-1518	4.5	6
115	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6

114	Rates of white matter hyperintensities compatible with the radiological profile of multiple sclerosis within self-referred synesthete populations. <i>Neurocase</i> , 2015 , 21, 322-30	0.8	6
113	Are working memory and glutamate concentrations involved in early-life stress and severity of psychosis?. <i>Brain and Behavior</i> , 2020 , 10, e01616	3.4	6
112	Automated classification of depression from structural brain measures across two independent community-based cohorts. <i>Human Brain Mapping</i> , 2020 , 41, 3922-3937	5.9	6
111	Social responsiveness to inanimate entities: Altered white matter in a 'social synaesthesia'. <i>Neuropsychologia</i> , 2016 , 91, 282-289	3.2	6
110	Clinical risk prediction in schizophrenia. <i>Lancet Psychiatry</i> , 2014 , 1, 406-8	23.3	6
109	Progress in imaging the effects of psychosis susceptibility gene variants. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 37-47	4.3	6
108	Brain imaging in psychosis and psychopathy--ethical considerations. <i>Cortex</i> , 2011 , 47, 1236-9	3.8	6
107	Segmentation of the anterior thalamic radiation using neighbourhood tractography. <i>Molecular Psychiatry</i> , 2009 , 14, 233-233	15.1	6
106	Reduced white matter integrity in healthy individuals carrying the A-allele at DISC1 Ser704Cys. <i>Molecular Psychiatry</i> , 2011 , 16, 685-685	15.1	6
105	Distinguishing vulnerability, prediction, and progression in the preschizophrenic brain. <i>Archives of General Psychiatry</i> , 2007 , 64, 250-1; author reply 252-3		6
104	Childhood adversity and hippocampal and amygdala volumes in a population at familial high risk of schizophrenia. <i>Schizophrenia Research</i> , 2016 , 175, 42-47	3.6	6
103	Does cigarette smoking cause psychosis?. <i>Lancet Psychiatry</i> , 2015 , 2, 672-673	23.3	5
102	The benefit of foresight? An ethical evaluation of predictive testing for psychosis in clinical practice. <i>NeuroImage: Clinical</i> , 2020 , 26, 102228	5.3	5
101	Detecting the dangerous, violent or criminal patient: an analysis of referrals to maximum security psychiatric care. <i>Medicine, Science and the Law</i> , 2004 , 44, 19-26	1.1	5
100	Psychosis and substance abuse: cause, effect or coincidence?. <i>Scottish Medical Journal</i> , 1995 , 40, 174-6	1.8	5
99	Premorbid structural abnormalities in schizophrenia 2004 , 347-372		5
98	Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide		5
97	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5

96	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021 , 26, 5307-5319	15.1	5
95	Stratifying major depressive disorder by polygenic risk for schizophrenia in relation to structural brain measures. <i>Psychological Medicine</i> , 2020 , 50, 1653-1662	6.9	5
94	The neuropathology of autism: A systematic review of post-mortem studies of autism and related disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 35-62	9	5
93	Parsing Heterogeneity. <i>JAMA Psychiatry</i> , 2017 , 74, 1089-1090	14.5	4
92	Expression quantitative trait loci-derived scores and white matter microstructure in UK Biobank: a novel approach to integrating genetics and neuroimaging. <i>Translational Psychiatry</i> , 2020 , 10, 55	8.6	4
91	Verbal working memory and functional large-scale networks in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 270, 86-96	2.9	4
90	Modulation of hippocampal activation by genetic variation in the GRIK4 gene. <i>Molecular Psychiatry</i> , 2009 , 14, 465	15.1	4
89	Towards an ontology for psychosis. <i>Cognitive Systems Research</i> , 2010 , 11, 42-52	4.8	4
88	Parcellating the temporal lobes from magnetic resonance images using generic software in subjects at high risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 197-212	2.9	4
87	Attitudes of the general population to psychiatric and physical illness. <i>Psychiatric Bulletin</i> , 1999 , 23, 671-674		4
86	Understanding the clinical manifestations of 16p11.2 deletion syndrome: a series of developmental case reports in children. <i>Psychiatric Genetics</i> , 2020 , 30, 136-140	2.9	4
85	Whether "psychosis" is best conceptualized as a continuum or in categories is an empirical, practical and political question. <i>World Psychiatry</i> , 2016 , 15, 125-6	14.4	4
84	Towards a Biopsychosocial Model of Gulf War Illness?. <i>EBioMedicine</i> , 2016 , 3, 6-7	8.8	4
83	Grey and white matter associations of psychotic-like experiences in a general population sample (UK Biobank). <i>Translational Psychiatry</i> , 2021 , 11, 21	8.6	4
82	Data integration in eHealth: a domain/disease specific roadmap. <i>Studies in Health Technology and Informatics</i> , 2007 , 126, 144-53	0.5	4
81	Predictors of psychotic symptoms among young people with special educational needs. <i>British Journal of Psychiatry</i> , 2019 , 215, 422-427	5.4	3
80	Pharmaco-epidemiology of antidepressant exposure in a UK cohort record-linkage study. <i>Journal of Psychopharmacology</i> , 2019 , 33, 482-493	4.6	3
79	Substance use, psychiatric symptoms and the onset of schizophrenic illness. <i>Journal of Substance Use</i> , 2006 , 11, 101-113	0.8	3

78	Diagnosis, prognosis, and treatment of brief psychotic episodes: a review and research agenda. <i>Lancet Psychiatry</i> , 2021 ,	23.3	3
77	Categorical and Dimensional Approaches to Examining the Joint Effect of Autism and Schizotypal Personality Disorder on Sustained Attention. <i>Frontiers in Psychiatry</i> , 2020 , 11, 798	5	3
76	The relationship between cognitive deficits and impaired short-term functional outcome in clinical high-risk for psychosis participants: A machine learning and modelling approach. <i>Schizophrenia Research</i> , 2021 , 231, 24-31	3.6	3
75	Randomised controlled trial of the short-term effects of OROS-methylphenidate on ADHD symptoms and behavioural outcomes in young male prisoners with attention-deficit/hyperactivity disorder (CIAO-II). <i>Trials</i> , 2019 , 20, 663	2.8	3
74	S214. USING ONLINE-SCREENING TO DETECT PARTICIPANTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S409-S409	1.3	3
73	393. Reduced Inhibitory Influence of Insula Cortex upon the Limbic System in Individuals at High Familial Risk of Mood Disorder with Depression. <i>Biological Psychiatry</i> , 2017 , 81, S160-S161	7.9	2
72	Associations of affective disorder in patients with inflammatory bowel disease. <i>European Psychiatry</i> , 2011 , 26, 2220-2220	6	2
71	Psychotic depression. <i>BMJ, The</i> , 2012 , 345, e6994	5.9	2
70	Comprehensiveness of systematic review--update. <i>British Journal of Psychiatry</i> , 2000 , 176, 396-7	5.4	2
69	Prevalence and predictors of suicidality and non-suicidal self-harm among individuals at clinical high-risk for psychosis: Results from a community-recruited sample. <i>Microbial Biotechnology</i> , 2021 , 15, 1256-1265	3.3	2
68	Using a knowledge exchange event to assess study participants' attitudes to research in a rapidly evolving research context. <i>Wellcome Open Research</i> , 2020 , 5, 24	4.8	2
67	Author response: Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages 2018 ,		2
66	Using a knowledge exchange event to assess study participants' attitudes to research in a rapidly evolving research context. <i>Wellcome Open Research</i> , 2020 , 5, 24	4.8	2
65	Characterising cognitive heterogeneity in individuals at clinical high-risk for psychosis: a cluster analysis with clinical and functional outcome prediction. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	2
64	The introduction of mindfulness groups to a psychiatric rehabilitation in-patient setting: a feasibility study. <i>BMC Psychiatry</i> , 2020 , 20, 322	4.2	1
63	Schizophrenia and related disorders 2010 , 391-426		1
62	Invited commentaries on: Signs of asphyxia at birth and risk of schizophrenia/Obstetric complications and risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 179, 416	5.4	1
61	Comprehensiveness of systematic review. <i>British Journal of Psychiatry</i> , 1998 , 173, 87-8	5.4	1

60	What is the evidence for antipsychotic medication and alternative psychosocial interventions for people with acute, non-affective psychosis?. <i>Lancet Psychiatry</i> , 2022 ,	23.3	1
59	Brain structural associations with depression in a large early adolescent sample (the ABCD study). <i>EClinicalMedicine</i> , 2021 , 42, 101204	11.3	1
58	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019 , 6, 1-66	1.7	1
57	Neuropsychological differences between treatment-resistant and treatment-responsive schizophrenia: a meta-analysis. <i>Psychological Medicine</i> , 1-13	6.9	1
56	The Influence of Phenotyping Method on Structural Neuroimaging Associations with Depression in UK Biobank		1
55	Association of whole-genome and NETRIN1 signaling pathway-derived polygenic risk scores for Major Depressive Disorder and thalamic radiation white matter microstructure in UK Biobank		1
54	Grey-matter abnormalities in clinical high-risk participants for psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 120-128	3.6	1
53	Altered Autonomic Function in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 580503	5	1
52	Assessing cognition in people with severe mental disorders in low- and middle-income countries: a systematic review of assessment measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
51	Glutamate and functional connectivity - support for the excitatory-inhibitory imbalance hypothesis in autism spectrum disorders. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 313, 111302	2.9	1
50	Animal-assisted therapy, including animal-assisted activities and resident animals, for improving quality of life in people with stroke. <i>The Cochrane Library</i> , 2019 ,	5.2	1
49	Duration of basic and attenuated-psychotic symptoms in individuals at clinical high risk for psychosis: pattern of symptom onset and effects of duration on functioning and cognition. <i>BMC Psychiatry</i> , 2021 , 21, 339	4.2	1
48	Relationship between Early Maladaptive Schemas and Anxiety in Adolescence and Young Adulthood: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 295, 1462-1473	6.6	1
47	Unpacking stigma: Meta-analyses of correlates and moderators of personal stigma in psychosis. <i>Clinical Psychology Review</i> , 2021 , 89, 102077	10.8	1
46	Structural Brain Imaging in Schizophrenia and Related Populations334-352		1
45	Structural neuroimaging measures and lifetime depression across levels of phenotyping in UK biobank.. <i>Translational Psychiatry</i> , 2022 , 12, 157	8.6	1
44	Dialysis and plasmapheresis for schizophrenia: a systematic review. <i>Psychological Medicine</i> , 2020 , 50, 1233-1240	6.9	0
43	Needlessly controversial: the reporting of pharmaco- and psycho-therapy for the treatment of depression in the UK media. <i>Psychological Medicine</i> , 2020 , 1-6	6.9	0

42	Cross-sectional study comparing cognitive function in treatment responsive versus treatment non-responsive schizophrenia: evidence from the STRATA study. <i>BMJ Open</i> , 2021 , 11, e054160	3	o
41	White matter, cognition and psychotic-like experiences in UK Biobank. <i>Psychological Medicine</i> , 1-10	6.9	o
40	Hair glucocorticoids are associated with childhood adversity, depressive symptoms and reduced global and lobar grey matter in Generation Scotland. <i>Translational Psychiatry</i> , 2021 , 11, 523	8.6	o
39	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder. <i>PLoS ONE</i> , 2020 , 15, e0243100	3.7	o
38	Genetic liability, brain structure and symptoms of schizophrenia 2004 , 161-181		o
37	Every Intervention Emerges from an Encounter: Translation and Contextualization as Treatments for Recurrent Depression. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021 , 28, 950-960	2.4	o
36	Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments. <i>Wellcome Open Research</i> , 4, 185	4.8	o
35	Spectral clustering based on structural magnetic resonance imaging and its relationship with major depressive disorder and cognitive ability. <i>European Journal of Neuroscience</i> , 2021 , 54, 6281-6303	3.5	o
34	Associations between major psychiatric disorder polygenic risk scores and blood-based markers in UK biobank. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 32-41	16.6	o
33	Experience of clinical services shapes attitudes to mental health data sharing: findings from a UK-wide survey.. <i>BMC Public Health</i> , 2022 , 22, 357	4.1	o
32	Cognitive function in early-phase schizophrenia-spectrum disorder: IQ subtypes, brain volume and immune markers.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	o
31	The integrity of the research record: a mess so big and so deep and so tall. <i>British Journal of Psychiatry</i> , 1-2	5.4	o
30	Randomised controlled trial of the short-term effects of osmotic-release oral system methylphenidate on symptoms and behavioural outcomes in young male prisoners with attention deficit hyperactivity disorder: CIAO-II study. <i>British Journal of Psychiatry</i> , 1-11	5.4	o
29	Evaluating PsychEd: a mental health and well-being educational programme for secondary schools. <i>BJPsych Open</i> , 2019 , 5, e36	5	
28	Familial high risk and high-risk studies 2020 , 101-117		
27	"Schizophrenia" is a useful concept. <i>BMJ, The</i> , 2016 , 352, i1046	5.9	
26	Transplanted t(1;11) patient-derived OPCs form shorter myelin internodes in the hypomyelinated shiverer mice. <i>Molecular Psychiatry</i> , 2019 , 24, 1567-1567	15.1	
25	How psychiatrists can win friends and influence people: Commentary on How psychiatrists can engage with the media. <i>Advances in Psychiatric Treatment</i> , 2014 , 20, 79-80		

24	Charles Dickens at Christmas at 200. <i>Lancet, The</i> , 2012 , 380, 1994	40
23	Understanding Neuropsychiatric Disorders: Insights from Neuroimaging. Edited by Martha E. Shenton & Bruce I. Turetsky. Cambridge University Press. 2011. £125.00 (hb). 592pp. ISBN: 9780521899420. <i>British Journal of Psychiatry</i> , 2011 , 199, 168-168	5.4
22	Neurobiology of Mental Illness (3rd edn) Edited by Dennis S. Charney & Eric J. Nestler. Oxford University Press. 2011. £80.00 (pb). 1504 pp. ISBN: 9780199798261. <i>British Journal of Psychiatry</i> , 2012 , 201, 78-78	5.4
21	Could Brain Imaging be a Biological Validator of Mental Illness?. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
20	S.14.01 Distinguishing vulnerability, prediction, and progression in the preschizophrenic brain. <i>European Neuropsychopharmacology</i> , 2008 , 18, S175	1.2
19	33 CANNABIS CONCERNS AND CAUTIONS. <i>European Journal of Pain</i> , 2007 , 11, S14-S14	3.7
18	Review: new generation antipsychotic drugs may reduce relapse rates more effectively than conventional antipsychotic drugs in people with schizophrenia. <i>Evidence-Based Mental Health</i> , 2004 , 7, 14	11.1
17	MCQs in the MRCPsych. <i>Psychiatric Bulletin</i> , 1991 , 15, 368-369	
16	A functional MRI facial emotion-processing study of autism in individuals with special educational needs.. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 320, 111426	2.9
15	The place of research in the training of psychiatrists. <i>Psychiatric Bulletin</i> , 2005 , 29, 231-232	
14	Developing training themes from HRH's delivery. <i>British Journal of Psychiatry</i> , 1992 , 160, 569-70	5.4
13	Male Victims of Sexual Assault. Edited by Gillian C. Mezey and Michael B. King. Oxford: Oxford University Press. 1992. 158 pp. £25.00.. <i>British Journal of Psychiatry</i> , 1993 , 163, 706-707	5.4
12	Disorders of Brain and Mind Edited by Maria A. Ron & Anthony S. David. 1998, Cambridge: Cambridge University Press. 373 pp (hb). ISBN 0-521-473006-3. <i>British Journal of Psychiatry</i> , 1999 , 174, 567-567	5.4
11	Patients need reliable facts and figures about antipsychotics. <i>BJ Psych Advances</i> , 2015 , 21, 85-87	0.8
10	The never-changing face of fragile X?. <i>Lancet Psychiatry,the</i> , 2020 , 7, e26	23.3
9	Schizophrenia. <i>Clinical Evidence</i> , 2002 , 920-44	
8	Schizophrenia. <i>Clinical Evidence</i> , 2005 , 1306-30	
7	MR-Spectroscopy of GABA and Glutamate/Glutamine Concentrations in Auditory Cortex in Clinical High-Risk for Psychosis Individuals.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 859322	5

- 6 Computerised cognitive training during early-stage psychosis improves cognitive deficits and gamma-band oscillations: A pilot study.. *Schizophrenia Research*, **2022**, 243, 217-219 3.6
- 5 Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder **2020**, 15, e0243100
- 4 Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder **2020**, 15, e0243100
- 3 Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder **2020**, 15, e0243100
- 2 Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder **2020**, 15, e0243100
- 1 Review: Kava extract reduces symptoms in adults with anxiety. *ACP Journal Club*, **2000**, 133, 13