

Stephen M Lawrie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3565906/stephen-m-lawrie-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

437 papers	28,162 citations	84 h-index	155 g-index
525 ext. papers	32,951 ext. citations	6.7 avg, IF	6.76 L-index

#	Paper	IF	Citations
437	What is the evidence for antipsychotic medication and alternative psychosocial interventions for people with acute, non-affective psychosis?. <i>Lancet Psychiatry</i> , 2022 ,	23.3	1
436	Experience of clinical services shapes attitudes to mental health data sharing: findings from a UK-wide survey.. <i>BMC Public Health</i> , 2022 , 22, 357	4.1	0
435	Cognitive function in early-phase schizophrenia-spectrum disorder: IQ subtypes, brain volume and immune markers.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	0
434	MR-Spectroscopy of GABA and Glutamate/Glutamine Concentrations in Auditory Cortex in Clinical High-Risk for Psychosis Individuals.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 859322	5	
433	Structural neuroimaging measures and lifetime depression across levels of phenotyping in UK biobank.. <i>Translational Psychiatry</i> , 2022 , 12, 157	8.6	1
432	Computerised cognitive training during early-stage psychosis improves cognitive deficits and gamma-band oscillations: A pilot study.. <i>Schizophrenia Research</i> , 2022 , 243, 217-219	3.6	
431	Prevalence and predictors of suicidality and non-suicidal self-harm among individuals at clinical high-risk for psychosis: Results from a community-recruited sample. <i>Microbial Biotechnology</i> , 2021 , 15, 1256-1265	3.3	2
430	Cross-sectional study comparing cognitive function in treatment responsive versus treatment non-responsive schizophrenia: evidence from the STRATA study. <i>BMJ Open</i> , 2021 , 11, e054160	3	0
429	Diagnosis, prognosis, and treatment of brief psychotic episodes: a review and research agenda. <i>Lancet Psychiatry</i> , 2021 ,	23.3	3
428	Brain structural associations with depression in a large early adolescent sample (the ABCD study). <i>EClinicalMedicine</i> , 2021 , 42, 101204	11.3	1
427	A functional MRI facial emotion-processing study of autism in individuals with special educational needs.. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 320, 111426	2.9	
426	Hair glucocorticoids are associated with childhood adversity, depressive symptoms and reduced global and lobar grey matter in Generation Scotland. <i>Translational Psychiatry</i> , 2021 , 11, 523	8.6	0
425	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021 , 26, 5307-5319	15.1	5
424	Peripheral immune markers and antipsychotic non-response in psychosis. <i>Schizophrenia Research</i> , 2021 , 230, 1-8	3.6	8
423	The relationship between cognitive deficits and impaired short-term functional outcome in clinical high-risk for psychosis participants: A machine learning and modelling approach. <i>Schizophrenia Research</i> , 2021 , 231, 24-31	3.6	3
422	Assessing cognition in people with severe mental disorders in low- and middle-income countries: a systematic review of assessment measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
421	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766	14.5	17

420	Glutamate and functional connectivity - support for the excitatory-inhibitory imbalance hypothesis in autism spectrum disorders. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 313, 111302	2.9	1
419	Deconstructing depression and negative symptoms of schizophrenia; differential and longitudinal immune correlates, and response to minocycline treatment. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 498-504	16.6	10
418	Structural brain correlates of serum and epigenetic markers of inflammation in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2021 , 92, 39-48	16.6	14
417	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). <i>Schizophrenia Bulletin</i> , 2021 , 47, 505-516	1.3	14
416	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
415	Every Intervention Emerges from an Encounter: Translation and Contextualization as Treatments for Recurrent Depression. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021 , 28, 950-960	2.4	0
414	Duration of basic and attenuated-psychotic symptoms in individuals at clinical high risk for psychosis: pattern of symptom onset and effects of duration on functioning and cognition. <i>BMC Psychiatry</i> , 2021 , 21, 339	4.2	1
413	Characterising cognitive heterogeneity in individuals at clinical high-risk for psychosis: a cluster analysis with clinical and functional outcome prediction. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	2
412	Relationship between Early Maladaptive Schemas and Anxiety in Adolescence and Young Adulthood: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 295, 1462-1473	6.6	1
411	Spectral clustering based on structural magnetic resonance imaging and its relationship with major depressive disorder and cognitive ability. <i>European Journal of Neuroscience</i> , 2021 , 54, 6281-6303	3.5	0
410	40-Hz Auditory Steady-State Responses Characterize Circuit Dysfunctions and Predict Clinical Outcomes in Clinical High-Risk for Psychosis Participants: A Magnetoencephalography Study. <i>Biological Psychiatry</i> , 2021 , 90, 419-429	7.9	11
409	The neuropathology of autism: A systematic review of post-mortem studies of autism and related disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 35-62	9	5
408	Associations between major psychiatric disorder polygenic risk scores and blood-based markers in UK biobank. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 32-41	16.6	0
407	Unpacking stigma: Meta-analyses of correlates and moderators of personal stigma in psychosis. <i>Clinical Psychology Review</i> , 2021 , 89, 102077	10.8	1
406	Grey and white matter associations of psychotic-like experiences in a general population sample (UK Biobank). <i>Translational Psychiatry</i> , 2021 , 11, 21	8.6	4
405	Are working memory and glutamate concentrations involved in early-life stress and severity of psychosis?. <i>Brain and Behavior</i> , 2020 , 10, e01616	3.4	6
404	Blunted medial prefrontal cortico-limbic reward-related effective connectivity and depression. <i>Brain</i> , 2020 , 143, 1946-1956	11.2	19
403	Dialysis and plasmapheresis for schizophrenia: a systematic review. <i>Psychological Medicine</i> , 2020 , 50, 1233-1240	6.9	0

402	Needlessly controversial: the reporting of pharmaco- and psycho-therapy for the treatment of depression in the UK media. <i>Psychological Medicine</i> , 2020 , 1-6	6.9	0
401	The introduction of mindfulness groups to a psychiatric rehabilitation in-patient setting: a feasibility study. <i>BMC Psychiatry</i> , 2020 , 20, 322	4.2	1
400	Automated classification of depression from structural brain measures across two independent community-based cohorts. <i>Human Brain Mapping</i> , 2020 , 41, 3922-3937	5.9	6
399	The benefit of foresight? An ethical evaluation of predictive testing for psychosis in clinical practice. <i>NeuroImage: Clinical</i> , 2020 , 26, 102228	5.3	5
398	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547	11.9	21
397	Expression quantitative trait loci-derived scores and white matter microstructure in UK Biobank: a novel approach to integrating genetics and neuroimaging. <i>Translational Psychiatry</i> , 2020 , 10, 55	8.6	4
396	Familial high risk and high-risk studies 2020 , 101-117		
395	Psychotic-like experiences, polygenic risk scores for schizophrenia, and structural properties of the salience, default mode, and central-executive networks in healthy participants from UK Biobank. <i>Translational Psychiatry</i> , 2020 , 10, 122	8.6	9
394	Association of Magnetoencephalographically Measured High-Frequency Oscillations in Visual Cortex With Circuit Dysfunctions in Local and Large-scale Networks During Emerging Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 852-862	14.5	15
393	Using a knowledge exchange event to assess study participants' attitudes to research in a rapidly evolving research context. <i>Wellcome Open Research</i> , 2020 , 5, 24	4.8	2
392	Using a knowledge exchange event to assess study participants' attitudes to research in a rapidly evolving research context. <i>Wellcome Open Research</i> , 2020 , 5, 24	4.8	2
391	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder. <i>PLoS ONE</i> , 2020 , 15, e0243100	3.7	0
390	Methylation of glucocorticoid receptor (NR3C1), BDNF and oxytocin receptor genes in association with childhood maltreatment in schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2020 , 216, 529-531	3.6	7
389	Grey-matter abnormalities in clinical high-risk participants for psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 120-128	3.6	1
388	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
387	The never-changing face of fragile X?. <i>Lancet Psychiatry</i> , 2020 , 7, e26	23.3	
386	Altered Autonomic Function in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 580503	5	1
385	Categorical and Dimensional Approaches to Examining the Joint Effect of Autism and Schizotypal Personality Disorder on Sustained Attention. <i>Frontiers in Psychiatry</i> , 2020 , 11, 798	5	3

384	Understanding the clinical manifestations of 16p11.2 deletion syndrome: a series of developmental case reports in children. <i>Psychiatric Genetics</i> , 2020 , 30, 136-140	2.9	4
383	Neuropsychological deficits in participants at clinical high risk for psychosis recruited from the community: relationships to functioning and clinical symptoms. <i>Psychological Medicine</i> , 2020 , 50, 77-85	6.9	8
382	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
381	Stratifying major depressive disorder by polygenic risk for schizophrenia in relation to structural brain measures. <i>Psychological Medicine</i> , 2020 , 50, 1653-1662	6.9	5
380	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder 2020 , 15, e0243100		
379	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder 2020 , 15, e0243100		
378	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder 2020 , 15, e0243100		
377	Visual statistical learning and integration of perceptual priors are intact in attention deficit hyperactivity disorder 2020 , 15, e0243100		
376	Familial t(1;11) translocation is associated with disruption of white matter structural integrity and oligodendrocyte-myelin dysfunction. <i>Molecular Psychiatry</i> , 2019 , 24, 1641-1654	15.1	12
375	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
374	Evaluating PsychEd: a mental health and well-being educational programme for secondary schools. <i>BJPsych Open</i> , 2019 , 5, e36	5	
373	Predictors of psychotic symptoms among young people with special educational needs. <i>British Journal of Psychiatry</i> , 2019 , 215, 422-427	5.4	3
372	The role of neuroticism in self-harm and suicidal ideation: results from two UK population-based cohorts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1505-1518	4.5	6
371	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6
370	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
369	Animal-assisted therapy for schizophrenia and related disorders: A systematic review. <i>Journal of Psychiatric Research</i> , 2019 , 115, 51-60	5.2	9
368	Transdiagnostic psychiatry: a systematic review. <i>World Psychiatry</i> , 2019 , 18, 192-207	14.4	123
367	Impact of Polygenic Risk for Schizophrenia on Cortical Structure in UK Biobank. <i>Biological Psychiatry</i> , 2019 , 86, 536-544	7.9	25

366	Associations between vascular risk factors and brain MRI indices in UK Biobank. <i>European Heart Journal</i> , 2019 , 40, 2290-2300	9.5	97
365	Pharmaco-epidemiology of antidepressant exposure in a UK cohort record-linkage study. <i>Journal of Psychopharmacology</i> , 2019 , 33, 482-493	4.6	3
364	Predicting major mental illness: ethical and practical considerations. <i>BJPsych Open</i> , 2019 , 5, e30	5	15
363	Using Twitter to assess attitudes to schizophrenia and psychosis. <i>BJPsych Bulletin</i> , 2019 , 43, 158-166	1.2	12
362	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 600-609	1.3	32
361	Acquisition of visual priors and induced hallucinations in chronic schizophrenia. <i>Brain</i> , 2019 , 142, 2523-2537	1.2	14
360	Transplanted t(1;11) patient-derived OPCs form shorter myelin internodes in the hypomyelinated shiverer mice. <i>Molecular Psychiatry</i> , 2019 , 24, 1567-1567	15.1	
359	Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments.. <i>Wellcome Open Research</i> , 2019 , 4, 185	4.8	10
358	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019 , 6, 1-66	1.7	1
357	Animal-assisted therapy, including animal-assisted activities and resident animals, for improving quality of life in people with stroke. <i>The Cochrane Library</i> , 2019 ,	5.2	1
356	Randomised controlled trial of the short-term effects of OROS-methylphenidate on ADHD symptoms and behavioural outcomes in young male prisoners with attention-deficit/hyperactivity disorder (CIAO-II). <i>Trials</i> , 2019 , 20, 663	2.8	3
355	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019 , 51, 1624-1636	16.3	81
354	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
353	Reversal of proliferation deficits caused by chromosome 16p13.11 microduplication through targeting NFB signaling: an integrated study of patient-derived neuronal precursor cells, cerebral organoids and in vivo brain imaging. <i>Molecular Psychiatry</i> , 2019 , 24, 294-311	15.1	25
352	The Neurobiology of Personal Control During Reward Learning and Its Relationship to Mood. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 190-199	3.4	10
351	Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , 2019 , 214, 18-23	3.6	14
350	Imaging and Genetic Biomarkers Predicting Transition to Psychosis. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 40, 353-388	3.4	9
349	Self-reported medication use validated through record linkage to national prescribing data. <i>Journal of Clinical Epidemiology</i> , 2018 , 94, 132-142	5.7	38

348	Altered DNA methylation associated with a translocation linked to major mental illness. <i>NPJ Schizophrenia</i> , 2018 , 4, 5	5.5	9
347	Prefrontal cortical thinning links to negative symptoms in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2018 , 48, 82-94	6.9	66
346	Increased gyrification in schizophrenia and non affective first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 269-275	3.6	10
345	Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 1261-1269	15.1	324
344	Polygenic risk for schizophrenia, transition and cortical gyrification: a high-risk study. <i>Psychological Medicine</i> , 2018 , 48, 1532-1539	6.9	15
343	Are structural brain changes in schizophrenia related to antipsychotic medication? A narrative review of the evidence from a clinical perspective. <i>Therapeutic Advances in Psychopharmacology</i> , 2018 , 8, 319-326	4.9	9
342	Is there a symptomatic distinction between the affective psychoses and schizophrenia? A machine learning approach. <i>Schizophrenia Research</i> , 2018 , 202, 241-247	3.6	14
341	Resting-State Connectivity and Its Association With Cognitive Performance, Educational Attainment, and Household Income in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 878-886	3.4	24
340	Acute ketamine dysregulates task-related gamma-band oscillations in thalamo-cortical circuits in schizophrenia. <i>Brain</i> , 2018 , 141, 2511-2526	11.2	27
339	Application of n-of-1 treatment trials in schizophrenia: systematic review. <i>British Journal of Psychiatry</i> , 2018 , 213, 398-403	5.4	7
338	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
337	DNA sequence-level analyses reveal potential phenotypic modifiers in a large family with psychiatric disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 2254-2265	15.1	13
336	Autistic traits, but not schizotypy, predict increased weighting of sensory information in Bayesian visual integration. <i>ELife</i> , 2018 , 7,	8.9	38
335	Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages. <i>ELife</i> , 2018 , 7,	8.9	50
334	Author response: Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages 2018 ,		2
333	F159. NEUROMAGNETIC 40 HZ AUDITORY STEADY STATE RESPONSES AND AUDITORY CORTICAL GABA AND GLX IN CLINICAL HIGH RISK AND FIRST EPISODE OF PSYCHOSIS INDIVIDUALS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S282-S283	1.3	78
332	F153. NEUROMAGNETIC MISMATCH NEGATIVITY IN CLINICAL HIGH RISK AND FIRST-EPISODE PSYCHOSIS INDIVIDUALS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S279-S280	1.3	78
331	S214. USING ONLINE-SCREENING TO DETECT PARTICIPANTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S409-S409	1.3	3

330	The effectiveness of internet-delivered cognitive behavioural therapy for those with bulimic symptoms: a systematic review : A review of iCBT treatment for bulimic symptoms. <i>BMC Research Notes</i> , 2018 , 11, 748	2.3	11
329	The benefit of minocycline on negative symptoms of schizophrenia in patients with recent-onset psychosis (BeneMin): a randomised, double-blind, placebo-controlled trial. <i>Lancet Psychiatry</i> , 2018 , 5, 885-894	23.3	88
328	DISC1 regulates N-methyl-D-aspartate receptor dynamics: abnormalities induced by a Disc1 mutation modelling a translocation linked to major mental illness. <i>Translational Psychiatry</i> , 2018 , 8, 184	8.6	11
327	Polygenic risk score for schizophrenia and structural brain connectivity in older age: A longitudinal connectome and tractography study. <i>NeuroImage</i> , 2018 , 183, 884-896	7.9	22
326	The Predictive Coding Account of Psychosis. <i>Biological Psychiatry</i> , 2018 , 84, 634-643	7.9	253
325	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
324	Sex Differences in the Adult Human Brain: Evidence from 5216 UK Biobank Participants. <i>Cerebral Cortex</i> , 2018 , 28, 2959-2975	5.1	335
323	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017 , 8, 13624	17.4	173
322	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017 , 17, 43	4.2	16
321	Risk of transition to schizophrenia following first admission with substance-induced psychotic disorder: a population-based longitudinal cohort study. <i>Psychological Medicine</i> , 2017 , 47, 2548-2555	6.9	27
320	Positive symptoms associate with cortical thinning in the superior temporal gyrus via the ENIGMA Schizophrenia consortium. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 439-447	6.5	47
319	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
318	Effects of environmental risks and polygenic loading for schizophrenia on cortical thickness. <i>Schizophrenia Research</i> , 2017 , 184, 128-136	3.6	29
317	Bitopertin in Negative Symptoms of Schizophrenia-Results From the Phase III FlashLyte and DayLyte Studies. <i>Biological Psychiatry</i> , 2017 , 82, 8-16	7.9	61
316	Newspaper depictions of mental and physical health. <i>BJPsych Bulletin</i> , 2017 , 41, 308-313	1.2	19
315	Parsing Heterogeneity. <i>JAMA Psychiatry</i> , 2017 , 74, 1089-1090	14.5	4
314	Comprehensive review: Computational modelling of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 83, 631-646	9	38
313	Central and non-central networks, cognition, clinical symptoms, and polygenic risk scores in schizophrenia. <i>Human Brain Mapping</i> , 2017 , 38, 5919-5930	5.9	13

312	393. Reduced Inhibitory Influence of Insula Cortex upon the Limbic System in Individuals at High Familial Risk of Mood Disorder with Depression. <i>Biological Psychiatry</i> , 2017 , 81, S160-S161	7.9	2
311	Characteristics of NPS use in patients admitted to acute psychiatric services in Southeast Scotland: a retrospective cross-sectional analysis following public health interventions. <i>BMJ Open</i> , 2017 , 7, e015716	3.6	8
310	Verbal working memory and functional large-scale networks in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 270, 86-96	2.9	4
309	An Integrative Bio-Psycho-Social Theory of Anorexia Nervosa. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 1-21	2.9	24
308	Improved individualized prediction of schizophrenia in subjects at familial high risk, based on neuroanatomical data, schizotypal and neurocognitive features. <i>Schizophrenia Research</i> , 2017 , 181, 6-12	3.6	45
307	Dissociation of Brain Activation in Autism and Schizotypal Personality Disorder During Social Judgments. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1220-1228	1.3	25
306	Subcortical brain volume abnormalities in 2028 individuals with schizophrenia and 2540 healthy controls via the ENIGMA consortium. <i>Molecular Psychiatry</i> , 2016 , 21, 547-53	15.1	525
305	Social responsiveness to inanimate entities: Altered white matter in a 'social synaesthesia'. <i>Neuropsychologia</i> , 2016 , 91, 282-289	3.2	6
304	Deactivation in anterior cingulate cortex during facial processing in young individuals with high familial risk and early development of depression: fMRI findings from the Scottish Bipolar Family Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 1277-1286	7.9	18
303	Shall we really say goodbye to first rank symptoms?. <i>European Psychiatry</i> , 2016 , 37, 8-13	6	23
302	Dissection of major depressive disorder using polygenic risk scores for schizophrenia in two independent cohorts. <i>Translational Psychiatry</i> , 2016 , 6, e938	8.6	19
301	Information processing speed mediates the relationship between white matter and general intelligence in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 26-33	2.9	16
300	"Schizophrenia" is a useful concept. <i>BMJ, The</i> , 2016 , 352, i1046	5.9	
299	Prospective longitudinal study of subcortical brain volumes in individuals at high familial risk of mood disorders with or without subsequent onset of depression. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 248, 119-25	2.9	12
298	Negative symptoms and longitudinal grey matter tissue loss in adolescents at risk of psychosis: preliminary findings from a 6-year follow-up study. <i>British Journal of Psychiatry</i> , 2016 , 208, 565-70	5.4	13
297	Longitudinal changes in hippocampal volume in the Edinburgh High Risk Study of Schizophrenia. <i>Schizophrenia Research</i> , 2016 , 173, 146-151	3.6	19
296	Prognosis of Brief Psychotic Episodes: A Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 211-20	14.5	119
295	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016 , 19, 420-431	25.5	163

294	Prospective longitudinal voxel-based morphometry study of major depressive disorder in young individuals at high familial risk. <i>Psychological Medicine</i> , 2016 , 46, 2351-61	6.9	17
293	Balanced translocation linked to psychiatric disorder, glutamate, and cortical structure/function. <i>NPJ Schizophrenia</i> , 2016 , 2, 16024	5.5	28
292	Whether "psychosis" is best conceptualized as a continuum or in categories is an empirical, practical and political question. <i>World Psychiatry</i> , 2016 , 15, 125-6	14.4	4
291	Use of novel psychoactive substances by inpatients on general adult psychiatric wards. <i>BMJ Open</i> , 2016 , 6, e009430	3	60
290	Towards a Biopsychosocial Model of Gulf War Illness?. <i>EBioMedicine</i> , 2016 , 3, 6-7	8.8	4
289	Childhood adversity and hippocampal and amygdala volumes in a population at familial high risk of schizophrenia. <i>Schizophrenia Research</i> , 2016 , 175, 42-47	3.6	6
288	Childhood adversity and cortical thickness and surface area in a population at familial high risk of schizophrenia. <i>Psychological Medicine</i> , 2016 , 46, 891-6	6.9	7
287	Improving classification of psychoses. <i>Lancet Psychiatry</i> , 2016 , 3, 367-74	23.3	17
286	Towards diagnostic markers for the psychoses. <i>Lancet Psychiatry</i> , 2016 , 3, 375-85	23.3	14
285	Data science for mental health: a UK perspective on a global challenge. <i>Lancet Psychiatry</i> , 2016 , 3, 993-998	23.3	34
284	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016 , 19, 1569-1582	25.5	147
283	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015 , 520, 224-9	50.4	601
282	Does cigarette smoking cause psychosis?. <i>Lancet Psychiatry</i> , 2015 , 2, 672-673	23.3	5
281	The benefit of minocycline on negative symptoms in early-phase psychosis in addition to standard care - extent and mechanism (BeneMin): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 71	2.8	7
280	Rates of white matter hyperintensities compatible with the radiological profile of multiple sclerosis within self-referred synesthete populations. <i>Neurocase</i> , 2015 , 21, 322-30	0.8	6
279	Dysfunction of emotional brain systems in individuals at high risk of mood disorder with depression and predictive features prior to illness. <i>Psychological Medicine</i> , 2015 , 45, 1207-18	6.9	23
278	Grey matter networks in people at increased familial risk for schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 1-8	3.6	30
277	Structural magnetic resonance imaging markers of susceptibility and transition to schizophrenia: a review of familial and clinical high risk population studies. <i>Journal of Psychopharmacology</i> , 2015 , 29, 144-54	4.6	42

276	Neurocognition in individuals at high familial risk of mood disorders with or without subsequent onset of depression. <i>Psychological Medicine</i> , 2015 , 45, 3317-27	6.9	17
275	Copy Number Variations in DISC1 and DISC1-Interacting Partners in Major Mental Illness. <i>Molecular Neuropsychiatry</i> , 2015 , 1, 175-190	4.9	17
274	Effects of a Balanced Translocation between Chromosomes 1 and 11 Disrupting the DISC1 Locus on White Matter Integrity. <i>PLoS ONE</i> , 2015 , 10, e0130900	3.7	19
273	Hippocampal, amygdala and nucleus accumbens volume in first-episode schizophrenia patients and individuals at high familial risk: A cross-sectional comparison. <i>Schizophrenia Research</i> , 2015 , 165, 45-51	3.6	37
272	Cortical Thickness in Individuals at High Familial Risk of Mood Disorders as They Develop Major Depressive Disorder. <i>Biological Psychiatry</i> , 2015 , 78, 58-66	7.9	66
271	"First do no harm." A systematic review of the prevalence and management of antipsychotic adverse effects. <i>Journal of Psychopharmacology</i> , 2015 , 29, 353-62	4.6	125
270	Cortical Surface Area Differentiates Familial High Risk Individuals Who Go on to Develop Schizophrenia. <i>Biological Psychiatry</i> , 2015 , 78, 413-20	7.9	24
269	Impact of cross-disorder polygenic risk on frontal brain activation with specific effect of schizophrenia risk. <i>Schizophrenia Research</i> , 2015 , 161, 484-9	3.6	25
268	The cortical thickness phenotype of individuals with DISC1 translocation resembles schizophrenia. <i>Journal of Clinical Investigation</i> , 2015 , 125, 3714-22	15.9	14
267	Patients need reliable facts and figures about antipsychotics. <i>BJ Psych Advances</i> , 2015 , 21, 85-87	0.8	
266	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
265	Clinical risk prediction in schizophrenia. <i>Lancet Psychiatry,the</i> , 2014 , 1, 406-8	23.3	6
264	Transition to schizophrenia in acute and transient psychotic disorders. <i>British Journal of Psychiatry</i> , 2014 , 204, 299-305	5.4	32
263	Attacks on antidepressants: signs of deep-seated stigma?. <i>Lancet Psychiatry,the</i> , 2014 , 1, 102-4	23.3	21
262	Altered amygdala connectivity within the social brain in schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 152-60	1.3	47
261	Multimodal voxel-based meta-analysis of structural and functional magnetic resonance imaging studies in those at elevated genetic risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 69-77	2.9	83
260	A genome-wide association analysis of a broad psychosis phenotype identifies three loci for further investigation. <i>Biological Psychiatry</i> , 2014 , 75, 386-97	7.9	36
259	Computational neuropsychiatry - schizophrenia as a cognitive brain network disorder. <i>Frontiers in Psychiatry</i> , 2014 , 5, 30	5	24

258	Increased prolactin levels are associated with impaired processing speed in subjects with early psychosis. <i>PLoS ONE</i> , 2014 , 9, e89428	3.7	27
257	How psychiatrists can win friends and influence people: Commentary on How psychiatrists can engage with the media. <i>Advances in Psychiatric Treatment</i> , 2014 , 20, 79-80		
256	A survey of rare coding variants in candidate genes in schizophrenia by deep sequencing. <i>Molecular Psychiatry</i> , 2014 , 19, 857-8	15.1	20
255	Group therapy for people with bulimia nervosa: systematic review and meta-analysis. <i>Psychological Medicine</i> , 2014 , 44, 2241-54	6.9	16
254	The application of nonlinear Dynamic Causal Modelling for fMRI in subjects at high genetic risk of schizophrenia. <i>NeuroImage</i> , 2013 , 73, 16-29	7.9	39
253	Medial temporal lobe function during emotional memory in early Alzheimer's disease, mild cognitive impairment and healthy ageing: an fMRI study. <i>BMC Psychiatry</i> , 2013 , 13, 76	4.2	28
252	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
251	Cortical thickness in first-episode schizophrenia patients and individuals at high familial risk: a cross-sectional comparison. <i>Schizophrenia Research</i> , 2013 , 151, 259-64	3.6	63
250	Haloperidol versus placebo for schizophrenia. <i>The Cochrane Library</i> , 2013 , CD003082	5.2	24
249	Human brain imaging studies of DISC1 in schizophrenia, bipolar disorder and depression: a systematic review. <i>Schizophrenia Research</i> , 2013 , 147, 1-13	3.6	62
248	White matter integrity as an intermediate phenotype: exploratory genome-wide association analysis in individuals at high risk of bipolar disorder. <i>Psychiatry Research</i> , 2013 , 206, 223-31	9.9	49
247	Longitudinal gray matter change in young people who are at enhanced risk of schizophrenia due to intellectual impairment. <i>Biological Psychiatry</i> , 2013 , 73, 985-92	7.9	11
246	Polygenic risk and white matter integrity in individuals at high risk of mood disorder. <i>Biological Psychiatry</i> , 2013 , 74, 280-6	7.9	94
245	Towards the identification of imaging biomarkers in schizophrenia, using multivariate pattern classification at a single-subject level. <i>NeuroImage: Clinical</i> , 2013 , 3, 279-89	5.3	69
244	Imaging symptoms and syndromes: similarities and differences between schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2013 , 73, 495-6	7.9	9
243	Progress in imaging the effects of psychosis susceptibility gene variants. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 37-47	4.3	6
242	Brain structure in adolescents and young adults with alcohol problems: systematic review of imaging studies. <i>Alcohol and Alcoholism</i> , 2013 , 48, 433-44	3.5	80
241	Prediction of depression in individuals at high familial risk of mood disorders using functional magnetic resonance imaging. <i>PLoS ONE</i> , 2013 , 8, e57357	3.7	32

240	Neuroticism, depressive symptoms and white-matter integrity in the Lothian Birth Cohort 1936. <i>Psychological Medicine</i> , 2013 , 43, 1197-206	6.9	25
239	Tensor-based morphometry of cannabis use on brain structure in individuals at elevated genetic risk of schizophrenia. <i>Psychological Medicine</i> , 2013 , 43, 2087-96	6.9	11
238	The neuroimmunology of schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013 , 11, 107-17	3.4	44
237	Imaging conditioned fear circuitry using awake rodent fMRI. <i>PLoS ONE</i> , 2013 , 8, e54197	3.7	35
236	A systematic review and meta-analysis of the fMRI investigation of autism spectrum disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 901-42	9	220
235	Review of functional magnetic resonance imaging studies comparing bipolar disorder and schizophrenia. <i>Bipolar Disorders</i> , 2012 , 14, 411-31	3.8	54
234	The Neuro/PsyGRID calibration experiment: identifying sources of variance and bias in multicenter MRI studies. <i>Human Brain Mapping</i> , 2012 , 33, 373-86	5.9	25
233	Use of second-person pronouns and schizophrenia. <i>British Journal of Psychiatry</i> , 2012 , 200, 342-3	5.4	12
232	Charles Dickens at Christmas at 200. <i>Lancet, The</i> , 2012 , 380, 1994	40	
231	Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: a voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012 , 22, 100-13	1.2	166
230	Anterior cingulate morphology in people at genetic high-risk of schizophrenia. <i>European Psychiatry</i> , 2012 , 27, 377-85	6	11
229	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012 , 44, 552-61	36.3	498
228	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38
227	Impact of a microRNA MIR137 susceptibility variant on brain function in people at high genetic risk of schizophrenia or bipolar disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 2720-9	8.7	69
226	Lower effective connectivity between amygdala and parietal regions in response to fearful faces in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 134, 118-24	3.6	34
225	An investigation of a genomewide supported psychosis variant in ZNF804A and white matter integrity in the human brain. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 1373-80	3.3	27
224	Structural brain changes in First Episode Schizophrenia compared with Fronto-Temporal Lobar Degeneration: a meta-analysis. <i>BMC Psychiatry</i> , 2012 , 12, 104	4.2	18
223	Effects of a mis-sense DISC1 variant on brain activation in two cohorts at high risk of bipolar disorder or schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 343-53	3.5	13

222	Psychotic depression. <i>BMJ, The</i> , 2012 , 345, e6994	5.9	2
221	Effect of variation in diacylglycerol kinase α (DGKH) gene on brain function in a cohort at familial risk of bipolar disorder. <i>Neuropsychopharmacology</i> , 2012 , 37, 919-28	8.7	15
220	The influence of polygenic risk for bipolar disorder on neural activation assessed using fMRI. <i>Translational Psychiatry</i> , 2012 , 2, e130	8.6	73
219	Similarity-based extraction of individual networks from gray matter MRI scans. <i>Cerebral Cortex</i> , 2012 , 22, 1530-41	5.1	166
218	Relationship between gyrification and functional connectivity of the prefrontal cortex in subjects at high genetic risk of schizophrenia. <i>Current Pharmaceutical Design</i> , 2012 , 18, 434-42	3.3	29
217	Neurobiology of Mental Illness (3rd edn) Edited by Dennis S. Charney & Eric J. Nestler. Oxford University Press. 2011. £80.00 (pb). 1504 pp. ISBN: 9780199798261. <i>British Journal of Psychiatry</i> , 2012 , 201, 78-78	5.4	
216	Design and validation of a novel method to measure cross-sectional area of neck muscles included during routine MR brain volume imaging. <i>PLoS ONE</i> , 2012 , 7, e34444	3.7	16
215	Social cognition, the male brain and the autism spectrum. <i>PLoS ONE</i> , 2012 , 7, e49033	3.7	15
214	Associations of affective disorder in patients with inflammatory bowel disease. <i>European Psychiatry</i> , 2011 , 26, 2220-2220	6	2
213	Longitudinal volume reductions in people at high genetic risk of schizophrenia as they develop psychosis. <i>Biological Psychiatry</i> , 2011 , 69, 953-8	7.9	90
212	White matter integrity in individuals at high genetic risk of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 350-6	7.9	109
211	Are there progressive brain changes in schizophrenia? A meta-analysis of structural magnetic resonance imaging studies. <i>Biological Psychiatry</i> , 2011 , 70, 88-96	7.9	366
210	The neural basis of familial risk and temperamental variation in individuals at high risk of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 343-9	7.9	51
209	Brain imaging in psychosis and psychopathy--ethical considerations. <i>Cortex</i> , 2011 , 47, 1236-9	3.8	6
208	Understanding Neuropsychiatric Disorders: Insights from Neuroimaging. Edited by Martha E. Shenton & Bruce I. Turetsky. Cambridge University Press. 2011. £125.00 (hb). 592pp. ISBN: 9780521899420. <i>British Journal of Psychiatry</i> , 2011 , 199, 168-168	5.4	
207	Impact of cannabis use on thalamic volume in people at familial high risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 199, 386-90	5.4	34
206	Association of white matter integrity with genetic variation in an exonic DISC1 SNP. <i>Molecular Psychiatry</i> , 2011 , 16, 685, 688-9	15.1	42
205	Effects of the BDNF Val66Met polymorphism on neural responses to facial emotion. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 182-8	2.9	22

204	Genetic variants in the ErbB4 gene are associated with white matter integrity. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 133-7	2.9	34
203	The effects of DISC1 risk variants on brain activation in controls, patients with bipolar disorder and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 192, 20-8	2.9	21
202	Assessment of the impact of the scanner-related factors on brain morphometry analysis with Brainvisa. <i>BMC Medical Imaging</i> , 2011 , 11, 23	2.9	13
201	Schizophrenia risk genes: Implications for future drug development and discovery. <i>Biochemical Pharmacology</i> , 2011 , 81, 1367-73	6	19
200	Systematic Review of the Clinical Presentation of Schizophrenia in Intellectual Disability. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2011 , 33, 246-253	2	13
199	Prefrontal cortex gyrification index in twins: an MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 459-65	5.1	14
198	The prediction of discharge from in-patient psychiatric rehabilitation: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 149	4.2	7
197	Genetic variation in CNTNAP2 alters brain function during linguistic processing in healthy individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 941-8	3.5	78
196	DISC1 in schizophrenia: genetic mouse models and human genomic imaging. <i>Schizophrenia Bulletin</i> , 2011 , 37, 14-20	1.3	77
195	Neuroanatomy of vulnerability to psychosis: a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 1175-85	9	275
194	Do we have any solid evidence of clinical utility about the pathophysiology of schizophrenia?. <i>World Psychiatry</i> , 2011 , 10, 19-31	14.4	45
193	The impact of substance use on brain structure in people at high risk of developing schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1066-76	1.3	56
192	Reduced white matter integrity in healthy individuals carrying the A-allele at DISC1 Ser704Cys. <i>Molecular Psychiatry</i> , 2011 , 16, 685-685	15.1	6
191	Schizophrenia and related disorders 2010 , 391-426		1
190	Intensive home treatment, admission rates and use of mental health legislation. <i>The Psychiatrist</i> , 2010 , 34, 522-524		10
189	Deficits in facial, body movement and vocal emotional processing in autism spectrum disorders. <i>Psychological Medicine</i> , 2010 , 40, 1919-29	6.9	169
188	Hippocampal function in schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2010 , 40, 761-70	6.9	42
187	A common neural system mediating two different forms of social judgement. <i>Psychological Medicine</i> , 2010 , 40, 1183-92	6.9	29

186	Amygdala volume in a population with special educational needs at high risk of schizophrenia. <i>Psychological Medicine</i> , 2010 , 40, 945-54	6.9	14
185	Midbrain activation during Pavlovian conditioning and delusional symptoms in schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 1246-54		84
184	Orbitofrontal morphology in people at high risk of developing schizophrenia. <i>European Psychiatry</i> , 2010 , 25, 366-72	6	37
183	Functional Magnetic Resonance Imaging (fMRI) reproducibility and variance components across visits and scanning sites with a finger tapping task. <i>NeuroImage</i> , 2010 , 49, 552-60	7.9	100
182	Reduced prefrontal gyrification in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 455-64	5.1	27
181	Functional magnetic resonance imaging of BDNF val66met polymorphism in unmedicated subjects at high genetic risk of schizophrenia performing a verbal memory task. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 195-201	2.9	18
180	Between- and within-scanner variability in the CaliBrain study n-back cognitive task. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 86-95	2.9	21
179	Power calculations for multicenter imaging studies controlled by the false discovery rate. <i>Human Brain Mapping</i> , 2010 , 31, 1183-95	5.9	36
178	Effects of the BDNF val66met polymorphism on prefrontal brain function in a population at high genetic risk of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1474-82	3.5	11
177	Towards an ontology for psychosis. <i>Cognitive Systems Research</i> , 2010 , 11, 42-52	4.8	4
176	Hippocampal and amygdala volumes in borderline personality disorder: A meta-analysis of magnetic resonance imaging studies. <i>Personality and Mental Health</i> , 2010 , 4, 172-179	3.1	17
175	Barriers to uptake of physical activity in community-based patients with schizophrenia. <i>Journal of Mental Health</i> , 2009 , 18, 523-532	2.7	55
174	Magnetic resonance imaging studies in bipolar disorder and schizophrenia: meta-analysis. <i>British Journal of Psychiatry</i> , 2009 , 195, 194-201	5.4	345
173	Set shifting and reversal learning in patients with bipolar disorder or schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1289-93	6.9	60
172	fMRI changes over time and reproducibility in unmedicated subjects at high genetic risk of schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1189-99	6.9	18
171	Specific cognitive deficits in a group at genetic high risk of schizophrenia. <i>Psychological Medicine</i> , 2009 , 39, 1649-55	6.9	24
170	Progressive temporal lobe grey matter loss in adolescents with schizotypal traits and mild intellectual impairment. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 174, 105-9	2.9	28
169	Prospective multi-centre Voxel Based Morphometry study employing scanner specific segmentations: procedure development using CaliBrain structural MRI data. <i>BMC Medical Imaging</i> , 2009 , 9, 8	2.9	35

168	The relationship of anterior thalamic radiation integrity to psychosis risk associated neuregulin-1 variants. <i>Molecular Psychiatry</i> , 2009 , 14, 237-8, 233	15.1	40
167	Segmentation of the anterior thalamic radiation using neighbourhood tractography. <i>Molecular Psychiatry</i> , 2009 , 14, 233-233	15.1	6
166	Modulation of hippocampal activation by genetic variation in the GRIK4 gene. <i>Molecular Psychiatry</i> , 2009 , 14, 465	15.1	4
165	A GRIK4 variant conferring protection against bipolar disorder modulates hippocampal function. <i>Molecular Psychiatry</i> , 2009 , 14, 467-8	15.1	14
164	Prefrontal gyral folding and its cognitive correlates in bipolar disorder and schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 192-8	6.5	64
163	White matter abnormalities in bipolar disorder and schizophrenia detected using diffusion tensor magnetic resonance imaging. <i>Bipolar Disorders</i> , 2009 , 11, 11-8	3.8	222
162	Structural abnormalities of ventrolateral and orbitofrontal cortex in patients with familial bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 135-44	3.8	86
161	Genetic variation in the G72 (DAOA) gene affects temporal lobe and amygdala structure in subjects affected by bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 621-7	3.8	14
160	Functional imaging of emotional memory in bipolar disorder and schizophrenia. <i>Bipolar Disorders</i> , 2009 , 11, 840-56	3.8	71
159	Associative learning and the genetics of schizophrenia. <i>Trends in Neurosciences</i> , 2009 , 32, 359-65	13.3	26
158	Changes in gyrification over 4 years in bipolar disorder and their association with the brain-derived neurotrophic factor valine(66) methionine variant. <i>Biological Psychiatry</i> , 2009 , 66, 293-7	7.9	43
157	Could Brain Imaging be a Biological Validator of Mental Illness?. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
156	Genetic risk for white matter abnormalities in bipolar disorder. <i>International Review of Psychiatry</i> , 2009 , 21, 387-93	3.6	20
155	Obstetric complications and mild to moderate intellectual disability. <i>British Journal of Psychiatry</i> , 2009 , 194, 224-8	5.4	14
154	Connecting the brain and new drug targets for schizophrenia. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2615-31	3.3	11
153	Neuroimaging and molecular genetics of schizophrenia: pathophysiological advances and therapeutic potential. <i>British Journal of Pharmacology</i> , 2008 , 153 Suppl 1, S120-4	8.6	26
152	The effects of a neuregulin 1 variant on white matter density and integrity. <i>Molecular Psychiatry</i> , 2008 , 13, 1054-9	15.1	170
151	Medical students' attitudes to psychiatric illness in primary care. <i>Medical Education</i> , 2008 , 42, 1080-7	3.7	28

150	Low birthweight and preterm birth in young people with special educational needs: a magnetic resonance imaging analysis. <i>BMC Medicine</i> , 2008 , 6, 1	11.4	29
149	Hypofrontality in subjects at high genetic risk of schizophrenia with depressive symptoms. <i>Journal of Affective Disorders</i> , 2008 , 109, 99-106	6.6	14
148	A diffusion tensor MRI study of white matter integrity in subjects at high genetic risk of schizophrenia. <i>Schizophrenia Research</i> , 2008 , 106, 132-9	3.6	87
147	Increased right prefrontal cortical folding in adolescents at risk of schizophrenia for cognitive reasons. <i>Biological Psychiatry</i> , 2008 , 63, 80-5	7.9	45
146	Overactivation of fear systems to neutral faces in schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 70-3	7.9	155
145	Genetic variation in the DAOA (G72) gene modulates hippocampal function in subjects at high risk of schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 428-33	7.9	46
144	White matter tractography in bipolar disorder and schizophrenia. <i>Biological Psychiatry</i> , 2008 , 64, 1088-92	7.9	212
143	S.14.01 Distinguishing vulnerability, prediction, and progression in the preschizophrenic brain. <i>European Neuropsychopharmacology</i> , 2008 , 18, S175	1.2	
142	Towards a neuroanatomy of autism: a systematic review and meta-analysis of structural magnetic resonance imaging studies. <i>European Psychiatry</i> , 2008 , 23, 289-99	6	342
141	Prefrontal function and activation in bipolar disorder and schizophrenia. <i>American Journal of Psychiatry</i> , 2008 , 165, 378-84	11.9	88
140	Brain structure and function changes during the development of schizophrenia: the evidence from studies of subjects at increased genetic risk. <i>Schizophrenia Bulletin</i> , 2008 , 34, 330-40	1.3	148
139	Comparing the use and discontinuation of antipsychotics in clinical practice: an observational study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 240-5	4.6	36
138	Relationship of catechol-O-methyltransferase variants to brain structure and function in a population at high risk of psychosis. <i>Biological Psychiatry</i> , 2007 , 61, 1127-34	7.9	102
137	Increased prefrontal gyrification in a large high-risk cohort characterizes those who develop schizophrenia and reflects abnormal prefrontal development. <i>Biological Psychiatry</i> , 2007 , 62, 722-9	7.9	97
136	Progressive gray matter loss in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2007 , 62, 894-900	7.9	239
135	Distinguishing vulnerability, prediction, and progression in the preschizophrenic brain. <i>Archives of General Psychiatry</i> , 2007 , 64, 250-1; author reply 252-3		6
134	33 CANNABIS CONCERNS AND CAUTIONS. <i>European Journal of Pain</i> , 2007 , 11, S14-S14	3.7	
133	Correlations between fMRI activation and individual psychotic symptoms in un-medicated subjects at high genetic risk of schizophrenia. <i>BMC Psychiatry</i> , 2007 , 7, 61	4.2	36

132	Temporal grey matter reductions in bipolar disorder are associated with the BDNF Val66Met polymorphism. <i>Molecular Psychiatry</i> , 2007 , 12, 902-3	15.1	25
131	Prefrontal cortical functional abnormality in major depressive disorder: a stereotactic meta-analysis. <i>Journal of Affective Disorders</i> , 2007 , 101, 1-11	6.6	74
130	Emotional memory in schizophrenia. <i>Neuropsychologia</i> , 2007 , 45, 1152-9	3.2	52
129	The neurobiological underpinnings of risk and conversion in relatives of patients with schizophrenia. <i>International Review of Psychiatry</i> , 2007 , 19, 383-97	3.6	31
128	Deconstructing psychosis with human brain imaging. <i>Schizophrenia Bulletin</i> , 2007 , 33, 921-31	1.3	144
127	Schizotypal cognitions as a predictor of psychopathology in adolescents with mild intellectual impairment. <i>British Journal of Psychiatry</i> , 2007 , 191, 484-92	5.4	19
126	Pre-frontal lobe gyrification index in schizophrenia, mental retardation and comorbid groups: an automated study. <i>NeuroImage</i> , 2007 , 35, 648-54	7.9	61
125	Grey matter correlates of early psychotic symptoms in adolescents at enhanced risk of psychosis: a voxel-based study. <i>NeuroImage</i> , 2007 , 35, 1181-91	7.9	42
124	Data integration in eHealth: a domain/disease specific roadmap. <i>Studies in Health Technology and Informatics</i> , 2007 , 126, 144-53	0.5	4
123	Parcellating the temporal lobes from magnetic resonance images using generic software in subjects at high risk of developing schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 197-212	2.9	4
122	Grey matter changes can improve the prediction of schizophrenia in subjects at high risk. <i>BMC Medicine</i> , 2006 , 4, 29	11.4	66
121	Genetic liability to schizophrenia or bipolar disorder and its relationship to brain structure. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 76-83	3.5	92
120	Functional specialization within rostral prefrontal cortex (area 10): a meta-analysis. <i>Journal of Cognitive Neuroscience</i> , 2006 , 18, 932-48	3.1	532
119	Haloperidol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD003082		46
118	Substance use, psychiatric symptoms and the onset of schizophrenic illness. <i>Journal of Substance Use</i> , 2006 , 11, 101-113	0.8	3
117	A visual joke fMRI investigation into Theory of Mind and enhanced risk of schizophrenia. <i>NeuroImage</i> , 2006 , 31, 1850-8	7.9	134
116	Automated computation of the Gyrification Index in prefrontal lobes: methods and comparison with manual implementation. <i>NeuroImage</i> , 2006 , 31, 1560-6	7.9	39
115	Brain-behaviour relationships in people at high genetic risk of schizophrenia. <i>NeuroImage</i> , 2006 , 33, 275-85	8.5	27

114	Structural correlates of intellectual impairment and autistic features in adolescents. <i>NeuroImage</i> , 2006 , 33, 1136-44	7.9	44
113	Neuropsychological performance over time in people at high risk of developing schizophrenia and controls. <i>Biological Psychiatry</i> , 2006 , 59, 730-9	7.9	69
112	Functional imaging as a predictor of schizophrenia. <i>Biological Psychiatry</i> , 2006 , 60, 454-62	7.9	85
111	A neuropsychological investigation into 'Theory of Mind' and enhanced risk of schizophrenia. <i>Psychiatry Research</i> , 2006 , 144, 29-37	9.9	54
110	Event-related fMRI of word classification and successful word recognition in subjects at genetically enhanced risk of schizophrenia. <i>Psychological Medicine</i> , 2006 , 36, 1427-39	6.9	39
109	A neuregulin 1 variant associated with abnormal cortical function and psychotic symptoms. <i>Nature Neuroscience</i> , 2006 , 9, 1477-8	25.5	208
108	Grey matter changes over time in high risk subjects developing schizophrenia. <i>NeuroImage</i> , 2005 , 25, 1023-30	7.9	254
107	Empirical comparison of maximal voxel and non-isotropic adjusted cluster extent results in a voxel-based morphometry study of comorbid learning disability with schizophrenia. <i>NeuroImage</i> , 2005 , 28, 544-52	7.9	46
106	White matter density in patients with schizophrenia, bipolar disorder and their unaffected relatives. <i>Biological Psychiatry</i> , 2005 , 58, 254-7	7.9	87
105	Dermatoglyphics and schizophrenia: findings from the Edinburgh high risk study. <i>Schizophrenia Research</i> , 2005 , 74, 122-4	3.6	9
104	Declarative memory in unaffected adult relatives of patients with schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2005 , 78, 13-26	3.6	52
103	Symptomatology and social inference: a theory of mind study of schizophrenia and psychotic affective disorder. <i>Cognitive Neuropsychiatry</i> , 2005 , 10, 347-59	2	60
102	Cannabis as a risk factor for psychosis: systematic review. <i>Journal of Psychopharmacology</i> , 2005 , 19, 187-246	2.6	313
101	Pathogenesis of schizophrenia: a psychopathological perspective. <i>British Journal of Psychiatry</i> , 2005 , 186, 386-93	5.4	80
100	Predicting schizophrenia: findings from the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2005 , 186, 18-25	5.4	260
99	A theory of mind investigation into the appreciation of visual jokes in schizophrenia. <i>BMC Psychiatry</i> , 2005 , 5, 12	4.2	46
98	Neuropsychological impairments in people with schizophrenia or bipolar disorder and their unaffected relatives. <i>British Journal of Psychiatry</i> , 2005 , 186, 378-85	5.4	123
97	Neural correlates of enhanced genetic risk for schizophrenia. <i>Neuroscientist</i> , 2005 , 11, 238-49	7.6	17

96	Functional disconnectivity in subjects at high genetic risk of schizophrenia. <i>Brain</i> , 2005 , 128, 2097-108	11.2	147
95	Qualitative assessment of brain anomalies in adolescents with mental retardation. <i>American Journal of Neuroradiology</i> , 2005 , 26, 2691-7	4.4	28
94	The place of research in the training of psychiatrists. <i>Psychiatric Bulletin</i> , 2005 , 29, 231-232		
93	Schizophrenia. <i>Clinical Evidence</i> , 2005 , 1306-30		
92	Cross-national differences in diet, the outcome of schizophrenia and the prevalence of depression: you are (associated with) what you eat. <i>British Journal of Psychiatry</i> , 2004 , 184, 381-2	5.4	7
91	Review: new generation antipsychotic drugs may reduce relapse rates more effectively than conventional antipsychotic drugs in people with schizophrenia. <i>Evidence-Based Mental Health</i> , 2004 , 7, 14	11.1	
90	Detecting the dangerous, violent or criminal patient: an analysis of referrals to maximum security psychiatric care. <i>Medicine, Science and the Law</i> , 2004 , 44, 19-26	1.1	5
89	Abnormal cortical folding in high-risk individuals: a predictor of the development of schizophrenia?. <i>Biological Psychiatry</i> , 2004 , 56, 182-9	7.9	96
88	Voxel-based morphometry of patients with schizophrenia or bipolar disorder and their unaffected relatives. <i>Biological Psychiatry</i> , 2004 , 56, 544-52	7.9	146
87	fMRI correlates of state and trait effects in subjects at genetically enhanced risk of schizophrenia. <i>Brain</i> , 2004 , 127, 478-90	11.2	117
86	Measurement of lateral preferences and schizophrenia: results of the Edinburgh High-Risk Study and methodological issues. <i>Psychiatry Research</i> , 2004 , 125, 205-17	9.9	11
85	Segregation of cognitive and emotional function in the prefrontal cortex: a stereotactic meta-analysis. <i>NeuroImage</i> , 2004 , 21, 868-75	7.9	152
84	Voxel-based morphometry of comorbid schizophrenia and learning disability: analyses in normalized and native spaces using parametric and nonparametric statistical methods. <i>NeuroImage</i> , 2004 , 22, 188-202	7.9	49
83	Gyrification in first-episode schizophrenia: a morphometric study. <i>Biological Psychiatry</i> , 2004 , 55, 141-7	7.9	86
82	Social cognition and face processing in schizophrenia. <i>British Journal of Psychiatry</i> , 2004 , 185, 169-70	5.4	97
81	Genetic liability, brain structure and symptoms of schizophrenia 2004 , 161-181		0
80	Premorbid structural abnormalities in schizophrenia 2004 , 347-372		5
79	Structural and functional abnormalities of the amygdala in schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2003 , 985, 445-60	6.5	52

78	Neuropsychology, genetic liability, and psychotic symptoms in those at high risk of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 38-48	7	61
77	Abnormal cerebral asymmetry and schizophrenia in a subject with Klinefelter's syndrome (XXY). <i>Biological Psychiatry</i> , 2003 , 53, 627-9	7.9	19
76	Voxel-based morphometry of grey matter densities in subjects at high risk of schizophrenia. <i>Schizophrenia Research</i> , 2003 , 64, 1-13	3.6	160
75	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2003 , 182, 439-443	5.4	281
74	Psychological autopsy studies of suicide: a systematic review. <i>Psychological Medicine</i> , 2003 , 33, 395-405	6.9	1280
73	The Edinburgh High Risk Study: current status and future prospects. <i>World Psychiatry</i> , 2003 , 2, 45-9	14.4	16
72	Neuropsychology, genetic liability, and psychotic symptoms in those at high risk of schizophrenia. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 38-48	7	12
71	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2003 , 182, 439-43	5.4	113
70	Distinguishing characteristics of subjects with good and poor early outcome in the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2002 , 43, s26-9	5.4	13
69	Maternal recall bias, obstetric history and schizophrenia. <i>British Journal of Psychiatry</i> , 2002 , 181, 520-5	5.4	48
68	Temporal lobe volume changes in people at high risk of schizophrenia with psychotic symptoms. <i>British Journal of Psychiatry</i> , 2002 , 181, 138-43	5.4	97
67	What does the Edinburgh high-risk study tell us about schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 906-12		67
66	Self-rated schizotypal cognitions, psychotic symptoms and the onset of schizophrenia in young people at high risk of schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 341-5	6.5	20
65	Sustained attention in young people at high risk for schizophrenia. <i>Psychological Medicine</i> , 2002 , 32, 277-86	6.5	51
64	Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the edinburgh high risk study. <i>Psychological Medicine</i> , 2002 , 32, 173-9	6.9	52
63	Schizotypal components in people at high risk of developing schizophrenia: early findings from the Edinburgh High-Risk Study. <i>British Journal of Psychiatry</i> , 2002 , 180, 179-84	5.4	72
62	Temporal lobe volume changes in people at high risk of schizophrenia with psychotic symptoms. <i>British Journal of Psychiatry</i> , 2002 , 181, 138-143	5.4	31
61	Reduced frontotemporal functional connectivity in schizophrenia associated with auditory hallucinations. <i>Biological Psychiatry</i> , 2002 , 51, 1008-11	7.9	485

60	Structural Gray Matter Differences between First-Episode Schizophrenics and Normal Controls Using Voxel-Based Morphometry. <i>NeuroImage</i> , 2002 , 17, 880-889	7.9	202
59	Structural MRI of the brain in presumed carriers of genes for schizophrenia, their affected and unaffected siblings. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 72, 455-8	5.5	42
58	Schizophrenia. <i>Clinical Evidence</i> , 2002 , 920-44		
57	Structural gray matter differences between first-episode schizophrenics and normal controls using voxel-based morphometry. <i>NeuroImage</i> , 2002 , 17, 880-9	7.9	70
56	Haloperidol versus placebo for schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD003082		14
55	Neurodevelopmental indices and the development of psychotic symptoms in subjects at high risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 178, 524-30	5.4	108
54	Genetic liability, illicit drug use, life stress and psychotic symptoms: preliminary findings from the Edinburgh study of people at high risk for schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 338-42	4.5	106
53	Brain structure, genetic liability, and psychotic symptoms in subjects at high risk of developing schizophrenia. <i>Biological Psychiatry</i> , 2001 , 49, 811-23	7.9	207
52	Diffusion tensor imaging (DTI) and proton magnetic resonance spectroscopy (1H MRS) in schizophrenic subjects and normal controls. <i>Psychiatry Research - Neuroimaging</i> , 2001 , 106, 161-70	2.9	99
51	Invited commentaries on: Signs of asphyxia at birth and risk of schizophrenia/Obstetric complications and risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2001 , 179, 416	5.4	1
50	A factor model of the functional psychoses and the relationship of factors to clinical variables and brain morphology. <i>Psychological Medicine</i> , 2001 , 31, 159-71	6.9	40
49	The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. <i>Psychological Medicine</i> , 2000 , 30, 433-42	6.9	47
48	Neuropsychological change in young people at high risk for schizophrenia: results from the first two neuropsychological assessments of the Edinburgh High Risk Study. <i>Psychological Medicine</i> , 2000 , 30, 1111-21	6.9	154
47	Cerebral perfusion in chronic fatigue syndrome and depression. <i>British Journal of Psychiatry</i> , 2000 , 176, 550-6	5.4	72
46	Comprehensiveness of systematic review--update. <i>British Journal of Psychiatry</i> , 2000 , 176, 396-7	5.4	2
45	Newspaper coverage of psychiatric and physical illness. <i>Psychiatric Bulletin</i> , 2000 , 24, 104-106		26
44	Depression after stroke and lesion location: a systematic review. <i>Lancet, The</i> , 2000 , 356, 122-6	4.0	482
43	Edinburgh high risk study--findings after four years: demographic, attainment and psychopathological issues. <i>Schizophrenia Research</i> , 2000 , 46, 1-15	3.6	119

42	Evidence-based psychiatry--do psychiatrists want it and can they do it?. <i>Health Bulletin</i> , 2000 , 58, 25-33		7
41	Review: Kava extract reduces symptoms in adults with anxiety. <i>ACP Journal Club</i> , 2000 , 133, 13		
40	Stigmatisation of psychiatric disorder. <i>Psychiatric Bulletin</i> , 1999 , 23, 129-131		22
39	Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 66, 628-32	5.5	88
38	Screening for psychiatric illness in the palliative care inpatient setting: a comparison between the Hospital Anxiety and Depression Scale and the General Health Questionnaire-12. <i>Palliative Medicine</i> , 1999 , 13, 399-407	5.5	113
37	Methodological issues in volumetric magnetic resonance imaging of the brain in the Edinburgh High Risk Project. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 91, 31-44	2.9	33
36	Magnetic resonance imaging of brain in people at high risk of developing schizophrenia. <i>Lancet, The</i> , 1999 , 353, 30-3	4.0	306
35	Personality dimensions in chronic fatigue syndrome and depression. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 395-400	4.1	37
34	Schizophrenia and complications of pregnancy and labor: an individual patient data meta-analysis. <i>Schizophrenia Bulletin</i> , 1999 , 25, 413-23	1.3	234
33	Errorless learning and the cognitive rehabilitation of memory-impaired schizophrenic patients. <i>Psychological Medicine</i> , 1999 , 29, 105-12	6.9	77
32	Attitudes of the general population to psychiatric and physical illness. <i>Psychiatric Bulletin</i> , 1999 , 23, 671-674		4
31	Does undergraduate education have an effect on Edinburgh medical students' attitudes to psychiatry and psychiatric patients?. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 757-61	1.8	38
30	Disorders of Brain and Mind Edited by Maria A. Ron & Anthony S. David. 1998, Cambridge: Cambridge University Press. 373 pp (hb). ISBN 0-521-473006-3. <i>British Journal of Psychiatry</i> , 1999 , 174, 567-567	5.4	
29	Diurnal variation of adrenocortical activity in chronic fatigue syndrome. <i>Neuropsychobiology</i> , 1998 , 38, 213-7	4	54
28	Brain abnormality in schizophrenia. A systematic and quantitative review of volumetric magnetic resonance imaging studies. <i>British Journal of Psychiatry</i> , 1998 , 172, 110-20	5.4	687
27	General practitioners' attitudes to psychiatric and medical illness. <i>Psychological Medicine</i> , 1998 , 28, 1463-79	6.9	62
26	Comprehensiveness of systematic review. <i>British Journal of Psychiatry</i> , 1998 , 173, 87-8	5.4	1
25	Obstetric complications and age at onset in schizophrenia: an international collaborative meta-analysis of individual patient data. <i>American Journal of Psychiatry</i> , 1997 , 154, 1220-7	11.9	289

24	A population-based incidence study of chronic fatigue. <i>Psychological Medicine</i> , 1997 , 27, 343-53	6.9	89
23	Qualitative cerebral morphology in schizophrenia: a magnetic resonance imaging study and systematic literature review. <i>Schizophrenia Research</i> , 1997 , 25, 155-66	3.6	43
22	A controlled trial of general practitioners' attitudes to patients with schizophrenia. <i>Health Bulletin</i> , 1996 , 54, 201-3		20
21	Post-viral onset of anorexia nervosa. <i>British Journal of Psychiatry</i> , 1995 , 166, 386-9	5.4	9
20	Chronic fatigue syndrome in the community. Prevalence and associations. <i>British Journal of Psychiatry</i> , 1995 , 166, 793-7	5.4	64
19	Magnetic resonance imaging and single photon emission tomography in treatment-responsive and treatment-resistant schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 202-10	5.4	39
18	Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. <i>Psychological Medicine</i> , 1995 , 25, 1091-5	6.9	10
17	Psychosis and substance abuse: cause, effect or coincidence?. <i>Scottish Medical Journal</i> , 1995 , 40, 174-6	1.8	5
16	Obstetric complications and schizophrenia: a meta-analysis. <i>British Journal of Psychiatry</i> , 1995 , 167, 786-93	5.4	337
15	Munchausen's syndrome and organic brain disorder. <i>British Journal of Psychiatry</i> , 1993 , 162, 545-9	5.4	11
14	Male Victims of Sexual Assault. Edited by Gillian C. Mezey and Michael B. King. Oxford: Oxford University Press. 1992. 158 pp. £25.00.. <i>British Journal of Psychiatry</i> , 1993 , 163, 706-707	5.4	
13	Developing training themes from HRH's delivery. <i>British Journal of Psychiatry</i> , 1992 , 160, 569-70	5.4	
12	MCQs in the MRCPsych. <i>Psychiatric Bulletin</i> , 1991 , 15, 368-369		
11	NeuroGrid: using grid technology to advance neuroscience		12
10	Structural disconnectivity in schizophrenia: a diffusion tensor magnetic resonance imaging study		8
9	White matter, cognition and psychotic-like experiences in UK Biobank. <i>Psychological Medicine</i> , 1-10	6.9	0
8	Neuropsychological differences between treatment-resistant and treatment-responsive schizophrenia: a meta-analysis. <i>Psychological Medicine</i> , 1-13	6.9	1
7	The Influence of Phenotyping Method on Structural Neuroimaging Associations with Depression in UK Biobank		1

6	Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide	5
5	Association of whole-genome and NETRIN1 signaling pathway-derived polygenic risk scores for Major Depressive Disorder and thalamic radiation white matter microstructure in UK Biobank	1
4	Cohort profile for the STRatifying Resilience and Depression Longitudinally (STRADL) study: A depression-focused investigation of Generation Scotland, using detailed clinical, cognitive, and neuroimaging assessments. <i>Wellcome Open Research</i> ,4, 185	4.8 0
3	Structural Brain Imaging in Schizophrenia and Related Populations334-352	1
2	The integrity of the research record: a mess so big and so deep and so tall. <i>British Journal of Psychiatry</i> ,1-2	5.4 0
1	Randomised controlled trial of the short-term effects of osmotic-release oral system methylphenidate on symptoms and behavioural outcomes in young male prisoners with attention deficit hyperactivity disorder: CIAO-II study. <i>British Journal of Psychiatry</i> ,1-11	5.4 0