

Celio Pasquini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3566182/celio-pasquini-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,607
citations

29
h-index

56
g-index

132
ext. papers

4,097
ext. citations

5
avg, IF

6.32
L-index

#	Paper	IF	Citations
128	Effect of the sample measurement representativeness on soil carbon determination using near-infrared compact spectrophotometers. <i>Geoderma</i> , 2022 , 409, 115636	6.7	0
127	Feasibility of compact near-infrared spectrophotometers and multivariate data analysis to assess roasted ground coffee traits. <i>Food Control</i> , 2022 , 109041	6.2	0
126	Feasibility of near-infrared spectroscopy for species identification and parasitological diagnosis of freshwater snails of the genus <i>Biomphalaria</i> (Planorbidae). <i>PLoS ONE</i> , 2021 , 16, e0259832	3.7	
125	Field Application of NIR Spectroscopy for the Discrimination of the Species That Are Intermediate Hosts of in Brazil. <i>Frontiers in Public Health</i> , 2021 , 9, 636206	6	2
124	Evaluation of a handheld ultra-compact NIR spectrometer for rapid and non-destructive determination of apple fruit quality. <i>Postharvest Biology and Technology</i> , 2021 , 172, 111375	6.2	15
123	Food Quality and NIR Spectroscopy in the Omics Era 2021 , 231-243		2
122	A comprehensive and fast microplastics identification based on near-infrared hyperspectral imaging (HSI-NIR) and chemometrics. <i>Environmental Pollution</i> , 2021 , 285, 117251	9.3	16
121	Microwave induced plasma optical emission spectrometry (MIP OES) and laser-induced breakdown spectroscopy (LIBS) for multi-element determination and location in ceramic tableware. <i>Microchemical Journal</i> , 2021 , 168, 106452	4.8	2
120	A rotational-linear sample probing device to improve the performance of compact near-infrared spectrophotometers. <i>Microchemical Journal</i> , 2021 , 170, 106747	4.8	3
119	Feasibility of a portable, low-cost near-infrared spectrophotometer for the quality screening of omega-3 dietary supplements. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 189, 113436	3.5	9
118	Classification of Ceramic Tableware by Laser Induced Breakdown Spectroscopy and Chemometrics. <i>Analytical Letters</i> , 2020 , 53, 1378-1390	2.2	3
117	Monitoring the quality of ethanol-based hand sanitizers by low-cost near-infrared spectroscopy. <i>Microchemical Journal</i> , 2020 , 159, 105421	4.8	8
116	Determination of the isotopic composition of enriched materials using laser ablation molecular isotopic spectrometry: partial least squares and multivariate curve resolution for the determination of N content in enriched urea. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4173-4182	4.4	1
115	A fast method for determination of surface area of zeolite-based catalysts and zeolites using near infrared emission spectroscopy. <i>Analytical Methods</i> , 2019 , 11, 2819-2825	3.2	1
114	Comparing laser induced breakdown spectroscopy, near infrared spectroscopy, and their integration for simultaneous multi-elemental determination of micro- and macronutrients in vegetable samples. <i>Analytica Chimica Acta</i> , 2019 , 1062, 28-36	6.6	26
113	Evaluation of a low-cost portable near-infrared spectrophotometer for in situ cocaine profiling. <i>Talanta</i> , 2019 , 200, 553-561	6.2	19
112	Evaluating the potential of near infrared hyperspectral imaging associated with multivariate data analysis for examining crossing ink lines. <i>Forensic Science International</i> , 2019 , 298, 169-176	2.6	8

111	Method for building a portable near infrared photometer based on LEDs and interference filters chosen by a spectral variable selection algorithm. <i>Microchemical Journal</i> , 2019 , 146, 842-849	4.8	3
110	NIR-based octane rating simulator for use in gasoline compounding processes. <i>Fuel</i> , 2019 , 243, 381-389	7.1	12
109	Near infrared spectroscopy: A mature analytical technique with new perspectives - A review. <i>Analytica Chimica Acta</i> , 2018 , 1026, 8-36	6.6	426
108	Near infrared emission spectroscopy for rapid compositional analysis of Portland cements. <i>Analytica Chimica Acta</i> , 2018 , 1024, 136-144	6.6	10
107	Surface-enhanced Raman spectroscopy and MCR-ALS for the selective sensing of urinary adenosine on filter paper. <i>Talanta</i> , 2018 , 187, 99-105	6.2	13
106	Use of Infrared Spectroscopy and Near Infrared Hyperspectral Images to Evaluate Effects of Different Chemical Agents on PET Bottle Surface. <i>Materials Research</i> , 2018 , 21,	1.5	2
105	NIR hyperspectral images for identification of gunshot residue from tagged ammunition. <i>Analytical Methods</i> , 2018 , 10, 4711-4717	3.2	14
104	A Simple Device for Lens-to-Sample Distance Adjustment in Laser-Induced Breakdown Spectroscopy (LIBS). <i>Applied Spectroscopy</i> , 2017 , 71, 634-639	3.1	8
103	Near infrared spectroscopy determination of sucrose, glucose and fructose in sweet sorghum juice. <i>Microchemical Journal</i> , 2017 , 134, 125-130	4.8	25
102	Multivariate quantification of mebendazole polymorphs by terahertz time domain spectroscopy (THZ-TDS). <i>Analyst, The</i> , 2017 , 142, 1519-1524	5	20
101	Comparing the analytical performances of Micro-NIR and FT-NIR spectrometers in the evaluation of acerola fruit quality, using PLS and SVM regression algorithms. <i>Talanta</i> , 2017 , 165, 112-116	6.2	102
100	Coupling of the ring-oven-based preconcentration technique and surface-enhanced Raman spectroscopy: Application for the determination of purine bases in DNA. <i>Analytica Chimica Acta</i> , 2017 , 991, 95-103	6.6	8
99	Detecting semen stains on fabrics using near infrared hyperspectral images and multivariate models. <i>TrAC - Trends in Analytical Chemistry</i> , 2017 , 95, 23-35	14.6	25
98	Projection pursuit and PCA associated with near and middle infrared hyperspectral images to investigate forensic cases of fraudulent documents. <i>Microchemical Journal</i> , 2017 , 130, 412-419	4.8	29
97	Classification of individual cotton seeds with respect to variety using near-infrared hyperspectral imaging. <i>Analytical Methods</i> , 2016 , 8, 8498-8505	3.2	18
96	Rapid and non-destructive determination of quality parameters in the Tommy Atkins mango using a novel handheld near infrared spectrometer. <i>Food Chemistry</i> , 2016 , 197 Pt B, 1207-14	8.5	92
95	Determination of diethyleneglycol content and number of carboxylic end groups in poly(ethylene terephthalate) fibers using imaging and conventional near infrared spectroscopy. <i>Polymer Testing</i> , 2016 , 49, 15-21	4.5	5
94	Mechanization of measurement of laser induced breakdown spectroscopy/ring-oven pre-concentration: determination of copper in cashew. <i>Analytical Methods</i> , 2016 , 8, 7354-7360	3.2	5

93	Non-Destructive Determination of Quality Traits of Cashew Apples (<i>Anacardium Occidentale</i> , L.) Using a Portable near Infrared Spectrophotometer. <i>Journal of Near Infrared Spectroscopy</i> , 2016 , 24, 77-82 ^{1.5}	9
92	iHEART: a miniaturized near-infrared in-line gas sensor using heart-shaped substrate-integrated hollow waveguides. <i>Analyst, The</i> , 2016 , 141, 5298-303	5 15
91	Comparing near-infrared conventional diffuse reflectance spectroscopy and hyperspectral imaging for determination of the bulk properties of solid samples by multivariate regression: determination of Mooney viscosity and plasticity indices of natural rubber. <i>Analyst, The</i> , 2015 , 140, 512-22	5 6
90	Quantification of biodiesel and adulteration with vegetable oils in diesel/biodiesel blends using portable near-infrared spectrometer. <i>Fuel</i> , 2015 , 160, 57-63	7.1 58
89	Determination of detergent and dispersant additives in gasoline by ring-oven and near infrared hyperspectral imaging. <i>Analytica Chimica Acta</i> , 2015 , 863, 9-19	6.6 16
88	Determination of naphtha composition by near infrared spectroscopy and multivariate regression to control steam cracker processes. <i>Fuel Processing Technology</i> , 2015 , 131, 230-237	7.2 12
87	Determination of cellulose crystallinity by terahertz-time domain spectroscopy. <i>Analytical Chemistry</i> , 2014 , 86, 3780-6	7.8 47
86	Determination of the oxidative stability of biodiesel using near infrared emission spectroscopy. <i>Fuel</i> , 2014 , 117, 1004-1009	7.1 12
85	Near infrared hyperspectral imaging for forensic analysis of document forgery. <i>Analyst, The</i> , 2014 , 139, 5176-84	5 62
84	Classification of gasoline as with or without dispersant and detergent additives using infrared spectroscopy and multivariate classification. <i>Fuel</i> , 2014 , 116, 151-157	7.1 36
83	Near infrared emission photometer for measuring the oxidative stability of edible oils. <i>Analytica Chimica Acta</i> , 2013 , 796, 101-7	6.6 10
82	An assessment of the applicability of the use of a plasticised PVC membrane containing pyrochatecol violet complexing reagent for the determination of Cu ²⁺ ions in aqueous solutions by LIBS. <i>Microchemical Journal</i> , 2013 , 110, 435-438	4.8 18
81	A new approach to polarimetric measurements based on birefringent crystals and diode lasers. <i>Analytica Chimica Acta</i> , 2013 , 771, 1-6	6.6 3
80	Classification of blue pen ink using infrared spectroscopy and linear discriminant analysis. <i>Microchemical Journal</i> , 2013 , 109, 122-127	4.8 67
79	Ring-oven based preconcentration technique for microanalysis: simultaneous determination of Na, Fe, and Cu in fuel ethanol by laser induced breakdown spectroscopy. <i>Analytical Chemistry</i> , 2013 , 85, 1547-54 ^{7.8}	52
78	Development and preliminary evaluation of a spectrophotopolarimeter based on acoustic-optical tunable filter. <i>Measurement Science and Technology</i> , 2013 , 24, 065902	2 2
77	A compact and low cost laser induced breakdown spectroscopic system: Application for simultaneous determination of chromium and nickel in steel using multivariate calibration. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2012 , 69, 20-24	3.1 33
76	Near-Infrared Spectroscopy in Laboratory and Process Analysis 2012 ,	5

75	Multivariate treatment of LIBS data of prehistoric paintings. <i>Journal of the Brazilian Chemical Society</i> , 2012 , 23, 958-965	1.5	9
74	A PLS regression model using NIR spectroscopy for on-line monitoring of the biodiesel production reaction. <i>Fuel</i> , 2011 , 90, 3268-3273	7.1	44
73	A flow system for generation of concentration perturbation in two-dimensional correlation near-infrared spectroscopy: application to variable selection in multivariate calibration. <i>Applied Spectroscopy</i> , 2010 , 64, 507-13	3.1	7
72	A low cost short wave near infrared spectrophotometer: application for determination of quality parameters of diesel fuel. <i>Analytica Chimica Acta</i> , 2010 , 670, 92-7	6.6	23
71	Determination of degree of polymerization of insulating paper using near infrared spectroscopy and multivariate calibration. <i>Vibrational Spectroscopy</i> , 2010 , 52, 154-157	2.1	21
70	Gunshot residues: screening analysis by laser-induced breakdown spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 1887-1894	1.5	24
69	Classification of Brazilian soils by using LIBS and variable selection in the wavelet domain. <i>Analytica Chimica Acta</i> , 2009 , 642, 12-8	6.6	96
68	Simultaneous determination of methanol and ethanol in gasoline using NIR spectroscopy: effect of gasoline composition. <i>Talanta</i> , 2008 , 75, 804-10	6.2	63
67	Near-infrared spectropolarimetry based on acousto-optical tunable filters. <i>Analytical Chemistry</i> , 2008 , 80, 3175-81	7.8	12
66	Industrial and Process Analysis Applications. <i>Comprehensive Analytical Chemistry</i> , 2008 , 54, 617-638	1.9	1
65	A Complementary Metal Oxide Semiconductor sensor array based detection system for Laser Induced Breakdown Spectroscopy: Evaluation of calibration strategies and application for manganese determination in steel. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2008 , 63, 56-63	3.1	28
64	A new detection system for laser induced breakdown spectroscopy based on an acousto-optical tunable filter coupled to a photomultiplier: Application for manganese determination in steel. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2008 , 63, 1268-1273	3.1	12
63	Laser Induced Breakdown Spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18, 463-512	1.5	253
62	Comparison of near-infrared emission spectroscopy and the Rancimat method for the determination of oxidative stability. <i>European Journal of Lipid Science and Technology</i> , 2007 , 109, 61-65	3	10
61	Sub-optimal wavelet denoising of coaveraged spectra employing statistics from individual scans. <i>Analytica Chimica Acta</i> , 2007 , 581, 159-67	6.6	9
60	Robust flow-batch coulometric/biamperometric titration system: determination of bromine index and bromine number of petrochemicals. <i>Analytica Chimica Acta</i> , 2007 , 600, 84-9	6.6	19
59	Characterization of petroleum using near-infrared spectroscopy: Quantitative modeling for the true boiling point curve and specific gravity. <i>Fuel</i> , 2007 , 86, 1927-1934	7.1	75
58	A monosegmented-flow Karl Fischer titrator. <i>Talanta</i> , 2007 , 71, 1288-93	6.2	7

57	A new approach to flow-batch titration. A monosegmented flow titrator with coulometric reagent generation and potentiometric or biamperometric detection. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 1921-30	4.4	9
56	Assessment of infrared spectroscopy and multivariate techniques for monitoring the service condition of diesel-engine lubricating oils. <i>Talanta</i> , 2006 , 70, 344-52	6.2	56
55	Espectroscopia de correlao bidimensional: fundamentos, aplicaes e perspectivas. <i>Quimica Nova</i> , 2006 , 29, 143-148	1.6	4
54	A new method for determination of the oxidative stability of edible oils at frying temperatures using near infrared emission spectroscopy. <i>Analytica Chimica Acta</i> , 2006 , 570, 129-135	6.6	30
53	Use of near infrared emission spectroscopy in the study of supporting materials and stationary phases for liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1122, 174-9	4.5	5
52	Near infrared emission spectroscopy induced by ultrasonic irradiation. <i>Ultrasonics Sonochemistry</i> , 2006 , 13, 438-42	8.9	2
51	Silicone sensing phase for detection of aromatic hydrocarbons in water employing near-infrared spectroscopy. <i>Analytical Chemistry</i> , 2005 , 77, 72-7	7.8	37
50	Near-infrared emission spectrometry based on an acousto-optical tunable filter. <i>Analytical Chemistry</i> , 2005 , 77, 1046-54	7.8	25
49	Evaluation of the Mooney Viscosity of Natural Rubber by Near-Infrared Spectroscopy. <i>Spectroscopy Letters</i> , 2005 , 38, 741-748	1.1	7
48	Direct determination of copper in urine using a sol-gel optical sensor coupled to a multicommutated flow system. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 380, 108-14	4.4	34
47	Chloride-selective membrane electrodes and optodes based on an indium(III) porphyrin for the determination of chloride in a sequential injection analysis system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 49-55	3.5	34
46	A strategy for selecting calibration samples for multivariate modelling. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004 , 72, 83-91	3.8	50
45	Gran method for end point anticipation in monosegmented flow titration. <i>Journal of the Brazilian Chemical Society</i> , 2004 , 15,	1.5	2
44	Near Infrared Spectroscopy: fundamentals, practical aspects and analytical applications. <i>Journal of the Brazilian Chemical Society</i> , 2003 , 14, 198-219	1.5	447
43	Determination of Hydrogen Peroxide by near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2003 , 11, 49-53	1.5	13
42	Real-time monitoring of distillations by near-infrared spectroscopy. <i>Analytical Chemistry</i> , 2003 , 75, 2270-58	5.8	15
41	Determination of total sulfur in diesel fuel employing NIR spectroscopy and multivariate calibration. <i>Analyst, The</i> , 2003 , 128, 1204-7	5	88
40	Flow system for liquid-solid extraction and pre-concentration using a renewable extracting solid phase. <i>Analytica Chimica Acta</i> , 2002 , 472, 141-146	6.6	

39	Application of amperometric sol-gel biosensor to flow injection determination of glucose. <i>Talanta</i> , 2002 , 56, 997-1003	6.2	26
38	Effect of ethanol in the organic phase on liquid-liquid extraction in monosegmented flow analysis. Determination of zinc in drugs. <i>Talanta</i> , 2002 , 56, 643-53	6.2	5
37	Monosegmented flow titrator. <i>Analytica Chimica Acta</i> , 2001 , 438, 67-74	6.6	14
36	Identification of counterfeit drugs using near-infrared spectroscopy. <i>Analyst, The</i> , 2001 , 126, 2218-24	5	115
35	Evaluation of a Dual-Beam Near-Infrared Spectrometer Based on Acousto-Optic Tunable Filters. <i>Applied Spectroscopy</i> , 2001 , 55, 454-457	3.1	16
34	Dual-Beam Near-Infrared Hadamard Spectrophotometer. <i>Applied Spectroscopy</i> , 2001 , 55, 715-721	3.1	15
33	Determination of Gaseous Analytes in Flow Systems: A Review. <i>Journal of the Brazilian Chemical Society</i> , 1999 , 10, 85	1.5	6
32	Bisegmented flow system for determination of low concentrations of gaseous constituents in gaseous samples. <i>Analytica Chimica Acta</i> , 1999 , 393, 121-129	6.6	6
31	Development of an analyser to determine the oxygen and carbon dioxide levels in the head-space of packages. <i>Packaging Technology and Science</i> , 1999 , 12, 271-275	2.3	1
30	Multi-electrode detection in voltammetry. Part 3. Effects of array configuration on the Hadamard multiplexed voltammetric technique. <i>Analyst, The</i> , 1999 , 124, 1657-1660	5	4
29	Determination of CO ₂ in gaseous samples using a monosegmented flow system and conductimetric detection. <i>Analytica Chimica Acta</i> , 1998 , 366, 223-229	6.6	7
28	Multi-electrode detection in voltammetry Part 2. Evaluation of a Hadamard multiplexed voltammetric technique. <i>Analyst, The</i> , 1998 , 123, 1861-1866	5	4
27	Multi-electrode detection in voltammetry Part I. A versatile multi-channel voltammetric instrument. <i>Analyst, The</i> , 1998 , 123, 1641-1648	5	6
26	Determination of Ethanol and Methyl Tert-Butyl Ether (MTBE) in Gasoline by NIR-OTF-based Spectroscopy and Multiple Linear Regression with Variables Selected by Genetic Algorithm. <i>Journal of Near Infrared Spectroscopy</i> , 1998 , 6, 333-339	1.5	13
25	Simultaneous multielemental determination using a low-resolution inductively coupled plasma spectrometer/diode array detection system. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1997 , 52, 2151-2161	3.1	7
24	Determination of gaseous species by monosegmented flow systems. Volumetric determination of oxygen and carbon dioxide. <i>Analytica Chimica Acta</i> , 1997 , 349, 377-384	6.6	9
23	Automation of a plane grating spectrograph. <i>Journal of Automated Methods and Management in Chemistry</i> , 1996 , 18, 7-15		3
22	Detection of flow injection analysis with pH gradient by acousto-optic tunable filter based spectrophotometry. <i>Analytica Chimica Acta</i> , 1996 , 319, 315-324	6.6	15

21	Automated gravimetric management of solutions. Part 2. Automated gravimetric approach to direct potentiometry and kappa number determination. <i>Analyst, The</i> , 1995 , 120, 2763	5	3
20	Two-phase liquid-liquid extraction in monosegmented flow analysis. Determination of cadmium with 1-(2Fpyridylazo) naphthol. <i>Analytica Chimica Acta</i> , 1995 , 308, 231-237	6.6	30
19	Single-phase liquid-liquid extraction in monosegmented continuous-flow systems. <i>Analytica Chimica Acta</i> , 1994 , 285, 287-292	6.6	21
18	Signal-to-noise optimization and evaluation of a home-made visible diode-array spectrophotometer. <i>Journal of Automated Methods and Management in Chemistry</i> , 1993 , 15, 227-32		3
17	Spectrophotometric determination of a mixture of weak acids using multivariate calibration and flow injection analysis titration. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1993 , 19, 243-254	3.8	13
16	Automated gravimetric management of solutions. Part 1. High-performance microcomputer-controlled gravimetric burette. <i>Analyst, The</i> , 1992 , 117, 905	5	5
15	Fast Scanning Hadamard Spectrophotometer. <i>Applied Spectroscopy</i> , 1992 , 46, 1822-1827	3.1	4
14	Spectrophotometric determination of creatinine by monosegmented continuous-flow analysis. <i>Journal of Automated Methods and Management in Chemistry</i> , 1992 , 14, 97-100		11
13	Flow-injection determination of inorganic forms of nitrogen by gas diffusion and conductimetry. <i>Analytica Chimica Acta</i> , 1991 , 245, 183-190	6.6	29
12	Determination of urea in serum by using naturally immobilized urease in a flow injection conductimetric system. <i>Analyst, The</i> , 1991 , 116, 357-60	5	19
11	Differential conductimetry in flow injection. Determination of ammonia in Kjeldahl digests. <i>Analyst, The</i> , 1991 , 116, 841	5	22
10	Operator-free flow injection analyser. <i>Journal of Automated Methods and Management in Chemistry</i> , 1991 , 13, 143-6		13
9	Determination of ethanol using flow injection enthalpimetry. <i>Analyst, The</i> , 1988 , 113, 359-60	5	3
8	Adaptation of a cold vapour mercury analyser to flow injection analysis. <i>Journal of Automated Methods and Management in Chemistry</i> , 1988 , 10, 188-91		11
7	Flow-injection determination of ammonia in kjeldahl digests by gas diffusion and conductometry. <i>Analytica Chimica Acta</i> , 1987 , 193, 19-27	6.6	47
6	Determination of iron in iron ores using enthalpimetric flow injection analysis. <i>Analyst, The</i> , 1986 , 111, 857	5	3
5	Mechanical removal of the central sample zone to avoid air bubbles in monosegmented continuous flow analysis. <i>Analytical Chemistry</i> , 1986 , 58, 2346-2348	7.8	15
4	Monosegmented system for continuous flow analysis. Spectrophotometric determination of chromium(VI), ammonia and phosphorus. <i>Analytical Chemistry</i> , 1985 , 57, 2575-2579	7.8	90

3	Comparison of merging zones, injection of reagent and single-line manifolds for enthalpimetric flow injection analysis. <i>Analytica Chimica Acta</i> , 1984 , 156, 307-312	6.6	5
2	Determination of water in ethanol and acetone by direct injection enthalpimetry based on the heat of dilution. <i>Talanta</i> , 1984 , 31, 82-4	6.2	3
1	Effect of on-line complex formation kinetics on the flow injection analysis signal: the spectrophotometric determination of chromium(VI). <i>Analyst, The</i> , 1983 , 108, 621	5	18