

# JÃ¼rgen Krieger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3566858/publications.pdf>

Version: 2024-02-01

35  
papers

2,431  
citations

257101

24  
h-index

395343

33  
g-index

36  
all docs

36  
docs citations

36  
times ranked

1118  
citing authors

#	ARTICLE	IF	CITATIONS
1	A small number of male-biased candidate pheromone receptors are expressed in large subsets of the olfactory sensory neurons in the antennae of drones from the European honey bee <i>Apis mellifera</i> . <i>Insect Science</i> , 2022, 29, 749-766.	1.5	5
2	The Sensilla-Specific Expression and Subcellular Localization of SNMP1 and SNMP2 Reveal Novel Insights into Their Roles in the Antenna of the Desert Locust <i>Schistocerca gregaria</i> . <i>Insects</i> , 2022, 13, 579.	1.0	4
3	The role of SNMPs in insect olfaction. <i>Cell and Tissue Research</i> , 2021, 383, 21-33.	1.5	54
4	Molecular mechanisms of pheromone detection. , 2021, , 355-413.		4
5	SNMP1 and odorant receptors are co-expressed in olfactory neurons of the labial and maxillary palps from the desert locust <i>Schistocerca gregaria</i> (Orthoptera: Acrididae). <i>Cell and Tissue Research</i> , 2020, 379, 275-289.	1.5	9
6	The expression patterns of SNMP1 and SNMP2 underline distinct functions of two CD36-related proteins in the olfactory system of the tobacco budworm <i>Heliothis virescens</i> . <i>Cell and Tissue Research</i> , 2019, 378, 485-497.	1.5	12
7	A Subset of Odorant Receptors from the Desert Locust <i>Schistocerca gregaria</i> Is Co-Expressed with the Sensory Neuron Membrane Protein 1. <i>Insects</i> , 2019, 10, 350.	1.0	6
8	Molecular Mechanism of Insect Olfaction: Olfactory Receptors. , 2019, , 93-114.		10
9	Molecular elements of pheromone detection in the female moth, <i>Heliothis virescens</i> . <i>Insect Science</i> , 2018, 25, 389-400.	1.5	9
10	Access to the odor world: olfactory receptors and their role for signal transduction in insects. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 485-508.	2.4	233
11	Insect Pheromone Receptors – Key Elements in Sensing Intraspecific Chemical Signals. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 425.	1.8	61
12	Odorant Binding Proteins of the Desert Locust <i>Schistocerca gregaria</i> (Orthoptera, Acrididae): Topographic Expression Patterns in the Antennae. <i>Frontiers in Physiology</i> , 2018, 9, 417.	1.3	14
13	Distinct Subfamilies of Odorant Binding Proteins in Locust (Orthoptera, Acrididae): Molecular Evolution, Structural Variation, and Sensilla-Specific Expression. <i>Frontiers in Physiology</i> , 2017, 8, 734.	1.3	51
14	In Search for Pheromone Receptors: Certain Members of the Odorant Receptor Family in the Desert Locust <i>Schistocerca gregaria</i> (Orthoptera: Acrididae) Are Co-expressed with SNMP1. <i>International Journal of Biological Sciences</i> , 2017, 13, 911-922.	2.6	49
15	Identification and Characterization of Two –Sensory Neuron Membrane Proteins– (SNMPs) of the Desert Locust, <i>Schistocerca gregaria</i> (Orthoptera: Acrididae). <i>Journal of Insect Science</i> , 2016, 16, 33.	0.6	92
16	Larval sensilla of the moth <i>Heliothis virescens</i> respond to sex pheromone components. <i>Insect Molecular Biology</i> , 2016, 25, 666-678.	1.0	21
17	Receptor for detection of a Type II sex pheromone in the winter moth <i>Operophtera brumata</i> . <i>Scientific Reports</i> , 2016, 6, 18576.	1.6	41
18	No Evidence for Ionotropic Pheromone Transduction in the Hawkmoth <i>Manduca sexta</i> . <i>PLoS ONE</i> , 2016, 11, e0166060.	1.1	28

#	ARTICLE	IF	CITATIONS
19	Variant Ionotropic Receptors Are Expressed in Olfactory Sensory Neurons of Coeloconic Sensilla on the Antenna of the Desert Locust ( <i>Schistocerca gregaria</i> ). International Journal of Biological Sciences, 2014, 10, 1-14.	2.6	48
20	The Blunt Trichoid Sensillum of Female Mosquitoes, <i>Anopheles gambiae</i> : Odorant Binding Protein and Receptor Types. International Journal of Biological Sciences, 2014, 10, 426-437.	2.6	14
21	The Co-Expression Pattern of Odorant Binding Proteins and Olfactory Receptors Identify Distinct Trichoid Sensilla on the Antenna of the Malaria Mosquito <i>Anopheles gambiae</i> . PLoS ONE, 2013, 8, e69412.	1.1	47
22	Plant odorants interfere with detection of sex pheromone signals by male <i>Heliothis virescens</i> . Frontiers in Cellular Neuroscience, 2012, 6, 42.	1.8	47
23	The Olfactory Co-receptor Orco from the Migratory Locust ( <i>Locusta migratoria</i> ) and the Desert Locust ( <i>Schistocerca gregaria</i> ): Identification and Expression pattern. International Journal of Biological Sciences, 2012, 8, 159-170.	2.6	66
24	Cooperative interactions between odorant-binding proteins of <i>Anopheles gambiae</i> . Cellular and Molecular Life Sciences, 2011, 68, 1799-1813.	2.4	81
25	Sex-specific odorant receptors of the tobacco hornworm <i>Manduca sexta</i> . Frontiers in Cellular Neuroscience, 2010, 4, .	1.8	38
26	Antennal expression pattern of two olfactory receptors and an odorant binding protein implicated in host odor detection by the malaria vector <i>Anopheles gambiae</i> . International Journal of Biological Sciences, 2010, 6, 614-626.	2.6	34
27	A receptor and binding protein interplay in the detection of a distinct pheromone component in the silkworm <i>Bombyx mori</i> . International Journal of Biological Sciences, 2009, 5, 745-757.	2.6	160
28	HR11 and HR13 Receptor-Expressing Neurons Are Housed Together in Pheromone-Responsive Sensilla Trichodea of Male <i>Heliothis virescens</i> . Chemical Senses, 2009, 34, 469-477.	1.1	52
29	Differential Expression of SNMP-1 and SNMP-2 Proteins in Pheromone-Sensitive Hairs of Moths. Chemical Senses, 2008, 33, 291-299.	1.1	150
30	Candidate pheromone receptors provide the basis for the response of distinct antennal neurons to pheromonal compounds. European Journal of Neuroscience, 2007, 25, 2364-2373.	1.2	206
31	Immunolocalization of a candidate pheromone receptor in the antenna of the male moth, <i>Heliothis virescens</i> . Invertebrate Neuroscience, 2006, 6, 13-21.	1.8	35
32	A Pheromone-Binding Protein Mediates the Bombykol-Induced Activation of a Pheromone Receptor In Vitro. Chemical Senses, 2006, 31, 547-555.	1.1	248
33	Candidate pheromone receptors of the silkworm <i>Bombyx mori</i> . European Journal of Neuroscience, 2005, 21, 2167-2176.	1.2	110
34	A divergent gene family encoding candidate olfactory receptors of the moth <i>Heliothis virescens</i> . European Journal of Neuroscience, 2002, 16, 619-628.	1.2	201
35	Antennal SNMPs (sensory neuron membrane proteins) of lepidoptera define a unique family of invertebrate CD36-like proteins. Journal of Neurobiology, 2001, 49, 47-61.	3.7	189