Karim BEN SLAMA

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/356707/publications.pdf

Version: 2024-02-01

51 1,926 25
papers citations h-index

51 51 51 2392 all docs docs citations times ranked citing authors

42

g-index

#	Article	lF	Citations
1	Distribution, Diversity and Antibiotic Resistance of Pseudomonas spp. Isolated from the Water Dams in the North of Tunisia. Current Microbiology, 2022, 79, 188.	2.2	4
2	First Report of KPC-2 and KPC-3-Producing Enterobacteriaceae in Wild Birds in Africa. Microbial Ecology, 2020, 79, 30-37.	2.8	21
3	High prevalence of imipenem-resistant and metallo-beta-lactamase-producing $\langle i \rangle$ Pseudomonas aeruginosa $\langle i \rangle$ in the Burns Hospital in Tunisia: detection of a novel class 1 integron. Journal of Chemotherapy, 2019, 31, 120-126.	1.5	20
4	Extended-Spectrum $\langle i \rangle^2 \langle i \rangle$ -Lactamases among Enterobacteriaceae Isolated from Urinary Tract Infections in Gaza Strip, Palestine. BioMed Research International, 2019, 2019, 1-11.	1.9	12
5	High diversity of genetic lineages and virulence genes of Staphylococcus aureus isolated from dairy products in Tunisia. Annals of Microbiology, 2019, 69, 73-78.	2.6	6
6	Detection of CTX-M-15 harboring Escherichia coli isolated from wild birds in Tunisia. BMC Microbiology, 2018, 18, 26.	3.3	20
7	Antimicrobial resistance and genetic lineages of faecal enterococci of wild birds: Emergence of vanA and vanB2 harbouring Enterococcus faecalis. International Journal of Antimicrobial Agents, 2018, 52, 936-941.	2.5	24
8	First Report of Extended-Spectrum \hat{I}^2 -Lactamases Among Clinical Isolates of Klebsiella pneumoniaein Gaza Strip, Palestine. Microbial Drug Resistance, 2017, 23, 169-176.	2.0	7
9	Characterization of two polyvalent phages infecting Enterobacteriaceae. Scientific Reports, 2017, 7, 40349.	3.3	115
10	Identification of LukPQ, a novel, equid-adapted leukocidin of Staphylococcus aureus. Scientific Reports, 2017, 7, 40660.	3.3	47
11	Antibiotic resistance in <i>Escherichia coli</i> in husbandry animals: the African perspective. Letters in Applied Microbiology, 2017, 64, 318-334.	2.2	119
12	Diversity of species and antibiotic resistance in enterococci isolated from seafood in Tunisia. Annals of Microbiology, 2017, 67, 135-141.	2.6	9
13	Species distribution, antibiotic resistance and virulence traits in canine and feline enterococci in Tunisia. Acta Veterinaria Hungarica, 2017, 65, 173-184.	0.5	19
14	Characterization of Five Podoviridae Phages Infecting Citrobacter freundii. Frontiers in Microbiology, 2016, 7, 1023.	3.5	32
15	Prevalence, antimicrobial resistance and genetic lineages of <i>Enterococcus</i> spp. from vegetable food, soil and irrigation water in farm environments in Tunisia. Journal of the Science of Food and Agriculture, 2016, 96, 1627-1633.	3.5	48
16	Environmental <i>Staphylococcus aureus</i> contamination in a Tunisian hospital. Journal of Chemotherapy, 2016, 28, 506-509.	1.5	8
17	Characterization of extended-spectrum \hat{l}^2 -lactamase (ESBL)-producing Klebsiella, Enterobacter , and Citrobacter obtained in environmental samples of a Tunisian hospital. Diagnostic Microbiology and Infectious Disease, 2016, 86, 190-193.	1.8	16
18	Antibiotic resistance and virulence of enterococci isolates from healthy humans in Tunisia. Annals of Microbiology, 2016, 66, 717-725.	2.6	7

#	Article	IF	CITATIONS
19	High prevalence of Staphylococcus haemolyticus and Staphylococcus saprophyticus in environmental samples of a Tunisian hospital. Diagnostic Microbiology and Infectious Disease, 2016, 85, 136-140.	1.8	26
20	First report of extended-spectrum \hat{l}^2 -lactamases among clinical isolates of Escherichia coli in Gaza Strip, Palestine. Journal of Global Antimicrobial Resistance, 2016, 6, 17-21.	2.2	7
21	Characteristics of extended-spectrum \hat{l}^2 -lactamase (ESBL)- and pAmpC beta-lactamase-producing Enterobacteriaceae of water samples in Tunisia. Science of the Total Environment, 2016, 550, 1103-1109.	8.0	69
22	Detection of CTX-M-15-Producing <i>Escherichia coli</i> Isolates of Lineages ST131-B2 and ST167-A in Environmental Samples of a Tunisian Hospital. Microbial Drug Resistance, 2016, 22, 399-403.	2.0	17
23	Carbapenemases and extended-spectrum \hat{I}^2 -lactamases producing Enterobacteriaceae isolated from Tunisian and Libyan hospitals. Journal of Infection in Developing Countries, 2016, 10, 718-727.	1.2	36
24	Multidrug-resistant enterococci in the hospital environment: detection of novel vancomycin-resistant E. faecium clone ST910. Journal of Infection in Developing Countries, 2016, 10, 799-806.	1.2	19
25	Emergence of Carbapenem-Resistant <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> Clinical Isolates Collected from Some Libyan Hospitals. Microbial Drug Resistance, 2015, 21, 335-341.	2.0	39
26	Molecular Characterization of <i>Staphylococcus aureus </i> from Nasal Samples of Healthy Farm Animals and Pets in Tunisia. Vector-Borne and Zoonotic Diseases, 2015, 15, 109-115.	1.5	37
27	Diversity of enterococcal species and characterization of high-level aminoglycoside resistant enterococci of samples of wastewater and surface water in Tunisia. Science of the Total Environment, 2015, 530-531, 11-17.	8.0	28
28	Characterization of <i>Staphylococcus aureus</i> from Raw Meat Samples in Tunisia: Detection of Clonal Lineage ST398 from the African Continent. Foodborne Pathogens and Disease, 2015, 12, 686-692.	1.8	39
29	Detection of extended-spectrum beta-lactamase (ESBL)-producing Enterobacteriaceae in vegetables, soil and water of the farm environment in Tunisia. International Journal of Food Microbiology, 2015, 203, 86-92.	4.7	111
30	Clonal lineages detected amongst tetracycline-resistant meticillin-resistant Staphylococcus aureus isolates of a Tunisian hospital, with detection of lineage ST398. Journal of Medical Microbiology, 2015, 64, 623-629.	1.8	15
31	Detection of CTX-M-15-producing <i>Escherichia coli </i> isolates of lineages ST410-A, ST617-A and ST354-D in faecal samples of hospitalized patients in a Mauritanian hospital. Journal of Chemotherapy, 2015, 27, 114-116.	1.5	20
32	Diversity of species and antibiotic resistance among fecal enterococci from wild birds in Tunisia. Detection of vanA-containing Enterococcus faecium isolates. European Journal of Wildlife Research, 2015, 61, 319-323.	1.4	23
33	Characterisation of nasal <i><scp>S</scp>taphylococcus delphini</i> and <i><scp>S</scp>taphylococcus pseudintermedius</i> isolates from healthy donkeys in <scp>T</scp> unisia. Equine Veterinary Journal, 2015, 47, 463-466.	1.7	20
34	Antibiotic resistance and virulence of faecal enterococci isolated from food-producing animals in Tunisia. Annals of Microbiology, 2015, 65, 695-702.	2.6	21
35	vanA-containing E. faecium isolates of clonal complex CC17 in clinical and environmental samples in a Tunisian hospital. Diagnostic Microbiology and Infectious Disease, 2014, 79, 60-63.	1.8	19
36	Incl1 Plasmids Carrying <i>bla </i> _{CTX-M-1} or <i>bla </i> _{CMY-2} Genes in <i>Escherichia coli </i> from Healthy Humans and Animals in Tunisia. Microbial Drug Resistance, 2014, 20, 495-500.	2.0	66

3

#	Article	IF	CITATIONS
37	Antimicrobial Resistance, Virulence Genes, and Genetic Lineages of Staphylococcus pseudintermedius in Healthy Dogs in Tunisia. Microbial Ecology, 2013, 66, 363-368.	2.8	34
38	Species distribution, antibiotic resistance and virulence traits in enterococci from meat in Tunisia. Meat Science, 2013, 93, 675-680.	5 . 5	53
39	First Detection of CTX-M-1, CMY-2, and QnrB19 Resistance Mechanisms in Fecal <i>Escherichia coli</i> li>Isolates from Healthy Pets in Tunisia. Vector-Borne and Zoonotic Diseases, 2013, 13, 98-102.	1.5	36
40	Faecal enterococci from camels in Tunisia: species, antibiotic resistance and virulent genes. Veterinary Record, 2013, 172, 213-213.	0.3	8
41	Lineages and Virulence Gene Content among Extended-Spectrum β-Lactamase-Producing Escherichia coli Strains of Food Origin in Tunisia. Journal of Food Protection, 2013, 76, 323-327.	1.7	21
42	Genotypic Diversity, Antibiotic Resistance and Bacteriocin Production of Enterococci Isolated from Rhizospheres. Microbes and Environments, 2012, 27, 533-537.	1.6	10
43	High diversity of genetic lineages and virulence genes in nasal Staphylococcus aureusisolates from donkeys destined to food consumption in Tunisia with predominance of the ruminant associated CC133 lineage. BMC Veterinary Research, 2012, 8, 203.	1.9	42
44	Prevalence and Characterization of Extended-Spectrum Beta-Lactamase (ESBL)– and CMY-2–Producing ⟨i⟩Escherichia coli⟨/i⟩Isolates from Healthy Food-Producing Animals in Tunisia. Foodborne Pathogens and Disease, 2012, 9, 1137-1142.	1.8	65
45	Prevalence, antibiotic resistance, virulence traits and genetic lineages of Staphylococcus aureus in healthy sheep in Tunisia. Veterinary Microbiology, 2012, 156, 367-373.	1.9	77
46	Nasal carriage of Staphylococcus aureus in healthy humans with different levels of contact with animals in Tunisia: genetic lineages, methicillin resistance, and virulence factors. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 499-508.	2.9	38
47	Diversity of Genetic Lineages Among CTX-M-15 and CTX-M-14 Producing Escherichia coli Strains in a Tunisian Hospital. Current Microbiology, 2011, 62, 1794-1801.	2.2	44
48	Prevalence of broad-spectrum cephalosporin-resistant Escherichia coli isolates in food samples in Tunisia, and characterization of integrons and antimicrobial resistance mechanisms implicated. International Journal of Food Microbiology, 2010, 137, 281-286.	4.7	62
49	Characterization of CTX-M and SHV extended-spectrum Â-lactamases and associated resistance genes in Escherichia coli strains of food samples in Tunisia. Journal of Antimicrobial Chemotherapy, 2007, 60, 1137-1141.	3.0	170
50	Heterogeneity among infecting strains of Pseudomonas aeruginosa in diverse departments of a large Tunisian hospital. Journal of Hospital Infection, 2001, 47, 325-327.	2.9	7
51	Thuricin 7: a novel bacteriocin produced by Bacillus thuringiensis BMG1.7, a new strain isolated from soil. Letters in Applied Microbiology, 2001, 32, 243-247.	2.2	113