

Douglas T Golenbock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3567189/publications.pdf>

Version: 2024-02-01

85
papers

26,050
citations

28272

55
h-index

54911

84
g-index

89
all docs

89
docs citations

89
times ranked

33128
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuroinflammation in Alzheimer's disease. <i>Lancet Neurology</i> , The, 2015, 14, 388-405.	10.2	4,129
2	IKK μ and TBK1 are essential components of the IRF3 signaling pathway. <i>Nature Immunology</i> , 2003, 4, 491-496.	14.5	2,361
3	NLRP3 is activated in Alzheimer's disease and contributes to pathology in APP/PS1 mice. <i>Nature</i> , 2013, 493, 674-678.	27.8	2,063
4	The NALP3 inflammasome is involved in the innate immune response to amyloid- β . <i>Nature Immunology</i> , 2008, 9, 857-865.	14.5	2,047
5	Pattern recognition receptors TLR4 and CD14 mediate response to respiratory syncytial virus. <i>Nature Immunology</i> , 2000, 1, 398-401.	14.5	1,482
6	LPS-TLR4 Signaling to IRF-3/7 and NF- κ B Involves the Toll Adapters TRAM and TRIF. <i>Journal of Experimental Medicine</i> , 2003, 198, 1043-1055.	8.5	1,053
7	NLRP3 inflammasome activation drives tau pathology. <i>Nature</i> , 2019, 575, 669-673.	27.8	782
8	CD36 coordinates NLRP3 inflammasome activation by facilitating intracellular nucleation of soluble ligands into particulate ligands in sterile inflammation. <i>Nature Immunology</i> , 2013, 14, 812-820.	14.5	746
9	Microglia-derived ASC specks cross-seed amyloid- β in Alzheimer's disease. <i>Nature</i> , 2017, 552, 355-361.	27.8	664
10	An unconventional role for miRNA: let-7 activates Toll-like receptor 7 and causes neurodegeneration. <i>Nature Neuroscience</i> , 2012, 15, 827-835.	14.8	647
11	Innate immunity in Alzheimer's disease. <i>Nature Immunology</i> , 2015, 16, 229-236.	14.5	619
12	Reduced atherosclerosis in MyD88-null mice links elevated serum cholesterol levels to activation of innate immunity signaling pathways. <i>Nature Medicine</i> , 2004, 10, 416-421.	30.7	579
13	A guiding map for inflammation. <i>Nature Immunology</i> , 2017, 18, 826-831.	14.5	506
14	Malaria hemozoin is immunologically inert but radically enhances innate responses by presenting malaria DNA to Toll-like receptor 9. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1919-1924.	7.1	468
15	LPS-binding proteins and receptors. <i>Journal of Leukocyte Biology</i> , 1998, 64, 25-32.	3.3	401
16	Lipopolysaccharide Rapidly Traffics to and from the Golgi Apparatus with the Toll-like Receptor 4-MD-2-CD14 Complex in a Process That Is Distinct from the Initiation of Signal Transduction. <i>Journal of Biological Chemistry</i> , 2002, 277, 47834-47843.	3.4	398
17	Monomeric and Polymeric Gram-Negative Peptidoglycan but Not Purified LPS Stimulate the Drosophila IMD Pathway. <i>Immunity</i> , 2004, 20, 637-649.	14.3	391
18	Endotoxin recognition and signal transduction by the TLR4/MD2-complex. <i>Microbes and Infection</i> , 2004, 6, 1361-1367.	1.9	355

#	ARTICLE	IF	CITATIONS
19	Recognition of Hyaluronan Released in Sterile Injury Involves a Unique Receptor Complex Dependent on Toll-like Receptor 4, CD44, and MD-2. <i>Journal of Biological Chemistry</i> , 2007, 282, 18265-18275.	3.4	345
20	Molecular Genetic Analysis of an Endotoxin Nonresponder Mutant Cell Line. <i>Journal of Experimental Medicine</i> , 2001, 194, 79-88.	8.5	269
21	Hemolysis-induced lethality involves inflammasome activation by heme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4110-8.	7.1	263
22	Innate sensing of malaria parasites. <i>Nature Reviews Immunology</i> , 2014, 14, 744-757.	22.7	260
23	Host-cell sensors for Plasmodium activate innate immunity against liver-stage infection. <i>Nature Medicine</i> , 2014, 20, 47-53.	30.7	256
24	The myristoylation of TRIF-related adaptor molecule is essential for Toll-like receptor 4 signal transduction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 6299-6304.	7.1	238
25	Innate Immune Recognition of an AT-Rich Stem-Loop DNA Motif in the Plasmodium falciparum Genome. <i>Immunity</i> , 2011, 35, 194-207.	14.3	234
26	Lysines 128 and 132 Enable Lipopolysaccharide Binding to MD-2, Leading to Toll-like Receptor-4 Aggregation and Signal Transduction. <i>Journal of Biological Chemistry</i> , 2003, 278, 48313-48320.	3.4	226
27	Systemic inflammation impairs microglial A β clearance through NLRP3 inflammasome. <i>EMBO Journal</i> , 2019, 38, e101064.	7.8	226
28	Requirement for a conserved Toll/interleukin-1 resistance domain protein in the Caenorhabditis elegans immune response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6593-6598.	7.1	206
29	Divergent Response to LPS and Bacteria in CD14-Deficient Murine Macrophages. <i>Journal of Immunology</i> , 2000, 165, 4272-4280.	0.8	205
30	Malaria primes the innate immune response due to interferon- γ induced enhancement of toll-like receptor expression and function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5789-5794.	7.1	179
31	MyD88 Adapter-like (Mal)/TIRAP Interaction with TRAF6 Is Critical for TLR2- and TLR4-mediated NF- κ B Proinflammatory Responses. <i>Journal of Biological Chemistry</i> , 2009, 284, 24192-24203.	3.4	172
32	Combinatorial pattern recognition receptor signaling alters the balance of life and death in macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 19794-19799.	7.1	162
33	Control of the innate immune response by the mevalonate pathway. <i>Nature Immunology</i> , 2016, 17, 922-929.	14.5	159
34	Dual Engagement of the NLRP3 and AIM2 Inflammasomes by Plasmodium-Derived Hemozoin and DNA during Malaria. <i>Cell Reports</i> , 2014, 6, 196-210.	6.4	152
35	Pharmacological Inhibition of Endotoxin Responses Is Achieved by Targeting the TLR4 Coreceptor, MD-2. <i>Journal of Immunology</i> , 2005, 175, 6465-6472.	0.8	139
36	Malaria-Induced NLRP12/NLRP3-Dependent Caspase-1 Activation Mediates Inflammation and Hypersensitivity to Bacterial Superinfection. <i>PLoS Pathogens</i> , 2014, 10, e1003885.	4.7	134

#	ARTICLE	IF	CITATIONS
37	Cellular Activation, Phagocytosis, and Bactericidal Activity Against Group B Streptococcus Involve Parallel Myeloid Differentiation Factor 88-Dependent and Independent Signaling Pathways. <i>Journal of Immunology</i> , 2002, 169, 3970-3977.	0.8	130
38	Activation of the NLRP3 Inflammasome by Group B Streptococci. <i>Journal of Immunology</i> , 2012, 188, 1953-1960.	0.8	127
39	TLR-Independent Type I Interferon Induction in Response to an Extracellular Bacterial Pathogen Via Intracellular Recognition of Its DNA. <i>Cell Host and Microbe</i> , 2008, 4, 543-554.	11.0	118
40	Group B Streptococcus Degrades Cyclic-di-AMP to Modulate STING-Dependent Type I Interferon Production. <i>Cell Host and Microbe</i> , 2016, 20, 49-59.	11.0	110
41	<i>Plasmodium falciparum</i> Infection Causes Proinflammatory Priming of Human TLR Responses. <i>Journal of Immunology</i> , 2007, 179, 162-171.	0.8	108
42	Therapeutical targeting of nucleic acid-sensing Toll-like receptors prevents experimental cerebral malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3689-3694.	7.1	102
43	Activation of the NLRP3 inflammasome in microglia: the role of ceramide. <i>Journal of Neurochemistry</i> , 2017, 143, 534-550.	3.9	101
44	Cutting Edge: <i>Plasmodium falciparum</i> Induces Trained Innate Immunity. <i>Journal of Immunology</i> , 2018, 200, 1243-1248.	0.8	101
45	A Fluorescent Reporter Mouse for Inflammasome Assembly Demonstrates an Important Role for Cell-Bound and Free ASC Specks during In Vivo Infection. <i>Cell Reports</i> , 2016, 16, 571-582.	6.4	99
46	Discovery of PF-06928215 as a high affinity inhibitor of cGAS enabled by a novel fluorescence polarization assay. <i>PLoS ONE</i> , 2017, 12, e0184843.	2.5	99
47	MyD88 Adaptor-Like Is Not Essential for TLR2 Signaling and Inhibits Signaling by TLR3. <i>Journal of Immunology</i> , 2009, 183, 3642-3651.	0.8	98
48	<i>Escherichia coli</i> isolates from inflammatory bowel diseases patients survive in macrophages and activate NLRP3 inflammasome. <i>International Journal of Medical Microbiology</i> , 2014, 304, 384-392.	3.6	98
49	The CD14+CD16+ Inflammatory Monocyte Subset Displays Increased Mitochondrial Activity and Effector Function During Acute <i>Plasmodium vivax</i> Malaria. <i>PLoS Pathogens</i> , 2014, 10, e1004393.	4.7	71
50	Human endogenous retrovirus HERV-K(HML-2) RNA causes neurodegeneration through Toll-like receptors. <i>JCI Insight</i> , 2020, 5, .	5.0	68
51	Type I Interferon Induction by <i>Neisseria gonorrhoeae</i> : Dual Requirement of Cyclic GMP-AMP Synthase and Toll-like Receptor 4. <i>Cell Reports</i> , 2016, 15, 2438-2448.	6.4	66
52	Macrophages recognize streptococci through bacterial single-stranded RNA. <i>EMBO Reports</i> , 2011, 12, 71-76.	4.5	65
53	The Role of Lipopolysaccharide Binding Protein in Resistance to <i>Salmonella</i> Infections in Mice. <i>Journal of Immunology</i> , 2002, 168, 6396-6403.	0.8	63
54	A TIR Domain Variant of MyD88 Adapter-like (Mal)/TIRAP Results in Loss of MyD88 Binding and Reduced TLR2/TLR4 Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 25742-25748.	3.4	62

#	ARTICLE	IF	CITATIONS
55	RNA and Î²-Hemolysin of Group B Streptococcus Induce Interleukin-1Î² (IL-1Î²) by Activating NLRP3 Inflammasomes in Mouse Macrophages. <i>Journal of Biological Chemistry</i> , 2014, 289, 13701-13705.	3.4	62
56	MyD88-dependent activation of dendritic cells and CD4+ T lymphocytes mediates symptoms, but is not required for the immunological control of parasites during rodent malaria. <i>Microbes and Infection</i> , 2007, 9, 881-890.	1.9	60
57	Cyclic GMPâ€“AMP Synthase Is the Cytosolic Sensor of <i>Plasmodium falciparum</i> Genomic DNA and Activates Type I IFN in Malaria. <i>Journal of Immunology</i> , 2018, 200, 768-774.	0.8	50
58	The Abi-domain Protein Abx1 Interacts with the CovS Histidine Kinase to Control Virulence Gene Expression in Group B Streptococcus. <i>PLoS Pathogens</i> , 2013, 9, e1003179.	4.7	47
59	miR-718 represses proinflammatory cytokine production through targeting phosphatase and tensin homolog (PTEN). <i>Journal of Biological Chemistry</i> , 2017, 292, 5634-5644.	3.4	43
60	Metalloproteinase-Dependent TLR2 Ectodomain Shedding is Involved in Soluble Toll-Like Receptor 2 (sTLR2) Production. <i>PLoS ONE</i> , 2014, 9, e104624.	2.5	42
61	Inflammasome-derived cytokine IL18 suppresses amyloid-induced seizures in Alzheimer-prone mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9002-9007.	7.1	41
62	Platelet-activating factor (PAF) mediates NLRP3-NEK7 inflammasome induction independently of PAFR. <i>Journal of Experimental Medicine</i> , 2019, 216, 2838-2853.	8.5	41
63	The immunology of <i>Plasmodium vivax</i> malaria. <i>Immunological Reviews</i> , 2020, 293, 163-189.	6.0	38
64	DNA-Containing Immunocomplexes Promote Inflammasome Assembly and Release of Pyrogenic Cytokines by CD14 ⁺ CD16 ⁺ CD64 ^{high} CD32 ^{low} Inflammatory Monocytes from Malaria Patients. <i>MBio</i> , 2015, 6, e01605-15.	4.1	37
65	Targeting the IL33â€“NLRP3 axis improves therapy for experimental cerebral malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 7404-7409.	7.1	37
66	Extolling the diversity of bacterial endotoxins. <i>Nature Immunology</i> , 2001, 2, 286-288.	14.5	36
67	A Novel Factor Hâ€“Fc Chimeric Immunotherapeutic Molecule against <i>Neisseria gonorrhoeae</i>. <i>Journal of Immunology</i> , 2016, 196, 1732-1740.	0.8	35
68	Engagement of the Lewis X Antigen (CD15) Results in Monocyte Activation. <i>Blood</i> , 1997, 89, 307-314.	1.4	33
69	A Common Variant in the Adaptor Mal Regulates Interferon Gamma Signaling. <i>Immunity</i> , 2016, 44, 368-379.	14.3	30
70	The Differential Impact of Disulfide Bonds and N-Linked Glycosylation on the Stability and Function of CD14. <i>Journal of Biological Chemistry</i> , 2008, 283, 3376-3384.	3.4	28
71	The TLR4 adaptor TRAM controls the phagocytosis of Gram-negative bacteria by interacting with the Rab11-family interacting protein 2. <i>PLoS Pathogens</i> , 2019, 15, e1007684.	4.7	28
72	3-Hydroxy-3-methylglutaryl Coenzyme A (HMG-CoA) Reductase Inhibitor (Statin)-induced 28-kDa Interleukin-1Î² Interferes with Mature IL-1Î² Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 16214-16222.	3.4	27

#	ARTICLE	IF	CITATIONS
73	TIRAP: how Toll receptors fraternize. <i>Nature Immunology</i> , 2001, 2, 828-830.	14.5	26
74	Involvement of Nod2 in the innate immune response elicited by malarial pigment hemozoin. <i>Microbes and Infection</i> , 2015, 17, 184-194.	1.9	20
75	IMMUNOLOGY: The Shape of Things to Come. <i>Science</i> , 2007, 316, 1574-1576.	12.6	18
76	LXR Agonism Upregulates the Macrophage ABCA1/Syntrophin Protein Complex That Can Bind ApoA-I and Stabilized ABCA1 Protein, but Complex Loss Does Not Inhibit Lipid Efflux. <i>Biochemistry</i> , 2015, 54, 6931-6941.	2.5	16
77	Caspase-8 mediates inflammation and disease in rodent malaria. <i>Nature Communications</i> , 2020, 11, 4596.	12.8	11
78	<i>Clostridioides difficile</i> Toxin A Remodels Membranes and Mediates DNA Entry Into Cells to Activate Toll-Like Receptor 9 Signaling. <i>Gastroenterology</i> , 2020, 159, 2181-2192.e1.	1.3	11
79	Lymphocyte crosstalk is required for monocyte-intrinsic trained immunity to <i>Plasmodium falciparum</i> . <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	11
80	CXCR3 chemokine receptor contributes to specific CD8+ \hat{A} T cell activation by pDC during infection with intracellular pathogens. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008414.	3.0	9
81	Recurrent respiratory syncytial virus infection in a CD14 deficient patient. <i>Journal of Infectious Diseases</i> , 2022, , .	4.0	5
82	The Single Nucleotide Polymorphism Mal-D96N Mice Provide New Insights into Functionality of Mal in TLR Immune Responses. <i>Journal of Immunology</i> , 2019, 202, 2384-2396.	0.8	2
83	Introduction: Toll receptors come of age. <i>Microbes and Infection</i> , 2004, 6, 1349-1350.	1.9	0
84	Innate immune activation of the NLRP3 inflammasome pathway drives tau pathology. <i>Alzheimer's and Dementia</i> , 2020, 16, e039815.	0.8	0
85	Toll-Like Receptors. , 0, , 107-122.		0