

Vincenzo Ficarra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3567331/publications.pdf>

Version: 2024-02-01

166
papers

11,007
citations

57719

44
h-index

31818

101
g-index

170
all docs

170
docs citations

170
times ranked

9487
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Impact of anabolic androgenic steroids on male sexual and reproductive function: a systematic review. <i>Panminerva Medica</i> , 2023, 65, . | 0.2 | 12 |
| 2 | Retrosigmoid ileal conduit without transposition of the left ureter after open radical cystectomy for bladder cancer. <i>BJU International</i> , 2022, 129, 48-53. | 1.3 | 3 |
| 3 | Drug-induced Urinary Retention: An Analysis of a National Spontaneous Adverse Drug Reaction Reporting Database. <i>European Urology Focus</i> , 2022, 8, 1424-1432. | 1.6 | 4 |
| 4 | A Nomogram for the Prediction of Intermediate Significant Renal Function Loss After Robot-assisted Partial Nephrectomy for Localized Renal Tumors: A Prospective Multicenter Observational Study (RECORD2 Project). <i>European Urology Focus</i> , 2022, 8, 980-987. | 1.6 | 12 |
| 5 | Comparison of different thresholds of PSA density for risk stratification of PI-RADSv2.1 categories on prostate MRI. <i>British Journal of Radiology</i> , 2022, 95, 20210886. | 1.0 | 12 |
| 6 | Urethral fixation technique improves urinary continence recovery in men undergoing open radical cystectomy and ileal orthotopic neobladder. <i>Minerva Urology and Nephrology</i> , 2022, 74, . | 1.3 | 3 |
| 7 | Segmental Ureterectomy Versus Radical Nephroureterectomy in Older Patients Treated for Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2022, , . | 0.9 | 3 |
| 8 | Efficacy and Safety of the Hexanic Extract of <i>Serenoa repens</i> vs. Watchful Waiting in Men with Moderate to Severe LUTS-BPH: Results of a Paired Matched Clinical Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 967. | 1.0 | 5 |
| 9 | Comparison of Fluoroquinolones and Other Antibiotic Prophylaxis Regimens for Preventing Complications in Patients Undergoing Transrectal Prostate Biopsy. <i>Antibiotics</i> , 2022, 11, 415. | 1.5 | 4 |
| 10 | Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martiniâ€™s nomogram on the RECORD2 project cohort. <i>International Journal of Urology</i> , 2022, 29, 525-532. | 0.5 | 9 |
| 11 | Comparison of multiple abbreviated multiparametric MRI-derived protocols for the detection of clinically significant prostate cancer. <i>Minerva Urology and Nephrology</i> , 2022, 74, . | 1.3 | 5 |
| 12 | Role of hygienic measures against COVID-19 on infective complications after urological interventions. <i>Minerva Urology and Nephrology</i> , 2022, 74, 124-125. | 1.3 | 0 |
| 13 | Inter-reader agreement of the Prostate Imaging Quality (PI-QUAL) score: A bicentric study. <i>European Journal of Radiology</i> , 2022, 150, 110267. | 1.2 | 21 |
| 14 | Quality-of-Life Outcomes in Female Patients With Ileal Conduit or Orthotopic Neobladder Urinary Diversion: 6-Month Results of a Multicenter Prospective Study. <i>Frontiers in Oncology</i> , 2022, 12, 855546. | 1.3 | 4 |
| 15 | Efficacy and Tolerability of 6-Month Treatment with Tamsulosin Plus the Hexanic Extract of <i>Serenoa repens</i> versus Tamsulosin Plus 5-Alpha-Reductase Inhibitors for Moderate-to-Severe LUTS-BPH Patients: Results of a Paired Matched Clinical Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 3615. | 1.0 | 3 |
| 16 | A Contemporary Case Series of Complex Surgical Repair of Surgical/Endoscopic Injuries to the Abdominal Ureter. <i>European Urology Focus</i> , 2021, 7, 1476-1484. | 1.6 | 8 |
| 17 | Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score â‰¥10) Renal Tumors: A Prospective Multicenter Observational Study (the Tj ETQq1 1 0.7&4314 rg'/Over | 1.6 | 2 |
| 18 | Re: Giorgio Ivan Russo, Carmen Scandura, Marina Di Mauro, et al. Clinical Efficacy of <i>Serenoa repens</i> Versus Placebo Versus Alpha-blockers for the Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Enlargement: A Systematic Review and Network Meta-analysis of Randomized Placebo-controlled Clinical Trials. <i>In press</i> . https://doi.org/10.1016/j.euf.2020.01.002 . <i>European Urology Focus</i> , 2021, 7, 894-896. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , 2021, 4, 645-650. | 2.6 | 13 |
| 20 | Relative position of bladder neck to pubic symphysis on cystogram is a strong and reproducible predictor of early urinary continence recovery following radical prostatectomy. <i>Urologia</i> , 2021, 88, 115-121. | 0.3 | 1 |
| 21 | Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 78.e17-78.e26. | 0.8 | 8 |
| 22 | Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORD 2 Project). <i>European Urology Focus</i> , 2021, 7, 390-396. | 1.6 | 63 |
| 23 | Computed tomography features predicting aggressiveness of malignant parenchymal renal tumors suitable for partial nephrectomy. <i>Minerva Urology and Nephrology</i> , 2021, 73, 17-31. | 1.3 | 12 |
| 24 | Robot-assisted Radical Prostatectomy Using the Novel Urethral Fixation Technique Versus Standard Vesicourethral Anastomosis. <i>European Urology</i> , 2021, 79, 530-536. | 0.9 | 9 |
| 25 | Role of D-Mannose in the Prevention of Recurrent Uncomplicated Cystitis: State of the Art and Future Perspectives. <i>Antibiotics</i> , 2021, 10, 373. | 1.5 | 18 |
| 26 | Delayed surgery for localised and metastatic renal cell carcinoma: a systematic review and meta-analysis for the COVID-19 pandemic. <i>World Journal of Urology</i> , 2021, 39, 4295-4303. | 1.2 | 9 |
| 27 | Digital rectal examination and prostate biopsy at the time of COVID-19 outbreak: are there risks of contamination for the urologist?. <i>Minerva Urology and Nephrology</i> , 2021, 73, 268-269. | 1.3 | 0 |
| 28 | Urology practice during the COVID-19 vaccination campaign. <i>Urologia</i> , 2021, 88, 039156032110163. | 0.3 | 0 |
| 29 | Re: Health Related Quality of Life of Patients with Bladder Cancer in the RAZOR Trial: A Multi-institutional Randomized Trial Comparing Robot Versus Open Radical Cystectomy. <i>European Urology</i> , 2021, 79, 700-701. | 0.9 | 1 |
| 30 | Editorial Comment. <i>Journal of Urology</i> , 2021, 205, 1640-1640. | 0.2 | 0 |
| 31 | Simplified PADUA renal classification (SPARE): a new kid on the (crowded) block of nephrometry scores. <i>BJU International</i> , 2021, 128, 527-528. | 1.3 | 0 |
| 32 | Re: Surgeon Heterogeneity Significantly Affects Functional and Oncological Outcomes After Radical Prostatectomy in the Swedish LAPPRO Trial. <i>European Urology</i> , 2021, 80, 384-385. | 0.9 | 0 |
| 33 | Efficacy and tolerability of the hexanic extract of <i>Serenoa repens</i> compared to tamsulosin in moderate-severe LUTS-BPH patients. <i>Scientific Reports</i> , 2021, 11, 19401. | 1.6 | 11 |
| 34 | Oncological and functional outcomes of testis sparing surgery in small testicular mass: a systematic review. <i>Minerva Urology and Nephrology</i> , 2021, 73, 431-441. | 1.3 | 3 |
| 35 | Reply to Nikolaos Grivas, Sanchia Goonewardene, Wouter Everaerts, Nikolaos Kalampokis's Letter to the Editor re: Andrea Mari, Riccardo Tellini, Francesco Porpiglia, et al. Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score ≥ 10) Renal Tumors: A Prospective Multicenter Observational Study (the RECORD2, Project). <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2020.07.004 . <i>European Urology Focus</i> , 2021, 7, 1212-1213. | 1.6 | 2 |
| 36 | Metastatic thyroid carcinoma mimicking as a primary neoplasia of the kidney: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 15, 268. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Multiparametric Magnetic Resonance Imaging-targeted Prostate Biopsy: A Plea for a Change in Terminology, and Beyond. <i>European Urology Oncology</i> , 2020, 3, 395-396. | 2.6 | 5 |
| 38 | Sexual function outcomes following interventions for prostate cancer: are contemporary reports on functional outcomes misleading?. <i>International Journal of Impotence Research</i> , 2020, 32, 495-502. | 1.0 | 8 |
| 39 | Predictive Value of Nephrometry Scores in Nephron-sparing Surgery: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2020, 6, 490-504. | 1.6 | 63 |
| 40 | Accuracy of abbreviated multiparametric MRI-derived protocols in predicting local staging of prostate cancer in men undergoing radical prostatectomy. <i>Acta Radiologica</i> , 2020, 62, 028418512094304. | 0.5 | 5 |
| 41 | Obesity and Prostate Cancer: The Tip of a High Mountain Still to Be Conquered. <i>Journal of Clinical Medicine</i> , 2020, 9, 2070. | 1.0 | 3 |
| 42 | Re: Stephen B. Williams, Marcus G.K. Cumberbatch, Ashish M. Kamat, et al. Reporting Radical Cystectomy Outcomes Following Implementation of Enhanced Recovery After Surgery Protocols: A Systematic Review and Individual Patient Data Meta-analysis. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2020.06.039 . <i>European Urology</i> , 2020, 78, e188-e189. | 0.9 | 1 |
| 43 | Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2) <i>TJ ETQq1 1 0.784314 rgBT /Ove</i> | 0.7 | 14 |
| 44 | Clinical Benefit of Tamsulosin and the Hexanic Extract of <i>Serenoa Repens</i> , in Combination or as Monotherapy, in Patients with Moderate/Severe LUTS-BPH: A Subset Analysis of the QUALIPROST Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2909. | 1.0 | 16 |
| 45 | Re: Riccardo Campi, Daniele Amparore, Umberto Capitanio, et al. Assessing the burden of nondeferrable major uro-oncologic surgery to guide prioritisation strategies during the COVID-19 pandemic: insights from three Italian high-volume referral centres. <i>Eur Urol</i> 2020;78:11â€“15. <i>European Urology</i> , 2020, 78, e16-e17. | 0.9 | 7 |
| 46 | Impact of the COVID-19 pandemic on urological practice in emergency departments in Italy. <i>BJU International</i> , 2020, 126, 245-247. | 1.3 | 36 |
| 47 | Forecasting the Future of Urology Practice: A Comprehensive Review of the Recommendations by International and European Associations on Priority Procedures During the COVID-19 Pandemic. <i>European Urology Focus</i> , 2020, 6, 1032-1048. | 1.6 | 67 |
| 48 | Risk of Virus Contamination Through Surgical Smoke During Minimally Invasive Surgery: A Systematic Review of the Literature on a Neglected Issue Revived in the COVID-19 Pandemic Era. <i>European Urology Focus</i> , 2020, 6, 1058-1069. | 1.6 | 28 |
| 49 | Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , 2020, 12, . | 5.8 | 46 |
| 50 | Telehealth in Urology: A Systematic Review of the Literature. How Much Can Telemedicine Be Useful During and After the COVID-19 Pandemic?. <i>European Urology</i> , 2020, 78, 786-811. | 0.9 | 150 |
| 51 | Inflammation is a target of medical treatment for lower urinary tract symptoms associated with benign prostatic hyperplasia. <i>World Journal of Urology</i> , 2020, 38, 2771-2779. | 1.2 | 36 |
| 52 | Slowdown of urology residentsâ€™ learning curve during the COVID-19 emergency. <i>BJU International</i> , 2020, 125, E15-E17. | 1.3 | 111 |
| 53 | Traditional and Virtual Congress Meetings During the COVID-19 Pandemic and the Post-COVID-19 Era: Is it Time to Change the Paradigm?. <i>European Urology</i> , 2020, 78, 301-303. | 0.9 | 100 |
| 54 | Risk of SARS-CoV-2 Diffusion when Performing Minimally Invasive Surgery During the COVID-19 Pandemic. <i>European Urology</i> , 2020, 78, e12-e13. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORD 2 project). <i>European Journal of Surgical Oncology</i> , 2020, 46, 1353-1359. | 0.5 | 16 |
| 56 | Urology practice during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 369-375. | 3.9 | 195 |
| 57 | Clinical pathways for urology patients during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 376-383. | 3.9 | 80 |
| 58 | Comparison of multiple abbreviated multiparametric MRI-derived protocols for the detection of clinically significant prostate cancer. <i>Minerva Urology and Nephrology</i> , 2020, , . | 1.3 | 6 |
| 59 | Absolok® versus Hem-o-Lok® clips for renorrhaphy during partial nephrectomy for parenchymal renal tumors. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 91-98. | 3.9 | 6 |
| 60 | Retrosigmoid Versus Traditional Ileal Conduit for Urinary Diversion After Radical Cystectomy. <i>European Urology</i> , 2019, 75, 294-299. | 0.9 | 15 |
| 61 | Three-dimensional virtual imaging of renal tumours: a new tool to improve the accuracy of nephrometry scores. <i>BJU International</i> , 2019, 124, 945-954. | 1.3 | 73 |
| 62 | Late Arteriovenous Fistula After Partial Nephrectomy in Solitary Kidney. <i>Journal of Endourology Case Reports</i> , 2019, 5, 81-83. | 0.3 | 1 |
| 63 | Medical treatment for benign prostatic hyperplasia: Where do we stand?. <i>Urologia</i> , 2019, 86, 115-121. | 0.3 | 4 |
| 64 | Head-to-head comparison between multiparametric MRI, the partin tables, memorial sloan kettering cancer center nomogram, and CAPRA score in predicting extraprostatic cancer in patients undergoing radical prostatectomy. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1604-1613. | 1.9 | 21 |
| 65 | The Simplified <i>PA</i> DUA <i>RE</i> nal (<i>SPARE</i>) nephrometry system: a novel classification of parenchymal renal tumours suitable for partial nephrectomy. <i>BJU International</i> , 2019, 124, 621-628. | 1.3 | 52 |
| 66 | Author reply. <i>Urology</i> , 2019, 123, 197. | 0.5 | 0 |
| 67 | The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORD1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 47-54. | 3.9 | 25 |
| 68 | Re: Alberto Martini, Giorgio Gandaglia, R. Jeffrey Karnes, et al. Defining the Most Informative Intermediate Clinical Endpoints for Predicting Overall Survival in Patients Treated with Radical Prostatectomy for High-risk Prostate Cancer. <i>Eur Urol Oncol</i> 2019;2:456-63. <i>European Urology Oncology</i> , 2019, 2, 472-473. | 2.6 | 0 |
| 69 | Individualised Indications for Cytoreductive Nephrectomy: Which Criteria Define the Optimal Candidates?. <i>European Urology Oncology</i> , 2019, 2, 365-378. | 2.6 | 47 |
| 70 | Enteroneovesical fistula after radical cystectomy and orthotopic ileal neobladder: A report of two cases requiring surgical management. <i>Urologia</i> , 2019, 86, 39-42. | 0.3 | 6 |
| 71 | Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the <i>RECORD 2</i>) <i>TJ ETQq1 1 0i784314 rg8T /Ove</i> | 1.3 | 73 |
| 72 | Ischemia Techniques in Nephron-sparing Surgery: A Systematic Review and Meta-Analysis of Surgical, Oncological, and Functional Outcomes. <i>European Urology</i> , 2019, 75, 477-491. | 0.9 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Tumour contact surface area as a predictor of postoperative complications and renal function in patients undergoing partial nephrectomy for renal tumours. <i>BJU International</i> , 2019, 123, 639-645. | 1.3 | 19 |
| 74 | A Prospective Accuracy Study of Prostate Imaging Reporting and Data System Version 2 on Multiparametric Magnetic Resonance Imaging in Detecting Clinically Significant Prostate Cancer With Whole-mount Pathology. <i>Urology</i> , 2019, 123, 191-197. | 0.5 | 10 |
| 75 | Integration of anatomical and radiological analysis suggests more segments in the human kidney. <i>Clinical Anatomy</i> , 2019, 32, 46-52. | 1.5 | 3 |
| 76 | Surgical Treatment of Eosinophilic Cystitis in Adults: A Report of Two Cases and a Literature Review. <i>Urologia Internationalis</i> , 2019, 102, 122-124. | 0.6 | 13 |
| 77 | The Potential Role of MicroRNAs as Biomarkers in Benign Prostatic Hyperplasia: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2019, 5, 497-507. | 1.6 | 13 |
| 78 | Is active surveillance an option for metachronous metastatic renal cell carcinoma?. <i>Annals of Translational Medicine</i> , 2019, 7, 84-84. | 0.7 | 3 |
| 79 | The use of nephrometry scoring systems can help urologists predict the risk of conversion to radical nephrectomy in patients scheduled for partial nephrectomy. <i>Annals of Translational Medicine</i> , 2019, 7, S213-S213. | 0.7 | 2 |
| 80 | Impact of enhanced recovery after surgery protocols versus standard of care on perioperative outcomes of radical cystectomy: a systematic review and meta-analysis of comparative studies. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 309-323. | 3.9 | 34 |
| 81 | Robot-assisted versus open partial nephrectomy: comparison of outcomes. A systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 113-120. | 3.9 | 55 |
| 82 | Techniques and outcomes of minimally-invasive surgery for nonmetastatic renal cell carcinoma with inferior vena cava thrombosis: a systematic review of the literature. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 339-358. | 3.9 | 37 |
| 83 | Will Image-guided Metastasis-directed Therapy Change the Treatment Paradigm of Oligorecurrent Prostate Cancer?. <i>European Urology</i> , 2018, 74, 131-133. | 0.9 | 14 |
| 84 | Enhanced Recovery After Surgery Pathway in Patients Undergoing Open Radical Cystectomy Is Safe and Accelerates Bowel Function Recovery. <i>Urology</i> , 2018, 115, 125-132. | 0.5 | 26 |
| 85 | Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORd 1 Project. <i>Journal of Urology</i> , 2018, 199, 927-932. | 0.2 | 37 |
| 86 | Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , 2018, 43, 2391-2399. | 1.0 | 23 |
| 87 | Re: Stenting Prior to Cystectomy Is an Independent Risk Factor for Upper Urinary Tract Recurrence. <i>European Urology</i> , 2018, 74, 395-396. | 0.9 | 1 |
| 88 | Efficacy and safety of a hexanic extract of <i>Serenoa repens</i> (Permixon®) for the treatment of lower urinary tract symptoms associated with benign prostatic hyperplasia (<sc>LUTS</sc>/<sc>BPH</sc>): systematic review and meta-analysis of randomised controlled trials and observational studies. <i>BJU International</i> , 2018, 122, 1049-1065. | 1.3 | 69 |
| 89 | Author Reply. <i>Urology</i> , 2018, 115, 132. | 0.5 | 0 |
| 90 | Anatomic and Radiologic Study of Renal Avascular Plane (BrÅrdel's Line) and Its Potential Relevance on Percutaneous and Surgical Approaches to the Kidney. <i>Journal of Endourology</i> , 2018, 32, 154-159. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Response to editorial comment "A retrosigmoid ileal conduit might prevent ureteroileal anastomotic stricture after ileal conduit diversion". <i>Translational Andrology and Urology</i> , 2018, 7, S768-S769. | 0.6 | 0 |
| 92 | Open radical cystectomy: lessons from the British Association of Urological Surgeons (BAUS) registry. <i>Translational Andrology and Urology</i> , 2018, 7, 745-748. | 0.6 | 3 |
| 93 | The Alphabet Soup of Modern Nephrometry Systems. <i>European Urology Oncology</i> , 2018, 1, 435-436. | 2.6 | 2 |
| 94 | Sliding-clip technique for renorrhaphy improves perioperative outcomes of open partial nephrectomy. <i>Scandinavian Journal of Urology</i> , 2018, 52, 401-406. | 0.6 | 3 |
| 95 | Should radical prostatectomy be encouraged at any age? A critical non-systematic review. <i>Minerva Urology and Nephrology</i> , 2018, 70, 42-52. | 1.3 | 8 |
| 96 | RECORD1 project: what have we learned?. <i>Minerva Urology and Nephrology</i> , 2018, 70, 1-3. | 1.3 | 1 |
| 97 | Re: Robot-assisted Radical Cystectomy Versus Open Radical Cystectomy in Patients with Bladder Cancer (RAZOR): An Open-label, Randomised, Phase 3, Non-inferiority Trial. <i>European Urology</i> , 2018, 74, 840-841. | 0.9 | 2 |
| 98 | Time of catheterization as an independent predictor of early urinary continence recovery after radical prostatectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018, 70, 401-407. | 3.9 | 12 |
| 99 | Positive Surgical Margins After Partial Nephrectomy: A Systematic Review and Meta-Analysis of Comparative Studies. <i>Kidney Cancer</i> , 2018, 2, 133-145. | 0.2 | 13 |
| 100 | Urethral fixation technique improves early urinary continence recovery in patients who undergo retropubic radical prostatectomy. <i>BJU International</i> , 2017, 119, 245-253. | 1.3 | 9 |
| 101 | Multiparametric Magnetic Resonance Imaging Targeted Biopsy for Early Detection of Prostate Cancer: All That Glitters Is Not Gold!. <i>European Urology</i> , 2017, 71, 904-906. | 0.9 | 18 |
| 102 | Renal cell carcinoma. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17009. | 18.1 | 1,727 |
| 103 | Robot-assisted vs open radical prostatectomy: the day after. <i>BJU International</i> , 2017, 120, 308-309. | 1.3 | 1 |
| 104 | Urologists of tomorrow " the case for educational intervention. <i>BJU International</i> , 2017, 119, 368-370. | 1.3 | 5 |
| 105 | <sc>PADUA</sc> and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robot-assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (<sc>GQI</sc>=<sc>RUS</sc>) database. <i>BJU International</i> , 2017, 119, 456-463. | 1.3 | 75 |
| 106 | Chyluria: The State of the Art. <i>Urologia</i> , 2017, 84, 65-70. | 0.3 | 7 |
| 107 | Complications and quality of life in elderly patients with several comorbidities undergoing cutaneous ureterostomy with single stoma or ileal conduit after radical cystectomy. <i>BJU International</i> , 2016, 118, 521-526. | 1.3 | 68 |
| 108 | Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016, 117, 867-873. | 1.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Renal Preservation and Partial Nephrectomy: Patient and Surgical Factors. <i>European Urology Focus</i> , 2016, 2, 589-600. | 1.6 | 71 |
| 110 | Case Discussion: A 63-year-old Man with Bilateral Adrenal Mass and Large Renal Cell Carcinoma—The Case for Surgery. <i>European Urology Focus</i> , 2016, 1, 294-296. | 1.6 | 1 |
| 111 | Introduction to small renal tumours and prognostic indicators. <i>International Journal of Surgery</i> , 2016, 36, 495-503. | 1.1 | 17 |
| 112 | Non-Parasitic Chyluria: Our Experience With Sclerotherapy With Solution of Povidone-Iodine and Destrose and A Review of the Literature. <i>Urology Case Reports</i> , 2016, 8, 28-30. | 0.1 | 10 |
| 113 | Robot-assisted partial nephrectomy. <i>International Journal of Surgery</i> , 2016, 36, 554-559. | 1.1 | 41 |
| 114 | Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOslng Treatment for Prostate canCER (CHOICE) Study. <i>Urology</i> , 2016, 96, 165-170. | 0.5 | 21 |
| 115 | Efficacy and Safety of Hexanic Lipidosterolic Extract of <i>Serenoa repens</i> (Permixon) in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>European Urology Focus</i> , 2016, 2, 553-561. | 1.6 | 61 |
| 116 | Re: Massimiliano Spaliviero, Bing Ying Poon, Christoph A. Karlo, et al. An Arterial Based Complexity (ABC) Scoring System to Assess the Morbidity Profile of Partial Nephrectomy. <i>Eur Urol</i> 2016;69:72–9. <i>European Urology</i> , 2016, 69, e53-e54. | 0.9 | 2 |
| 117 | ±1-Blockers Improve Benign Prostatic Obstruction in Men with Lower Urinary Tract Symptoms: A Systematic Review and Meta-analysis of Urodynamic Studies. <i>European Urology</i> , 2016, 69, 1091-1101. | 0.9 | 75 |
| 118 | Dismiss Systematic Transrectal Ultrasound-guided and Embrace Targeted Magnetic Resonance Imaging—Informed Prostate Biopsy: Is the Paradigm Ready to Shift?. <i>European Urology</i> , 2016, 69, 381-383. | 0.9 | 6 |
| 119 | Antegrade scrotal sclerotherapy of internal spermatic veins for varicocele treatment: technique, complications, and results. <i>Asian Journal of Andrology</i> , 2016, 18, 292. | 0.8 | 19 |
| 120 | Recourse to radical prostatectomy and associated short-term outcomes in Italy: a country-wide study over the last decade. <i>BJU International</i> , 2015, 116, 862-867. | 1.3 | 6 |
| 121 | Re: Andrea Minervini, Marco Carini, Robert G. Uzzo, Riccardo Campi, Marc C. Smaldone, Alexander Kutikov. Standardized Reporting of Resection Technique During Nephron-sparing Surgery: The Surface—Intermediate—Base Margin Score. <i>Eur Urol</i> 2014;66:803–5. <i>European Urology</i> , 2015, 67, e45-e47. | 0.9 | 3 |
| 122 | Renal Ischemia and Function After Partial Nephrectomy: A Collaborative Review of the Literature. <i>European Urology</i> , 2015, 68, 61-74. | 0.9 | 274 |
| 123 | Pilot Validation Study of the European Association of Urology Robotic Training Curriculum. <i>European Urology</i> , 2015, 68, 292-299. | 0.9 | 161 |
| 124 | Re: Robotic Intracorporeal Orthotopic Neobladder During Radical Cystectomy in 132 Patients. <i>European Urology</i> , 2015, 67, 1191-1192. | 0.9 | 1 |
| 125 | A Literature Review of Renal Surgical Anatomy and Surgical Strategies for Partial Nephrectomy. <i>European Urology</i> , 2015, 68, 980-992. | 0.9 | 206 |
| 126 | What is the optimal definition of misclassification in patients with very low-risk prostate cancer eligible for active surveillance? Results from a multi-institutional series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 164.e1-164.e9. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Margin, Ischemia, and Complications System to Report Perioperative Outcomes of Robotic Partial Nephrectomy: A European Multicenter Observational Study (EMOS Project). <i>Urology</i> , 2015, 85, 589-595. | 0.5 | 43 |
| 128 | What Evidence Do We Need to Support the Use of Extended Pelvic Lymph Node Dissection in Prostate Cancer?. <i>European Urology</i> , 2015, 67, 597-598. | 0.9 | 18 |
| 129 | A Prospective, Multicenter Evaluation of Predictive Factors for Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: The RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 165-170. | 0.9 | 37 |
| 130 | The Role of Inflammation in Lower Urinary Tract Symptoms (LUTS) due to Benign Prostatic Hyperplasia (BPH) and Its Potential Impact on Medical Therapy. <i>Current Urology Reports</i> , 2014, 15, 463. | 1.0 | 92 |
| 131 | Will Multi-Parametric Magnetic Resonance Imaging be the Future Tool to Detect Clinically Significant Prostate Cancer?. <i>Frontiers in Oncology</i> , 2014, 4, 294. | 1.3 | 14 |
| 132 | A multicentre matchedâ€pair analysis comparing robotâ€assisted versus open partial nephrectomy. <i>BJU International</i> , 2014, 113, 936-941. | 1.3 | 78 |
| 133 | Outcomes and limitations of laparoscopic and robotic partial nephrectomy. <i>Current Opinion in Urology</i> , 2014, 24, 441-447. | 0.9 | 29 |
| 134 | EAU Policy on Live Surgery Events. <i>European Urology</i> , 2014, 66, 87-97. | 0.9 | 50 |
| 135 | Indication for and Extension of Pelvic Lymph Node Dissection During Robot-assisted Radical Prostatectomy: An Analysis of Five European Institutions. <i>European Urology</i> , 2014, 66, 635-643. | 0.9 | 51 |
| 136 | Concordance and Clinical Significance of Uncommon Variants of Bladder Urothelial Carcinoma in Transurethral Resection and Radical Cystectomy Specimens. <i>Urology</i> , 2014, 84, 1141-1146. | 0.5 | 42 |
| 137 | Different Pyeloplasty Approaches, Similar Excellent Results. <i>European Urology</i> , 2014, 65, 453-454. | 0.9 | 6 |
| 138 | Characterizing late recurrence of renal cell carcinoma. <i>Nature Reviews Urology</i> , 2013, 10, 687-689. | 1.9 | 8 |
| 139 | The European Association of Urology Robotic Urology Section (ERUS) survey of robotâ€assisted radical prostatectomy (RARP). <i>BJU International</i> , 2013, 111, 596-603. | 1.3 | 36 |
| 140 | Is chronic prostatic inflammation a new target in the medical therapy of lower urinary tract symptoms (LUTS) due to benign prostate hyperplasia (BPH)?. <i>BJU International</i> , 2013, 112, 421-422. | 1.3 | 18 |
| 141 | The impact of the BJUI and what influences it today: does impact factor matter?. <i>BJU International</i> , 2013, 112, 873-874. | 1.3 | 1 |
| 142 | Urinary continence recovery after open and robotâ€assisted radical prostatectomy. <i>BJU International</i> , 2013, 112, 875-876. | 1.3 | 2 |
| 143 | Posterior Muscolofascial Reconstruction Incorporated into Urethrovesical Anastomosis During Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , 2012, 26, 1542-1545. | 1.1 | 23 |
| 144 | Systematic Review and Meta-analysis of Perioperative Outcomes and Complications After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 431-452. | 0.9 | 404 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Systematic Review and Meta-analysis of Studies Reporting Urinary Continence Recovery After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 405-417. | 0.9 | 961 |
| 146 | Systematic Review and Meta-analysis of Studies Reporting Potency Rates After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2012, 62, 418-430. | 0.9 | 620 |
| 147 | Re: Adverse Effects of Robotic-assisted Laparoscopic Versus Open Retropubic Radical Prostatectomy Among a Nationwide Random Sample of Medicare-age Men. <i>European Urology</i> , 2012, 62, 933-935. | 0.9 | 2 |
| 148 | Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, 281-281. | 0.8 | 0 |
| 149 | Prognostic Factors and Predictive Models in Renal Cell Carcinoma: A Contemporary Review. <i>European Urology</i> , 2011, 60, 644-661. | 0.9 | 272 |
| 150 | Author reply: Neoadjuvant targeted therapy in renal cell carcinoma. <i>Nature Reviews Urology</i> , 2010, 7, 1-1. | 1.9 | 0 |
| 151 | Functional Results Following Vescica Ileale Padovana (VIP) Neobladder: Midterm Follow-up Analysis with Validated Questionnaires. <i>European Urology</i> , 2010, 57, 1045-1051. | 0.9 | 51 |
| 152 | Impact of the Learning Curve on Perioperative Outcomes in Patients Who Underwent Robotic Partial Nephrectomy for Parenchymal Renal Tumours. <i>European Urology</i> , 2010, 58, 127-133. | 0.9 | 221 |
| 153 | Validation of the 2009 TNM Version in a Large Multi-Institutional Cohort of Patients Treated for Renal Cell Carcinoma: Are Further Improvements Needed?. <i>European Urology</i> , 2010, 58, 588-595. | 0.9 | 205 |
| 154 | Prognostic and Therapeutic Impact of the Histopathologic Definition of Parenchymal Epithelial Renal Tumors. <i>European Urology</i> , 2010, 58, 655-668. | 0.9 | 84 |
| 155 | Prognostic Factors in Penile Cancer. <i>Urology</i> , 2010, 76, S66-S73. | 0.5 | 138 |
| 156 | Retropubic, Laparoscopic, and Robot-Assisted Radical Prostatectomy: A Systematic Review and Cumulative Analysis of Comparative Studies. <i>European Urology</i> , 2009, 55, 1037-1063. | 0.9 | 866 |
| 157 | Preoperative Aspects and Dimensions Used for an Anatomical (PADUA) Classification of Renal Tumours in Patients who are Candidates for Nephron-Sparing Surgery. <i>European Urology</i> , 2009, 56, 786-793. | 0.9 | 818 |
| 158 | How accurate are present risk group assignment tools in penile cancer?. <i>World Journal of Urology</i> , 2009, 27, 155-160. | 1.2 | 22 |
| 159 | The "Stage, Size, Grade and Necrosis"™ score is more accurate than the University of California Los Angeles Integrated Staging System for predicting cancer-specific survival in patients with clear cell renal cell carcinoma. <i>BJU International</i> , 2009, 103, 165-170. | 1.3 | 73 |
| 160 | A prospective, non-randomized trial comparing robot-assisted laparoscopic and retropubic radical prostatectomy in one European institution. <i>BJU International</i> , 2009, 104, 534-539. | 1.3 | 191 |
| 161 | Partial Versus Radical Nephrectomy in Patients With Adverse Clinical or Pathologic Characteristics. <i>Urology</i> , 2009, 73, 1300-1305. | 0.5 | 87 |
| 162 | Complications and Mortality After Radical Cystectomy for Bladder Transitional Cell Cancer. <i>Journal of Urology</i> , 2009, 182, 914-921. | 0.2 | 206 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Risk stratification and prognostication of renal cell carcinoma. World Journal of Urology, 2008, 26, 115-125. | 1.2 | 43 |
| 164 | TNM staging system for renal-cell carcinoma: current status and future perspectives. Lancet Oncology, The, 2007, 8, 554-558. | 5.1 | 85 |
| 165 | Tumor Size Improves the Accuracy of TNM Predictions in Patients with Renal Cancer. European Urology, 2006, 50, 521-529. | 0.9 | 60 |
| 166 | Neoplasm Staging and Organ-Confined Renal Cell Carcinoma: A Systematic Review. European Urology, 2004, 46, 559-564. | 0.9 | 31 |