

Sergio Rosselli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3568039/publications.pdf>

Version: 2024-02-01

127
papers

2,802
citations

218381

26
h-index

253896

43
g-index

133
all docs

133
docs citations

133
times ranked

3470
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial and Antioxidant Activities of Coumarins from the Roots of <i>Ferulago campestris</i> (Apiaceae). <i>Molecules</i> , 2009, 14, 939-952.	1.7	191
2	Chemical composition and anticancer activity of essential oils of Mediterranean sage (<i>Salvia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 42-47.	1.8	172
3	Natural and hemisynthetic neoclerodane diterpenoids from <i>Scutellaria</i> and their antifeedant activity Electronic supplementary information (ESI) available: natural neoclerodanes from <i>Scutellaria</i> . See http://www.rsc.org/suppdata/np/b1/b111150g/ . <i>Natural Product Reports</i> , 2002, 19, 357-378.	5.2	85
4	Antibacterial activity of flavonoids and phenylpropanoids from <i>Marrubium globosum</i> ssp. <i>libanoticum</i> . <i>Phytotherapy Research</i> , 2007, 21, 395-397.	2.8	80
5	Antibacterial and Anticoagulant Activities of Coumarins Isolated from the Flowers of <i>Magyaris tomentosa</i> . <i>Planta Medica</i> , 2007, 73, 116-120.	0.7	79
6	A novel approach to prevent graphene oxide re-aggregation during the melt compounding with polymers. <i>Composites Science and Technology</i> , 2015, 119, 131-137.	3.8	79
7	Sesquiterpenoids in subtribe Centaureinae (Cass.) Dumort (tribe Cardueae, Asteraceae): Distribution, ¹³ C NMR spectral data and biological properties. <i>Phytochemistry</i> , 2013, 95, 19-93.	1.4	64
8	Essential oils composition of two Sicilian cultivars of <i>Opuntia ficus-indica</i> (L.) Mill. (Cactaceae) fruits (prickly pear). <i>Natural Product Research</i> , 2013, 27, 1305-1314.	1.0	61
9	Chemical Composition and Antimicrobial Activity of the Essential Oils from Two Species of <i>Thymus</i> Growing Wild in Southern Italy. <i>Molecules</i> , 2009, 14, 4614-4624.	1.7	58
10	Advances on the Chemistry of Furanoditerpenoids from <i>Teucrium</i> Genus. <i>Heterocycles</i> , 2005, 65, 1221.	0.4	47
11	Cytotoxic Effect of Eudesmanolides Isolated from Flowers of <i>Tanacetum vulgare</i> ssp. <i>siculum</i> . <i>Molecules</i> , 2012, 17, 8186-8195.	1.7	46
12	Cytotoxic Activity of Some Natural and Synthetic Guaianolides. <i>Journal of Natural Products</i> , 2005, 68, 1042-1046.	1.5	44
13	Effects of solvent-free microwave extraction on the chemical composition of essential oil of <i>Calamintha nepeta</i> (L.) Savi compared with the conventional production method. <i>Journal of Separation Science</i> , 2008, 31, 1110-1117.	1.3	43
14	Flavonoids in Subtribe Centaureinae (Cass.) Dumort. (Tribe Cardueae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2096-2158.	1.0	43
15	The cytotoxic properties of natural coumarins isolated from roots of <i>Ferulago campestris</i> (Apiaceae) and of synthetic ester derivatives of aegelinol. <i>Natural Product Communications</i> , 2009, 4, 1701-6.	0.2	40
16	Anti-HIV Agents Derived from the ent-Kaurane Diterpenoid Linearol. <i>Journal of Natural Products</i> , 2002, 65, 1594-1597.	1.5	36
17	Further Furoclerodanes from <i>Teucrium</i> Genus. <i>Heterocycles</i> , 1998, 48, 2185.	0.4	35
18	Volatile constituents of aerial parts of three endemic <i>Centaurea</i> species from Turkey: <i>Centaurea amanicola</i> Hub.-Mor., <i>Centaurea consanguinea</i> DC. and <i>Centaurea ptosimopappa</i> Hayek and their antibacterial activities. <i>Natural Product Research</i> , 2008, 22, 833-839.	1.0	33

#	ARTICLE	IF	CITATIONS
19	Antispasmodic Effects and Structure-Activity Relationships of Labdane Diterpenoids from <i>Marrubium globosum</i> ssp. <i>libanoticum</i> . <i>Journal of Natural Products</i> , 2009, 72, 1477-1481.	1.5	31
20	Chemical Composition of Essential Oil from Italian Populations of <i>Artemisia alba</i> Turra (Asteraceae). <i>Molecules</i> , 2012, 17, 10232-10241.	1.7	31
21	The Essential Oil of <i>Thymbra capitata</i> and its Application as A Biocide on Stone and Derived Surfaces. <i>Plants</i> , 2019, 8, 300.	1.6	31
22	Neoclerodane diterpenoids from <i>Teucrium polium</i> subsp. <i>polium</i> and their antifeedant activity. <i>Biochemical Systematics and Ecology</i> , 2003, 31, 1051-1056.	0.6	30
23	Essential Oil Composition of Stems and Fruits of <i>Caralluma europaea</i> N.E.Br. (Apocynaceae). <i>Molecules</i> , 2010, 15, 627-638.	1.7	30
24	Phytochemical analysis of <i>Achillea ligustica</i> All. from Lipari Island (Aeolian Islands). <i>Natural Product Research</i> , 2016, 30, 912-919.	1.0	29
25	<i>Anthemis wiedemanniana</i> essential oil prevents LPS-induced production of NO in RAW 264.7 macrophages and exerts antiproliferative and antibacterial activities in vitro. <i>Natural Product Research</i> , 2012, 26, 1594-1601.	1.0	28
26	Essential Oils and Pure Volatile Compounds as Potential Drugs in Alzheimer's Disease Therapy: An Updated Review of the Literature. <i>Current Pharmaceutical Design</i> , 2016, 22, 4011-4027.	0.9	28
27	Cytotoxic Activity of Some Natural and Synthetic Sesquiterpene Lactones. <i>Planta Medica</i> , 2005, 71, 1176-1178.	0.7	27
28	Semisynthetic derivatives of ent-kauranes and their antifeedant activity. <i>Phytochemistry</i> , 2001, 58, 463-474.	1.4	26
29	Headspace Volatile Composition of the Flowers of <i>Caralluma europaea</i> N.E.Br. (Apocynaceae). <i>Molecules</i> , 2009, 14, 4597-4613.	1.7	26
30	Chemical composition, in vitro antitumor and pro-oxidant activities of <i>Glandora rosmarinifolia</i> (Boraginaceae) essential oil. <i>PLoS ONE</i> , 2018, 13, e0196947.	1.1	26
31	Guaianolides and lignans from the aerial parts of <i>Centaurea ptosimopappa</i> . <i>Biochemical Systematics and Ecology</i> , 2006, 34, 349-352.	0.6	25
32	Cytotoxic Activity and Composition of Petroleum Ether Extract from <i>Magydaris tomentosa</i> (Desf.) W. D. J. Koch (Apiaceae). <i>Molecules</i> , 2015, 20, 1571-1578.	1.7	25
33	Cytotoxicity of oleanolic and ursolic acid derivatives toward hepatocellular carcinoma and evaluation of NF- κ B involvement. <i>Bioorganic Chemistry</i> , 2019, 90, 103054.	2.0	25
34	Solid state ^{13}C -NMR methodology for the cellulose composition studies of the shells of <i>Prunus dulcis</i> and their derived cellulosic materials. <i>Carbohydrate Polymers</i> , 2020, 240, 116290.	5.1	25
35	The Essential Oil Compositions of Three <i>Teucrium</i> Taxa Growing Wild in Sicily: HCA and PCA Analyses. <i>Molecules</i> , 2021, 26, 643.	1.7	25
36	Two New Flavonoids from <i>Bonannia graeca</i> : a DFT-NMR Combined Approach in Solving Structures. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 2504-2510.	1.2	24

#	ARTICLE	IF	CITATIONS
37	Essential oils from the aerial parts of <i>Centaurea cuneifolia</i> Sibth. & Sm. and <i>C. euxina</i> Velen., two species growing wild in Bulgaria. <i>Biochemical Systematics and Ecology</i> , 2009, 37, 426-431.	0.6	24
38	The Metabolites of the Genus <i>Onopordum</i> (Asteraceae): Chemistry and Biological Properties. <i>Current Organic Chemistry</i> , 2011, 15, 888-927.	0.9	24
39	Secondary Metabolites from <i>Pinus mugo</i> subsp. <i>mugo</i> Growing in the Majella National Park (Central Apennines, Italy). <i>Chemistry and Biodiversity</i> , 2013, 10, 2091-2100.	1.0	24
40	Bioactive Constituents of <i>Juniperus turbinata</i> Guss. from La Maddalena Archipelago. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800148.	1.0	24
41	<i>Ferulago nodosa</i> Subsp. <i>geniculata</i> (Guss.) Troia & Raimondo from Sicily (Italy): Isolation of Essential Oil and Evaluation of Its Bioactivity. <i>Molecules</i> , 2020, 25, 3249.	1.7	24
42	Labdane Diterpenoids from <i>Marrubium globosum</i> ssp. <i>libanoticum</i> . <i>Journal of Natural Products</i> , 2006, 69, 836-838.	1.5	23
43	The Cytotoxic Properties of Natural Coumarins Isolated from Roots of <i>Ferulago campestris</i> (Apiaceae) and of Synthetic Ester Derivatives of Aegelinol. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401.	0.2	23
44	Hastifolins A-G, antifeedant neo-clerodane diterpenoids from <i>Scutellaria hastifolia</i> . <i>Phytochemistry</i> , 2010, 71, 2087-2091.	1.4	23
45	<i>Ceiba speciosa</i> (A. St.-Hil.) Seeds Oil: Fatty Acids Profiling by GC-MS and NMR and Bioactivity. <i>Molecules</i> , 2020, 25, 1037.	1.7	23
46	Guaianolides from <i>Centaurea babylonica</i> . <i>Biochemical Systematics and Ecology</i> , 2005, 33, 817-825.	0.6	22
47	Antibacterial Evaluation of Cnicin and Some Natural and Semisynthetic Analogues. <i>Planta Medica</i> , 2003, 69, 277-281.	0.7	21
48	The Diterpenoids from the Genus <i>Sideritis</i> . <i>Studies in Natural Products Chemistry</i> , 2006, , 493-540.	0.8	20
49	Essential oil compositions of <i>Teucrium fruticans</i> , <i>T. scordium</i> subsp. <i>scordioides</i> and <i>T. siculum</i> growing in Sicily and Malta. <i>Natural Product Research</i> , 2021, 35, 3460-3469.	1.0	20
50	Neoclerodane Diterpenoids from <i>Teucrium maghrebinum</i> . <i>Journal of Natural Products</i> , 2000, 63, 1029-1031.	1.5	19
51	Neoclerodane Diterpenoids from <i>Teucrium montbretii</i> subsp. <i>libanoticum</i> and Their Absolute Configuration. <i>Journal of Natural Products</i> , 2002, 65, 142-146.	1.5	19
52	A Review of the Phytochemistry, Traditional Uses and Biological Activities of the Essential Oils of Genus <i>Teucrium</i> . <i>Planta Medica</i> , 2021, 87, 432-479.	0.7	19
53	Sesquiterpene lactones and other constituents of <i>Centaurea paniculata</i> ssp. <i>castellana</i> . <i>Biochemical Systematics and Ecology</i> , 2002, 30, 379-381.	0.6	18
54	Rearrangement of Germacranolides. Synthesis and Absolute Configuration of Elemene and Heliangolane Derivatives from Cnicin. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 2690-2694.	1.2	18

#	ARTICLE	IF	CITATIONS
55	Sesquiterpene lactones from <i>Anthemis wiedemanniana</i> . <i>Biochemical Systematics and Ecology</i> , 2005, 33, 952-956.	0.6	18
56	Chemical composition and antimicrobial activity of the essential oil from aerial parts of <i>Micromeria fruticulosa</i> (Bertol.) Grande (Lamiaceae) growing wild in Southern Italy. <i>Flavour and Fragrance Journal</i> , 2007, 22, 289-292.	1.2	18
57	Volatile constituents of the aerial parts of white salsify (<i>Tragopogon porrifolius</i> L., Asteraceae). <i>Natural Product Research</i> , 2010, 24, 663-668.	1.0	18
58	A study on the essential oil of <i>Ferulago campestris</i> : How much does extraction method influence the oil composition?. <i>Journal of Separation Science</i> , 2011, 34, 483-492.	1.3	18
59	Artalbic acid, a sesquiterpene with an unusual skeleton from <i>Artemisia alba</i> (Asteraceae) from Sicily. <i>Tetrahedron Letters</i> , 2011, 52, 4543-4545.	0.7	18
60	Phytochemical Profile and Apoptotic Activity of <i>Onopordum cynarocephalum</i> . <i>Planta Medica</i> , 2012, 78, 1651-1660.	0.7	18
61	Essential Oil Composition of <i>Alluaudia procera</i> and in Vitro Biological Activity on Two Drug-Resistant Models. <i>Molecules</i> , 2019, 24, 2871.	1.7	18
62	The ethnobotany, phytochemistry and biological properties of genus <i>Ferulago</i> – A review. <i>Journal of Ethnopharmacology</i> , 2021, 274, 114050.	2.0	18
63	Antifeedant activity of neo-clerodane diterpenoids from <i>Teucrium fruticans</i> and derivatives of fruticolone. <i>Phytochemistry</i> , 1999, 52, 1055-1058.	1.4	17
64	Neoclerodanes from <i>Teucrium orientale</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1497-1500.	0.6	17
65	Cytotoxic Activity of Some Natural and Synthetic Kauranes. <i>Journal of Natural Products</i> , 2007, 70, 347-352.	1.5	17
66	Volatile constituents of aerial parts of <i>Centaurea sibthorpii</i> (Sect. <i>Carduiformes</i> , Asteraceae) from Greece and their biological activity. <i>Natural Product Research</i> , 2008, 22, 840-845.	1.0	16
67	Sesquiterpene lactones and other constituents of three <i>Cardueae</i> from Cyprus. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 433-435.	0.6	15
68	Extremely Potent Antifeedant neo-Clerodane Derivatives of Scuteceprol A. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 7867-7871.	2.4	15
69	Enzyme-Catalysed Transformations of neo-Kaurane Diterpenoids. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 2106-2115.	1.2	15
70	Composition and allelopathic effect of essential oils of two thistles: <i>Cirsium creticum</i> (Lam.) D.'Urv. ssp. <i>triumfetti</i> (Lacaita) Werner and <i>Carduus nutans</i> L.. <i>Journal of Plant Interactions</i> , 2007, 2, 115-120.	1.0	15
71	Constituents of Leaves and Flowers Essential Oils of <i>Helichrysum pallasii</i> (Spreng.) Ledeb. Growing Wild in Lebanon. <i>Journal of Medicinal Food</i> , 2009, 12, 203-207.	0.8	14
72	Cytotoxic geranylflavonoids from <i>Bonannia graeca</i> . <i>Phytochemistry</i> , 2011, 72, 942-945.	1.4	14

#	ARTICLE	IF	CITATIONS
73	Hand-made paper obtained by green procedure of cladode waste of <i>Opuntia ficus indica</i> (L.) Mill. from Sicily. <i>Natural Product Research</i> , 2021, 35, 359-368.	1.0	14
74	Furostanol saponins and ecdysones with cytotoxic activity from <i>Helleborus bocconeii</i> ssp. <i>intermedius</i> . <i>Phytotherapy Research</i> , 2009, 23, 1243-1249.	2.8	13
75	Essential oils of three species of <i>Scutellaria</i> and their influence on <i>Spodoptera littoralis</i> . <i>Biochemical Systematics and Ecology</i> , 2013, 48, 206-210.	0.6	13
76	Cytotoxic Activity of Diterpenoids Isolated from the Aerial Parts of <i>Elaeoselinum asclepium</i> subsp. <i>meoides</i> . <i>Planta Medica</i> , 2008, 74, 1285-1287.	0.7	12
77	Lipase-catalysed preparation of acyl derivatives of the germacranolide cnicin. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009, 57, 40-47.	1.8	12
78	Phytochemical profile and insecticidal activity of <i>Drimys panchratium</i> (Asparagaceae) against adults of <i>Stegobium paniceum</i> (Anobiidae). <i>Natural Product Research</i> , 2021, 35, 4468-4478.	1.0	12
79	Assigning the C-15 configuration of 15-hydroxy-, 15-methoxy-, 15-ethoxy-hexahydrofurofuran neoclerodane diterpenoids. <i>Tetrahedron</i> , 2004, 60, 8791-8800.	1.0	11
80	The Diterpenoids of the Genus <i>Marrubium</i> (Lamiaceae). <i>Natural Product Communications</i> , 2006, 1, 1934578X0600100.	0.2	11
81	Antibacterial and antifungal activities of acetonic extract from <i>Paullinia cupana</i> Mart. seeds. <i>Natural Product Research</i> , 2013, 27, 2084-2090.	1.0	11
82	Chemical composition of volatile and fixed oils from <i>Salvia argentea</i> L. (Lamiaceae) growing wild in Sicily. <i>Natural Product Research</i> , 2016, 30, 25-34.	1.0	11
83	Chemical composition of essential oils of <i>Anthemis secundiramea</i> Biv. subsp. <i>secundiramea</i> (Asteraceae) collected wild in Sicily and their activity on micro-organisms affecting historical art craft. <i>Natural Product Research</i> , 2019, 33, 970-979.	1.0	11
84	Analysis of essential oil from <i>Teucrium maghrebinum</i> Greuter et Burdet growing wild in Algeria. <i>Natural Product Communications</i> , 2009, 4, 411-4.	0.2	11
85	The first example of natural cyclic carbonate in terpenoids. <i>Tetrahedron Letters</i> , 2006, 47, 7047-7050.	0.7	10
86	Chemical Composition of the Essential Oils of <i>Centaurea Sicana</i> and <i>C. Giardiniae</i> Growing Wild in Sicily. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	10
87	Monoterpene derivatives from the flowers of <i>Ferulago campestris</i> , (Apiaceae). <i>Natural Product Research</i> , 2013, 27, 1827-1831.	1.0	10
88	Chemical composition of the essential oil from <i>Thapsia garganica</i> L. (Apiaceae) grown wild in Sicily and its antimicrobial activity. <i>Natural Product Research</i> , 2016, 30, 1042-1052.	1.0	10
89	A Review of the Phytochemistry, Traditional Uses, and Biological Activities of the Genus <i>Ballota</i> and <i>Otostegia</i> . <i>Planta Medica</i> , 2019, 85, 869-910.	0.7	10
90	Composition of essential oil of lemon thyme (<i>Thymus citriodorus</i>) at different hydrodistillation times. <i>Natural Product Research</i> , 2019, 33, 80-88.	1.0	10

#	ARTICLE	IF	CITATIONS
91	Acid-Induced Rearrangement of Epoxygermacranolides: Synthesis and Absolute Configuration of Guaiane and Eudesmane Derivatives from Artemisiifolin. <i>European Journal of Organic Chemistry</i> , 2010, 3093-3101.	1.2	9
92	Essential oil composition of the fruits of <i>Periploca laevigata</i> Aiton subsp. <i>angustifolia</i> (Labill.) Markgraf (Apocynaceae " Periplocoideae). <i>Natural Product Research</i> , 2011, 25, 1339-1346.	1.0	9
93	In Vitro Modulation of P-Glycoprotein Activity by Euphorbia intisy Essential Oil on Acute Myeloid Leukemia Cell Line HL-60R. <i>Pharmaceuticals</i> , 2021, 14, 111.	1.7	9
94	Minor Diterpenoids from <i>Scutellariapolyodon</i> . <i>Journal of Natural Products</i> , 2000, 63, 1032-1034.	1.5	8
95	Conformational analysis and DFT calculations of 8±-hydroxy-germacradiene-6,12-olide derivatives. <i>Journal of Physical Organic Chemistry</i> , 2005, 18, 1116-1122.	0.9	8
96	Analysis of Essential Oil from <i>Teucrium maghrebinum</i> Greuter et Burdet Growing Wild in Algeria. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	8
97	The Diterpenoids from the Genus <i>Hyptis</i> (Lamiaceae). <i>Heterocycles</i> , 2009, 78, 1413.	0.4	8
98	Volatile components of aerial parts of <i>Centaurea nigrescens</i> and <i>C. stenolepis</i> growing wild in the Balkans. <i>Natural Product Communications</i> , 2010, 5, 273-8.	0.2	8
99	Photoinduced functionalization of the C-20 methyl group of the nor-diterpene atractyligenin. <i>Tetrahedron Letters</i> , 2001, 42, 8289-8291.	0.7	7
100	Powerful tumor cell growth-inhibiting activity of a synthetic derivative of atractyligenin: Involvement of PI3K/Akt pathway and thioredoxin system. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1135-1144.	1.1	7
101	Flavonoids from <i>Teucrium fruticans</i> L.. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 70, 199-201.	0.8	7
102	Scuteparvin, a new neoclerodane diterpenoid from <i>Scutellaria parvula</i> . <i>Biochemical Systematics and Ecology</i> , 2004, 32, 755-759.	0.6	6
103	Guaianolides from the Aerial Parts of <i>Centaurea Hololeuca</i> . <i>Natural Product Communications</i> , 2006, 1, 1934578X0600100.	0.2	6
104	Essential oil composition and antifeedant properties of <i>Bellardia trixago</i> (L.) All. (sin. <i>Bartsia trixago</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.6	6
105	The Diterpenoids of the Genus <i>Elaeoselinum</i> (Apiaceae) and their Biological Properties. <i>Current Organic Chemistry</i> , 2008, 12, 464-475.	0.9	6
106	Effects of air pollution on production of essential oil in <i>Feijoa Sellowiana</i> Berg. grown in the 'Italian Triangle of Death'. <i>International Journal of Environment and Health</i> , 2010, 4, 250.	0.3	6
107	Chemodiversity of the Essential Oil from Leaves of <i>Abies nebrodensis</i> (<sc>Lojac</sc>.) <sc>Mattei</sc>. <i>Chemistry and Biodiversity</i> , 2017, 14, e1600254.	1.0	6
108	Essential oil composition of <i>Tanacetum vulgare</i> subsp. <i>siculum</i> (Guss.) Raimondo et Spadaro (Asteraceae) from Sicily. <i>Natural Product Communications</i> , 2009, 4, 567-70.	0.2	6

#	ARTICLE	IF	CITATIONS
109	Photoinduced functionalization of diterpenes: transformation of the C-20 methyl of atractyligenin into a carbomethoxymethyl or carbamoylmethyl group. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2003, 155, 145-149.	2.0	5
110	Essential Oil Composition of <i>Tanacetum vulgare</i> Subsp. <i>Siculum</i> (Guss.) Raimondo et Spadaro (Asteraceae) from Sicily. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	5
111	Chemical Composition and Antimicrobial Activity of the Essential Oil from Flowers of <i>Eryngium triquetrum</i> (Apiaceae) Collected Wild in Sicily. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.2	5
112	Phytochemical investigation of the needles of <i>Abies nebrodensis</i> (Lojac.) Mattei. <i>Natural Product Research</i> , 2020, 34, 2131-2136.	1.0	5
113	GC and GC-MS Analysis of Volatile Compounds From <i>Ballota nigra</i> subsp. <i>uncinata</i> Collected in Aeolian Islands, Sicily (Southern Italy). <i>Natural Product Communications</i> , 2020, 15, 1934578X2092048.	0.2	5
114	Acid rearrangement of epoxy-germacranolides and absolute configuration of 1 β ,10 α -epoxy-salonitenolide. <i>Natural Product Communications</i> , 2010, 5, 675-80.	0.2	5
115	Hydrogenation Derivatives of Neo-clerodanes and Their Antifeedant Activity. <i>Heterocycles</i> , 2000, 53, 599.	0.4	4
116	Photoinduced functionalization of diterpenes: photochemical behaviour of grandiflorolic acid in methanol and acetonitrile. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 162, 381-386.	2.0	3
117	Volatile Components of Aerial Parts of <i>Centaurea nigrescens</i> and <i>C. stenolepis</i> Growing Wild in the Balkans. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	3
118	Photochemical reactivity of 6 \pm -hydroxy-7-keto neoclerodane diterpenoids. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006, 180, 54-58.	2.0	2
119	Volatile Components of <i>Centaurea Bracteata</i> and <i>C. Pannonica</i> subsp. <i>Pannonica</i> growing wild in Croatia. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000501.	0.2	2
120	Sesquiterpenes from <i>Onopordum illyricum</i> and their Antifeedant Activity. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	2
121	Antibacterial and antifungal activities of <i>Otanthus maritimus</i> (L.) Hoffmanns. & Link essential oil from Sicily. <i>Natural Product Research</i> , 2013, 27, 1548-1555.	1.0	2
122	Metabolites from the Aerial Parts of the Sicilian Population of <i>Artemisia alba</i> . <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.2	2
123	Functional investigation and applications of the acetyltransferase activity of the <i>Citrus sinensis</i> (L.) Osbeck peel. <i>Natural Product Research</i> , 2020, 35, 1-6.	1.0	2
124	Volatile components from aerial parts of <i>Centaurea gracilentia</i> and <i>C. ovina</i> ssp. <i>besserana</i> growing wild in Bulgaria. <i>Natural Product Communications</i> , 2011, 6, 1339-42.	0.2	2
125	Acid Rearrangement of Epoxy-germacranolides and Absolute Configuration of 1 β ,10 α -Epoxy-salonitenolide. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	1
126	Advances on the Chemistry of Furano-Diterpenoids from <i>Teucrium</i> genus. <i>ChemInform</i> , 2005, 36, no.	0.1	0

#	ARTICLE	IF	CITATIONS
127	Volatile Components from Aerial parts of <i>Centaurea gracilentata</i> and <i>C. ovina</i> ssp. <i>besserana</i> Growing Wild in Bulgaria. Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	0