

# Caterina Viglianisi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3569313/publications.pdf>

Version: 2024-02-01

61  
papers

1,060  
citations

394421

19  
h-index

454955

30  
g-index

68  
all docs

68  
docs citations

68  
times ranked

1167  
citing authors

#	ARTICLE	IF	CITATIONS
1	Resolution of a Configurationally Stable Hetero[4]helicene. <i>Molecules</i> , 2022, 27, 1160.	3.8	3
2	Thia-Bridged Triarylamine[4]helicene-Functionalized Polynorbornenes as Redox-Active pH-Sensitive Polymers. <i>Synthesis</i> , 2021, 53, 2602-2611.	2.3	2
3	SET and HAT/PCET acid-mediated oxidation processes in helical shaped fused bisphenothiazines. <i>ChemPhysChem</i> , 2021, 22, 1446-1454.	2.1	5
4	Stabilization of an Enantiopure Submonolayer of Helicene Radical Cations on a Au(111) Surface through Noncovalent Interactions. <i>Angewandte Chemie</i> , 2021, 133, 15404-15408.	2.0	1
5	Stabilization of an Enantiopure Submonolayer of Helicene Radical Cations on a Au(111) Surface through Noncovalent Interactions. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15276-15280.	13.8	11
6	Protective Role of Natural and Semi-Synthetic Tocopherols on TNF $\alpha$ -Induced ROS Production and ICAM-1 and Cl-2 Expression in HT29 Intestinal Epithelial Cells. <i>Antioxidants</i> , 2021, 10, 160.	5.1	4
7	From simple phenols to potent chain-breaking antioxidants by transposition of benzo[1,4]oxathiines to benzo[b]thiophenes. <i>Arkivoc</i> , 2020, 2019, 65-85.	0.5	4
8	Chain Breaking Antioxidant Activity of Heavy (S, Se, Te) Chalcogens Substituted Polyphenols. <i>Antioxidants</i> , 2019, 8, 487.	5.1	14
9	Selenosilane-Promoted Selective Mild Transformation of N-Thiophthalimides into Symmetric Disulfides. <i>Synthesis</i> , 2019, 51, 1819-1824.	2.3	7
10	Ditocopheryl Sulfides and Disulfides: Synthesis and Antioxidant Profile. <i>Chemistry - A European Journal</i> , 2019, 25, 9108-9116.	3.3	9
11	Towards New Catalytic Antioxidants: A Simple and Mild Synthesis of Selenenylsulfides. <i>Catalysts</i> , 2019, 9, 333.	3.5	8
12	Magnetic nanoantioxidants with improved radical-trapping stoichiometry as stabilizers for inhibition of peroxide formation in ethereal solvents. <i>Scientific Reports</i> , 2019, 9, 17219.	3.3	8
13	Synthesis of Heterohelicenes by a Catalytic Multi-Component Povarov Reaction. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 164-167.	2.4	13
14	Thia-Bridged Triarylamine Hetero[4]Helicenes: Regioselective Synthesis and Functionalization. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 168-175.	2.4	8
15	From catechol-tocopherol to catechol-hydroquinone polyphenolic antioxidant hybrids. <i>Heteroatom Chemistry</i> , 2018, , e21466.	0.7	6
16	Proton-Coupled Electron Transfer from Hydrogen-Bonded Phenols to Benzophenone Triplets. <i>Chemistry - A European Journal</i> , 2017, 23, 5299-5306.	3.3	10
17	Evaluation of selenide, diselenide and selenoheterocycle derivatives as carbonic anhydrase I, II, IV, VII and IX inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 2518-2523.	3.0	44
18	Protective role of benzoselenophene derivatives of resveratrol on the induced oxidative stress in intestinal myofibroblasts and osteocytes. <i>Chemico-Biological Interactions</i> , 2017, 275, 13-21.	4.0	14

#	ARTICLE	IF	CITATIONS
19	Fully consistent terpolymeric non-releasing antioxidant additives for long lasting polyolefin packaging materials. <i>Polymer Degradation and Stability</i> , 2017, 144, 167-175.	5.8	9
20	Catechol-Containing Hydroxylated Biomimetic 4-Thiaflavanes as Inhibitors of Amyloid Aggregation. <i>Biomimetics</i> , 2017, 2, 6.	3.3	2
21	A One-Pot Access to Benzo[b][1,4]selenazines from 2-Aminoaryl Diselenides. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 3097-3102.	2.4	20
22	Helical-Shaped Bis(1,4-benzoxathiines through an Inverse-Electron-Demand Hetero-Diels-Alder Reaction of ortho-thioquinones. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 5386-5392.	2.4	4
23	Role of Noncovalent Sulfur-Oxygen Interactions in Phenoxyl Radical Stabilization: Synthesis of Super Tocopherol-like Antioxidants. <i>Organic Letters</i> , 2016, 18, 5464-5467.	4.6	33
24	Chiroptical properties of the ground and excited states of two thia-bridged triarylamine heterohelicenes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 331, 138-145.	3.9	39
25	A Straightforward Route to Potent Phenolic Chain-Breaking Antioxidants by Acid-Promoted Transposition of 1,4-Benzo[b]oxathiines to Dihydrobenzo[b]thiophenes. <i>Chemistry - A European Journal</i> , 2015, 21, 16639-16645.	3.3	12
26	Thia-bridged triarylamine heterohelicene radical cations as redox-driven molecular switches. <i>Chemical Communications</i> , 2015, 51, 11452-11454.	4.1	34
27	Structure and conformational dynamics of an aromatic sulfonamide: NMR, X-Ray and computational studies. <i>Arkivoc</i> , 2015, 2015, 66-79.	0.5	1
28	Linking an $\alpha$ -Tocopherol Derivative to Cobalt(0) Nanomagnets: Magnetically Responsive Antioxidants with Superior Radical Trapping Activity and Reduced Cytotoxicity. <i>Chemistry - A European Journal</i> , 2014, 20, 6857-6860.	3.3	24
29	Copper-Mediated One-Pot Access to 2,3-Dihydrobenzo[b][1,4]oxathiines from ortho-dihydroxydisulfides. <i>Heteroatom Chemistry</i> , 2014, 25, 361-366.	0.7	8
30	A Base-Mediated Mild Sulfenylation of Indoles and Pyrrole with $\alpha$ -Acylthiones. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6405-6410.	2.4	21
31	Structural and Medium Effects on the Reactions of the Cumyloxyl Radical with Intramolecular Hydrogen Bonded Phenols. The Interplay Between Hydrogen-Bonding and Acid-Base Interactions on the Hydrogen Atom Transfer Reactivity and Selectivity. <i>Journal of Organic Chemistry</i> , 2014, 79, 6196-6205.	3.2	15
32	An Efficient Catalytic Method for Regioselective Sulfenylation of Electron-Rich Aza-Aromatics at Room Temperature. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 132-140.	2.4	59
33	Regioselective Electrophilic Access to Naphtho[1,2-b:8,7-b']- and -[1,2-b:5,6-b']dithiophenes. <i>Journal of Organic Chemistry</i> , 2013, 78, 3496-3502.	3.2	19
34	Novel ethylene/norbornene copolymers as nonreleasing antioxidants for food-contact polyolefinic materials. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 1007-1016.	2.1	22
35	Design and Synthesis of Olefin Copolymers with Tunable Amounts of Comonomers Bearing Stabilizing Functionalities. <i>Macromolecular Reaction Engineering</i> , 2013, 7, 84-90.	1.5	7
36	Synthesis of Highly Functionalized 1,3-Oxathioles via an Unusual [4+1] Annulation of $\beta,\beta'$ -Dioxothione with 1,2-Diaza-1,3-dienes. <i>Synlett</i> , 2012, 23, 2947-2950.	1.8	7

#	ARTICLE	IF	CITATIONS
37	Protonâ€‘electron transfer pathways in the reactions of peroxy and dpph <sup>™</sup> radicals with hydrogen-bonded phenols. <i>Chemical Communications</i> , 2012, 48, 11904.	4.1	33
38	Ethylene/hindered phenol substituted norbornene copolymers: Synthesis and NMR structural determination. <i>Journal of Polymer Science Part A</i> , 2012, 50, 4647-4655.	2.3	19
39	Copperâ€‘Mediated Oneâ€‘Pot Access to Benzo[ <i>b</i> ][1,4]thiazines from 2â€‘Nâ€‘Sulfonylaminoaryl Disulfides. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1707-1711.	2.4	8
40	Copperâ€‘Mediated Oneâ€‘Pot Transformation of 2â€‘Nâ€‘Sulfonylâ€‘aminoaryl Diselenides into Benzo[ <i>b</i> ][1,4]selenazines. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 77-82.	4.3	18
41	LDPEâ€‘based blends and films stabilized with nonreleasing polymeric antioxidants for safer food packaging. <i>Journal of Applied Polymer Science</i> , 2012, 124, 3912-3920.	2.6	22
42	Amphiphilic antioxidants from â€‘cashew nut shell liquidâ€‘(CNSL) waste. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 1352.	2.8	38
43	Optimization of the Antioxidant Activity of Hydroxyâ€‘Substituted 4â€‘Thiaflavanes: A Proofâ€‘ofâ€‘Concept Study. <i>Chemistry - A European Journal</i> , 2011, 17, 12396-12404.	3.3	35
44	Inside Cover: Optimization of the Antioxidant Activity of Hydroxyâ€‘Substituted 4â€‘Thiaflavanes: A Proofâ€‘ofâ€‘Concept Study (Chem. Eur. J. 44/2011). <i>Chemistry - A European Journal</i> , 2011, 17, 12214-12214.	3.3	0
45	A Straightforward Heteroâ€‘Dielsâ€‘Alder Approach to (2â€‘ambo<math>4R,8R</math>)-â€‘thiatocopherol. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 2218-2225.	2.4	15
46	Dihydrobenzo[1,4]oxathiine: A Multi-Potent Pharmacophoric Heterocyclic Nucleus. <i>Current Medicinal Chemistry</i> , 2010, 17, 915-928.	2.4	15
47	Hydrogenâ€‘Atom Transfer Reactions from <i>ortho</i> -Alkoxyâ€‘Substituted Phenols: An Experimental Approach. <i>Chemistry - A European Journal</i> , 2009, 15, 4402-4410.	3.3	42
48	Generation and Trapping of <i>ortho</i> -Thioquinones on Solid Support: Synthesis of Hydroxylated 4-Thiaflavans. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2009, 184, 1233-1246.	1.6	0
49	Antimycotic activity of 4-thioisosteres of flavonoids towards yeast and yeast-like microorganisms. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3731-3733.	2.2	11
50	Effect of <i>ortho</i> -SR Groups on Oâ€‘H Bond Strength and H-Atom Donating Ability of Phenols: A Possible Role for the Tyr-Cys Link in Galactose Oxidase Active Site?. <i>Journal of the American Chemical Society</i> , 2008, 130, 237-244.	13.7	55
51	Ethyleneâ€‘based copolymers with tunable content of polymerizable hindered phenols as nonreleasing macromolecular additives. <i>Journal of Polymer Science Part A</i> , 2008, 46, 6393-6406.	2.3	34
52	Macromolecular Nonâ€‘Releasing Additives for Commercial Polyolefins. <i>Macromolecular Symposia</i> , 2007, 260, 21-26.	0.7	12
53	Kinetic and Thermochemical Study of the Antioxidant Activity of Sulfurâ€‘Containing Analogues of Vitamin E. <i>Chemistry - A European Journal</i> , 2007, 13, 8223-8230.	3.3	42
54	<i>ortho</i> -Thioquinones and mediterranean diet: The sulfur connection. <i>Heteroatom Chemistry</i> , 2007, 18, 489-499.	0.7	3

#	ARTICLE	IF	CITATIONS
55	[2+4] and [4+2] Cycloadditions of o-Thioquinones with 1,3-Dienes: A Computational Study. <i>Journal of Organic Chemistry</i> , 2006, 71, 5507-5514.	3.2	32
56	Polyhydroxylated 4-thiaflavans as multipotent antioxidants: Protective effect on oxidative DNA damage in vitro. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 1957-1960.	2.2	25
57	Antioxidant and Antiradical Activity of Hydroxy-Substituted 4-Thiaflavanes. <i>Helvetica Chimica Acta</i> , 2006, 89, 2462-2472.	1.6	15
58	Synthesis and "double-faced" antioxidant activity of polyhydroxylated 4-thiaflavans. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 3066.	2.8	49
59	Sulfur-mediated synthesis and antimicrobial activity of 4-thioisosteres of flavanoids. <i>Journal of Sulfur Chemistry</i> , 2004, 25, 317-327.	2.0	6
60	[2 + 4] vs [4 + 2] Cycloaddition Reactions of o-Thioquinones with 1,3-Dienes.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
61	[2+4] vs [4+2] Cycloaddition reactions of o-thioquinones with 1,3-dienes. <i>Tetrahedron</i> , 2003, 59, 5523-5530.	1.9	19