## Johann Hammer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3569548/publications.pdf

Version: 2024-02-01

394421 315739 1,449 42 19 38 citations g-index h-index papers 44 44 44 1168 docs citations times ranked citing authors all docs

#	ARTICLE European guideline on indications, performance, and clinical impact of hydrogen and methane breath	IF	CITATIONS
1	tests in adult and pediatric patients: European Association for Gastroenterology, Endoscopy and Nutrition, European Society of Neurogastroenterology and Motility, and European Society for Paediatric Paediatric Paediatric	3.8	64
2	Significance of validated symptom assessment versus breath testing for malabsorption after lactose load in children. European Journal of Gastroenterology and Hepatology, 2021, Publish Ahead of Print, 274-280.	1.6	1
3	Carbohydrate-induced gastrointestinal symptoms: development and validation of a test-specific symptom questionnaire for an adult population, the adult Carbohydrate Perception Questionnaire. European Journal of Gastroenterology and Hepatology, 2021, 32, 171-177.	1.6	5
4	Relevance of Methane and Carbon Dioxide Evaluation in Breath Tests for Carbohydrate Malabsorption in a Paediatric Cohort. Journal of Pediatric Gastroenterology and Nutrition, 2021, 72, e71-e77.	1.8	11
5	Valid Assessment of Carbohydrate Intolerance and the Need for a Distinction to Carbohydrate Malabsorption. Comment on "Roles of Lactose and Fructose Malabsorption and Dietary Outcomes in Children Presenting with Chronic Abdominal Pain.―Nutrients 2019, 11, 3063. Nutrients, 2020, 12, 1546.	4.1	2
6	Development and validation of the paediatric Carbohydrate Perception Questionnaire (pCPQ), an instrument for the assessment of carbohydrateâ€induced gastrointestinal symptoms in the paediatric population. Neurogastroenterology and Motility, 2020, 32, e13934.	3.0	8
7	There Is an Unmet Need for Test-Specific, Validated Symptom Questionnaires for Breath Tests in Adults. Gastroenterology, 2019, 156, 1220-1221.	1.3	3
8	Overlap of Irritable Bowel Syndrome and Functional Dyspepsia in the Clinical Setting: Prevalence and Risk Factors. Digestive Diseases and Sciences, 2019, 64, 480-486.	2.3	102
9	Gastric administration of garlic powder containing the trpa1―agonist allicin induces specific epigastric symptoms and gastric relaxation in healthy subjects. Neurogastroenterology and Motility, 2019, 31, e13470.	3.0	5
10	Relationship Between Abdominal Symptoms and Fructose Ingestion in Children with Chronic Abdominal Pain. Digestive Diseases and Sciences, 2018, 63, 1270-1279.	2.3	20
11	Identification of Individuals with Functional Dyspepsia With a Simple, Minimally Invasive Test: A Single Center Cohort Study of the Oral Capsaicin Test. American Journal of Gastroenterology, 2018, 113, 584-592.	0.4	19
12	Reply to Drs. Pellicano and Ford. American Journal of Gastroenterology, 2018, 113, 1258-1259.	0.4	0
13	Clinical characteristics of functional dyspepsia depending on chemosensitivity to capsaicin. Neurogastroenterology and Motility, 2017, 29, 1-12.	3.0	17
14	Lack of an Effect of Gastric Capsaicin on the Rectal Component of the Gastrocolonic Response. Digestive Diseases and Sciences, 2017, 62, 3542-3549.	2.3	1
15	Diarrhea Caused By Carbohydrate Malabsorption. Gastroenterology Clinics of North America, 2012, 41, 611-627.	2.2	68
16	Gastric phenotype in children with <i>Helicobacter pylori </i> infection undergoing upper endoscopy. Scandinavian Journal of Gastroenterology, 2011, 46, 293-298.	1.5	15
17	Characterization of a reproducible gastric pain model using oral capsaicin titration in healthy volunteers. Neurogastroenterology and Motility, 2011, 23, e261-e270.	3.0	9
18	A placeboâ€controlled trial of an oral capsaicin load in patients with functional dyspepsia. Neurogastroenterology and Motility, 2011, 23, 918.	3.0	34

#	Article	IF	CITATIONS
19	Effect of repeated, long term capsaicin ingestion on intestinal chemo―and mechanosensation in healthy volunteers. Neurogastroenterology and Motility, 2009, 21, 521.	3.0	37
20	Phase II study: WBRT ±temozolomide (TMZ) in patients with multiple brain metastases from non-small cell lung cancer (NSCLC). Journal of Clinical Oncology, 2009, 27, e13008-e13008.	1.6	0
21	Hypersensitivity for capsaicin in patients with functional dyspepsia. Neurogastroenterology and Motility, 2008, 20, 125-133.	3.0	84
22	Value of Different Diagnostic Criteria for the Irritable Bowel Syndrome Among Men and Women. Journal of Clinical Gastroenterology, 2008, 42, 160-166.	2.2	51
23	Duodenal chemosensitivity and mechanosensitivity in humans during acid and ethanol perfusion. European Journal of Gastroenterology and Hepatology, 2008, 20, 537-544.	1.6	11
24	Characterization of sensations induced by capsaicin in the upper gastrointestinal tract. Neurogastroenterology and Motility, 2007, 19, 279-287.	3.0	64
25	Intestinal chemo―and mechanoâ€sensitivity: selective modification of small intestinal sensitivity by lipids. Alimentary Pharmacology and Therapeutics, 2007, 26, 117-124.	3.7	13
26	288 CHEMOSENSITIVITY IN THE UPPER GASTROINTESTINAL TRACT IN HEALTHY SUBJECTS AND PATIENTS WITH FUNCTIONAL DYSPEPSIA. European Journal of Pain, 2006, 10, S77b-S77.	2.8	0
27	Disturbed bowel habits in patients with non-ulcer dyspepsia. Alimentary Pharmacology and Therapeutics, 2006, 24, 405-410.	3.7	12
28	Effect of repeated capsaicin ingestion on intestinal chemosensation and mechanosensation. Alimentary Pharmacology and Therapeutics, 2006, 24, 679-686.	3.7	35
29	Hyperalgesia against capsaicin in persons with uninvestigated dyspepsia: potential as a new diagnostic test. Wiener Klinische Wochenschrift, 2006, 118, 43-48.	1.9	13
30	Effects of lactulose and polyethylene glycol on colonic transit. Alimentary Pharmacology and Therapeutics, 2005, 21, 259-268.	3.7	42
31	Chemical nociception in the jejunum induced by capsaicin. Gut, 2004, 53, 1109-1116.	12.1	61
32	Diagnostic yield of alarm features in irritable bowel syndrome and functional dyspepsia. Gut, 2004, 53, 666-672.	12.1	143
33	Acupuncture has a Placebo Effect on Rectal Perception but not on Distensibility and Spatial Summation: A Study in Health and IBS. American Journal of Gastroenterology, 2004, 99, 1990-1997.	0.4	49
34	Empirically derived symptom sub-groups correspond poorly with diagnostic criteria for functional dyspepsia and irritable bowel syndrome. A factor and cluster analysis of a patient sample. Alimentary Pharmacology and Therapeutics, 2004, 19, 133-140.	3.7	29
35	Diagnostic criteria for the irritable bowel syndrome. American Journal of Medicine, 1999, 107, 5-11.	1.5	140
36	Lipids infused into the jejunum accelerate small intestinal transit but delay ileocolonic transit of solids and liquids. Gut, 1998, 43, 111-116.	12.1	35

#	Article	IF	CITATIONS
37	Intraluminal capsaicin does not affect fluid and electrolyte absorption in the human jejunum but does cause pain. Gut, 1998, 43, 252-255.	12.1	40
38	The distal colon provides reserve storage capacity during colonic fluid overload. Gut, 1997, 41, 658-663.	12.1	20
39	Flow Limitation in Anesthetized Rhesus Monkeys: A Compression of Rapid Thoracoabdominal Compression and Forced Deflation Techniques. Pediatric Research, 1996, 39, 539-546.	2.3	10
40	Does the ileocolonic junction differentiate between solids and liquids?. Gut, 1993, 34, 222-226.	12.1	20
41	Fluid loading of the human colon: Effects on segmental transit and stool composition. Gastroenterology, 1993, 105, 988-998.	1.3	67
42	Effect of a 5HT <sub>3</sub> â€antagonist (ondansetron) on rectal sensitivity and compliance in health and the irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 1993, 7, 543-551.	3.7	83