

Angelo Vanzulli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3569657/angelo-vanzulli-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,532
citations

33
h-index

65
g-index

143
ext. papers

5,399
ext. citations

6.2
avg, IF

4.7
L-index

#	Paper	IF	Citations
131	Avoiding immediate whole-body trauma CT: a prospective observational study in stable trauma patients.. <i>Updates in Surgery</i> , 2022 , 74, 343	2.9	0
130	From LI-RADS Classification to HCC Pathology: A Retrospective Single-Institution Analysis of Clinico-Pathological Features Affecting Oncological Outcomes after Curative Surgery.. <i>Diagnostics</i> , 2022 , 12,	3.8	3
129	A singular case of primary aorto-duodenal fistula without pre-existing abdominal aortic aneurism: why and when you should suspect it.. <i>BJR/case Reports</i> , 2022 , 8, 20210143	0.7	
128	Retzius-sparing Robot-assisted Radical Prostatectomy in High-risk Prostate Cancer Patients: Results from a Large Single-institution Series.. <i>European Urology Open Science</i> , 2022 , 38, 69-78	0.9	0
127	An atypical presentation of biliary cast syndrome (BCS). <i>Digestive and Liver Disease</i> , 2021 , 53, 1050	3.3	
126	Surgical Resection vs. Percutaneous Ablation for Single Hepatocellular Carcinoma: Exploring the Impact of LI-RADS Classification on Oncological Outcomes. <i>Cancers</i> , 2021 , 13,	6.6	11
125	Phase II study of anti-EGFR rechallenge therapy with panitumumab driven by circulating tumor DNA molecular selection in metastatic colorectal cancer: The CHRONOS trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3506-3506	2.2	21
124	Correlation between lung ultrasound and chest CT patterns with estimation of pulmonary burden in COVID-19 patients. <i>European Journal of Radiology</i> , 2021 , 138, 109650	4.7	4
123	Machine Learning to Predict In-Hospital Mortality in COVID-19 Patients Using Computed Tomography-Derived Pulmonary and Vascular Features. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	5
122	Inter-center agreement of mRECIST in transplanted patients for hepatocellular carcinoma. <i>European Radiology</i> , 2021 , 31, 8903-8912	8	0
121	Automatic lung segmentation in COVID-19 patients: Impact on quantitative computed tomography analysis. <i>Physica Medica</i> , 2021 , 87, 115-122	2.7	2
120	Performance of the model for end-stage liver disease score for mortality prediction and the potential role of etiology. <i>Journal of Hepatology</i> , 2021 , 75, 1355-1366	13.4	2
119	A patient-specific approach for quantitative and automatic analysis of computed tomography images in lung disease: Application to COVID-19 patients. <i>Physica Medica</i> , 2021 , 82, 28-39	2.7	1
118	MRI only in a patient with prostate cancer with bilateral metal hip prostheses: case study. <i>Tumori</i> , 2021 , 107, NP41-NP44	1.7	0
117	Chest-CT mimics of COVID-19 pneumonia-a review article. <i>Emergency Radiology</i> , 2021 , 28, 507-518	3	2
116	CT-derived Chest Muscle Metrics for Outcome Prediction in Patients with COVID-19. <i>Radiology</i> , 2021 , 300, E328-E336	20.5	17
115	A retrospective single-centre analysis of the oncological impact of LI-RADS classification applied to Metroticket 2.0 calculator in liver transplantation: every nodule matters. <i>Transplant International</i> , 2021 , 34, 1712-1721	3	6

114	Standardization of CT radiomics features for multi-center analysis: impact of software settings and parameters. <i>Physics in Medicine and Biology</i> , 2020 , 65, 195012	3.8	7
113	Long-term Clinical Outcome of Trastuzumab and Lapatinib for HER2-positive Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2020 , 19, 256-262.e2	3.8	22
112	Patient organ and effective dose estimation in CT: comparison of four software applications. <i>European Radiology Experimental</i> , 2020 , 4, 14	4.5	9
111	Sensitivity of CE-MRI in detecting local recurrence after radical prostatectomy. <i>Radiologia Medica</i> , 2020 , 125, 683-690	6.5	6
110	Is Abdominal Fat Distribution Associated with Chronotype in Adults Independently of Lifestyle Factors?. <i>Nutrients</i> , 2020 , 12,	6.7	8
109	Including mRECIST in the Metroticket 2.0 criteria improves prediction of hepatocellular carcinoma-related death after liver transplant. <i>Journal of Hepatology</i> , 2020 , 73, 342-348	13.4	24
108	Impact of inter-reader contouring variability on textural radiomics of colorectal liver metastases. <i>European Radiology Experimental</i> , 2020 , 4, 62	4.5	14
107	Pitfalls and differential diagnosis on adrenal lesions: current concepts in CT/MR imaging: a narrative review. <i>Gland Surgery</i> , 2020 , 9, 2331-2342	2.2	3
106	Grade IV Liver Injury Following Mechanical Cardiopulmonary Resuscitation with Postoperative Three-dimensional Evaluation. <i>Journal of Emergencies, Trauma and Shock</i> , 2020 , 13, 306-308	1.2	4
105	Magnetic resonance severity index assessed by T1-weighted imaging for acute pancreatitis: correlation with clinical outcomes and grading of the revised Atlanta classification-a narrative review. <i>Gland Surgery</i> , 2020 , 9, 2312-2320	2.2	
104	Pertuzumab and trastuzumab emtansine in patients with HER2-amplified metastatic colorectal cancer: the phase II HERACLES-B trial. <i>ESMO Open</i> , 2020 , 5, e000911	6	35
103	Radiomics predicts response of individual HER2-amplified colorectal cancer liver metastases in patients treated with HER2-targeted therapy. <i>International Journal of Cancer</i> , 2020 , 147, 3215-3223	7.5	7
102	A rare case of multi-focal human TB after BCG instillation for non-muscle-invasive bladder cancer. <i>Urologia</i> , 2020 , 87, 199-202	1.2	1
101	Analysis of a multicentre cloud-based CT dosimetric database: preliminary results. <i>European Radiology Experimental</i> , 2019 , 3, 27	4.5	5
100	Torso computed tomography in blunt trauma patients with normal vital signs can be avoided using non-invasive tests and close clinical evaluation. <i>Emergency Radiology</i> , 2019 , 26, 655-661	3	5
99	Liquid biopsy for rectal cancer: A systematic review. <i>Cancer Treatment Reviews</i> , 2019 , 79, 101893	14.4	17
98	MariX, an advanced MHz-class repetition rate X-ray source for linear regime time-resolved spectroscopy and photon scattering. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 930, 167-172	1.2	20
97	Sex- and Age-Related Differences in the Contribution of Ultrasound-Measured Visceral and Subcutaneous Abdominal Fat to Fatty Liver Index in Overweight and Obese Caucasian Adults. <i>Nutrients</i> , 2019 , 11,	6.7	3

96	Hepatobiliary phase in cirrhotic patients with different Model for End-stage Liver Disease score: comparison of the performance of gadoxetic acid to gadobenate dimeglumine. <i>European Radiology</i> , 2019 , 29, 3090-3099	8	7
95	A Virtual Reality Environment to Visualize Three-Dimensional Patient-Specific Models by a Mobile Head-Mounted Display. <i>Surgical Innovation</i> , 2019 , 26, 359-370	2	12
94	Association of Binge Eating Behavior with Total and Abdominal Adipose Tissue in a Large Sample of Participants Starting a Weight Loss or Maintenance Program. <i>Journal of the American College of Nutrition</i> , 2018 , 37, 701-707	3.5	0
93	Radiation overexposure from repeated CT scans in young adults with acute abdominal pain. <i>Emergency Radiology</i> , 2018 , 25, 21-27	3	11
92	Radiologic and Genomic Evolution of Individual Metastases during HER2 Blockade in Colorectal Cancer. <i>Cancer Cell</i> , 2018 , 34, 148-162.e7	24.3	77
91	Emergency CT for assessment and management of blunt traumatic splenic injuries at a Level 1 Trauma Center: 13-year study. <i>Emergency Radiology</i> , 2018 , 25, 489-497	3	7
90	Can microvascular invasion in hepatocellular carcinoma be predicted by diagnostic imaging? A critical review. <i>Future Oncology</i> , 2018 , 14, 2985-2994	3.6	16
89	Routine clinical application of virtual reality in abdominal surgery. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2017 , 26, 135-143	2.1	18
88	Safety and Antitumor Activity of the Multitargeted Pan-TRK, ROS1, and ALK Inhibitor Entrectinib: Combined Results from Two Phase I Trials (ALKA-372-001 and STARTRK-1). <i>Cancer Discovery</i> , 2017 , 7, 400-409	24.4	475
87	Vascular microinvasion from hepatocellular carcinoma: CT findings and pathologic correlation for the best therapeutic strategies. <i>Medical Oncology</i> , 2017 , 34, 93	3.7	21
86	Flow cytometry analysis of lymphocyte subsets in bronchoalveolar lavage: comparison between lung non-Hodgkin lymphomas and reactive diseases. <i>Comparative Clinical Pathology</i> , 2017 , 26, 447-454	0.9	
85	Pooled Analysis of Clinical Outcome of Patients with Chemorefractory Metastatic Colorectal Cancer Treated within Phase I/II Clinical Studies Based on Individual Biomarkers of Susceptibility: A Single-Institution Experience. <i>Targeted Oncology</i> , 2017 , 12, 525-533	5	11
84	Abstract CT005: Final results of the HERACLES trial in HER2-amplified colorectal cancer 2017 ,		16
83	Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. <i>PLoS ONE</i> , 2017 , 12, e0185013	3.7	46
82	Linitis Plastica of the Rectum As a Clinical Presentation of Metastatic Lobular Carcinoma of the Breast. <i>Journal of Clinical Oncology</i> , 2016 , 34, e54-6	2.2	9
81	Sensitivity to Entrectinib Associated With a Novel LMNA-NTRK1 Gene Fusion in Metastatic Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	94
80	Metabolic correlates of subcutaneous and visceral abdominal fat measured by ultrasonography: a comparison with waist circumference. <i>Nutrition Journal</i> , 2016 , 15, 2	4.3	24
79	Abstract CT082: Pertuzumab and trastuzumab-emtansine in HER2-positive colorectal cancer: the HERACLES B trial 2016 ,		3

78	The FUNNEL: A molecular multiplex triage for precision medicine in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS3636-TPS3636	2.2	
77	Radiological imaging markers predicting clinical outcome in patients with metastatic colorectal carcinoma treated with regorafenib: post hoc analysis of the CORRECT phase III trial (RadioCORRECT study). <i>ESMO Open</i> , 2016 , 1, e000111	6	22
76	Dual-targeted therapy with trastuzumab and lapatinib in treatment-refractory, KRAS codon 12/13 wild-type, HER2-positive metastatic colorectal cancer (HERACLES): a proof-of-concept, multicentre, open-label, phase 2 trial. <i>Lancet Oncology, The</i> , 2016 , 17, 738-746	21.7	533
75	Contrast agents in diagnostic imaging: Present and future. <i>Pharmacological Research</i> , 2016 , 110, 65-75	10.2	55
74	Eosinophilic myocarditis: a paraneoplastic event. <i>Lancet, The</i> , 2015 , 385, 2546	40	18
73	Adherence to the Mediterranean diet is inversely associated with visceral abdominal tissue in Caucasian subjects. <i>Clinical Nutrition</i> , 2015 , 34, 1266-72	5.9	39
72	Novel CAD-ALK gene rearrangement is drugable by entrectinib in colorectal cancer. <i>British Journal of Cancer</i> , 2015 , 113, 1730-4	8.7	57
71	Education and imaging. Hepatology: "central dot sign" of Caroli syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 234	4	3
70	Therapeutic dual inhibition of HER2 pathway for metastatic colorectal cancer (mCRC): The HERACLES trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 565-565	2.2	2
69	MRI of hepatic epithelioid hemangioendothelioma (HEH). <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 552-8	5.6	33
68	Pulmonary Langerhans cell histiocytosis: the many faces of presentation at initial CT scan. <i>Insights Into Imaging</i> , 2014 , 5, 483-92	5.6	26
67	Local shape similarity and mean-shift curvature for deformable surface mapping of anatomical structures. <i>IEEE Transactions on Biomedical Engineering</i> , 2014 , 61, 16-24	5	7
66	Residual right portal branch flow after first-step ALPPS: artifact or homeostatic response?. <i>Hepato-Gastroenterology</i> , 2014 , 61, 1712-6		2
65	Regorafenib for metastatic colorectal cancer. <i>Lancet, The</i> , 2013 , 381, 1537	40	14
64	Magnetic resonance imaging as an early indicator of clinical outcome in patients with metastatic colorectal carcinoma treated with cetuximab or panitumumab. <i>Clinical Colorectal Cancer</i> , 2013 , 12, 45-53 ^{3.8}		12
63	Erythroleukemia presenting with myeloid sarcoma of the lung as detected by immunophenotypic analysis of bronchoalveolar lavage fluid. <i>Leukemia Research</i> , 2012 , 36, e46-9	2.7	3
62	Spontaneous recovery of bone mass after cure of endogenous hypercortisolism. <i>Pituitary</i> , 2012 , 15, 193-201	49	27
61	Multicenter comparison of high concentration contrast agent iomeprol-400 with iso-osmolar iodixanol-320: contrast enhancement and heart rate variation in coronary dual-source computed tomographic angiography. <i>Investigative Radiology</i> , 2011 , 46, 457-64	10.1	24

60	Hepatocellular carcinoma in cirrhotic patients at multidetector CT: hepatic venous phase versus delayed phase for the detection of tumour washout. <i>British Journal of Radiology</i> , 2011 , 84, 403-12	3.4	43
59	Multicenter, double-blind, randomized, intraindividual crossover comparison of gadobenate dimeglumine and gadopentetate dimeglumine for MR angiography of peripheral arteries. <i>Radiology</i> , 2010 , 255, 988-1000	20.5	38
58	Detection of biliary and vascular anatomy in living liver donors: value of gadobenate dimeglumine enhanced MR and MDCT angiography. <i>European Journal of Radiology</i> , 2010 , 76, e1-5	4.7	19
57	Womersley number-based estimates of blood flow rate in Doppler analysis: in vivo validation by means of phase-contrast MRI. <i>IEEE Transactions on Biomedical Engineering</i> , 2010 , 57, 1807-15	5	30
56	MRI Analysis of Patella Instability Factors 2010 , 79-89		2
55	Flow-Based MRA. <i>Medical Radiology</i> , 2010 , 3-6	0.2	
54	Enhancement and safety of iomeprol-400 and iodixanol-320 in patients undergoing abdominal multidetector CT. <i>British Journal of Radiology</i> , 2009 , 82, 204-11	3.4	13
53	Radiofrequency ablation of hepatic Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2009 , 50, 141-4	1.9	
52	Solitary necrotic nodules of the liver: cross-sectional imaging findings and follow-up in nine patients. <i>American Journal of Roentgenology</i> , 2008 , 191, 1122-8	5.4	16
51	Renal artery stenosis evaluation: diagnostic performance of gadobenate dimeglumine-enhanced MR angiography--comparison with DSA. <i>Radiology</i> , 2008 , 247, 273-85	20.5	41
50	Is percutaneous radiofrequency thermal ablation of hepatocellular carcinoma a safe procedure?. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 196-201	2.2	26
49	Successful Rescue Therapy with a Darunavir/Ritonavir and Etravirine Antiretroviral Regimen in a Child with Vertically Acquired Multidrug-Resistant HIV-1. <i>Antiviral Therapy</i> , 2008 , 13, 839-843	1.6	8
48	Role of MDCT in the diagnosis of hepatocellular carcinoma in patients with cirrhosis undergoing orthotopic liver transplantation. <i>American Journal of Roentgenology</i> , 2007 , 189, 792-8	5.4	41
47	MR arthrography of the glenohumeral joint: modified posterior approach without imaging guidance. <i>Radiology</i> , 2007 , 242, 550-4	20.5	84
46	A comparison of the efficacy and safety of iopamidol-370 and iodixanol-320 in patients undergoing multidetector-row computed tomography. <i>Investigative Radiology</i> , 2007 , 42, 856-61	10.1	25
45	Skeletal Involvement in Advanced Stage Lymphomas: Role of Total Body Magnetic Resonance.. <i>Blood</i> , 2007 , 110, 4405-4405	2.2	
44	Percutaneous repair of radial artery pseudoaneurysm in a hemodialysis patient using sonographically guided thrombin injection. <i>CardioVascular and Interventional Radiology</i> , 2006 , 29, 130-2	2.7	15
43	Utility of computed tomography (CT) and of fine needle aspiration biopsy (FNAB) in early diagnosis of fungal pulmonary infections. Study of infections from filamentous fungi in haematologically immunodeficient patients. <i>Radiologia Medica</i> , 2006 , 111, 33-41	6.5	41

42	Biliary complications after living donor adult liver transplantation. <i>Transplant International</i> , 2006 , 19, 466-73	3	32
41	Role of MR Imaging in the Diagnostic Work-up of Acute Pancreatitis. <i>JOP: Journal of the Pancreas</i> , 2006 , 7, 110-2	1.2	
40	Use of radioguided surgery with [111In]-pentetreotide in the management of an ACTH-secreting bronchial carcinoid causing ectopic Cushing's syndrome. <i>Journal of Endocrinological Investigation</i> , 2005 , 28, 72-8	5.2	25
39	Black kidney sign: a new computed tomographic finding associated with the hypoperfusion complex in children. <i>Journal of Computer Assisted Tomography</i> , 2005 , 29, 484-6	2.2	13
38	Pseudoaneurysm after spontaneous rupture of renal angiomyolipoma in tuberous sclerosis: successful treatment with percutaneous thrombin injection. <i>CardioVascular and Interventional Radiology</i> , 2005 , 28, 262-4	2.7	7
37	Contrast enhanced computer tomography of two cases of bilateral acute cortical necrosis, one of which related to amphetamine abuse. <i>Emergency Radiology</i> , 2005 , 11, 306-8	3	2
36	Contrast-enhanced MR Angiography of the renal arteries: blinded multicenter crossover comparison of gadobenate dimeglumine and gadopentetate dimeglumine. <i>Radiology</i> , 2005 , 234, 399-408	20.5	76
35	Treatment of metastatic neuroendocrine carcinomas based on WHO classification. <i>Anticancer Research</i> , 2005 , 25, 4463-9	2.3	26
34	Evidence of graft-versus-tumour effect following allogeneic haematopoietic stem cell transplantation in renal cancer other than clear cell type. <i>Bone Marrow Transplantation</i> , 2004 , 34, 917-8	4.4	0
33	Internal hernia with volvulus and intussusception: case report. <i>Abdominal Imaging</i> , 2004 , 29, 164-5		17
32	A new safe and stable spiral wire needle for thoracoscopic resection of lung nodules. <i>Chest</i> , 2004 , 125, 2289-93	5.3	26
31	[Imaging of living donor liver transplantation]. <i>Radiologia Medica</i> , 2004 , 107, 58-68	6.5	1
30	Occlusion of postcatheterisation femoral pseudoaneurysms with percutaneous thrombin injection under ultrasound guidance. <i>Radiologia Medica</i> , 2004 , 108, 385-93	6.5	
29	Evaluation of the efficacy of a bismuth shield during CT examinations. <i>Radiologia Medica</i> , 2004 , 108, 560-5	6.5	13
28	Management of occult adrenocorticotropin-secreting bronchial carcinoids: limits of endocrine testing and imaging techniques. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1029-35	5.6	27
27	Increased lipodystrophy is associated with increased exposure to highly active antiretroviral therapy in HIV-infected children. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 32, 482-9	3.1	55
26	Thymic volume predicts long-term immune reconstitution in HIV-infected children treated with highly active antiretroviral therapy. <i>Aids</i> , 2002 , 16, 2219-21	3.5	20
25	Ingested medications retained in the colon. <i>Radiologia Medica</i> , 2002 , 104, 490-3	6.5	

24	Highly active antiretroviral-treated HIV-infected children show fat distribution changes even in absence of lipodystrophy. <i>Aids</i> , 2001 , 15, 2415-22	3.5	65
23	Early immune reconstitution after potent antiretroviral therapy in HIV-infected children correlates with the increase in thymus volume. <i>Aids</i> , 2000 , 14, 251-61	3.5	73
22	Renal arterial stenosis: prospective comparison of color Doppler US and breath-hold, three-dimensional, dynamic, gadolinium-enhanced MR angiography. <i>Radiology</i> , 2000 , 214, 373-80	20.5	94
21	Evaluation of the accuracy of gadobenate dimeglumine-enhanced MR imaging in the detection and characterization of focal liver lesions. <i>American Journal of Roentgenology</i> , 2000 , 175, 1111-20	5.4	83
20	Thymus volume correlates with the progression of vertical HIV infection. <i>Aids</i> , 1999 , 13, F29-34	3.5	42
19	Intramyocellular triglyceride content is a determinant of in vivo insulin resistance in humans: a ¹ H- ¹³ C nuclear magnetic resonance spectroscopy assessment in offspring of type 2 diabetic parents. <i>Diabetes</i> , 1999 , 48, 1600-6	0.9	741
18	Improvement of pulmonary function after lobectomy for non-small cell lung cancer in emphysematous patients. <i>European Journal of Cardio-thoracic Surgery</i> , 1999 , 15, 602-7	3	58
17	Magnetic resonance imaging of cervical cancer in pregnancy. <i>International Journal of Gynecological Cancer</i> , 1998 , 8, 265-269	3.5	10
16	Low sensitivity of computed tomography in the staging of gastric lymphomas of mucosa-associated lymphoid tissue: impact on prospective trials and ordinary clinical practice. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1998 , 21, 614-6	2.7	4
15	Pulmonary infection caused by <i>Rhodococcus equi</i> in a kidney and pancreas transplant recipient: a case report. <i>Transplantation</i> , 1998 , 65, 1524-5	1.8	17
14	Renal artery stenosis: evaluation with breath-hold, three-dimensional, dynamic, gadolinium-enhanced versus three-dimensional, phase-contrast MR angiography. <i>Radiology</i> , 1997 , 205, 689-95	20.5	106
13	Value of abdominal sonography and MR imaging at 0.5 T in preoperative detection of pancreatic insulinoma: a comparison with dynamic CT and angiography. <i>Abdominal Imaging</i> , 1997 , 22, 295-303		38
12	Dynamic Gadolinium-Enhanced Magnetic Resonance Imaging in Staging of Superficial Bladder Cancer. <i>Journal of Urology</i> , 1996 , 155, 1594-1599	2.5	38
11	Renal artery stenosis: value of screening with three-dimensional phase-contrast MR angiography with a phased-array multicoil. <i>Radiology</i> , 1996 , 201, 697-703	20.5	44
10	Thinning of preserved stromal cervical ring at magnetic resonance imaging in patients with early cervical cancer: a possible predictor of extracervical invasion. <i>International Journal of Gynecological Cancer</i> , 1996 , 6, 49-53	3.5	5
9	Mural thrombi in abdominal aortic aneurysms: MR imaging characterization--useful before endovascular treatment?. <i>Radiology</i> , 1995 , 197, 135-9	20.5	38
8	Imaging of renal cell carcinoma with gadolinium-enhanced magnetic resonance: radiological and pathological study. <i>Urologia Internationalis</i> , 1995 , 54, 121-7	1.9	5
7	The accuracy of magnetic resonance imaging and ultrasonography compared with surgical findings in the localization of the undescended testis. <i>JAMA Pediatrics</i> , 1994 , 148, 699-703		44

6	MRI in stage I carcinoma of the uterine cervix: evaluation of residual uninvolved myometrium and pericervical tissues. <i>European Radiology</i> , 1994 , 4, 190-196	8	4
5	Small hepatocellular carcinoma: MR follow-up of treatment with percutaneous ethanol injection. <i>Radiology</i> , 1993 , 187, 119-23	20.5	36
4	Prenatal diagnosis of anatomical connections in conjoined twins by use of contrast magnetic resonance imaging. <i>Prenatal Diagnosis</i> , 1993 , 13, 995-9	3.2	7
3	Testicular masses in association with adrenogenital syndrome: US findings. <i>Radiology</i> , 1992 , 183, 425-9	20.5	63
2	Pancreatic cancer versus chronic pancreatitis: diagnosis with CA 19-9 assessment, US, CT, and CT-guided fine-needle biopsy. <i>Radiology</i> , 1991 , 178, 95-9	20.5	126
1	CT-guided pancreatic percutaneous fine-needle biopsy in differential diagnosis between pancreatic cancer and chronic pancreatitis. <i>HPB Surgery</i> , 1989 , 1, 309-14; discussion 315-7		6