Raquel B De Boni

List of Publications by Citations

Source: https://exaly.com/author-pdf/3571294/raquel-b-de-boni-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 1,404 21 34 g-index

91 1,774 3.8 4.97 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV,the</i> , 2018 , 5, e136-e145	7.8	87
83	Obesity following ART initiation is common and influenced by both traditional and HIV-/ART-specific risk factors. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 2177-2185	5.1	85
82	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , 2014 , 9, 192-8	4.2	85
81	High pre-exposure prophylaxis uptake and early adherence among men who have sex with men and transgender women at risk for HIV Infection: the PrEP Brasil demonstration project. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21472	5.4	67
80	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017 , 21, 1278-1287	4.3	64
79	Psychometric properties of the World Health Organization quality of life instrument (WHOQoL-BREF) in alcoholic males: a pilot study. <i>Quality of Life Research</i> , 2005 , 14, 473-8	3.7	63
78	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr</i> ā <i>Y Salud Mental</i> , 2021 , 14, 16-26	2.7	41
77	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011 , 696, 67-76	6.6	39
76	Prescription and illicit psychoactive drugs in oral fluidLC-MS/MS method development and analysis of samples from Brazilian drivers. <i>Forensic Science International</i> , 2012 , 223, 208-16	2.6	38
75	Highly reported prevalence of drinking and driving in Brazil: data from the first representative household study. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 125-30	2.6	36
74	Factors associated with alcohol and drug use among traffic crash victims in southern Brazil. <i>Accident Analysis and Prevention</i> , 2011 , 43, 1408-13	6.1	34
73	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , 2018 , 4, e11	11.4	33
72	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. <i>Archives of Womenjs Mental Health</i> , 2010 , 13, 185-91	5	31
71	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22835	7.6	30
70	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 1079	9489	28
69	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 1193-1202	2.2	24
68	Substance Use and Adherence Among People Living with HIV/AIDS Receiving cART in Latin America. <i>AIDS and Behavior</i> , 2016 , 20, 2692-2699	4.3	23

(2012-2015)

67	Chlamydia trachomatis, Neisseria gonorrhoeae and syphilis among men who have sex with men in Brazil. <i>BMC Public Health</i> , 2015 , 15, 686	4.1	22	
66	Association between psychiatric symptoms and severity of alcohol dependence in a sample of brazilian men. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 126-30	1.8	22	
65	Web surveys in the time of COVID-19. Cadernos De Saude Publica, 2020, 36, e00155820	3.2	22	
64	An Internet-Based HIV Self-Testing Program to Increase HIV Testing Uptake Among Men Who Have Sex With Men in Brazil: Descriptive Cross-Sectional Analysis. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14145	7.6	18	
63	Mortality in HIV-infected women, heterosexual men, and men who have sex with men in Rio de Janeiro, Brazil: an observational cohort study. <i>Lancet HIV,the</i> , 2016 , 3, e490-8	7.8	17	
62	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 376	4	17	
61	Factors associated with tobacco smoking and cessation among HIV-infected individuals under care in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2014 , 9, e115900	3.7	17	
60	Brain injury markers (S100B and NSE) in chronic cocaine dependents. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 134-9	2.6	15	
59	A comparison of alcohol and drug use by random motor vehicle drivers in Brazil and Norway. <i>International Journal of Drug Policy</i> , 2014 , 25, 393-400	5.5	14	
58	Self-testing, communication and information technology to promote HIV diagnosis among young gay and other men who have sex with men (MSM) in Brazil. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 5, e25116	5.4	13	
57	Health-related quality of life assessment among people living with HIV in Rio de Janeiro, Brazil: a cross-sectional study. <i>Quality of Life Research</i> , 2019 , 28, 1035-1045	3.7	13	
56	Unprotected sexual practices among men who have sex with women and men who have sex with men living with HIV/AIDS in Rio de Janeiro. <i>Archives of Sexual Behavior</i> , 2015 , 44, 357-65	3.5	12	
55	Unprotected sex among men who have sex with men living with HIV in Brazil: a cross-sectional study in Rio de Janeiro. <i>BMC Public Health</i> , 2014 , 14, 379	4.1	12	
54	Assessing the HIV Care Continuum in Latin America: progress in clinical retention, cART use and viral suppression. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20636	5.4	12	
53	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low- and middle-income countries: a multicohort study. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25392	5.4	11	
52	Predictors of positive Blood Alcohol Concentration (BAC) in a sample of Brazilian drivers. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 277-85	2.6	11	
51	Alcohol, drugs, and risky sexual behavior are related to HIV infection in female adolescents. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 361-8	2.6	11	
50	Which Amphetamine-Type Stimulants Can Be Detected by Oral Fluid Immunoassays?. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 98-109	3.2	11	

49	Fenproporex and amphetamine pharmacokinetics in oral fluid after controlled oral administration of fenproporex. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 545-53	3.2	11
48	Evaluation of psychiatric symptoms in cocaine users in the Brazilian public health system: need for data and structure. <i>Public Health</i> , 2008 , 122, 1349-55	4	11
47	Electronic cigarettes and narghile users in Brazil: Do they differ from cigarettes smokers?. <i>Addictive Behaviors</i> , 2019 , 98, 106007	4.2	10
46	Syndemics among individuals enrolled in the PrEP Brasil Study. <i>Drug and Alcohol Dependence</i> , 2018 , 185, 168-172	4.9	9
45	Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 263-267	2.2	9
44	Traffic crashes and alcohol outlets in a Brazilian state capital. <i>Traffic Injury Prevention</i> , 2013 , 14, 86-91	1.8	9
43	Binge drinking is associated with differences in weekday and weekend adherence in HIV-infected individuals. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 174-80	4.9	9
42	Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 314-20	2.6	8
41	High rates of injured motorcycle drivers in emergency rooms and the association with substance use in Porto Alegre, Brazil. <i>Emergency Medicine Journal</i> , 2012 , 29, 205-7	1.5	8
40	Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000-2013. <i>AIDS and Behavior</i> , 2016 , 20, 1039-48	4.3	7
39	Drug use among drivers who drank on alcohol outlets from Porto Alegre, Brazil. <i>Accident Analysis and Prevention</i> , 2014 , 62, 137-42	6.1	7
38	Differences between attendance in emergency care of male and female victims of traffic accidents in Porto Alegre, Rio Grande do Sul state, Brazil. <i>Ciencia E Saude Coletiva</i> , 2014 , 19, 3925-30	2.2	7
37	Unrecorded alcohol in Rio de Janeiro: assessing its misusers through Respondent Driven Sampling. <i>Drug and Alcohol Dependence</i> , 2014 , 139, 169-73	4.9	7
36	Reaching the hard-to-reach: a probability sampling method for assessing prevalence of driving under the influence after drinking in alcohol outlets. <i>PLoS ONE</i> , 2012 , 7, e34104	3.7	7
35	Is substance use associated with HIV cascade outcomes in Latin America?. <i>PLoS ONE</i> , 2018 , 13, e019422	83.7	7
34	Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. <i>International Journal of STD and AIDS</i> , 2017 , 28, 1175-1183	1.4	6
33	Age-Standardized Mortality Rates Related to Cirrhosis in Brazil from 2000 to 2012: A nationwide Analysis. <i>Annals of Hepatology</i> , 2017 , 16, 269-278	3.1	6
32	Regional differences associated with drinking and driving in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 306-13	2.6	5

(2021-2019)

31	The Intersection of HIV, Social Vulnerability, and Reproductive Health: Analysis of Women Living with HIV in Rio de Janeiro, Brazil from 1996 to 2016. <i>AIDS and Behavior</i> , 2019 , 23, 1541-1551	4.3	4	
30	Awareness of legal blood alcohol concentration limits amongst respondents of a national roadside survey for alcohol and traffic behaviours in Brazil. <i>International Journal of Drug Policy</i> , 2012 , 23, 166-8	5.5	4	
29	Is the prevalence of driving after drinking higher in entertainment areas?. <i>Alcohol and Alcoholism</i> , 2013 , 48, 356-62	3.5	4	
28	Age and gender as risk factors for the transmission of HIV in a sample of drug users of Porto Alegre, Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2002 , 24, 137-140	2.6	4	
27	Reproducibility on science: Challenges and advances in Brazilian alcohol surveys. <i>International Journal of Drug Policy</i> , 2019 , 74, 285-291	5.5	3	
26	Have drivers at alcohol outlets changed their behavior after the new traffic law?. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 11-5	2.6	3	
25	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. <i>Revista De Saude Publica</i> , 2008 , 42, 1101-4	2.4	3	
24	Substance use service availability in HIV treatment programs: Data from the global IeDEA consortium, 2014-2015 and 2017. <i>PLoS ONE</i> , 2020 , 15, e0237772	3.7	3	
23	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3	
22	Non-medical use of opioid analgesics in contemporary Brazil: Findings from the 2015 Brazilian National Household Survey on Substance Use. <i>Global Public Health</i> , 2020 , 15, 299-306	3.5	3	
21	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25200	5.4	3	
20	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3	
19	Consumo de l'Ecol entre adolescentes do sexo feminino. Revista De Psiquiatria Clinica, 2011 , 38, 209-210	0 0.8	2	
18	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021 , 150, 106718	4.3	2	
17	Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. <i>Drug and Alcohol Dependence</i> , 2017 , 178, 115-118	4.9	1	
16	Clinical signs of alcohol intoxication as markers of refusal to provide blood alcohol readings in emergency rooms: an exploratory study. <i>Clinics</i> , 2010 , 65, 1391-2	2.3	1	
15	Prevallicia de tabagismo em uma unidade de internali psiquilirica de Porto Alegre. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2003 , 25, 475-478		1	
14	What Are We Measuring When We Evaluate Digital Interventions for Improving Lifestyle? A Scoping Meta-Review <i>Frontiers in Public Health</i> , 2021 , 9, 735624	6	1	

13	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic (Preprint)		1	
12	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study (Preprin	nt)	1	
11	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2021 , 14, 16-26	0.2	1	
10	Satisfaction and burden of mental health personnel: data from healthcare services for substance users and their families. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 403-409	2.6	1	
9	Polysubstance use in a Brazilian national sample: Correlates of co-use of alcohol and prescription drugs. <i>Substance Abuse</i> , 2021 , 1-7	3.8	1	
8	Multilevel Analysis of Individual and Neighborhood Characteristics Associated with Viral Suppression Among Adults with HIV in Rio de Janeiro, Brazil. <i>AIDS and Behavior</i> , 2021 , 1	4.3	1	
7	Uso de bebidas alcolicas em postos de gasolina de Porto Alegre: estudo piloto. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2008 , 30, 65-68		О	
6	Substance use, self-rated health and HIV status in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1358-1362	2.2	О	
5	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , 2021 , 32, 806-815	1.4	О	
4	Cannabis and Traffic Accidents 2017 , 234-243			
3	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , 2020 , 29, 2497-2508	3.7		
2	Association of syndemic conditions and quality of life among people living with HIV/AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> ,1-10	2.2		
1	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> ,155982762211020	1.9		