Raquel B De Boni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3571294/raquel-b-de-boni-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 1,404 21 34 g-index

91 1,774 3.8 4.97 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	What Are We Measuring When We Evaluate Digital Interventions for Improving Lifestyle? A Scoping Meta-Review <i>Frontiers in Public Health</i> , 2021 , 9, 735624	6	1
83	Substance use, self-rated health and HIV status in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1358-1362	2.2	О
82	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
81	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 , 14, 16-26	2.7	41
80	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr</i> ā <i>Y Salud Mental (English Edition)</i> , 2021 , 14, 16-26	0.2	1
79	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , 2021 , 32, 806-815	1.4	0
78	Polysubstance use in a Brazilian national sample: Correlates of co-use of alcohol and prescription drugs. <i>Substance Abuse</i> , 2021 , 1-7	3.8	1
77	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021 , 150, 106718	4.3	2
76	Multilevel Analysis of Individual and Neighborhood Characteristics Associated with Viral Suppression Among Adults with HIV in Rio de Janeiro, Brazil. <i>AIDS and Behavior</i> , 2021 , 1	4.3	1
75	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
74	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 1079	948	28
73	Web surveys in the time of COVID-19. <i>Cadernos De Saude Publica</i> , 2020 , 36, e00155820	3.2	22
72	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22835	7.6	30
71	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , 2020 , 29, 2497-2508	3.7	
70	Substance use service availability in HIV treatment programs: Data from the global IeDEA consortium, 2014-2015 and 2017. <i>PLoS ONE</i> , 2020 , 15, e0237772	3.7	3
69	Non-medical use of opioid analgesics in contemporary Brazil: Findings from the 2015 Brazilian National Household Survey on Substance Use. <i>Global Public Health</i> , 2020 , 15, 299-306	3.5	3
68	The Intersection of HIV, Social Vulnerability, and Reproductive Health: Analysis of Women Living with HIV in Rio de Janeiro, Brazil from 1996 to 2016. <i>AIDS and Behavior</i> , 2019 , 23, 1541-1551	4.3	4

2.2	24	
5.5	3	
5.4	11	
7.6	18	
3.7	13	
4.9	9	
7.8	87	
5.1	85	
5.4	13	
283.7	7	
11.4	33	
5.4	3	
2.6	1	
1.4	6	
4.9	1	
5.4	67	
2.2	9	
	5.5 5.4 7.6 3.7 4.9 7.8 5.1 5.4 2.6 1.4 4.9 5.4	5.5 3 5.4 11 7.6 18 3.7 13 4.9 9 7.8 87 5.1 85 5.4 13 283.7 7 11.4 33 5.4 3 2.6 1 1.4 6 4.9 1 5.4 67

49	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017 , 21, 1278-1287	4.3	64
48	Cannabis and Traffic Accidents 2017 , 234-243		
47	Age-Standardized Mortality Rates Related to Cirrhosis in Brazil from 2000 to 2012: A nationwide Analysis. <i>Annals of Hepatology</i> , 2017 , 16, 269-278	3.1	6
46	Mortality in HIV-infected women, heterosexual men, and men who have sex with men in Rio de Janeiro, Brazil: an observational cohort study. <i>Lancet HIV,the</i> , 2016 , 3, e490-8	7.8	17
45	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 376	4	17
44	Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000-2013. <i>AIDS and Behavior</i> , 2016 , 20, 1039-48	4.3	7
43	Assessing the HIV Care Continuum in Latin America: progress in clinical retention, cART use and viral suppression. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20636	5.4	12
42	Binge drinking is associated with differences in weekday and weekend adherence in HIV-infected individuals. <i>Drug and Alcohol Dependence</i> , 2016 , 159, 174-80	4.9	9
41	Substance Use and Adherence Among People Living with HIV/AIDS Receiving cART in Latin America. <i>AIDS and Behavior</i> , 2016 , 20, 2692-2699	4.3	23
40	Unprotected sexual practices among men who have sex with women and men who have sex with men living with HIV/AIDS in Rio de Janeiro. <i>Archives of Sexual Behavior</i> , 2015 , 44, 357-65	3.5	12
39	Chlamydia trachomatis, Neisseria gonorrhoeae and syphilis among men who have sex with men in Brazil. <i>BMC Public Health</i> , 2015 , 15, 686	4.1	22
38	Drug use among drivers who drank on alcohol outlets from Porto Alegre, Brazil. <i>Accident Analysis and Prevention</i> , 2014 , 62, 137-42	6.1	7
37	Unprotected sex among men who have sex with men living with HIV in Brazil: a cross-sectional study in Rio de Janeiro. <i>BMC Public Health</i> , 2014 , 14, 379	4.1	12
36	A comparison of alcohol and drug use by random motor vehicle drivers in Brazil and Norway. <i>International Journal of Drug Policy</i> , 2014 , 25, 393-400	5.5	14
35	Factors associated with tobacco smoking and cessation among HIV-infected individuals under care in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2014 , 9, e115900	3.7	17
34	Have drivers at alcohol outlets changed their behavior after the new traffic law?. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 11-5	2.6	3
33	Differences between attendance in emergency care of male and female victims of traffic accidents in Porto Alegre, Rio Grande do Sul state, Brazil. <i>Ciencia E Saude Coletiva</i> , 2014 , 19, 3925-30	2.2	7
32	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , 2014 , 9, 192-8	4.2	85

(2010-2014)

31	Unrecorded alcohol in Rio de Janeiro: assessing its misusers through Respondent Driven Sampling. Drug and Alcohol Dependence, 2014 , 139, 169-73	4.9	7	
30	Is the prevalence of driving after drinking higher in entertainment areas?. <i>Alcohol and Alcoholism</i> , 2013 , 48, 356-62	3.5	4	
29	Traffic crashes and alcohol outlets in a Brazilian state capital. <i>Traffic Injury Prevention</i> , 2013 , 14, 86-91	1.8	9	
28	Awareness of legal blood alcohol concentration limits amongst respondents of a national roadside survey for alcohol and traffic behaviours in Brazil. <i>International Journal of Drug Policy</i> , 2012 , 23, 166-8	5.5	4	
27	Prescription and illicit psychoactive drugs in oral fluidLC-MS/MS method development and analysis of samples from Brazilian drivers. <i>Forensic Science International</i> , 2012 , 223, 208-16	2.6	38	
26	Predictors of positive Blood Alcohol Concentration (BAC) in a sample of Brazilian drivers. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 277-85	2.6	11	
25	Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 314-20	2.6	8	
24	Regional differences associated with drinking and driving in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 306-13	2.6	5	
23	Which Amphetamine-Type Stimulants Can Be Detected by Oral Fluid Immunoassays?. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 98-109	3.2	11	
22	High rates of injured motorcycle drivers in emergency rooms and the association with substance use in Porto Alegre, Brazil. <i>Emergency Medicine Journal</i> , 2012 , 29, 205-7	1.5	8	
21	Fenproporex and amphetamine pharmacokinetics in oral fluid after controlled oral administration of fenproporex. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 545-53	3.2	11	
20	Reaching the hard-to-reach: a probability sampling method for assessing prevalence of driving under the influence after drinking in alcohol outlets. <i>PLoS ONE</i> , 2012 , 7, e34104	3.7	7	
19	Factors associated with alcohol and drug use among traffic crash victims in southern Brazil. <i>Accident Analysis and Prevention</i> , 2011 , 43, 1408-13	6.1	34	
18	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011 , 696, 67-76	6.6	39	
17	Consumo de l'Ecol entre adolescentes do sexo feminino. Revista De Psiquiatria Clinica, 2011 , 38, 209-210	0 0.8	2	
16	Clinical signs of alcohol intoxication as markers of refusal to provide blood alcohol readings in emergency rooms: an exploratory study. <i>Clinics</i> , 2010 , 65, 1391-2	2.3	1	
15	Alcohol, drugs, and risky sexual behavior are related to HIV infection in female adolescents. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 361-8	2.6	11	
14	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. <i>Archives of Womenjs Mental Health</i> , 2010 , 13, 185-91	5	31	

13	Highly reported prevalence of drinking and driving in Brazil: data from the first representative household study. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 125-30	2.6	36
12	Evaluation of psychiatric symptoms in cocaine users in the Brazilian public health system: need for data and structure. <i>Public Health</i> , 2008 , 122, 1349-55	4	11
11	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. <i>Revista De Saude Publica</i> , 2008 , 42, 1101-4	2.4	3
10	Uso de bebidas alcolicas em postos de gasolina de Porto Alegre: estudo piloto. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2008 , 30, 65-68		О
9	Brain injury markers (S100B and NSE) in chronic cocaine dependents. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 134-9	2.6	15
8	Association between psychiatric symptoms and severity of alcohol dependence in a sample of brazilian men. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 126-30	1.8	22
7	Psychometric properties of the World Health Organization quality of life instrument (WHOQoL-BREF) in alcoholic males: a pilot study. <i>Quality of Life Research</i> , 2005 , 14, 473-8	3.7	63
6	Prevallicia de tabagismo em uma unidade de internali psiquilirica de Porto Alegre. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2003 , 25, 475-478		1
5	Age and gender as risk factors for the transmission of HIV in a sample of drug users of Porto Alegre, Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2002 , 24, 137-140	2.6	4
4	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic (Preprint)		1
3	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study (Preprin	t)	1
2	Association of syndemic conditions and quality of life among people living with HIV/AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> ,1-10	2.2	
1	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> ,155982762211020	1.9	