

# Alfonso BarrÃ³s-Loscertales

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3571810/publications.pdf>

Version: 2024-02-01

59  
papers

2,198  
citations

257357

24  
h-index

233338

45  
g-index

65  
all docs

65  
docs citations

65  
times ranked

3091  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metaphor can influence meta-thinking and affective levels in guided meditation. <i>Current Psychology</i> , 2023, 42, 3617-3629.	1.7	3
2	The Left Frontoparietal Brain Network in Addictions. , 2022, , 1-24.		1
3	Brain networks alterations in cocaine use and gambling disorders during emotion regulation. <i>Journal of Behavioral Addictions</i> , 2022, , .	1.9	2
4	The manifestation of individual differences in sensitivity to punishment during resting state is modulated by eye state. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021, 21, 144-155.	1.0	1
5	Resting State Functional Connectivity Associated With Sahaja Yoga Meditation. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 614882.	1.0	9
6	Distance disintegration characterizes node-level topological dysfunctions in cocaine addiction. <i>Addiction Biology</i> , 2021, 26, e13072.	1.4	3
7	Longitudinal Effects of Distress and Its Management During COVID-19 Lockdown in Spain. <i>Frontiers in Psychology</i> , 2021, 12, 772040.	1.1	1
8	Motivational factors modulate left frontoparietal network during cognitive control in cocaine addiction. <i>Addiction Biology</i> , 2020, 25, e12820.	1.4	21
9	Self-Regulation of SMR Power Led to an Enhancement of Functional Connectivity of Somatomotor Cortices in Fibromyalgia Patients. <i>Frontiers in Neuroscience</i> , 2020, 14, 236.	1.4	12
10	Larger whole brain grey matter associated with long-term Sahaja Yoga Meditation: A detailed area by area comparison. <i>PLoS ONE</i> , 2020, 15, e0237552.	1.1	7
11	Alterations in Brain Structure and Amplitude of Low-frequency after 8 weeks of Mindfulness Meditation Training in Meditation-Naïve Subjects. <i>Scientific Reports</i> , 2019, 9, 10977.	1.6	40
12	Gray Matter and Functional Connectivity in Anterior Cingulate Cortex are Associated with the State of Mental Silence During Sahaja Yoga Meditation. <i>Neuroscience</i> , 2018, 371, 395-406.	1.1	51
13	Excessive body fat linked to blunted somatosensory cortex response to general reward in adolescents. <i>International Journal of Obesity</i> , 2018, 42, 88-94.	1.6	7
14	Left frontoparietal network activity is modulated by drug stimuli in cocaine addiction. <i>Brain Imaging and Behavior</i> , 2018, 12, 1259-1270.	1.1	26
15	The Neural Substrate of Reward Anticipation in Health: A Meta-Analysis of fMRI Findings in the Monetary Incentive Delay Task. <i>Neuropsychology Review</i> , 2018, 28, 496-506.	2.5	136
16	Processing Internal and External Stimuli in the Insula: A Very Rough Simplification. , 2018, , 179-189.		0
17	Reduced activity in functional networks during reward processing is modulated by abstinence in cocaine addicts. <i>Addiction Biology</i> , 2017, 22, 479-489.	1.4	18
18	Monetary reward magnitude effects on behavior and brain function during goal-directed behavior. <i>Brain Imaging and Behavior</i> , 2017, 11, 1037-1049.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Structural and Functional Aspects of Stimulant Misuse and Addiction. , 2016, , 209-219.		3
20	State and Training Effects of Mindfulness Meditation on Brain Networks Reflect Neuronal Mechanisms of Its Antidepressant Effect. Neural Plasticity, 2016, 2016, 1-14.	1.0	47
21	Reward Contingencies Improve Goal-Directed Behavior by Enhancing Posterior Brain Attentional Regions and Increasing Corticostriatal Connectivity in Cocaine Addicts. PLoS ONE, 2016, 11, e0167400.	1.1	10
22	Neuroticism predisposes to donation more than agreeableness: An fMRI study.. Journal of Neuroscience, Psychology, and Economics, 2016, 9, 100-108.	0.4	6
23	Reduced posterior parietal cortex activation after training on a visual search task. NeuroImage, 2016, 135, 204-213.	2.1	15
24	Social Comparisons are Associated with Poorer and Riskier Financial Decision Making, no Matter whether Encounters are Sporadic or Repeated. Spanish Journal of Psychology, 2016, 19, E57.	1.1	3
25	Inferior frontal cortex activity is modulated by reward sensitivity and performance variability. Biological Psychology, 2016, 114, 127-137.	1.1	50
26	BAS-drive trait modulates dorsomedial striatum activity during reward response-outcome associations. Brain Imaging and Behavior, 2016, 10, 869-879.	1.1	20
27	Characterizing individual differences in reward sensitivity from the brain networks involved in response inhibition. NeuroImage, 2016, 124, 287-299.	2.1	10
28	Reward Sensitivity Modulates Brain Activity in the Prefrontal Cortex, ACC and Striatum during Task Switching. PLoS ONE, 2015, 10, e0123073.	1.1	13
29	A new window to understanding individual differences in reward sensitivity from attentional networks. Brain Structure and Function, 2015, 220, 1807-1821.	1.2	10
30	Abstinence duration modulates striatal functioning during monetary reward processing in cocaine patients. Addiction Biology, 2014, 19, 885-894.	1.4	50
31	Psychiatric symptoms are not an independent mortality risk factor in community-living elderly people. International Psychogeriatrics, 2014, 26, 911-920.	0.6	5
32	Differential neural control in early bilinguals and monolinguals during response inhibition. Brain and Language, 2014, 132, 43-51.	0.8	24
33	An fMRI Study to Analyze Neural Correlates of Presence during Virtual Reality Experiences. Interacting With Computers, 2014, 26, 269-284.	1.0	44
34	A Functional Magnetic Resonance Imaging Assessment of Small Animalsâ€™ Phobia Using Virtual Reality as a Stimulus. JMIR Serious Games, 2014, 2, e6.	1.7	8
35	Extreme Learning Machines for Feature Selection and Classification of Cocaine Dependent Patients on Structural MRI Data. Neural Processing Letters, 2013, 38, 375-387.	2.0	27
36	Neural correlates of audiovisual speech processing in a second language. Brain and Language, 2013, 126, 253-262.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Reward sensitivity modulates connectivity among reward brain areas during processing of anticipatory reward cues. <i>European Journal of Neuroscience</i> , 2013, 38, 2399-2407.	1.2	26
38	Reward Sensitivity Is Associated with Brain Activity during Erotic Stimulus Processing. <i>PLoS ONE</i> , 2013, 8, e66940.	1.1	33
39	fMRI assessment of small animalsâ€™ phobia using virtual reality as stimulus. , 2013, , .		3
40	Impact of Circularity Analysis on Classification Results: A Case Study in the Detection of Cocaine Addiction Using Structural MRI. <i>Communications in Computer and Information Science</i> , 2013, , 101-114.	0.4	0
41	Reading Salt Activates Gustatory Brain Regions: fMRI Evidence for Semantic Grounding in a Novel Sensory Modality. <i>Cerebral Cortex</i> , 2012, 22, 2554-2563.	1.6	144
42	Frontostriatal response to set switching is moderated by reward sensitivity. <i>Social Cognitive and Affective Neuroscience</i> , 2012, 7, 423-430.	1.5	19
43	The role of protest scenario in the neural response to the supportive communication. <i>International Journal of Nonprofit and Voluntary Sector Marketing</i> , 2012, 17, 263-274.	0.5	3
44	Individual differences in the Behavioral Inhibition System are associated with orbitofrontal cortex and precuneus gray matter volume. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2012, 12, 491-498.	1.0	53
45	Cocaine Dependent Classification Using Brain Magnetic Resonance Imaging. <i>Lecture Notes in Computer Science</i> , 2012, , 448-454.	1.0	2
46	Reduced striatal volume in cocaine-dependent patients. <i>NeuroImage</i> , 2011, 56, 1021-1026.	2.1	128
47	Lower activation in the right frontoparietal network during a counting Stroop task in a cocaine-dependent group. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 111-118.	0.9	67
48	Right parietal hypoactivation in a cocaine-dependent group during a verbal working memory task. <i>Brain Research</i> , 2011, 1375, 111-119.	1.1	37
49	Comparison of two fMRI tasks for the evaluation of the expressive language function. <i>Neuroradiology</i> , 2010, 52, 407-415.	1.1	41
50	Behavioral activation system modulation on brain activation during appetitive and aversive stimulus processing. <i>Social Cognitive and Affective Neuroscience</i> , 2010, 5, 18-28.	1.5	26
51	A cognitive neuroscience approach to individual differences in sensitivity to reward. <i>Neurotoxicity Research</i> , 2008, 14, 191-203.	1.3	30
52	Compensatory activations in patients with multiple sclerosis during preserved performance on the auditory N-back task. <i>Human Brain Mapping</i> , 2007, 28, 424-430.	1.9	64
53	Compensatory cortical mechanisms in Parkinson's disease evidenced with fMRI during the performance of pre-learned sequential movements. <i>Brain Research</i> , 2007, 1147, 265-271.	1.1	63
54	Mapping the appetitive and aversive systems with emotional pictures using a block-design fMRI procedure. <i>Psicothema</i> , 2007, 19, 483-8.	0.7	23

#	ARTICLE	IF	CITATIONS
55	Cortical reorganization during PASAT task in MS patients with preserved working memory functions. NeuroImage, 2006, 31, 686-691.	2.1	88
56	Reading cinnamon activates olfactory brain regions. NeuroImage, 2006, 32, 906-912.	2.1	378
57	Behavioral Inhibition System activity is associated with increased amygdala and hippocampal gray matter volume: A voxel-based morphometry study. NeuroImage, 2006, 33, 1011-1015.	2.1	127
58	Striatum gray matter reduction in males with an overactive behavioral activation system. European Journal of Neuroscience, 2006, 24, 2071-2074.	1.2	120
59	Studentsâ€™ surveys and involvement in educational activities within virtual environments are related to studentsâ€™ satisfaction in e-learning graduate programs. , 0, , .		0