

Bianca H Habermann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3572313/bianca-h-habermann-publications-by-year.pdf>

Version: 2024-02-21

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

9,349
citations

54
h-index

96
g-index

144
ext. papers

10,956
ext. citations

10.9
avg, IF

5.74
L-index

#	Paper	IF	Citations
124	Complete Genome Assembly of <i>Myxococcus xanthus</i> Strain DZ2 Using Long High-Fidelity (HiFi) Reads Generated with PacBio Technology. <i>Microbiology Resource Announcements</i> , 2021 , 10, e0053021	1.3	3
123	RNfuzzyApp: an R shiny RNA-seq data analysis app for visualisation, differential expression analysis, time-series clustering and enrichment analysis.. <i>F1000Research</i> , 2021 , 10, 654	3.6	1
122	AnnoMiner is a new web-tool to integrate epigenetics, transcription factor occupancy and transcriptomics data to predict transcriptional regulators. <i>Scientific Reports</i> , 2021 , 11, 15463	4.9	0
121	Prednisolone rescues Duchenne muscular dystrophy phenotypes in human pluripotent stem cell-derived skeletal muscle in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	8
120	The Hippo pathway controls myofibril assembly and muscle fiber growth by regulating sarcomeric gene expression. <i>ELife</i> , 2021 , 10,	8.9	8
119	and Expression in Mouse Striatal Cholinergic Interneurons: Implications for Autism Spectrum Disorder. <i>Frontiers in Genetics</i> , 2021 , 12, 683959	4.5	2
118	Introducing the novel Cytoscape app TimeNexus to analyze time-series data using temporal MultiLayer Networks (tMLNs). <i>Scientific Reports</i> , 2021 , 11, 13691	4.9	0
117	Evolution of mechanisms controlling epithelial morphogenesis across animals: new insights from dissociation-reaggregation experiments in the sponge <i>Oscarella lobularis</i> . <i>Bmc Ecology and Evolution</i> , 2021 , 21, 160	21	0
116	A Tad-like apparatus is required for contact-dependent prey killing in predatory social bacteria. <i>ELife</i> , 2021 , 10,	8.9	5
115	BCL-XL blockage in TNBC models confers vulnerability to inhibition of specific cell cycle regulators. <i>Theranostics</i> , 2021 , 11, 9180-9197	12.1	0
114	Transcriptomic analysis of <i>Chlorella</i> sp. HS2 suggests the overflow of acetyl-CoA and NADPH cofactor induces high lipid accumulation and halotolerance. <i>Food and Energy Security</i> , 2021 , 10, e267	4.1	2
113	The Integrated RNA Landscape of Renal Preconditioning against Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 716-730	12.7	11
112	Whole-genome comparison between the type strain of <i>Halobacterium salinarum</i> (DSM 3754) and the laboratory strains R1 and NRC-1. <i>MicrobiologyOpen</i> , 2020 , 9, e974	3.4	10
111	mitoXplorer, a visual data mining platform to systematically analyze and visualize mitochondrial expression dynamics and mutations. <i>Nucleic Acids Research</i> , 2020 , 48, 605-632	20.1	15
110	Mitochondrial fusion is required for regulation of mitochondrial DNA replication. <i>PLoS Genetics</i> , 2019 , 15, e1008085	6	62
109	Slx5/Slx8-dependent ubiquitin hotspots on chromatin contribute to stress tolerance. <i>EMBO Journal</i> , 2019 , 38,	13	5
108	Postnatal Tshz3 Deletion Drives Altered Corticostriatal Function and Autism Spectrum Disorder-like Behavior. <i>Biological Psychiatry</i> , 2019 , 86, 274-285	7.9	9

107	Compromised Mitochondrial Protein Import Acts as a Signal for UPR. <i>Cell Reports</i> , 2019 , 28, 1659-1669.e50.6	50.6	59
106	The Genome Sequence of the Halobacterium salinarum Type Strain Is Closely Related to That of Laboratory Strains NRC-1 and R1. <i>Microbiology Resource Announcements</i> , 2019 , 8,	1.3	5
105	Evaluating the landscape of gene cooperativity with receptor tyrosine kinases in liver tumorigenesis using transposon-mediated mutagenesis. <i>Journal of Hepatology</i> , 2019 , 70, 470-482	13.4	6
104	High-resolution TADs reveal DNA sequences underlying genome organization in flies. <i>Nature Communications</i> , 2018 , 9, 189	17.4	292
103	The axolotl genome and the evolution of key tissue formation regulators. <i>Nature</i> , 2018 , 554, 50-55	50.4	279
102	Integrative analysis and machine learning on cancer genomics data using the Cancer Systems Biology Database (CancerSysDB). <i>BMC Bioinformatics</i> , 2018 , 19, 156	3.6	20
101	The deregulated microRNAome contributes to the cellular response to aneuploidy. <i>BMC Genomics</i> , 2018 , 19, 197	4.5	8
100	Regulation and function of H3K36 di-methylation by the trithorax-group protein complex AMC. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	20
99	The complete and fully assembled genome sequence of <i>Aeromonas salmonicida</i> subsp. <i>pectinolytica</i> and its comparative analysis with other <i>Aeromonas</i> species: investigation of the mobilome in environmental and pathogenic strains. <i>BMC Genomics</i> , 2018 , 19, 20	4.5	15
98	SLALOM, a flexible method for the identification and statistical analysis of overlapping continuous sequence elements in sequence- and time-series data. <i>BMC Bioinformatics</i> , 2018 , 19, 24	3.6	1
97	Hypermethylation of gene body CpG islands predicts high dosage of functional oncogenes in liver cancer. <i>Nature Communications</i> , 2018 , 9, 3164	17.4	80
96	Atf3 links loss of epithelial polarity to defects in cell differentiation and cytoarchitecture. <i>PLoS Genetics</i> , 2018 , 14, e1007241	6	11
95	Phenotypic and genomic comparison of <i>Photobacterium luminescens</i> subsp. <i>laumondii</i> TT01 and a widely used rifampicin-resistant <i>Photobacterium luminescens</i> laboratory strain. <i>BMC Genomics</i> , 2018 , 19, 854	4.5	11
94	A transcriptomics resource reveals a transcriptional transition during ordered sarcomere morphogenesis in flight muscle. <i>ELife</i> , 2018 , 7,	8.9	37
93	The enigmatic meiotic dense body and its newly discovered component, SCML1, are dispensable for fertility and gametogenesis in mice. <i>Chromosoma</i> , 2017 , 126, 399-415	2.8	0
92	A Guide to Computational Methods for Predicting Mitochondrial Localization. <i>Methods in Molecular Biology</i> , 2017 , 1567, 1-14	1.4	2
91	HH-MOTiF: de novo detection of short linear motifs in proteins by Hidden Markov Model comparisons. <i>Nucleic Acids Research</i> , 2017 , 45, W470-W477	20.1	7
90	Revision and reannotation of the <i>Halomonas elongata</i> DSM 2581 genome. <i>MicrobiologyOpen</i> , 2017 , 6, e00465	3.4	8

89	Structural basis for the antagonistic roles of RNP-8 and GLD-3 in GLD-2 poly(A)-polymerase activity. <i>Rna</i> , 2016 , 22, 1139-45	5.8	7
88	Structure of a Cytoplasmic 11-Subunit RNA Exosome Complex. <i>Molecular Cell</i> , 2016 , 63, 125-34	17.6	53
87	Altered lipid metabolism in the aging kidney identified by three layered omic analysis. <i>Aging</i> , 2016 , 8, 441-57	5.6	33
86	Mechanical regulation of transcription controls Polycomb-mediated gene silencing during lineage commitment. <i>Nature Cell Biology</i> , 2016 , 18, 864-75	23.4	241
85	Vav Proteins Are Key Regulators of Card9 Signaling for Innate Antifungal Immunity. <i>Cell Reports</i> , 2016 , 17, 2572-2583	10.6	47
84	Secretory cargo sorting by Ca ²⁺ -dependent Cab45 oligomerization at the trans-Golgi network. <i>Journal of Cell Biology</i> , 2016 , 213, 305-14	7.3	30
83	mRNA export through an additional cap-binding complex consisting of NCBP1 and NCBP3. <i>Nature Communications</i> , 2015 , 6, 8192	17.4	47
82	The RNA-binding protein Arrest (Bruno) regulates alternative splicing to enable myofibril maturation in Drosophila flight muscle. <i>EMBO Reports</i> , 2015 , 16, 178-91	6.5	39
81	Virtual pathway explorer (viPER) and pathway enrichment analysis tool (PEANuT): creating and analyzing focus networks to identify cross-talk between molecules and pathways. <i>BMC Genomics</i> , 2015 , 16, 790	4.5	4
80	Tools for visualization and analysis of molecular networks, pathways, and -omics data. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2015 , 8, 11-22	1.5	29
79	Merging and scoring molecular interactions utilising existing community standards: tools, use-cases and a case study. <i>Database: the Journal of Biological Databases and Curation</i> , 2015 , 2015,	5	36
78	DNA-protein crosslink repair: proteases as DNA repair enzymes. <i>Trends in Biochemical Sciences</i> , 2015 , 40, 67-71	10.3	70
77	Human Holliday junction resolvase GEN1 uses a chromodomain for efficient DNA recognition and cleavage. <i>ELife</i> , 2015 , 4,	8.9	21
76	A cell cycle-regulated Slx4-Dpb11 complex promotes the resolution of DNA repair intermediates linked to stalled replication. <i>Genes and Development</i> , 2014 , 28, 1604-19	12.6	70
75	morFeus: a web-based program to detect remotely conserved orthologs using symmetrical best hits and orthology network scoring. <i>BMC Bioinformatics</i> , 2014 , 15, 263	3.6	5
74	Cofilin recruits F-actin to SPCA1 and promotes Ca ²⁺ -mediated secretory cargo sorting. <i>Journal of Cell Biology</i> , 2014 , 206, 635-54	7.3	27
73	Characterization of the sea urchin mitochondrial transcription factor A reveals unusual features. <i>Mitochondrion</i> , 2014 , 14, 34-41	4.9	2
72	NSUN4 is a dual function mitochondrial protein required for both methylation of 12S rRNA and coordination of mitoribosomal assembly. <i>PLoS Genetics</i> , 2014 , 10, e1004110	6	179

71	<i>Drosophila melanogaster</i> LRPPRC2 is involved in coordination of mitochondrial translation. <i>Nucleic Acids Research</i> , 2014 , 42, 13920-38	20.1	18
70	The cytoplasmic poly(A) polymerases GLD-2 and GLD-4 promote general gene expression via distinct mechanisms. <i>Nucleic Acids Research</i> , 2014 , 42, 11622-33	20.1	27
69	KEGGViewer, a BioJS component to visualize KEGG Pathways. <i>F1000Research</i> , 2014 , 3, 43	3.6	7
68	PsicquicGraph, a BioJS component to visualize molecular interactions from PSICQUIC servers. <i>F1000Research</i> , 2014 , 3, 44	3.6	4
67	Transcriptional profiling reveals progeroid Ercc1(-/-) mice as a model system for glomerular aging. <i>BMC Genomics</i> , 2013 , 14, 559	4.5	11
66	MTERF1 binds mtDNA to prevent transcriptional interference at the light-strand promoter but is dispensable for rRNA gene transcription regulation. <i>Cell Metabolism</i> , 2013 , 17, 618-26	24.6	78
65	Designing efficient and specific endoribonuclease-prepared siRNAs. <i>Methods in Molecular Biology</i> , 2013 , 942, 193-204	1.4	15
64	MTERF3 regulates mitochondrial ribosome biogenesis in invertebrates and mammals. <i>PLoS Genetics</i> , 2013 , 9, e1003178	6	70
63	Dietary restriction induced longevity is mediated by nuclear receptor NHR-62 in <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2013 , 9, e1003651	6	58
62	Human intellectual disability genes form conserved functional modules in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2013 , 9, e1003911	6	32
61	Molecular strategies of the <i>Caenorhabditis elegans</i> dauer larva to survive extreme desiccation. <i>PLoS ONE</i> , 2013 , 8, e82473	3.7	67
60	Comparative RNA-seq analysis in the unsequenced axolotl: the oncogene burst highlights early gene expression in the blastema. <i>PLoS Computational Biology</i> , 2013 , 9, e1002936	5	92
59	Comparative transcriptional profiling of the axolotl limb identifies a tripartite regeneration-specific gene program. <i>PLoS ONE</i> , 2013 , 8, e61352	3.7	82
58	<i>Caenorhabditis elegans</i> screen reveals role of PAR-5 in RAB-11-recycling endosome positioning and apicobasal cell polarity. <i>Nature Cell Biology</i> , 2012 , 14, 666-76	23.4	73
57	The interaction properties of the human Rab GTPase family--comparative analysis reveals determinants of molecular binding selectivity. <i>PLoS ONE</i> , 2012 , 7, e34870	3.7	32
56	A novel 3-hydroxysteroid dehydrogenase that regulates reproductive development and longevity. <i>PLoS Biology</i> , 2012 , 10, e1001305	9.7	54
55	Structure of the human MTERF4-NSUN4 protein complex that regulates mitochondrial ribosome biogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 15253-8	11.5	87
54	Correction for Zayas et al., The planarian <i>Schmidtea mediterranea</i> as a model for epigenetic germ cell specification: Analysis of ESTs from the hermaphroditic strain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 19033-19033	11.5	78

53	MTERF4 regulates translation by targeting the methyltransferase NSUN4 to the mammalian mitochondrial ribosome. <i>Cell Metabolism</i> , 2011 , 13, 527-39	24.6	190
52	HMMerThread: detecting remote, functional conserved domains in entire genomes by combining relaxed sequence-database searches with fold recognition. <i>PLoS ONE</i> , 2011 , 6, e17568	3.7	2
51	The bicoid stability factor controls polyadenylation and expression of specific mitochondrial mRNAs in <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2011 , 7, e1002324	6	46
50	Systems survey of endocytosis by multiparametric image analysis. <i>Nature</i> , 2010 , 464, 243-9	50.4	340
49	Mutations in mouse <i>Aspm</i> (abnormal spindle-like microcephaly associated) cause not only microcephaly but also major defects in the germline. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 16595-600	11.5	143
48	SeLOX--a locus of recombination site search tool for the detection and directed evolution of site-specific recombination systems. <i>Nucleic Acids Research</i> , 2010 , 38, W293-8	20.1	16
47	The MMS22L-TONSL complex mediates recovery from replication stress and homologous recombination. <i>Molecular Cell</i> , 2010 , 40, 619-31	17.6	85
46	Rec8 phosphorylation by casein kinase 1 and Cdc7-Dbf4 kinase regulates cohesin cleavage by separase during meiosis. <i>Developmental Cell</i> , 2010 , 18, 397-409	10.2	158
45	Interaction between Sec7p and Pik1p: the first clue for the regulation of a coincidence detection signal. <i>European Journal of Cell Biology</i> , 2010 , 89, 575-83	6.1	15
44	A user-centred evaluation framework for the Sealife semantic web browsers. <i>BMC Bioinformatics</i> , 2009 , 10 Suppl 10, S14	3.6	4
43	HAUS, the 8-subunit human Augmin complex, regulates centrosome and spindle integrity. <i>Current Biology</i> , 2009 , 19, 816-26	6.3	186
42	Conformational adaptability of Redbeta during DNA annealing and implications for its structural relationship with Rad52. <i>Journal of Molecular Biology</i> , 2009 , 391, 586-98	6.5	50
41	Chromatin Central: towards the comparative proteome by accurate mapping of the yeast proteomic environment. <i>Genome Biology</i> , 2008 , 9, R167	18.3	96
40	The endosomal protein App11 mediates Akt substrate specificity and cell survival in vertebrate development. <i>Cell</i> , 2008 , 133, 486-97	56.2	260
39	LET-767 is required for the production of branched chain and long chain fatty acids in <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2008 , 283, 17550-60	5.4	64
38	The clathrin adaptor Gga2p is a phosphatidylinositol 4-phosphate effector at the Golgi exit. <i>Molecular Biology of the Cell</i> , 2008 , 19, 1991-2002	3.5	63
37	Identification of the <i>C. elegans</i> anaphase promoting complex subunit Cdc26 by phenotypic profiling and functional rescue in yeast. <i>BMC Developmental Biology</i> , 2007 , 7, 19	3.1	11
36	Genome-scale RNAi profiling of cell division in human tissue culture cells. <i>Nature Cell Biology</i> , 2007 , 9, 1401-12	23.4	254

35	Genome-wide resources of endoribonuclease-prepared short interfering RNAs for specific loss-of-function studies. <i>Nature Methods</i> , 2007 , 4, 337-44	21.6	151
34	Protein Domains of GTPases on Membranes: Do They Rely on Turing Mechanism? 2007 , 33-46		
33	ProFAT: a web-based tool for the functional annotation of protein sequences. <i>BMC Bioinformatics</i> , 2006 , 7, 466	3.6	6
32	Erythroid progenitor renewal versus differentiation: genetic evidence for cell autonomous, essential functions of EpoR, Stat5 and the GR. <i>Oncogene</i> , 2006 , 25, 2890-900	9.2	46
31	PDZ-domain-binding sites are common among cadherins. <i>Development Genes and Evolution</i> , 2006 , 216, 737-41	1.8	8
30	Modulation of receptor recycling and degradation by the endosomal kinesin KIF16B. <i>Cell</i> , 2005 , 121, 437-50	56.2	257
29	An essential function of the <i>C. elegans</i> ortholog of TPX2 is to localize activated aurora A kinase to mitotic spindles. <i>Developmental Cell</i> , 2005 , 9, 237-48	10.2	94
28	Dynamin and the actin cytoskeleton cooperatively regulate plasma membrane invagination by BAR and F-BAR proteins. <i>Developmental Cell</i> , 2005 , 9, 791-804	10.2	484
27	Production of endoribonuclease-prepared short interfering RNAs for gene silencing in mammalian cells. <i>Nature Methods</i> , 2005 , 2, 779-84	21.6	69
26	Genome-wide analysis of human kinases in clathrin- and caveolae/raft-mediated endocytosis. <i>Nature</i> , 2005 , 436, 78-86	50.4	523
25	Distinct roles for two <i>C. elegans</i> anillins in the gonad and early embryo. <i>Development (Cambridge)</i> , 2005 , 132, 2837-48	6.6	127
24	The planarian <i>Schmidtea mediterranea</i> as a model for epigenetic germ cell specification: analysis of ESTs from the hermaphroditic strain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 18491-6	11.5	128
23	Swm1/Apc13 is an evolutionarily conserved subunit of the anaphase-promoting complex stabilizing the association of Cdc16 and Cdc27. <i>Molecular and Cellular Biology</i> , 2004 , 24, 3562-76	4.8	55
22	The power and the limitations of cross-species protein identification by mass spectrometry-driven sequence similarity searches. <i>Molecular and Cellular Proteomics</i> , 2004 , 3, 238-49	7.6	133
21	DEQOR: a web-based tool for the design and quality control of siRNAs. <i>Nucleic Acids Research</i> , 2004 , 32, W113-20	20.1	120
20	Translational control of putative protooncogene Nm23-M2 by cytokines via phosphoinositide 3-kinase signaling. <i>Journal of Biological Chemistry</i> , 2004 , 279, 38169-76	5.4	20
19	The BAR-domain family of proteins: a case of bending and binding?. <i>EMBO Reports</i> , 2004 , 5, 250-5	6.5	237
18	An endoribonuclease-prepared siRNA screen in human cells identifies genes essential for cell division. <i>Nature</i> , 2004 , 432, 1036-40	50.4	339

17	From biomedicine to natural history research: EST resources for ambystomatid salamanders. <i>BMC Genomics</i> , 2004 , 5, 54	4.5	75
16	The <i>Caenorhabditis elegans</i> centrosomal protein SPD-2 is required for both pericentriolar material recruitment and centriole duplication. <i>Current Biology</i> , 2004 , 14, 863-73	6.3	186
15	Homology-based functional proteomics by mass spectrometry: application to the <i>Xenopus</i> microtubule-associated proteome. <i>Proteomics</i> , 2004 , 4, 2707-21	4.8	64
14	An <i>Ambystoma mexicanum</i> EST sequencing project: analysis of 17,352 expressed sequence tags from embryonic and regenerating blastema cDNA libraries. <i>Genome Biology</i> , 2004 , 5, R67	18.3	64
13	Centriole assembly requires both centriolar and pericentriolar material proteins. <i>Developmental Cell</i> , 2004 , 7, 815-29	10.2	239
12	APPL proteins link Rab5 to nuclear signal transduction via an endosomal compartment. <i>Cell</i> , 2004 , 116, 445-56	56.2	453
11	Islet cell autoantigen of 69 kDa is an arfaptin-related protein associated with the Golgi complex of insulinoma INS-1 cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 26166-73	5.4	27
10	Apoptosis protection by the Epo target Bcl-X(L) allows factor-independent differentiation of primary erythroblasts. <i>Current Biology</i> , 2002 , 12, 1076-85	6.3	119
9	XMAP215: a key component of the dynamic microtubule cytoskeleton. <i>Trends in Cell Biology</i> , 2002 , 12, 267-73	18.3	117
8	The kinetically dominant assembly pathway for centrosomal asters in <i>Caenorhabditis elegans</i> is gamma-tubulin dependent. <i>Journal of Cell Biology</i> , 2002 , 157, 591-602	7.3	178
7	Stu2 promotes mitotic spindle elongation in anaphase. <i>Journal of Cell Biology</i> , 2001 , 153, 435-42	7.3	104
6	Isolation of translationally controlled mRNAs by differential screening. <i>FASEB Journal</i> , 2000 , 14, 1641-52	6.9	69
5	Structure of leech derived trypsin inhibitor (LDTI-C) in solution. <i>FEBS Letters</i> , 1994 , 355, 290-6	3.8	33
4	RNfuzzyApp: an R shiny RNA-seq data analysis app for visualisation, differential expression analysis, time-series clustering and enrichment analysis. <i>F1000Research</i> , 10 , 654	3.6	
3	Systematic transcriptomics reveals a biphasic mode of sarcomere morphogenesis in flight muscles regulated by Spalt		1
2	mitoXplorer, a visual data mining platform to systematically analyze and visualize mitochondrial expression dynamics and mutations		1
1	A Tad-like apparatus is required for contact-dependent prey killing in predatory social bacteria		1