## Yutaka Yonemura

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3572621/yutaka-yonemura-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,979 81 167 44 h-index g-index citations papers 186 7,630 5.12 3.3 avg, IF L-index ext. citations ext. papers

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 167 | Mesentery solitary fibrous tumor with postoperative recurrence and sarcomatosis: A case report and review of literature <i>World Journal of Clinical Oncology</i> , <b>2022</b> , 13, 303-313   | 2.5 |           |
| 166 | Effect of oxaliplatin-based chemotherapy on chemosensitivity in patients with peritoneal metastasis from colorectal cancer treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy: proof-of-concept study. <i>BJS Open</i> , <b>2021</b> , 5, | 3.9 | 1         |
| 165 | Patterns of peritoneal dissemination and response to systemic chemotherapy in common and rare peritoneal tumours treated by cytoreductive surgery: study protocol of a prospective, multicentre, observational study. <i>BMJ Open</i> , <b>2021</b> , 11, e046819       | 3   | O         |
| 164 | Thirty-three long-term survivors after cytoreductive surgery in patients with peritoneal metastases from colorectal cancer: a retrospective descriptive study. <i>World Journal of Surgical Oncology</i> , <b>2021</b> , 19, 31   | 3.4 | 3         |
| 163 | Complete pathological response of high grade appendicular neoplasm induced Pseudomyxoma Peritonei (PMP) after neoadjuvant intra-peritoneal chemotherapy: A case report. <i>International Journal of Surgery Case Reports</i> , <b>2020</b> , 72, 117-121                | 0.8 | O         |
| 162 | The Pathologic Peritoneal Cancer Index (PCI) Strongly Differs From the Surgical PCI in Peritoneal Metastases Arising From Various Primary Tumors. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 2985-2996  | 3.1 | 19        |
| 161 | Role of Hyperthermic Intraperitoneal Chemotherapy (HIPEC) in the Treatment of Peritoneal Metastasis of Gastric Cancer <b>2020</b> , 113-124   |     | 3         |
| 160 | Long Term Survival after Cytoreductive Surgery Combined with Perioperative Chemotherapy in Gastric Cancer Patients with Peritoneal Metastasis. <i>Cancers</i> , <b>2020</b> , 12,   | 6.6 | 14        |
| 159 | Multicystic peritoneal mesothelioma treated with complete cytoreductive surgery, peritonectomy and hyperthermic intra-peritoneal chemotherapy-A case report. <i>International Journal of Surgery Case Reports</i> , <b>2020</b> , 74, 152-157                           | 0.8 | O         |
| 158 | Neoadjuvant Intraperitoneal Chemotherapy in Patients with Pseudomyxoma Peritonei-A Novel Treatment Approach. <i>Cancers</i> , <b>2020</b> , 12,   | 6.6 | 2         |
| 157 | Advances with pharmacotherapy for peritoneal metastasis. <i>Expert Opinion on Pharmacotherapy</i> , <b>2020</b> , 21, 2057-2066   | 4   | 2         |
| 156 | Hyperthermic intraperitoneal chemotherapy in management of malignant intraductal papillary mucinous neoplasm with peritoneal dissemination: Case report. <i>International Journal of Surgery Case Reports</i> , <b>2019</b> , 63, 85-88                                 | 0.8 | 2         |
| 155 | Experience of applying cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for ovarian teratoma with malignant transformation and peritoneal dissemination. <i>Therapeutics and Clinical Risk Management</i> , <b>2019</b> , 15, 129-136                | 2.9 | 2         |
| 154 | Prognostic significance of the presence of epithelial cell clusters in the ascites of patients with pseudomyxoma peritonei. <i>Diagnostic Cytopathology</i> , <b>2019</b> , 47, 1024-1027   | 1.4 |           |
| 153 | History of Peritoneal Surface Malignancy Treatment in Japan. <i>Indian Journal of Surgical Oncology</i> , <b>2019</b> , 10, 3-11  | 0.7 | 5         |
| 152 | Downstaging of lymph node metastasis after neoadjuvant intraperitoneal and systemic chemotherapy in gastric carcinoma with peritoneal metastasis. <i>European Journal of Surgical Oncology</i> , <b>2019</b> , 45, 1493-1497  | 3.6 | 7         |
| 151 | Pathological assessment of cytoreductive surgery specimens and its unexplored prognostic potential-a prospective multi-centric study. <i>European Journal of Surgical Oncology</i> , <b>2019</b> , 45, 2398-2404  | 3.6 | 19        |

| 150 | Can hyperthermic intraperitoneal chemotherapy effectively control gastric cancer-associated peritoneal carcinomatosis?. <i>World Journal of Surgical Procedures</i> , <b>2019</b> , 9, 7-11  | Ο                              |    |
|-----|--|--------------------------------|----|
| 149 | Expression and prognosis analyses of forkhead box A (FOXA) family in human lung cancer. <i>Gene</i> , <b>2019</b> , 685, 202-210   | 3.8                            | 16 |
| 148 | Iterative cytoreductive surgery with or without hyperthermic intraperitoneal chemotherapy for colorectal peritoneal metastases: A multi-institutional experience. <i>Journal of Surgical Oncology</i> , <b>2019</b> , 119, 336-346   | 2.8                            | 16 |
| 147 | Neoadjuvant chemotherapy in advanced gastric and esophago-gastric cancer. Meta-analysis of randomized trials. <i>International Journal of Surgery</i> , <b>2018</b> , 51, 120-127  | 7.5                            | 61 |
| 146 | Cytoreductive Surgery Plus Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Metastases From a Small Bowel Adenocarcinoma: Multi-Institutional Experience. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 1184-1192   | 3.1                            | 24 |
| 145 | The current practice of cytoreductive surgery and HIPEC for colorectal peritoneal metastases:<br>Results of a worldwide web-based survey of the Peritoneal Surface Oncology Group International<br>(PSOGI). <i>European Journal of Surgical Oncology</i> , <b>2018</b> , 44, 1942-1948 | 3.6                            | 71 |
| 144 | Peritoneal Carcinomatosis of Urachus Origin Treated by Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy (HIPEC): An International Registry of 36 Patients. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 1094-1100   | 3.1                            | 10 |
| 143 | Is there an oncological interest in the combination of CRS/HIPEC for peritoneal carcinomatosis of HCC? Results of a multicenter international study. European Journal of Surgical Oncology, 2018, 44, 1786   | <sup>3</sup> 1 <sup>6</sup> 92 | 17 |
| 142 | Current status and future prospects of clinical trials on CRS + HIPEC for gastric cancer peritoneal metastases. <i>International Journal of Hyperthermia</i> , <b>2017</b> , 33, 562-570   | 3.7                            | 27 |
| 141 | Treatment of peritoneal metastases from small bowel adenocarcinoma. <i>International Journal of Hyperthermia</i> , <b>2017</b> , 33, 571-578   | 3.7                            | 15 |
| 140 | A case of ovarian growing teratoma syndrome treated by cytoreductive surgery. <i>International Cancer Conference Journal</i> , <b>2017</b> , 6, 188-192  | 0.9                            |    |
| 139 | Photodynamic Detection of Peritoneal Metastases Using 5-Aminolevulinic Acid (ALA). <i>Cancers</i> , <b>2017</b> , 9,   | 6.6                            | 10 |
| 138 | Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for appendiceal goblet cell carcinomas with peritoneal carcinomatosis: results from a single specialized center. <i>Cancer Management and Research</i> , <b>2017</b> , 9, 513-523                                  | 3.6                            | 6  |
| 137 | Effects of Neoadjuvant Laparoscopic Hyperthermic Intraperitoneal Chemotherapy and Neoadjuvant Intraperitoneal/Systemic Chemotherapy on Peritoneal Metastases from Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 478-485                                       | 3.1                            | 59 |
| 136 | Laparoscopic Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Carcinomatosis from Gastric Cancer: Its Beneficial Effects on Reduction and Exact Evaluation of the Peritoneal Cancer Index. <i>American Surgeon</i> , <b>2017</b> , 83, 1315-1320                               | 0.8                            | 4  |
| 135 | Effects of neoadjuvant laparoscopic hyperthermic intraperitoneal chemoperfusion and intraperitoneal/systemic chemotherapy on peritoneal metastasis from gastric cancer. <i>Journal of Peritoneum (and Other Serosal Surfaces)</i> , <b>2017</b> ,                                      | O                              | 1  |
| 134 | Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival for peritoneal carcinomatosis from colorectal cancer: a systematic review and meta-analysis of current evidence. <i>Oncotarget</i> , <b>2017</b> , 8, 55657-55683                               | 3.3                            | 71 |
| 133 | Comprehensive Treatment Using Cytoreductive Surgery Combined with Perioperative Chemotherapy Improved Outcome of Colorectal Cancer Patients with Metachronous Peritoneal Metastasis. <i>Japanese Journal of Cancer and Chemotherapy</i> , <b>2017</b> , 44, 1939-1942                  | 0.2                            | 2  |

| 132 | Effect of intraperitoneal chemotherapy and peritoneal lavage in positive peritoneal cytology in gastric cancer. Systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , <b>2016</b> , 42, 1261-7   | 3.6 | 24  |
|-----|--|-----|-----|
| 131 | Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Dissemination from Small Bowel Malignancy: Results from a Single Specialized Center. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 1625-31   | 3.1 | 25  |
| 130 | A New Comprehensive Treatment for Peritoneal Metastases Using Cytoreductive Surgery Combined with Hyperthermic Intraperitoneal Chemoperfusion <b>2016</b> , 371-396  |     |     |
| 129 | Evolution of management in peritoneal surface malignancies. <i>Turkish Journal of Surgery</i> , <b>2016</b> , 32, 203-   | 7   | 2   |
| 128 | Should total gastrectomy and total colectomy be considered for selected patients with severe tumor burden of pseudomyxoma peritonei in cytoreductive surgery?. <i>European Journal of Surgical Oncology</i> , <b>2016</b> , 42, 1018-23  | 3.6 | 9   |
| 127 | A comprehensive treatment for peritoneal metastases from gastric cancer with curative intent. <i>European Journal of Surgical Oncology</i> , <b>2016</b> , 42, 1123-31   | 3.6 | 67  |
| 126 | Treatment Failure Following Complete Cytoreductive Surgery for Peritoneal Metastasis from Colorectal Cancer. <i>Japanese Journal of Cancer and Chemotherapy</i> , <b>2016</b> , 43, 1435-1439  | 0.2 | 2   |
| 125 | Cytoreductive Surgery Plus Hyperthermic Intraperitoneal Chemotherapy for Pseudomyxoma Peritonei Arising from Urachus. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 2799-805  | 3.1 | 18  |
| 124 | Complete versus incomplete cytoreduction in peritoneal carcinosis from gastric cancer, with consideration to PCI cut-off. Systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , <b>2015</b> , 41, 911-9  | 3.6 | 63  |
| 123 | Cytoreductive Surgery Plus Hyperthermic Intraperitoneal Chemotherapy for Pseudomyxoma Peritonei Arising from Urachus. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 2799  | 3.1 |     |
| 122 | Comprehensive treatment for the peritoneal metastasis from gastric cancer. World Journal of Surgical Procedures, <b>2015</b> , 5, 187  | 0   | 4   |
| 121 | Management of Special Issues <b>2015</b> , 57-80   |     | 1   |
| 120 | Surgical Technique <b>2015</b> , 21-44   |     |     |
| 119 | Intraperitoneal Chemotherapy <b>2015</b> , 45-55   |     |     |
| 118 | Anatomy of Peritoneum and Preoperative Assessment of Patients with Peritoneal Surface Malignancies <b>2015</b> , 1-20  |     |     |
| 117 | Outcome data of patients with peritoneal carcinomatosis from gastric origin treated by a strategy of bidirectional chemotherapy prior to cytoreductive surgery and hyperthermic intraperitoneal chemotherapy in a single specialized center in Japan. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 1147-52 | 3.1 | 87  |
| 116 | Peritoneal cancer treatment. Expert Opinion on Pharmacotherapy, 2014, 15, 623-36   | 4   | 35  |
| 115 | Intraperitoneal chemotherapy in advanced gastric cancer. Meta-analysis of randomized trials. <i>European Journal of Surgical Oncology</i> , <b>2014</b> , 40, 12-26  | 3.6 | 152 |

### (2010-2014)

| 114 | hyperthermic intraperitoneal chemotherapy in patients with peritoneal carcinomatosis from ovarian cancer and primary peritoneal carcinoma: results of a phase I trial. <i>Annals of Surgical</i>   | 3.1            | 27  |
|-----|--|----------------|-----|
| 113 | Phase II Study of a Comprehensive Treatment Using Perioperative Chemotherapy Combined with Cytoreductive Surgery for Curatively Resected Gastric Cancer Patients with Positive Peritoneal Wash Cytology <b>2014</b> , 2, 108-113   |                | 5   |
| 112 | Intraperitoneal chemotherapy and its evolving role in management of gastric cancer with peritoneal metastases. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , <b>2014</b> , 26, 1-3   | 3.8            | 9   |
| 111 | Pharmacokinetics of docetaxel during hyperthermic intraperitoneal chemotherapy for peritoneal metastasis. <i>Japanese Journal of Cancer and Chemotherapy</i> , <b>2014</b> , 41, 2496-9  | 0.2            | 3   |
| 110 | Preoperative carcinoembryonic antigen level predicts prognosis in patients with pseudomyxoma peritonei treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 1271-6                          | 3.3            | 23  |
| 109 | Prognostic factors of peritoneal metastases from colorectal cancer following cytoreductive surgery and perioperative chemotherapy. <i>Scientific World Journal, The</i> , <b>2013</b> , 2013, 978394   | 2.2            | 68  |
| 108 | Trans-Lymphatic Metastasis in Peritoneal Dissemination <b>2013</b> , S12,  |                | 6   |
| 107 | Survey on the incidence and management of pseudomyxoma peritonei in Japan. <i>Japanese Journal of Cancer and Chemotherapy</i> , <b>2013</b> , 40, 1043-8   | 0.2            | 3   |
| 106 | A giant mesentery malignant solitary fibrous tumor recurring as dedifferentiated liposarcoma- a report of a very rare case and literature review. <i>Japanese Journal of Cancer and Chemotherapy</i> , <b>2013</b> , 40, 2466-9  | 0.2            | 4   |
| 105 | Peritoneal carcinomatosis: cytoreductive surgery and HIPECoverview and basics. <i>Cancer Investigation</i> , <b>2012</b> , 30, 209-24  | 2.1            | 68  |
| 104 | Laparoscopic Diagnosis and Laparoscopic Hyperthermic Intraoperative Intraperitoneal Chemotherapy for Pseudomyxoma Peritonei Detected by CT Examination. <i>Gastroenterology Research and Practice</i> , <b>2012</b> , 2012, 741202   | 2              | 10  |
| 103 | Morbidity and mortality outcomes of cytoreductive surgery and hyperthermic intraperitoneal chemotherapy at a single institution in Japan. <i>Gastroenterology Research and Practice</i> , <b>2012</b> , 2012, 8364   | <del>2</del> 5 | 48  |
| 102 | Effects of neoadjuvant intraperitoneal/systemic chemotherapy (bidirectional chemotherapy) for the treatment of patients with peritoneal metastasis from gastric cancer. <i>International Journal of Surgical Oncology</i> , <b>2012</b> , 2012, 148420                       | 0.9            | 44  |
| 101 | Surgical results of patients with peritoneal carcinomatosis treated with cytoreductive surgery using a new technique named aqua dissection. <i>Gastroenterology Research and Practice</i> , <b>2012</b> , 2012, 521487   | 2              | 18  |
| 100 | Disposition kinetics of taxanes in peritoneal dissemination. <i>Gastroenterology Research and Practice</i> , <b>2012</b> , 2012, 963403  | 2              | 9   |
| 99  | Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy improves survival of patients with peritoneal carcinomatosis from gastric cancer: final results of a phase III randomized clinical trial. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 1575-81 | 3.1            | 419 |
| 98  | Multidisciplinary therapy for treatment of patients with peritoneal carcinomatosis from gastric cancer. World Journal of Gastrointestinal Oncology, <b>2010</b> , 2, 85-97   | 3.4            | 91  |
| 97  | Primary retroperitoneal mullerian adenocarcinoma. <i>Rare Tumors</i> , <b>2010</b> , 2, e6   | 1.1            | 11  |

| 96 | Surgical treatment for peritoneal carcinomatosis from gastric cancer. <i>European Journal of Surgical Oncology</i> , <b>2010</b> , 36, 1131-8   | 3.6              | 86  |
|----|---|------------------|-----|
| 95 | Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy to treat gastric cancer with ascites and/or peritoneal carcinomatosis: Results from a Chinese center. <i>Journal of Surgical Oncology</i> , <b>2010</b> , 101, 457-64          | 2.8              | 76  |
| 94 | Safety and efficacy of bidirectional chemotherapy for treatment of patients with peritoneal dissemination from gastric cancer: Selection for cytoreductive surgery. <i>Journal of Surgical Oncology</i> , <b>2009</b> , 100, 311-6                  | 2.8              | 100 |
| 93 | Extensive intraoperative peritoneal lavage as a standard prophylactic strategy for peritoneal recurrence in patients with gastric carcinoma. <i>Annals of Surgery</i> , <b>2009</b> , 250, 242-6  | 7.8              | 177 |
| 92 | Randomized clinical trial of D2 and extended paraaortic lymphadenectomy in patients with gastric cancer. <i>International Journal of Clinical Oncology</i> , <b>2008</b> , 13, 132-7  | 4.2              | 70  |
| 91 | A systematic review and meta-analysis of the randomized controlled trials on adjuvant intraperitoneal chemotherapy for resectable gastric cancer. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 2702                                       | - <del>1</del> 3 | 281 |
| 90 | The natural history of free cancer cells in the peritoneal cavity. <i>Recent Results in Cancer Research</i> , <b>2007</b> , 169, 11-23  | 1.5              | 39  |
| 89 | Neoadjuvant treatment of gastric cancer with peritoneal dissemination. <i>European Journal of Surgical Oncology</i> , <b>2006</b> , 32, 661-5   | 3.6              | 106 |
| 88 | Pharmacokinetic advantage of intraperitoneal injection of docetaxel in the treatment for peritoneal dissemination of cancer in mice. <i>Journal of Pharmacy and Pharmacology</i> , <b>2005</b> , 57, 177-81   | 4.8              | 39  |
| 87 | Treatment of peritoneal dissemination from gastric cancer by peritonectomy and chemohyperthermic peritoneal perfusion. <i>British Journal of Surgery</i> , <b>2005</b> , 92, 370-5  | 5.3              | 192 |
| 86 | Cytoreductive surgery combined with perioperative intraperitoneal chemotherapy for the management of peritoneal carcinomatosis from colorectal cancer: a multi-institutional study. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 3284-92 | 2.2              | 927 |
| 85 | Effect of intraperitoneal administration of docetaxel on peritoneal dissemination of gastric cancer. <i>Cancer Letters</i> , <b>2004</b> , 210, 189-96  | 9.9              | 38  |
| 84 | Gastrectomy, peritonectomy, and perioperative intraperitoneal chemotherapy: the evolution of treatment strategies for advanced gastric cancer. <i>Journal of Surgical Oncology</i> , <b>2003</b> , 21, 233-48                                       |                  | 93  |
| 83 | Effective therapy for peritoneal dissemination in gastric cancer. <i>Surgical Oncology Clinics of North America</i> , <b>2003</b> , 12, 635-48  | 2.7              | 71  |
| 82 | Diagnostic value of preoperative RT-PCR-based screening method to detect carcinoembryonic antigen-expressing free cancer cells in the peritoneal cavity from patients with gastric cancer. <i>ANZ Journal of Surgery</i> , <b>2001</b> , 71, 521-8  | 1                | 29  |
| 81 | Lymphangiogenesis and the vascular endothelial growth factor receptor (VEGFR)-3 in gastric cancer. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 918-23   | 7.5              | 99  |
| 80 | Prediction of peritoneal micrometastasis by peritoneal lavaged cytology and reverse transcriptase-polymerase chain reaction for matrix metalloproteinase-7 mRNA. <i>Clinical Cancer Research</i> , <b>2001</b> , 7, 1647-53                         | 12.9             | 59  |
| 79 | Inhibition of peritoneal dissemination in human gastric cancer by MMP-7-specific antisense oligonucleotide. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2001</b> , 20, 205-12  |                  | 12  |

| 78 | Intraoperative chemohyperthermic peritoneal perfusion as an adjuvant to gastric cancer: final results of a randomized controlled study. <i>Hepato-Gastroenterology</i> , <b>2001</b> , 48, 1776-82                           |      | 80  |
|----|--|------|-----|
| 77 | Clinical pathway for the management of resectable gastric cancer with peritoneal seeding: best palliation with a ray of hope for cure. <i>Oncology</i> , <b>2000</b> , 58, 96-107  | 3.6  | 133 |
| 76 | Alteration of beta-catenin expression in esophageal squamous-cell carcinoma. <i>International Journal of Cancer</i> , <b>2000</b> , 85, 757-61   | 7.5  | 35  |
| 75 | Membrane-type 1 matrix metalloproteinase enhances lymph node metastasis of gastric cancer. <i>Clinical and Experimental Metastasis</i> , <b>2000</b> , 18, 321-7   | 4.7  | 13  |
| 74 | Role of MMP-7 in the formation of peritoneal dissemination in gastric cancer. <i>Gastric Cancer</i> , <b>2000</b> , 3, 63-70   | 7.6  | 39  |
| 73 | Does hyperthermia induce peritoneal damage in continuous hyperthermic peritoneal perfusion?. <i>World Journal of Surgery</i> , <b>2000</b> , 24, 507-11  | 3.3  | 20  |
| 72 | Postoperative results of left upper abdominal evisceration for advanced gastric cancer.<br>Hepato-Gastroenterology, <b>2000</b> , 47, 571-4  |      | 10  |
| 71 | Inverse expression of S100A4 and E-cadherin is associated with metastatic potential in gastric cancer. <i>Clinical Cancer Research</i> , <b>2000</b> , 6, 4234-42  | 12.9 | 124 |
| 70 | Intraoperative lavage for cytological examination in 1,297 patients with gastric carcinoma. <i>American Journal of Surgery</i> , <b>1999</b> , 178, 256-62   | 2.7  | 268 |
| 69 | A CLINICOPATHOLOGICAL STUDY OF BORRMANN TYPE 4 GASTRIC CANCERS BY CLASSIFYING THEM INTO THREE SUBTYPES. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , <b>1999</b> , 60, 1731-1736         | О    |     |
| 68 | Multimodality Therapy for Peritoneal Dissemination <i>Thermal Medicine(Japanese Journal of Hyperthermic Oncology)</i> , <b>1999</b> , 15, 195-202  |      |     |
| 67 | Abdominal Emergency Surgery for Elderly Patients. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons</i> ), <b>1999</b> , 24, 761-765   | O    |     |
| 66 | A new surgical approach (peritonectomy) for the treatment of peritoneal dissemination. <i>Hepato-Gastroenterology</i> , <b>1999</b> , 46, 601-9  |      | 8   |
| 65 | Role of vascular endothelial growth factor C expression in the development of lymph node metastasis in gastric cancer. <i>Clinical Cancer Research</i> , <b>1999</b> , 5, 1823-9   | 12.9 | 194 |
| 64 | Trypsinogen expression and early detection for peritoneal dissemination in gastric cancer. <i>Journal of Surgical Oncology</i> , <b>1998</b> , 69, 71-5  | 2.8  | 29  |
| 63 | Trypsinogen expression and early detection for peritoneal dissemination in gastric cancer <b>1998</b> , 69, 71   |      | 1   |
| 62 | Peritoneal damage after continuous hyperthermic peritoneal perfusion. <i>Annals of the New York Academy of Sciences</i> , <b>1997</b> , 813, 610-2   | 6.5  | 1   |
| 61 | EXPERIENCE WITH ASSOCIATED RESECTION OF THE ABDOMINAL WALL WITH RECONSTRUCTION FOR RECURRENT CASES OF COLORECTAL OR BLADDER CANCER. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1997</b> , 58, 887-891 |      |     |

| 60 | Correlation of the histological effects and survival after neoadjuvant chemotherapy on gastric cancer patients. <i>Hepato-Gastroenterology</i> , <b>1996</b> , 43, 1260-72  |     | 8   |
|----|---|-----|-----|
| 59 | Prophylaxis with intraoperative chemohyperthermia against peritoneal recurrence of serosal invasion-positive gastric cancer. <i>World Journal of Surgery</i> , <b>1995</b> , 19, 450-4; discussion 455  | 3.3 | 103 |
| 58 | E-cadherin and urokinase-type plasminogen activator tissue status in gastric carcinoma. <i>Cancer</i> , <b>1995</b> , 76, 941-53  | 6.4 | 60  |
| 57 | Lymph node metastasis and surgical management of gastric cancer invading the esophagus.<br>Hepato-Gastroenterology, <b>1995</b> , 42, 37-42   |     | 20  |
| 56 | Decreased E-cadherin expression correlates with poor survival in patients with gastric cancer. <i>Analytical Cellular Pathology</i> , <b>1995</b> , 8, 177-90   |     | 31  |
| 55 | Thermal Enhancement of Anticancer Drugs and Chemohyperthermic Peritoneal Perfusion for Peritoneal Dissemination in Gastrointestinal Malignancies <i>Thermal Medicine(Japanese Journal of Hyperthermic Oncology)</i> , <b>1995</b> , 11, 167-179 |     |     |
| 54 | Lymph node metastases from carcinoma of the gastric stump. <i>Hepato-Gastroenterology</i> , <b>1994</b> , 41, 248-  | 52  | 7   |
| 53 | A new surgical technique (left upper abdominal evisceration) for advanced carcinoma of the gastric stump. <i>Hepato-Gastroenterology</i> , <b>1994</b> , 41, 130-3  |     | 2   |
| 52 | THREE SUCCESSFUL CASES OF TRANSCATHETER ARTERIAL EMBOLIZATION FOR MASSIVE ABDOMINAL BLEEDING AFTER GASTRECTOMY. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1994</b> , 55, 103-107  |     |     |
| 51 | Analysis of proliferative activity using anti-proliferating cell nuclear antigen antibody in gastric cancer tissue specimens obtained by endoscopic biopsy. <i>Cancer</i> , <b>1993</b> , 71, 2448-53   | 6.4 | 64  |
| 50 | Correlation of p53 expression and proliferative activity in gastric cancer. <i>Analytical Cellular Pathology</i> , <b>1993</b> , 5, 277-88  |     | 10  |
| 49 | A CASE OF MENETRIER DISEASE. The Journal of the Japanese Practical Surgeon Society, <b>1993</b> , 54, 951-  | 955 |     |
| 48 | Intraperitoneal hyperthermic treatment for peritoneal dissemination of colorectal cancers. <i>Diseases of the Colon and Rectum</i> , <b>1992</b> , 35, 964-8  | 3.1 | 32  |
| 47 | Proliferative activity in gastric cancer determined with cell cycle-related monoclonal antibodies Ki-67 and p105: analysis by flow cytometry. <i>Journal of Surgical Oncology</i> , <b>1992</b> , 51, 174-8                                     | 2.8 | 8   |
| 46 | Proliferative activity and malignancy in human gastric cancers. Significance of the proliferation rate and its clinical application. <i>Cancer</i> , <b>1992</b> , 69, 314-21   | 6.4 | 41  |
| 45 | Expression of p53 protein in colorectal cancer and its relationship to short-term prognosis. <i>Cancer</i> , <b>1992</b> , 70, 2778-84  | 6.4 | 128 |
| 44 | Heterogeneity of DNA ploidy in gastric cancer. <i>Analytical Cellular Pathology</i> , <b>1992</b> , 4, 61-7   |     | 8   |
| 43 | FACTORS INFLUCING LOCAL RECURRENCE AFTER CURATIVE SURGERY FOR RECTAL CANCER. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1992</b> , 53, 2892-2897   |     |     |

### (1990-1991)

| 42 | of etoposide and podophyllotoxin in human gastric cancer cells. <i>Japanese Journal of Cancer Research</i> , <b>1991</b> , 82, 1258-62   |      | 3   |
|----|--|------|-----|
| 41 | In vitro chemosensitivity test of human gastric carcinomas using collagen gel matrix. <i>Japanese Journal of Cancer Research</i> , <b>1991</b> , 82, 607-12  |      | 15  |
| 40 | The expression of proliferative-associated nuclear antigen p105 in gastric carcinoma. <i>Cancer</i> , <b>1991</b> , 67, 2523-8   | 6.4  | 12  |
| 39 | Flow cytometric analysis of nuclear DNA content in advanced gastric cancer and its relationship with prognosis. <i>Cancer</i> , <b>1991</b> , 67, 2588-93  | 6.4  | 37  |
| 38 | Expression of c-erbB-2 oncoprotein in gastric carcinoma. Immunoreactivity for c-erbB-2 protein is an independent indicator of poor short-term prognosis in patients with gastric carcinoma. <i>Cancer</i> , <b>1991</b> , 67, 2914-8                       | 6.4  | 120 |
| 37 | Flow cytometric quantitation of the proliferation-associated nuclear antigen p105 and DNA content in advanced gastric cancers. <i>Cancer</i> , <b>1991</b> , 68, 2175-80   | 6.4  | 24  |
| 36 | Prognostic factors in primary gastrointestinal leiomyosarcoma: a retrospective study. <i>World Journal of Surgery</i> , <b>1991</b> , 15, 771-6; discussion 776-7  | 3.3  | 28  |
| 35 | Hyperthermo-chemotherapy combined with cytoreductive surgery for the treatment of gastric cancer with peritoneal dissemination. <i>World Journal of Surgery</i> , <b>1991</b> , 15, 530-5; discussion 535-6  | 3.3  | 116 |
| 34 | Evaluation of immunoreactivity for erbB-2 protein as a marker of poor short term prognosis in gastric cancer. <i>Cancer Research</i> , <b>1991</b> , 51, 1034-8  | 10.1 | 215 |
| 33 | Pancreaticoduodenectomy in combination with right hemicolectomy for surgical treatment of advanced gastric carcinoma located in the lower half of the stomach. <i>International Surgery</i> , <b>1991</b> , 76, 226-9                                      | 0.1  | 11  |
| 32 | Tissue status of epidermal growth factor and its receptor as an indicator of poor prognosis in patients with gastric cancer. <i>Analytical Cellular Pathology</i> , <b>1991</b> , 3, 343-50  |      | 17  |
| 31 | Surgical treatment of advanced gastric cancer with metastasis in para-aortic lymph node. <i>International Surgery</i> , <b>1991</b> , 76, 222-5  | 0.1  | 25  |
| 30 | Relation of proliferative activity to survival in patients with advanced gastric cancer. <i>Analytical Cellular Pathology</i> , <b>1991</b> , 3, 103-10  |      | 4   |
| 29 | RELATIONSHIP BETWEEN GROSS CLASIFICATION OF SEROSAL SURFACE AND HISTOLOGICAL FINDINGS IN ADVANCED GASTRIC CANCERS -WITH REFERENCE TO PERITONEAL LAVAGE CYTOLOGY <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1991</b> , 52, 1983-1990 |      |     |
| 28 | A CASE OF EXTRAGASTRIC DEVELOPING TYPE CARCINOMA OF THE STOMACH. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1991</b> , 52, 2393-2397  |      |     |
| 27 | Proliferative Activity in Gastric Cancer with Ki-67 Using Flow Cytometry. <i>Japanese Journal of Gastroenterological Surgery</i> , <b>1991</b> , 24, 1334-1334   | 0.1  |     |
| 26 | Continuous hyperthermic peritoneal perfusion for the treatment of peritoneal dissemination in gastric cancers and subsequent second-look operation. <i>Cancer</i> , <b>1990</b> , 65, 65-71  | 6.4  | 109 |
| 25 | Growth fractions in gastric carcinomas determined with monoclonal antibody Ki-67. <i>Cancer</i> , <b>1990</b> , 65, 1130-4   | 6.4  | 75  |

| 24 | A clinicopathologic study on multiple gastric cancers with special reference to distal gastrectomy. <i>Cancer</i> , <b>1990</b> , 65, 2602-5   | 6.4  | 52 |
|----|--|------|----|
| 23 | Assessment of tumor cell kinetics by monoclonal antibody Ki-67. <i>European Surgical Research</i> , <b>1990</b> , 22, 365-70   | 1.1  | 12 |
| 22 | Flow Cytometric Measurement of DNA Index and BrdUrd Labeling Index in Endoscopic Biopsy Specimens of Colorectal Carcinoma. <i>Digestive Endoscopy</i> , <b>1990</b> , 2, 317-322                       | 3.7  | 2  |
| 21 | Retrospective analysis of the prognostic significance of DNA ploidy patterns and S-phase fraction in gastric carcinoma. <i>Cancer Research</i> , <b>1990</b> , 50, 509-14                              | 10.1 | 57 |
| 20 | Lymphatic drainage from the rectum as demonstrated by double isotope method <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , <b>1990</b> , 43, 153-158   | 0.1  | 1  |
| 19 | Evaluation of DNA ploidy and DNA indices with prognosis of colorectal cancer by FCM <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , <b>1990</b> , 43, 61-66   | 0.1  | 4  |
| 18 | ANALYSIS OF COLORECTAL CANCER WITH COMBINED RESECTION OF ADJACENT ORGANS. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1990</b> , 51, 2388-2392                                   |      |    |
| 17 | Analysis in colorectal cancer with resected hepatic metastases and its relationship to metastatic characteristics and prognosis <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , <b>1990</b> , 43, 601-605 | 0.1  |    |
| 16 | ANALYSIS OF HEMATOGENOUS METASTASIS FROM COLORECTAL CANCER. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1990</b> , 51, 256-260   |      |    |
| 15 | A STUDY OF NATURAL KILLER CELLS IN REGIONAL LYMPH NODE OF COLON CANCER PATIENTS. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1990</b> , 51, 2393-2398                            |      |    |
| 14 | Correlation of DNA ploidy and clinical outcome in Borrmann type 4 gastric carcinoma. <i>Journal of Surgical Oncology</i> , <b>1989</b> , 42, 1-4   | 2.8  | 7  |
| 13 | Gastric cancer heterogeneity. <i>Cancer</i> , <b>1989</b> , 63, 791-8  | 6.4  | 35 |
| 12 | Immunohistochemical study of epidermal growth factor and epidermal growth factor receptor in gastric carcinoma. <i>Cancer</i> , <b>1989</b> , 63, 1557-61  | 6.4  | 74 |
| 11 | Proliferative activity of early gastric cancer measured by in vitro and in vivo bromodeoxyuridine labeling. <i>Cancer</i> , <b>1989</b> , 64, 1665-8   | 6.4  | 34 |
| 10 | Human chorionic gonadotropin in gastric carcinoma. A useful marker for bone metastasis. <i>International Surgery</i> , <b>1989</b> , 74, 84-7  | 0.1  | 1  |
| 9  | Correlation of DNA ploidy and proliferative activity in human gastric cancer. <i>Cancer</i> , <b>1988</b> , 62, 1497-502   | 6.4  | 49 |
| 8  | Induction of islet B-cell regeneration in partially pancreatectomized rats by poly(ADP-ribose) synthetase inhibitors. <i>International Journal of Gastrointestinal Cancer</i> , <b>1988</b> , 3, 73-82 |      | 8  |
| 7  | Radiofrequency Capacitive Hyperthermia for Advanced Malignant Tumors. <i>Thermal Medicine(Japanese Journal of Hyperthermic Oncology)</i> , <b>1988</b> , 4, 39-45                                      |      |    |

#### LIST OF PUBLICATIONS

| 6 | Clinical Experience with RF Thermotherapy for Nonresectable Primary and Secondary Liver Tumors. <i>Thermal Medicine(Japanese Journal of Hyperthermic Oncology)</i> , <b>1987</b> , 3, 41-47 | 1   | -      |
|---|---|-----|--------|
| 5 | THE SIGNIFICANCE OF MEASUREMENT OF SERUM CEA, AFP AND hCG IN GASTRIC CANCER PATIENTS. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1987</b> , 48, 174-179              | 2   |        |
| 4 | CARCINOID TUMOR OF THE GALLBLADDER -A CASE REPORT AND REVIEW OF THE LITERATURE The Journal of the Japanese Practical Surgeon Society, <b>1986</b> , 47, 809-815                             | 1   | ·<br>- |
| 3 | ANALYSIS OF NUCLEAR DNA PLOIDY PATTERN OF GASERIC CANCTR IN STAGE I AND II Japanese<br>Journal of Gastroenterological Surgery, <b>1986</b> , 19, 726-726                                    | 0.1 |        |
| 2 | STUDIES OF GASTRIC LYMPHATICS USING DOUBLE ISOTOPE METHOD. Japanese Journal of Gastroenterological Surgery, <b>1985</b> , 18, 1750-1750   | 0.1 |        |
| 1 | A CLINICAL STUDY OF 9 PATIENTS WITH CARCINOID TUMORS OF THE RECTUM. <i>The Journal of the Japanese Practical Surgeon Society</i> , <b>1979</b> , 40, 477-483                                |     |        |