

Olivier Traxer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3573096/olivier-traxer-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

4,065
citations

33
h-index

56
g-index

210
ext. papers

5,583
ext. citations

3.3
avg, IF

6.24
L-index

#	Paper	IF	Citations
183	Editorial.. <i>Current Opinion in Urology</i> , 2022 , 32, 165	2.8	
182	Repair Rate and Associated Costs of Reusable Flexible Ureteroscopes: A Systematic Review and Meta-analysis.. <i>European Urology Open Science</i> , 2022 , 37, 64-72	0.9	0
181	Re: Dusting Efficiency of a Novel Pulsed Thulium:Yttrium Aluminum Garnet Laser vs a Thulium Fiber Laser.. <i>European Urology</i> , 2022 ,	10.2	
180	Outcomes and lessons learnt from practice of retrograde intrarenal surgery (RIRS) in a paediatric setting of various age groups: a global study across 8 centres.. <i>World Journal of Urology</i> , 2022 ,	4	5
179	Basic Techniques 2022 , 79-104		
178	Stones 2022 , 105-154		
177	Upper Tract Urothelial Carcinoma 2022 , 155-207		
176	New Lasers for Stone Treatment. <i>Urologic Clinics of North America</i> , 2022 , 49, 1-10	2.9	0
175	Holmium : yttrium-aluminum-garnet laser with Moses: does it make a difference?. <i>Current Opinion in Urology</i> , 2022 ,	2.8	2
174	Thulium fiber laser pre-settings during ureterorenoscopy: Twitter experts recommendations.. <i>World Journal of Urology</i> , 2022 , 1	4	2
173	Ho:YAG laser and temperature: is it safe to use high-power settings?. <i>World Journal of Urology</i> , 2022 , 1	4	0
172	Re: Øvind Ulvik, Mathias Strand BM, Patrick Julieb Jones, Peder Gjengst Christian Beisland. Thulium Fibre Laser Versus Holmium:YAG for Ureteroscopic Lithotripsy: Outcomes from a Prospective Randomised Clinical Trial. <i>Eur Urol</i> . In press.	10.2	
171	Mekayten et al., Will Stone Density Stop Being a Key Factor in Endourology? The Impact of Stone Density on Laser Time Using Lumenis Laser p120w and Standard 20w Laser: A Comparative Study (From: Mekayten M, Lorber A, Katafigiotis I, et al. <i>J Endourol</i> 2019;33:585-589; DOI: 10.1089/end.2019.0181). <i>Journal of Endourology</i> , 2021 , 35, 929-930	2.7	2
170	Impact of Laser Fiber Diameter and Irrigation Fluids on Induced Bubble Stream Dynamics with Thulium Fiber Laser: An Study. <i>Journal of Endourology</i> , 2021 , 35, 1883-1890	2.7	2
169	Thulium fiber laser: ready to dust all urinary stone composition types?. <i>World Journal of Urology</i> , 2021 , 39, 1693-1698	4	13
168	Developing Free Three-dimensional Software for Surgical Planning for Kidney Stones: Volume is Better than Diameter. <i>European Urology Focus</i> , 2021 , 7, 589-590	5.1	4
167	Comparison of the ablation rates, fissures and fragments produced with 150µm and 272µm laser fibers with superpulsed thulium fiber laser: an in vitro study. <i>World Journal of Urology</i> , 2021 , 39, 1683-1691	4	15

166	Re: The Effect of Laser Fiber Cleave Technique and Lithotripsy Time on Power Output. <i>Journal of Endourology</i> , 2021 , 35, 902	2.7	2
165	Extracorporeal Shockwave Lithotripsy for Cystine Stones in Children: An Observational, Retrospective, Single-Center Analysis. <i>Frontiers in Pediatrics</i> , 2021 , 9, 763317	3.4	1
164	Watt determines the temperature during laser lithotripsy. <i>World Journal of Urology</i> , 2021 , 1	4	1
163	Stone Treatment: The Endoscopic Perspective 2021 , 291-303		
162	Consultation on kidney stones, Copenhagen 2019: aspects of intracorporeal lithotripsy in flexible ureterorenoscopy. <i>World Journal of Urology</i> , 2021 , 39, 1673-1682	4	5
161	Operator-assisted vs self-achieved basketing during ureteroscopy: results from an in vitro preference study. <i>World Journal of Urology</i> , 2021 , 39, 2169-2175	4	0
160	Tea and coffee consumption and pathophysiology related to kidney stone formation: a systematic review. <i>World Journal of Urology</i> , 2021 , 39, 2417-2426	4	9
159	Comparison of intrapelvic pressures during flexible ureteroscopy, mini-percutaneous nephrolithotomy, standard percutaneous nephrolithotomy, and endoscopic combined intrarenal surgery in a kidney model. <i>World Journal of Urology</i> , 2021 , 39, 2709-2717	4	12
158	Toward improved endoscopic examination of urinary stones: a concordance study between endoscopic digital pictures vs microscopy. <i>BJU International</i> , 2021 , 128, 319-330	5.6	5
157	Re: Farha Pirani, Salima S. Makhani, Frances Y. Kim, et al. Prospective Randomized Trial Comparing the Safety and Clarity of Water Versus Saline Irrigant in Ureteroscopy. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2020.02.009 . <i>European Urology Focus</i> , 2021 , 7, 664-665	5.1	
156	Silicone-hydrocoated ureteral stents encrustation and biofilm formation after 3-week dwell time: results of a prospective randomized multicenter clinical study. <i>World Journal of Urology</i> , 2021 , 39, 3623-3629	4	4
155	Prone versus supine percutaneous nephrolithotomy: a systematic review and meta-analysis of current literature. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 50-58	2.3	7
154	Predictors and Strategies to Avoid Mortality Following Ureteroscopy for Stone Disease: A Systematic Review from European Association of Urologists Sections of Urolithiasis (EULIS) and Uro-technology (ESUT). <i>European Urology Focus</i> , 2021 ,	5.1	5
153	Minimally invasive percutaneous nephrolithotomy with SuperPulsed Thulium-fiber laser. <i>Urolithiasis</i> , 2021 , 49, 485-491	3.2	5
152	Evaluation of a free 3D software for kidney stones surgical planning: "kidney stone calculator" a pilot study. <i>World Journal of Urology</i> , 2021 , 39, 3607-3614	4	2
151	Pulsed lasers and endocorporeal laser lithotripsy. <i>Progres En Urologie</i> , 2021 , 31, 451-457	0.9	2
150	Global Variations in the Mineral Content of Bottled Still and Sparkling Water and a Description of the Possible Impact on Nephrological and Urological Diseases. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
149	Re: In Vitro Dusting Performance of a New Solid State Thulium Laser Compared to Holmium Laser Lithotripsy From Ralf Petzold, Arkadiusz Miernik, Rodrigo Suarez-Ibarrola <i>J Endourol J Endourol</i> 2021 Feb;35(2):221-225. doi: 10.1089/end.2020.0525. Epub 2020 Sep 9. <i>Journal of Endourology</i> , 2021 ,	2.7	

148	Intraoperative and postoperative surgical complications after ureteroscopy, retrograde intrarenal surgery, and percutaneous nephrolithotomy: a systematic review. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 309-332	2.3	7
147	Managing Urolithiasis with Thulium Fiber Laser: Updated Real-Life Results-A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
146	What is the exact definition of stone dust? An in vitro evaluation. <i>World Journal of Urology</i> , 2021 , 39, 187-194	4	11
145	Classification of the renal papillary abnormalities by flexible ureteroscopy: evaluation of the 2016 version and update. <i>World Journal of Urology</i> , 2021 , 39, 177-185	4	2
144	How do we assess the efficacy of Ho:YAG low-power laser lithotripsy for the treatment of upper tract urinary stones? Introducing the Joules/mm and laser activity concepts. <i>World Journal of Urology</i> , 2021 , 39, 891-896	4	10
143	Continuous monitoring of intrapelvic pressure during flexible ureteroscopy using a sensor wire: a pilot study. <i>World Journal of Urology</i> , 2021 , 39, 555-561	4	10
142	Variations in the Mineral Content of Bottled "Still" Water Across Europe: Comparison of 182 Brands Across 10 Countries. <i>Journal of Endourology</i> , 2021 , 35, 206-214	2.7	4
141	Classification of Stones According to Michel Daudon: A Narrative Review. <i>European Urology Focus</i> , 2021 , 7, 13-21	5.1	12
140	Editorial Comment from Dr Corrales and Dr Traxer to Endoscopic lithotripsy with a SuperPulsed thulium-fiber laser for ureteral stones: A single-center experience. <i>International Journal of Urology</i> , 2021 , 28, 267	2.3	
139	Residual Stone Fragments After Percutaneous Nephrolithotomy: Shockwave Lithotripsy Retrograde Intrarenal Surgery. <i>Journal of Endourology</i> , 2021 , 35, 609-614	2.7	0
138	Ureteroscopic Management of Upper Tract Urothelial Carcinoma 2021 , 403-419		
137	Initial clinical experience with the new thulium fiber laser: first 50 cases. <i>World Journal of Urology</i> , 2021 , 39, 3945-3950	4	7
136	High- and Low-Power Laser Lithotripsy Achieves Similar Results: A Systematic Review and Meta-Analysis of Available Clinical Series. <i>Journal of Endourology</i> , 2021 , 35, 1146-1152	2.7	9
135	Can the introduction of single-use flexible ureteroscopes increase the longevity of reusable flexible ureteroscopes at a high volume centre?. <i>World Journal of Urology</i> , 2021 , 1	4	1
134	Comparison of Holmium:YAG and Thulium Fiber lasers on soft tissue : an ex vivo study. <i>Journal of Endourology</i> , 2021 ,	2.7	2
133	Re: Andrea Bosio, Eugenio Alessandria, Simone Agosti, et al. Pigtail Suture Stents Significantly Reduce Stent-related Symptoms Compared to Conventional Double J Stents: A Prospective Randomized Trial. <i>Eur Urol Open Sci</i> 2021;29:1-9. <i>European Urology Open Science</i> , 2021 , 31, 10-11	0.9	
132	Conservative Treatment for Upper Urinary Tract Urothelial Carcinoma. <i>European Urology Open Science</i> , 2021 , 32, 38-39	0.9	1
131	Does previous standard percutaneous nephrolithotomy impair retrograde intrarenal surgery outcomes?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021 , 47, 1198-1206		1

130	Tea and coffee consumption and the risk of urinary stones-a systematic review of the epidemiological data. <i>World Journal of Urology</i> , 2021 , 39, 2895-2901	4	1
129	A systematic review of long-duration stents for ureteral stricture: which one to choose?. <i>World Journal of Urology</i> , 2021 , 39, 3197-3205	4	5
128	Laser Lithotripsy: The Importance of Peak Power and Pulse Modulation. <i>European Urology Focus</i> , 2021 , 7, 22-25	5.1	5
127	Case of the Month From Tenon Hospital, Paris, France: tricky management of a large lower pole stone. <i>BJU International</i> , 2020 , 126, 664-666	5.6	
126	Superpulsed Thulium Fiber Laser for Stone Dusting: In Search of a Perfect Ablation Regimen-A Prospective Single-Center Study. <i>Journal of Endourology</i> , 2020 , 34, 1175-1179	2.7	17
125	Re: Safety of a Novel Thulium Fibre Laser for Lithotripsy: An In Vitro Study on the Thermal Effect and Its Impact Factor. <i>European Urology</i> , 2020 , 78, 111-112	10.2	1
124	Laser Fibers and Transparent Tips? No Thanks!. <i>Urology</i> , 2020 , 144, 272-273	1.6	0
123	Thulium-fiber laser for lithotripsy: first clinical experience in percutaneous nephrolithotomy. <i>World Journal of Urology</i> , 2020 , 38, 3069-3074	4	35
122	How much energy do we need to ablate 1 mm of stone during Ho:YAG laser lithotripsy? An in vitro study. <i>World Journal of Urology</i> , 2020 , 38, 2945-2953	4	5
121	Effect of temporal pulse shape on urinary stone phantom retropulsion rate and ablation efficiency using holmium:YAG and super-pulse thulium fibre lasers. <i>BJU International</i> , 2020 , 126, 159-167	5.6	24
120	Cost comparison of single-use versus reusable flexible ureteroscope: A systematic review. <i>Turkish Journal of Urology</i> , 2020 , 46, S40-S45	1.3	7
119	Complications of Ureteroscopy 2020 , 151-168		
118	Effects of Silicone Hydrocoated Double Loop Ureteral Stent on Symptoms and Quality of Life in Patients Undergoing Flexible Ureteroscopy for Kidney Stone: A Randomized Multicenter Clinical Study. <i>Journal of Urology</i> , 2020 , 204, 769-777	2.5	16
117	The role of ureteroscopy for treatment of staghorn calculi: A systematic review. <i>Asian Journal of Urology</i> , 2020 , 7, 110-115	2.7	6
116	Flexible ureteroscopy: reuse? Or is single use the new direction?. <i>Current Opinion in Urology</i> , 2020 , 30, 113-119	2.8	15
115	Complications of ureteroscopy: a complete overview. <i>World Journal of Urology</i> , 2020 , 38, 2147-2166	4	32
114	A review of thulium-fiber laser in stone lithotripsy and soft tissue surgery. <i>Current Opinion in Urology</i> , 2020 , 30, 853-860	2.8	8
113	Thulium fiber laser: the new player for kidney stone treatment? A comparison with Holmium:YAG laser. <i>World Journal of Urology</i> , 2020 , 38, 1883-1894	4	101

112	Preclinical comparison of superpulse thulium fiber laser and a holmium:YAG laser for lithotripsy. <i>World Journal of Urology</i> , 2020 , 38, 497-503	4	52
111	Does working channel position influence the effectiveness of flexible ureteroscopy? Results from an in vitro study. <i>BJU International</i> , 2020 , 125, 449-456	5.6	9
110	Endourologic Management (PCNL, URS, SWL) of Stones in Solitary Kidney: A Systematic Review from European Association of Urologists Young Academic Urologists and Uro-Technology Groups. <i>Journal of Endourology</i> , 2020 , 34, 7-17	2.7	9
109	Reusable flexible ureterorenoscopes are more cost-effective than single-use scopes: results of a systematic review from PETRA Uro-group. <i>Translational Andrology and Urology</i> , 2019 , 8, S418-S425	2.3	9
108	Daily Green Tea Infusions in Hypercalciuric Renal Stone Patients: No Evidence for Increased Stone Risk Factors or Oxalate-Dependent Stones. <i>Nutrients</i> , 2019 , 11,	6.7	9
107	RE: Geobiology reveals how human kidney stones dissolve in vivo (by: Sivaguru et al. 2018). <i>World Journal of Urology</i> , 2019 , 37, 2543	4	2
106	What Is Moses Effect: A Historical Perspective. <i>Journal of Endourology</i> , 2019 , 33, 353-357	2.7	25
105	A Prospective Study Analyzing the Association Between High-grade Ureteral Access Sheath Injuries and the Formation of Ureteral Strictures. <i>Urology</i> , 2019 , 128, 38-41	1.6	12
104	Next-Generation Fiberoptic and Digital Ureteroscopes. <i>Urologic Clinics of North America</i> , 2019 , 46, 147-163	16.3	17
103	Is Very High Power/Frequency Really Necessary During Laser Lithotripsy? RE: Understanding the Popcorn Effect During Holmium Laser Lithotripsy for Dusting (Aldoukhi et al, <i>Urology</i> . 2018 Dec;122:52-57). <i>Urology</i> , 2019 , 127, 135	1.6	5
102	Stone composition independently predicts stone size in 18,029 spontaneously passed stones. <i>World Journal of Urology</i> , 2019 , 37, 2493-2499	4	4
101	Which flexible ureteroscope is the best for upper tract urothelial carcinoma treatment?. <i>World Journal of Urology</i> , 2019 , 37, 2325-2333	4	12
100	The eye of the endourologist: what are the risks? A review of the literature. <i>World Journal of Urology</i> , 2019 , 37, 2639-2647	4	8
99	Characteristics of current digital single-use flexible ureteroscopes versus their reusable counterparts: an comparative analysis. <i>Translational Andrology and Urology</i> , 2019 , 8, S359-S370	2.3	17
98	The laser of the future: reality and expectations about the new thulium fiber laser-a systematic review. <i>Translational Andrology and Urology</i> , 2019 , 8, S398-S417	2.3	56
97	Pictorial review of tips and tricks for ureteroscopy and stone treatment: an essential guide for urologists from PETRA research consortium. <i>Translational Andrology and Urology</i> , 2019 , 8, S371-S380	2.3	5
96	Computed tomography window affects kidney stones measurements. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 948-955	2	6
95	Low-dose CT scan in stone detection for stone treatment follow-up: is there a relation between stone composition and radiation delivery? Study on a porcine-kidney model. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 63-71	4.4	3

94	MP17-03 COMPARING SHORT, LONG, AND MOSES REGIMES OF HO:YAG LASER VS SUPER PULSE TM FIBER LASER IN VITRO: ABLATION SPEED AND RETROPULSION EFFECT. <i>Journal of Urology</i> , 2019 , 201,	2.5	1
93	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019 , 124, 849-861	5.6	16
92	Kidney and Ureter Calculi 2019 , 277-319		
91	Fragments and dust after Holmium laser lithotripsy with or without "Moses technology": How are they different?. <i>Journal of Biophotonics</i> , 2019 , 12, e201800227	3.1	21
90	Ho:YAG laser lithotripsy in non-contact mode: optimization of fiber to stone working distance to improve ablation efficiency. <i>World Journal of Urology</i> , 2019 , 37, 1933-1939	4	8
89	The Time Has Come to Report Stone Burden in Terms of Volume Instead of Largest Diameter. <i>Journal of Endourology</i> , 2018 , 32, 265-266	2.7	7
88	The True Ablation Effect of Holmium YAG Laser on Soft Tissue. <i>Journal of Endourology</i> , 2018 , 32, 230-235.	5.7	22
87	Evaluation of Guidelines for Surgical Management of Urolithiasis. <i>Journal of Urology</i> , 2018 , 199, 1267-1271.	2.5	42
86	Comparison of Flexible Ureterorenoscope Quality of Vision: An In Vitro Study. <i>Journal of Endourology</i> , 2018 , 32, 523-528	2.7	30
85	Which Patients with Upper Tract Urothelial Carcinoma Can be Safely Treated with Flexible Ureteroscopy with Holmium:YAG Laser Photoablation? Long-Term Results from a High Volume Institution. <i>Journal of Urology</i> , 2018 , 199, 66-73	2.5	31
84	Retrograde intrarenal surgery: An expanding role in treatment of urolithiasis. <i>Asian Journal of Urology</i> , 2018 , 5, 264-273	2.7	14
83	Dusting technique for lithotripsy: what does it mean?. <i>Nature Reviews Urology</i> , 2018 , 15, 653-654	5.5	23
82	Systematic review of ureteral access sheaths: facts and myths. <i>BJU International</i> , 2018 , 122, 959-969	5.6	38
81	Impact of ureteral access sheath force of insertion on ureteral trauma: In vivo preliminary study with 7 patients. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2018 , 24, 514-520	0.6	3
80	Flexible ureteroscopy: technique, tips and tricks. <i>Urolithiasis</i> , 2018 , 46, 47-58	3.2	36
79	Ureteroscopic Management of Renal Calculi 2018 , 549-561		
78	A clinical evaluation of the new digital single-use flexible ureteroscope (UscopePU3022): an international prospective multicentered study. <i>Central European Journal of Urology</i> , 2018 , 71, 453-461	0.9	7
77	Two-photon optical imaging, spectral and fluorescence lifetime analysis to discriminate urothelial carcinoma grades. <i>Journal of Biophotonics</i> , 2018 , 11, e201800065	3.1	13

76	Update of the ICUD-SIU consultation on upper tract urothelial carcinoma 2016: treatment of low-risk upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 355-365	4	27
75	Comparison of Maximum Pressure Developed by Irrigation Systems in a Kidney Model. <i>Journal of Endourology</i> , 2017 , 31, 522-527	2.7	21
74	Which Flexible Ureteroscopes (Digital vs. Fiber-Optic) Can Easily Reach the Difficult Lower Pole Calices and Have Better End-Tip Deflection: In Vitro Study on K-Box. A PETRA Evaluation. <i>Journal of Endourology</i> , 2017 , 31, 630-637	2.7	29
73	Optimal Settings for the Noncontact Holmium:YAG Stone Fragmentation Popcorn Technique. <i>Journal of Urology</i> , 2017 , 198, 702-706	2.5	29
72	Single use and disposable flexible ureteroscopes. <i>Current Opinion in Urology</i> , 2017 , 27, 176-181	2.8	32
71	Outcome from 5-year live surgical demonstrations in urinary stone treatment: are outcomes compromised?. <i>World Journal of Urology</i> , 2017 , 35, 1745-1756	4	15
70	Impact of laser fiber tip cleavage on power output for ureteroscopy and stone treatment. <i>World Journal of Urology</i> , 2017 , 35, 1765-1770	4	10
69	Worldwide Impact of Warmer Seasons on the Incidence of Renal Colic and Kidney Stone Disease: Evidence from a Systematic Review of Literature. <i>Journal of Endourology</i> , 2017 , 31, 729-735	2.7	51
68	Modern flexible ureteroscopy in Cohen cross-trigonal ureteral reimplantations. <i>Journal of Pediatric Urology</i> , 2017 , 13, 329-331	1.5	5
67	Prospective Analysis of a Complete Retrograde Ureteroscopic Technique with Holmium Laser Stent Cutting for Management of Encrusted Ureteral Stents. <i>Journal of Endourology</i> , 2017 , 31, 476-481	2.7	8
66	Re: Evaluation of a Novel Single-use Flexible Ureteroscope. <i>European Urology</i> , 2017 , 72, 152-153	10.2	5
65	First clinical evaluation of a new single-use flexible cystoscope dedicated to double-J stent removal (Isiris) a European prospective multicenter study. <i>World Journal of Urology</i> , 2017 , 35, 1269-1275	4	17
64	Bilateral endoscopic surgery for renal stones: a systematic review of the literature. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 432-445	2.3	6
63	Evaluation of the Spies modalities image quality. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017 , 43, 476-480	2	17
62	The "Body Mass Index" of Flexible Ureteroscopes. <i>Journal of Endourology</i> , 2017 , 31, 1090-1095	2.7	25
61	Kidney Stone in a Patient with an Ileal Conduit. <i>European Urology Focus</i> , 2017 , 3, 14-15	5.1	1
60	Update of the ICUD-SIU consultation on stone technology behind ureteroscopy. <i>World Journal of Urology</i> , 2017 , 35, 1353-1359	4	5
59	Impact of the Curve Diameter and Laser Settings on Laser Fiber Fracture. <i>Journal of Endourology</i> , 2017 , 31, 918-921	2.7	14

58	Comparison of laser fiber passage in ureteroscopic maximum deflection and their influence on deflection and irrigation: Do we really need the ball tip concept?. <i>World Journal of Urology</i> , 2017 , 35, 313-318	4	17
57	First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. <i>World Journal of Urology</i> , 2017 , 35, 809-818	4	44
56	Initial Content Validation Results of a New Simulation Model for Flexible Ureteroscopy: The Key-Box. <i>Journal of Endourology</i> , 2017 , 31, 72-77	2.7	19
55	Ureteroscopic skills with and without Roboflex Avicenna in the K-box simulator. <i>Central European Journal of Urology</i> , 2017 , 70, 76-80	0.9	12
54	Reperfusion and Compartment Syndrome After Flexible Ureteroscopy in a Patient with an Iliac Vascular Graft. <i>Journal of Endourology Case Reports</i> , 2016 , 2, 224-226	0.3	2
53	Laser Fiber and Flexible Ureterorenoscopy: The Safety Distance Concept. <i>Journal of Endourology</i> , 2016 , 30, 1269-1274	2.7	33
52	Early repeated ureteroscopy within 6-8 weeks after a primary endoscopic treatment in patients with upper tract urothelial cell carcinoma: preliminary findings. <i>World Journal of Urology</i> , 2016 , 34, 1201-4	4	34
51	The Use of Apnea During Ureteroscopy. <i>Urology</i> , 2016 , 97, 266-268	1.6	26
50	Topography, Composition and Structure of Incipient Randall Plaque at the Nanoscale Level. <i>Journal of Urology</i> , 2016 , 196, 1566-1574	2.5	23
49	Prevention and Management Following Complications from Endourology Procedures. <i>European Urology Focus</i> , 2016 , 2, 49-59	5.1	19
48	Surgical Staff Radiation Protection During Fluoroscopy-Guided Urologic Interventions. <i>Journal of Endourology</i> , 2016 , 30, 638-43	2.7	13
47	Lithotripsy Performance of Specially Designed Laser Fiber Tips. <i>Journal of Urology</i> , 2016 , 195, 1606-1612	2.5	19
46	Imaging for Urinary Stones: Update in 2015. <i>European Urology Focus</i> , 2016 , 2, 122-129	5.1	13
45	Do We Really Need to Wear Proper Eye Protection When Using Holmium:YAG Laser During Endourologic Procedures? Results from an Ex Vivo Animal Model on Pig Eyes. <i>Journal of Endourology</i> , 2016 , 30, 332-7	2.7	18
44	Confocal Laser Endomicroscopy in the Management of Endoscopically Treated Upper Urinary Tract Transitional Cell Carcinoma: Preliminary Data. <i>Journal of Endourology</i> , 2016 , 30, 237-42	2.7	19
43	Can We Provide Low Intrarenal Pressures with Good Irrigation Flow by Decreasing the Size of Ureteral Access Sheaths?. <i>Journal of Endourology</i> , 2016 , 30, 49-55	2.7	49
42	The Era of Shock Wave Lithotripsy is Over: Yes. <i>Journal of Urology</i> , 2016 , 195, 17-8	2.5	2
41	Quality Assessment of Urinary Stone Analysis: Results of a Multicenter Study of Laboratories in Europe. <i>PLoS ONE</i> , 2016 , 11, e0156606	3.7	22

40	Comprehensive flexible ureteroscopy (FURS) simulator for training in endourology: The K-box model. <i>Central European Journal of Urology</i> , 2016 , 69, 118-20	0.9	9
39	Simultaneous Bilateral Endoscopic Manipulation for Bilateral Renal Stones. <i>Urology</i> , 2016 , 94, 265-9	1.6	13
38	Endoscopic description of renal papillary abnormalities in stone disease by flexible ureteroscopy: a proposed classification of severity and type. <i>World Journal of Urology</i> , 2016 , 34, 1575-1582	4	9
37	Comparison of New Single-Use Digital Flexible Ureteroscope Versus Nondisposable Fiber Optic and Digital Ureteroscope in a Cadaveric Model. <i>Journal of Endourology</i> , 2016 , 30, 655-9	2.7	80
36	Current Standard Technique for Modern Flexible Ureteroscopy: Tips and Tricks. <i>European Urology</i> , 2016 , 70, 188-194	10.2	72
35	Management of urinary stone disease in general practice: A French Delphi study. <i>European Journal of General Practice</i> , 2016 , 22, 103-10	2.8	3
34	Temperature Changes Inside the Kidney: What Happens During Holmium:Yttrium-Aluminium-Garnet Laser Usage?. <i>Journal of Endourology</i> , 2016 , 30, 574-9	2.7	33
33	Are we all doing it wrong? Influence of stripping and cleaving methods of laser fibers on laser lithotripsy performance. <i>Journal of Urology</i> , 2015 , 193, 1030-5	2.5	37
32	Comparative study of the treatment of renal stones with flexible ureterorenoscopy in normal weight, obese, and morbidly obese patients. <i>Urology</i> , 2015 , 85, 38-44	1.6	14
31	Update on lasers in urology 2014: current assessment on holmium:yttrium-aluminum-garnet (Ho:YAG) laser lithotripter settings and laser fibers. <i>World Journal of Urology</i> , 2015 , 33, 463-9	4	104
30	Optical diagnostics for upper urinary tract urothelial cancer: technology, thresholds, and clinical applications. <i>Journal of Endourology</i> , 2015 , 29, 113-23	2.7	33
29	Differences in renal stone treatment and outcomes for patients treated either with or without the support of a ureteral access sheath: The Clinical Research Office of the Endourological Society Ureteroscopy Global Study. <i>World Journal of Urology</i> , 2015 , 33, 2137-44	4	85
28	Kidney stone analysis: "Give me your stone, I will tell you who you are!". <i>World Journal of Urology</i> , 2015 , 33, 157-69	4	77
27	A guidewire introducer as a ureteral foreign body: A case report. <i>Canadian Urological Association Journal</i> , 2015 , 9, E384-6	1.2	7
26	A new robot for flexible ureteroscopy: development and early clinical results (IDEAL stage 1-2b). <i>European Urology</i> , 2014 , 66, 1092-100	10.2	97
25	The clinical research office of the endourological society ureteroscopy global study: indications, complications, and outcomes in 11,885 patients. <i>Journal of Endourology</i> , 2014 , 28, 131-9	2.7	220
24	The Post-Ureteroscopic Lesion Scale (PULS): a multicenter video-based evaluation of inter-rater reliability. <i>World Journal of Urology</i> , 2014 , 32, 1033-40	4	39
23	Ureteroscopic Lithotripsy 2014 , 227-242		

22	In vitro fragmentation efficiency of holmium: yttrium-aluminum-garnet (YAG) laser lithotripsy--a comprehensive study encompassing different frequencies, pulse energies, total power levels and laser fibre diameters. <i>BJU International</i> , 2014 , 114, 261-7	5.6	68
21	The truth about laser fiber diameters. <i>Urology</i> , 2014 , 84, 1301-7	1.6	21
20	Which ureteral access sheath is compatible with your flexible ureteroscope?. <i>Journal of Endourology</i> , 2014 , 28, 286-90	2.7	48
19	Extracorporeal lithotripsy endoscopically controlled by ureterorenoscopy (LECURS): a new concept for the treatment of kidney stones--first clinical experience using digital ureterorenoscopes. <i>World Journal of Urology</i> , 2014 , 32, 715-21	4	10
18	First clinical evaluation of a new innovative ureteral access sheath (Re-Trace) a European study. <i>World Journal of Urology</i> , 2014 , 32, 143-7	4	15
17	Stone-free rate (SFR): a new proposal for defining levels of SFR. <i>Urolithiasis</i> , 2014 , 42, 95	3.2	65
16	Outcomes of flexible ureterorenoscopy and laser fragmentation for renal stones: comparison between digital and conventional ureteroscope. <i>Urology</i> , 2013 , 82, 1017-9	1.6	71
15	Prospective evaluation and classification of ureteral wall injuries resulting from insertion of a ureteral access sheath during retrograde intrarenal surgery. <i>Journal of Urology</i> , 2013 , 189, 580-4	2.5	310
14	Antegrade percutaneous flexible endoscopic approach for the management of urinary diversion-associated complications. <i>Journal of Endourology</i> , 2013 , 27, 1330-4	2.7	13
13	EAU guidelines on laser technologies. <i>European Urology</i> , 2012 , 61, 783-95	10.2	143
12	Bowel and Other Organ Injury during Percutaneous Renal Surgery 2012 , 349-353		
11	Flexible ureteroscopy and laser lithotripsy for stones >2 cm: a systematic review and meta-analysis. <i>Journal of Endourology</i> , 2012 , 26, 1257-63	2.7	136
10	Retrograde intrarenal surgery in treatment of nephrolithiasis: is a 100% stone-free rate achievable?. <i>Journal of Endourology</i> , 2012 , 26, 489-93	2.7	36
9	Narrow-band imaging digital flexible ureteroscopy in detection of upper urinary tract transitional-cell carcinoma: initial experience. <i>Journal of Endourology</i> , 2011 , 25, 19-23	2.7	86
8	Percutaneous management of staghorn calculi in horseshoe kidneys: a multi-institutional experience. <i>Journal of Endourology</i> , 2010 , 24, 531-6	2.7	33
7	Efficacy of flexible ureterorenoscopy with holmium laser in the management of stone-bearing caliceal diverticula. <i>Journal of Endourology</i> , 2010 , 24, 961-7	2.7	32
6	Flexible ureterorenoscopy with holmium laser in horseshoe kidneys. <i>Urology</i> , 2010 , 76, 1334-7	1.6	48
5	Management of injury to the bowel during percutaneous stone removal. <i>Journal of Endourology</i> , 2009 , 23, 1777-80	2.7	25

- 4 Endoscopic lithotripsy and the FREDDY laser: initial experience. *Journal of Endourology*, **2006**, 20, 296-9 2.7 35
- 3 New-generation flexible ureterorenoscopes are more durable than previous ones. *Urology*, **2006**, 68, 276-9; discussion 280-1 1.6 101
- 2 Can ureteral stent encrustation analysis predict urinary stone composition?. *Urology*, **2005**, 66, 246-51 1.6 17
- 1 Impact on active scope deflection and irrigation flow of all endoscopic working tools during flexible ureteroscopy. *European Urology*, **2004**, 45, 58-64 10.2 64