
## Ryuki Hashida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3573400/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Aerobic vs. resistance exercise in non-alcoholic fatty liver disease: A systematic review. Journal of Hepatology, 2017, 66, 142-152.	1.8	312
2	Effects of inâ€hospital exercise on liver function, physical ability, and muscle mass during treatment of hepatoma in patients with chronic liver disease. Hepatology Research, 2017, 47, E22-E34.	1.8	54
3	Effects of inâ€hospital exercise on sarcopenia in hepatoma patients who underwent transcatheter arterial chemoembolization. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 580-588.	1.4	41
4	Slow walking speed overlapped with low handgrip strength in chronic liver disease patients with hepatocellular carcinoma. Hepatology Research, 2019, 49, 1427-1440.	1.8	22
5	Patientâ€reported outcomes in patients with nonâ€alcoholic fatty liver disease: A narrative review of Chronic Liver Disease Questionnaireâ€nonâ€alcoholic fatty liver disease/nonâ€alcoholic steatohepatitis. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 629-636.	1.4	22
6	Impact of cancer rehabilitation on the prognosis of patients with hepatocellular carcinoma. Oncology Letters, 2020, 19, 2355-2367.	0.8	20
7	Clinical utility of the Liver Frailty Index for predicting muscle atrophy in chronic liver disease patients with hepatocellular carcinoma. Hepatology Research, 2020, 50, 330-341.	1.8	19
8	Effects of In-Hospital Exercise on Frailty in Patients with Hepatocellular Carcinoma. Cancers, 2021, 13, 194.	1.7	15
9	Impact of Decorin on the Physical Function and Prognosis of Patients with Hepatocellular Carcinoma. Journal of Clinical Medicine, 2020, 9, 936.	1.0	13
10	The impact of sarcopenia on low back pain and quality of life in patients with osteoporosis. BMC Musculoskeletal Disorders, 2022, 23, 142.	0.8	13
11	Effects of a lowâ€intensity resistance exercise program on serum miRâ€630, miRâ€5703, and Fractalkine/CX3CL1 expressions in subjects with No exercise habits: A preliminary study. Hepatology Research, 2021, 51, 823-833.	1.8	11
12	<scp>l</scp> arnitine supplementation vs cycle ergometer exercise for physical activity and muscle status in hemodialysis patients: A randomized clinical trial. Therapeutic Apheresis and Dialysis, 2021, 25, 304-313.	0.4	10
13	Hybrid Training System Improves Insulin Resistance in Patients with Nonalcoholic Fatty Liver Disease: A Randomized Controlled Pilot Study. Tohoku Journal of Experimental Medicine, 2020, 252, 23-32.	0.5	10
14	Association between Activity and Brain-Derived Neurotrophic Factor in Patients with Non-Alcoholic Fatty Liver Disease: A Data-Mining Analysis. Life, 2021, 11, 799.	1.1	9
15	The association between sarcopenia and decorin, an exerciseâ€induced myokine, in patients with liver cirrhosis: a pilot study. JCSM Rapid Communications, 2018, 1, 1-10.	0.6	8
16	Prevalence and profiles of ramucirumab‑associated severe ascites in patients with hepatocellular carcinoma. Molecular and Clinical Oncology, 2021, 14, 79.	0.4	8
17	Walking exercise combined with neuromuscular electrical stimulation of antagonist resistance improved muscle strength and physical function for elderly people: A pilot study. The Journal of Physical Fitness and Sports Medicine, 2016, 5, 195-203.	0.2	7
18	Electrical Stimulation of the Antagonist Muscle During Cycling Exercise Interval Training Improves Oxygen Uptake and Muscle Strength. Journal of Strength and Conditioning Research, 2021, 35, 111-117.	1.0	7

**Ryuki** Hashida

#	Article	IF	CITATIONS
19	Phenotypic Characterization by Single-Cell Mass Cytometry of Human Intrahepatic and Peripheral NK Cells in Patients with Hepatocellular Carcinoma. Cells, 2021, 10, 1495.	1.8	7
20	Metabolic dysfunctionâ€associated fatty liver disease directly related to liver fibrosis independent of insulin resistance, hyperlipidemia, and alcohol intake in morbidly obese patients. Hepatology Research, 2022, 52, 841-858.	1.8	7
21	Effects of In-Hospital Physical Therapy on Activities of Daily Living in Patients with Hepatocellular Carcinoma. International Journal of Environmental Research and Public Health, 2020, 17, 9098.	1.2	4
22	Profiles Associated with Sarcopenia in Hepatoma Patients Underwent Transcatheter Arterial Chemoembolization: A Data-Mining Analysis. JCSM Clinical Reports, 2018, 3, .	0.5	4
23	Evaluation of Motor-Assisted Gloves (SEM Glove) for Patients with Functional Finger Disorders: A Clinical Pilot Study. Kurume Medical Journal, 2018, 65, 63-70.	0.0	3
24	Electrically Stimulated Eccentric Contractions during Walking Increases Oxygen Uptake. Kurume Medical Journal, 2019, 66, 93-100.	0.0	1
25	The effect of rotator cuff physical exercise combined with electrically stimulated antagonist on shoulder rotator cuff strength. Journal of Orthopaedic Science, 2020, 27, 126-126.	0.5	1
26	Risks of Sarcopenia in Patients with Hematological and Oncological Factors who Underwent Hematopoietic Stem Cell Transplantation. The Japanese Journal of Rehabilitation Medicine, 2020, 57, 352-363.	0.0	1
27	Electrically stimulated eccentric contraction during non-weight bearing knee bending exercise in the supine position increases oxygen uptake: A randomized, controlled, exploratory crossover trial. PLoS ONE, 2021, 16, e0259856.	1.1	0