

Ryuki Hashida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3573400/publications.pdf>

Version: 2024-02-01

27
papers

629
citations

933264

10
h-index

580701

25
g-index

27
all docs

27
docs citations

27
times ranked

1007
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of sarcopenia on low back pain and quality of life in patients with osteoporosis. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 142.	0.8	13
2	Metabolic dysfunction-associated fatty liver disease directly related to liver fibrosis independent of insulin resistance, hyperlipidemia, and alcohol intake in morbidly obese patients. <i>Hepatology Research</i> , 2022, 52, 841-858.	1.8	7
3	Patient-reported outcomes in patients with non-alcoholic fatty liver disease: A narrative review of Chronic Liver Disease Questionnaire-non-alcoholic fatty liver disease/non-alcoholic steatohepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 629-636.	1.4	22
4	Electrical Stimulation of the Antagonist Muscle During Cycling Exercise Interval Training Improves Oxygen Uptake and Muscle Strength. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 111-117.	1.0	7
5	L-carnitine supplementation vs cycle ergometer exercise for physical activity and muscle status in hemodialysis patients: A randomized clinical trial. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 304-313.	0.4	10
6	Effects of In-Hospital Exercise on Frailty in Patients with Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 194.	1.7	15
7	Prevalence and profiles of ramucirumab-associated severe ascites in patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2021, 14, 79.	0.4	8
8	Effects of a low-intensity resistance exercise program on serum miR-630, miR-5703, and Fractalkine/CX3CL1 expressions in subjects with No exercise habits: A preliminary study. <i>Hepatology Research</i> , 2021, 51, 823-833.	1.8	11
9	Phenotypic Characterization by Single-Cell Mass Cytometry of Human Intrahepatic and Peripheral NK Cells in Patients with Hepatocellular Carcinoma. <i>Cells</i> , 2021, 10, 1495.	1.8	7
10	Association between Activity and Brain-Derived Neurotrophic Factor in Patients with Non-Alcoholic Fatty Liver Disease: A Data-Mining Analysis. <i>Life</i> , 2021, 11, 799.	1.1	9
11	Electrically stimulated eccentric contraction during non-weight bearing knee bending exercise in the supine position increases oxygen uptake: A randomized, controlled, exploratory crossover trial. <i>PLoS ONE</i> , 2021, 16, e0259856.	1.1	0
12	Clinical utility of the Liver Frailty Index for predicting muscle atrophy in chronic liver disease patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2020, 50, 330-341.	1.8	19
13	Effects of In-Hospital Physical Therapy on Activities of Daily Living in Patients with Hepatocellular Carcinoma. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9098.	1.2	4
14	Impact of Decorin on the Physical Function and Prognosis of Patients with Hepatocellular Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 936.	1.0	13
15	Hybrid Training System Improves Insulin Resistance in Patients with Nonalcoholic Fatty Liver Disease: A Randomized Controlled Pilot Study. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 252, 23-32.	0.5	10
16	Impact of cancer rehabilitation on the prognosis of patients with hepatocellular carcinoma. <i>Oncology Letters</i> , 2020, 19, 2355-2367.	0.8	20
17	The effect of rotator cuff physical exercise combined with electrically stimulated antagonist on shoulder rotator cuff strength. <i>Journal of Orthopaedic Science</i> , 2020, 27, 126-126.	0.5	1
18	Risks of Sarcopenia in Patients with Hematological and Oncological Factors who Underwent Hematopoietic Stem Cell Transplantation. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2020, 57, 352-363.	0.0	1

#	ARTICLE	IF	CITATIONS
19	Effects of in-hospital exercise on sarcopenia in hepatoma patients who underwent transcatheter arterial chemoembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 580-588.	1.4	41
20	Slow walking speed overlapped with low handgrip strength in chronic liver disease patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2019, 49, 1427-1440.	1.8	22
21	Electrically Stimulated Eccentric Contractions during Walking Increases Oxygen Uptake. <i>Kurume Medical Journal</i> , 2019, 66, 93-100.	0.0	1
22	Evaluation of Motor-Assisted Gloves (SEM Glove) for Patients with Functional Finger Disorders: A Clinical Pilot Study. <i>Kurume Medical Journal</i> , 2018, 65, 63-70.	0.0	3
23	The association between sarcopenia and decorin, an exercise-induced myokine, in patients with liver cirrhosis: a pilot study. <i>JCSM Rapid Communications</i> , 2018, 1, 1-10.	0.6	8
24	Profiles Associated with Sarcopenia in Hepatoma Patients Underwent Transcatheter Arterial Chemoembolization: A Data-Mining Analysis. <i>JCSM Clinical Reports</i> , 2018, 3, .	0.5	4
25	Effects of in-hospital exercise on liver function, physical ability, and muscle mass during treatment of hepatoma in patients with chronic liver disease. <i>Hepatology Research</i> , 2017, 47, E22-E34.	1.8	54
26	Aerobic vs. resistance exercise in non-alcoholic fatty liver disease: A systematic review. <i>Journal of Hepatology</i> , 2017, 66, 142-152.	1.8	312
27	Walking exercise combined with neuromuscular electrical stimulation of antagonist resistance improved muscle strength and physical function for elderly people: A pilot study. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2016, 5, 195-203.	0.2	7