

Mark B Ratcliffe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3573565/mark-b-ratcliffe-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,832
citations

24
h-index

41
g-index

73
ext. papers

2,026
ext. citations

3
avg, IF

4.07
L-index

#	Paper	IF	Citations
65	Ischemia-Mediated Dysfunction in Subpapillary Myocardium as a Marker of Functional Mitral Regurgitation. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 826-839	8.4	2
64	A kinematic model-based analysis framework for 3D Cine-DENSE-validation with an axially compressed gel phantom and application in sheep before and after antero-apical myocardial infarction. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2105-2121	4.4	
63	Finite-element based optimization of left ventricular passive stiffness in normal volunteers and patients after myocardial infarction: Utility of an inverse deformation gradient calculation of regional diastolic strain. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 119, 104431	4.1	7
62	A finite element model of the cardiac ventricles with coupled circulation: Biventricular mesh generation with hexahedral elements, airbags and a functional mockup interface to the circulation. <i>Computers in Biology and Medicine</i> , 2021 , 137, 104840	7	0
61	Left ventricular geometry during unloading and the end-systolic pressure volume relationship: Measurement with a modified real-time MRI-based method in normal sheep. <i>PLoS ONE</i> , 2020 , 15, e0234896	3.7	1
60	A Novel MRI-Based Finite Element Modeling Method for Calculation of Myocardial Ischemia Effect in Patients With Functional Mitral Regurgitation. <i>Frontiers in Physiology</i> , 2020 , 11, 158	4.6	5
59	Myocardial injection of a thermoresponsive hydrogel with reactive oxygen species scavenger properties improves border zone contractility. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 1736-1746	5.4	4
58	Left ventricular geometry predicts optimal response to percutaneous mitral repair via MitraClip: Integrated assessment by two- and three-dimensional echocardiography. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 1152-1160	2.7	6
57	Mechanical effects of MitraClip on leaflet stress and myocardial strain in functional mitral regurgitation - A finite element modeling study. <i>PLoS ONE</i> , 2019 , 14, e0223472	3.7	13
56	Transcatheter MitraClip repair alters mitral annular geometry - device induced annular remodeling on three-dimensional echocardiography predicts therapeutic response. <i>Cardiovascular Ultrasound</i> , 2019 , 17, 31	2.4	5
55	Tissue-based markers of right ventricular dysfunction in ischemic mitral regurgitation assessed via stress cardiac magnetic resonance and three-dimensional echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 683-693	2.5	5
54	Ischemic Mitral Regurgitation: Abnormal Strain Overestimates Nonviable Myocardium. <i>Annals of Thoracic Surgery</i> , 2018 , 105, 1754-1761	2.7	5
53	Short term doxycycline treatment induces sustained improvement in myocardial infarction border zone contractility. <i>PLoS ONE</i> , 2018 , 13, e0192720	3.7	11
52	Echocardiography-quantified myocardial strain-a marker of global and regional infarct size that stratifies likelihood of left ventricular thrombus. <i>Echocardiography</i> , 2017 , 34, 1623-1632	1.5	7
51	Association of Uneven MitraClip Application and Leaflet Stress in a Finite Element Model. <i>JAMA Surgery</i> , 2017 , 152, 111-114	5.4	7
50	Undersized Mitral Annuloplasty Increases Strain in the Proximal Lateral Left Ventricular Wall. <i>Annals of Thoracic Surgery</i> , 2017 , 103, 820-827	2.7	4
49	Moderate Ischemic Mitral Regurgitation After Posterolateral Myocardial Infarction in Sheep Alters Left Ventricular Shear but Not Normal Strain in the Infarct and Infarct Borderzone. <i>Annals of Thoracic Surgery</i> , 2016 , 101, 1691-9	2.7	7

48	Finite Element Modeling of Mitral Valve Repair. <i>Journal of Biomechanical Engineering</i> , 2016 , 138, 021009.1	12
47	Right Ventricular Dysfunction Impairs Effort Tolerance Independent of Left Ventricular Function Among Patients Undergoing Exercise Stress Myocardial Perfusion Imaging. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9,	3.9 22
46	Neochord placement versus triangular resection in mitral valve repair: A finite element model. <i>Journal of Surgical Research</i> , 2016 , 206, 98-105	2.5 9
45	Residual Stress Impairs Pump Function After Surgical Ventricular Remodeling: A Finite Element Analysis. <i>Annals of Thoracic Surgery</i> , 2015 , 100, 2198-205	2.7 2
44	Progressive design concepts in off-pump left ventricular remodeling mitral valve repair devices. <i>Annals of Cardiothoracic Surgery</i> , 2015 , 4, 352-4	4.7 1
43	Applications of computational modeling in cardiac surgery. <i>Journal of Cardiac Surgery</i> , 2014 , 29, 293-302.3	29
42	Myofilament dysfunction contributes to impaired myocardial contraction in the infarct border zone. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 307, H1150-8	5.2 14
41	Posterior papillary muscle anchoring affects remote myofiber stress and pump function: finite element analysis. <i>Annals of Thoracic Surgery</i> , 2014 , 98, 1355-62	2.7 5
40	Patient-specific finite element modeling of the Cardiokinetix Parachute(®) device: effects on left ventricular wall stress and function. <i>Medical and Biological Engineering and Computing</i> , 2014 , 52, 557-66	3.1 34
39	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 907-8	2.7
38	A N-terminal truncated intracellular isoform of matrix metalloproteinase-2 impairs contractility of mouse myocardium. <i>Frontiers in Physiology</i> , 2014 , 5, 363	4.6 20
37	Measurement of mitral leaflet and annular geometry and stress after repair of posterior leaflet prolapse: virtual repair using a patient-specific finite element simulation. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 1496-503	2.7 17
36	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 1524-5	2.7
35	Effect of mitral annuloplasty device shape and size on leaflet and myofiber stress following repair of posterior leaflet prolapse: a patient-specific finite element simulation. <i>Journal of Heart Valve Disease</i> , 2014 , 23, 727-34	3
34	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2013 , 95, 162	2.7
33	Biventricular finite element modeling of the Acorn CorCap Cardiac Support Device on a failing heart. <i>Annals of Thoracic Surgery</i> , 2013 , 95, 2022-7	2.7 21
32	Left ventricular myocardial contractility is depressed in the borderzone after posterolateral myocardial infarction. <i>Annals of Thoracic Surgery</i> , 2013 , 95, 1619-25	2.7 25
31	A coupled biventricular finite element and lumped-parameter circulatory system model of heart failure. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2013 , 16, 807-18	2.1 21

30	Left ventricular pressure gating in ovine cardiac studies: a software-based method. <i>Journal of Biomechanical Engineering</i> , 2013 , 135, 34502	2.1	1
29	The effect of mitral annuloplasty shape in ischemic mitral regurgitation: a finite element simulation. <i>Annals of Thoracic Surgery</i> , 2012 , 93, 776-82	2.7	44
28	Patient-specific finite element-based analysis of ventricular myofiber stress after Coapsys: importance of residual stress. <i>Annals of Thoracic Surgery</i> , 2012 , 93, 1964-71	2.7	31
27	Finite element modeling of mitral leaflet tissue using a layered shell approximation. <i>Medical and Biological Engineering and Computing</i> , 2012 , 50, 1071-9	3.1	15
26	The benefit of enhanced contractility in the infarct borderzone: a virtual experiment. <i>Frontiers in Physiology</i> , 2012 , 3, 86	4.6	10
25	Electromechanical feedback with reduced cellular connectivity alters electrical activity in an infarct injured left ventricle: a finite element model study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H206-14	5.2	28
24	Comparison of the Young-Laplace law and finite element based calculation of ventricular wall stress: implications for postinfarct and surgical ventricular remodeling. <i>Annals of Thoracic Surgery</i> , 2011 , 91, 150-6	2.7	38
23	A novel method for quantifying the in-vivo mechanical effect of material injected into a myocardial infarction. <i>Annals of Thoracic Surgery</i> , 2011 , 92, 935-41	2.7	57
22	Moderate mitral regurgitation accelerates left ventricular remodeling after posterolateral myocardial infarction. <i>Annals of Thoracic Surgery</i> , 2011 , 92, 1614-20	2.7	19
21	Regional left ventricular myocardial contractility and stress in a finite element model of posterobasal myocardial infarction. <i>Journal of Biomechanical Engineering</i> , 2011 , 133, 044501	2.1	46
20	A novel method for quantifying in-vivo regional left ventricular myocardial contractility in the border zone of a myocardial infarction. <i>Journal of Biomechanical Engineering</i> , 2011 , 133, 094506	2.1	20
19	Effect of adjustable passive constraint on the failing left ventricle: a finite-element model study. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 132-7	2.7	20
18	Adaptive generation of multimaterial grids from imaging data for biomedical Lagrangian fluid-structure simulations. <i>Biomechanics and Modeling in Mechanobiology</i> , 2010 , 9, 187-201	3.8	13
17	Dor procedure for dyskinetic anteroapical myocardial infarction fails to improve contractility in the border zone. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 140, 233-9, 239.e1-4	1.5	26
16	First finite element model of the left ventricle with mitral valve: insights into ischemic mitral regurgitation. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 1546-53	2.7	96
15	Fluid-Structure Interactions of the Mitral Valve and Left Heart: Comprehensive Strategies, Past, Present and Future. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2010 , 26, 348-380	2.6	53
14	A computationally efficient formal optimization of regional myocardial contractility in a sheep with left ventricular aneurysm. <i>Journal of Biomechanical Engineering</i> , 2009 , 131, 111001	2.1	68
13	Magnetic resonance imaging-based finite element stress analysis after linear repair of left ventricular aneurysm. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 135, 1094-102, 1102.e1-2	1.5	57

12	National Institutes of Health funding for cardiothoracic surgical research. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 392-7; discussion 398-9	1.5	36
11	Endoventricular patch plasty for dyskinetic anteroapical left ventricular aneurysm increases systolic circumferential shortening in sheep. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 1017-24	1.5	21
10	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2007 , 84, 101-2	2.7	2
9	Effect of ventricular size and patch stiffness in surgical anterior ventricular restoration: a finite element model study. <i>Annals of Thoracic Surgery</i> , 2005 , 79, 185-93	2.7	58
8	Left ventricular volume and function after endoventricular patch plasty for dyskinetic anteroapical left ventricular aneurysm in sheep. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 1032-8	1.5	23
7	MRI-based finite-element analysis of left ventricular aneurysm. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H692-700	5.2	151
6	Akinetic myocardial infarcts must contain contracting myocytes: finite-element model study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H1844-50	5.2	34
5	Residual stress produced by ventricular volume reduction surgery has little effect on ventricular function and mechanics: a finite element model study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 122, 592-9	1.5	41
4	Mechanism underlying mechanical dysfunction in the border zone of left ventricular aneurysm: a finite element model study. <i>Annals of Thoracic Surgery</i> , 2001 , 71, 654-62	2.7	117
3	Large animal model of ischemic mitral regurgitation. <i>Annals of Thoracic Surgery</i> , 1994 , 57, 432-9	2.7	141
2	Repair of left ventricular aneurysm. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992 , 104, 752-762	1.5	31
1	Large animal model of left ventricular aneurysm. <i>Annals of Thoracic Surgery</i> , 1989 , 48, 838-45	2.7	148