

# Imad El-Haddad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3574218/publications.pdf>

Version: 2024-02-01

144  
papers

12,010  
citations

31902

53  
h-index

30010

103  
g-index

174  
all docs

174  
docs citations

174  
times ranked

9015  
citing authors

#	ARTICLE	IF	CITATIONS
1	High secondary aerosol contribution to particulate pollution during haze events in China. <i>Nature</i> , 2014, 514, 218-222.	13.7	3,582
2	Sources of particulate-matter air pollution and its oxidative potential in Europe. <i>Nature</i> , 2020, 587, 414-419.	13.7	352
3	Review of Urban Secondary Organic Aerosol Formation from Gasoline and Diesel Motor Vehicle Emissions. <i>Environmental Science &amp; Technology</i> , 2017, 51, 1074-1093.	4.6	348
4	New insights into PM <sub>2.5</sub> ; chemical composition and sources in two major cities in China during extreme haze events using aerosol mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3207-3225.	1.9	300
5	Evaluation of the absorption Å <sup>-1</sup> m exponents for traffic and wood burning in the Aethalometer-based source apportionment using radiocarbon measurements of ambient aerosol. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 4229-4249.	1.9	272
6	Inter-comparison of source apportionment models for the estimation of wood burning aerosols during wintertime in an Alpine city (Grenoble, France). <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 5295-5314.	1.9	261
7	Secondary organic aerosol formation from gasoline vehicle emissions in a new mobile environmental reaction chamber. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 9141-9158.	1.9	207
8	Rapid growth of new atmospheric particles by nitric acid and ammonia condensation. <i>Nature</i> , 2020, 581, 184-189.	13.7	169
9	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode of 2013. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1299-1312.	1.9	163
10	Comprehensive primary particulate organic characterization of vehicular exhaust emissions in France. <i>Atmospheric Environment</i> , 2009, 43, 6190-6198.	1.9	150
11	Identification of marine and continental aerosol sources in Paris using high resolution aerosol mass spectrometry. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 1950-1963.	1.2	142
12	Identification of significant precursor gases of secondary organic aerosols from residential wood combustion. <i>Scientific Reports</i> , 2016, 6, 27881.	1.6	141
13	Gasoline cars produce more carbonaceous particulate matter than modern filter-equipped diesel cars. <i>Scientific Reports</i> , 2017, 7, 4926.	1.6	133
14	Formation of highly oxygenated organic molecules from aromatic compounds. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 1909-1921.	1.9	133
15	Labile Peroxides in Secondary Organic Aerosol. <i>CheM</i> , 2016, 1, 603-616.	5.8	132
16	Two-stroke scooters are a dominant source of air pollution in many cities. <i>Nature Communications</i> , 2014, 5, 3749.	5.8	126
17	Source-Specific Health Risk Analysis on Particulate Trace Elements: Coal Combustion and Traffic Emission As Major Contributors in Wintertime Beijing. <i>Environmental Science &amp; Technology</i> , 2018, 52, 10967-10974.	4.6	125
18	Rapid growth of organic aerosol nanoparticles over a wide tropospheric temperature range. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9122-9127.	3.3	118

#	ARTICLE	IF	CITATIONS
19	Trace Metals in Soot and PM <sub>2.5</sub> from Heavy-Fuel-Oil Combustion in a Marine Engine. <i>Environmental Science &amp; Technology</i> , 2018, 52, 6714-6722.	4.6	112
20	Inter-comparison of laboratory smog chamber and flow reactor systems on organic aerosol yield and composition. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 2315-2332.	1.2	110
21	Characterization and source apportionment of organic aerosol using offline aerosol mass spectrometry. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 23-39.	1.2	110
22	Characterization of primary and secondary wood combustion products generated under different burner loads. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 2825-2841.	1.9	99
23	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Cooking Emissions. <i>Environmental Science &amp; Technology</i> , 2016, 50, 1243-1250.	4.6	97
24	Primary and secondary organic aerosol origin by combined gas-particle phase source apportionment. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 8411-8426.	1.9	96
25	Primary sources of PM <sub>2.5</sub> organic aerosol in an industrial Mediterranean city, Marseille. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 2039-2058.	1.9	95
26	Role of iodine oxoacids in atmospheric aerosol nucleation. <i>Science</i> , 2021, 371, 589-595.	6.0	94
27	In situ, satellite measurement and model evidence on the dominant regional contribution to fine particulate matter levels in the Paris megacity. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 9577-9591.	1.9	92
28	Insights into the secondary fraction of the organic aerosol in a Mediterranean urban area: Marseille. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 2059-2079.	1.9	90
29	Radiocarbon analysis of elemental and organic carbon in Switzerland during winter-smog episodes from 2008 to 2012 – Part 1: Source apportionment and spatial variability. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 13551-13570.	1.9	89
30	Inorganic Salt Interference on CO <sub>2</sub> in Aerodyne AMS and ACSM Organic Aerosol Composition Studies. <i>Environmental Science &amp; Technology</i> , 2016, 50, 10494-10503.	4.6	88
31	Towards a better understanding of the origins, chemical composition and aging of oxygenated organic aerosols: case study of a Mediterranean industrialized environment, Marseille. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 7875-7894.	1.9	87
32	Wintertime secondary organic aerosol formation in Beijing–Tianjin–Hebei (BTH): contributions of HONO sources and heterogeneous reactions. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2343-2359.	1.9	83
33	Diurnal cycle of fossil and nonfossil carbon using radiocarbon analyses during CalNex. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014, 119, 6818-6835.	1.2	82
34	Characterization of gas-phase organics using proton transfer reaction time-of-flight mass spectrometry: fresh and aged residential wood combustion emissions. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 705-720.	1.9	79
35	Long-term chemical analysis and organic aerosol source apportionment at nine sites in central Europe: source identification and uncertainty assessment. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 13265-13282.	1.9	78
36	Real-time measurement and source apportionment of elements in Delhi's atmosphere. <i>Science of the Total Environment</i> , 2020, 742, 140332.	3.9	78

#	ARTICLE	IF	CITATIONS
37	Production of particulate brown carbon during atmospheric aging of residential wood-burning emissions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 17843-17861.	1.9	77
38	Organic aerosol source apportionment by offline-AMS over a full year in Marseille. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8247-8268.	1.9	75
39	Primary emissions versus secondary formation of fine particulate matter in the most polluted city (Shijiazhuang) in North China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 2283-2298.	1.9	74
40	Infrared-absorbing carbonaceous tar can dominate light absorption by marine-engine exhaust. <i>Npj Climate and Atmospheric Science</i> , 2019, 2, .	2.6	71
41	In-cloud processes of methacrolein under simulated conditions â€œ Part 2: Formation of secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 5107-5117.	1.9	69
42	Molecular understanding of new-particle formation from $\alpha$ -pinene between $-50$ and $+25$ â€‰%â€‰C. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9183-9207.	1.9	68
43	Evolution of the chemical fingerprint of biomass burning organic aerosol during aging. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7607-7624.	1.9	67
44	Photo-oxidation of Aromatic Hydrocarbons Produces Low-Volatility Organic Compounds. <i>Environmental Science &amp; Technology</i> , 2020, 54, 7911-7921.	4.6	66
45	Oligomer and SOA formation through aqueous phase photooxidation of methacrolein and methyl vinyl ketone. <i>Atmospheric Environment</i> , 2012, 49, 123-129.	1.9	64
46	A new methodology to assess the performance and uncertainty of source apportionment models II: The results of two European intercomparison exercises. <i>Atmospheric Environment</i> , 2015, 123, 240-250.	1.9	63
47	On the fate of oxygenated organic molecules in atmospheric aerosol particles. <i>Science Advances</i> , 2020, 6, eaax8922.	4.7	63
48	Brown and Black Carbon Emitted by a Marine Engine Operated on Heavy Fuel Oil and Distillate Fuels: Optical Properties, Size Distributions, and Emission Factors. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 6175-6195.	1.2	62
49	Chemical composition, sources and secondary processes of aerosols in Baoji city of northwest China. <i>Atmospheric Environment</i> , 2017, 158, 128-137.	1.9	60
50	Contributions of residential coal combustion to the air quality in Beijingâ€œTianjinâ€œHebei (BTH), China: a case study. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10675-10691.	1.9	60
51	Source Apportionment of Brown Carbon Absorption by Coupling Ultravioletâ€œVisible Spectroscopy with Aerosol Mass Spectrometry. <i>Environmental Science and Technology Letters</i> , 2018, 5, 302-308.	3.9	60
52	Primary emissions and secondary organic aerosol formation from the exhaust of a flex-fuel (ethanol) vehicle. <i>Atmospheric Environment</i> , 2015, 117, 200-211.	1.9	59
53	Argon offline-AMS source apportionment of organic aerosol over yearly cycles for an urban, rural, and marine site in northern Europe. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 117-141.	1.9	59
54	Modelling winter organic aerosol at the European scale with CAMx: evaluation and source apportionment with a VBS parameterization based on novel wood burning smog chamber experiments. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 7653-7669.	1.9	58

#	ARTICLE	IF	CITATIONS
55	Enhanced growth rate of atmospheric particles from sulfuric acid. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 7359-7372.	1.9	58
56	Size-Resolved Identification, Characterization, and Quantification of Primary Biological Organic Aerosol at a European Rural Site. <i>Environmental Science &amp; Technology</i> , 2016, 50, 3425-3434.	4.6	57
57	Gas-phase composition and secondary organic aerosol formation from standard and particle filter-retrofitted gasoline direct injection vehicles investigated in a batch and flow reactor. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 9929-9954.	1.9	57
58	Impacts of meteorological uncertainties on the haze formation in Beijing-Tianjin-Hebei (BTH) during wintertime: a case study. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 14579-14591.	1.9	56
59	Influence of temperature on the molecular composition of ions and charged clusters during pure biogenic nucleation. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 65-79.	1.9	56
60	Observation of viscosity transition in $\alpha$ -pinene secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 4423-4438.	1.9	55
61	Advanced source apportionment of carbonaceous aerosols by coupling offline AMS and radiocarbon size-segregated measurements over a nearly 2-year period. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 6187-6206.	1.9	54
62	Quantification of levoglucosan and its isomers by High Performance Liquid Chromatography-Electrospray Ionization tandem Mass Spectrometry and its applications to atmospheric and soil samples. <i>Atmospheric Measurement Techniques</i> , 2012, 5, 141-148.	1.2	53
63	Indoor terpene emissions from cooking with herbs and pepper and their secondary organic aerosol production potential. <i>Scientific Reports</i> , 2016, 6, 36623.	1.6	51
64	A new method for long-term source apportionment with time-dependent factor profiles and uncertainty assessment using SoFi Pro: application to 1 year of organic aerosol data. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 923-943.	1.2	50
65	Large contribution of fossil fuel derived secondary organic carbon to water soluble organic aerosols in winter haze in China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4005-4017.	1.9	49
66	Molecular understanding of the suppression of new-particle formation by isoprene. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 11809-11821.	1.9	49
67	Primary emissions and secondary aerosol production potential from woodstoves for residential heating: Influence of the stove technology and combustion efficiency. <i>Atmospheric Environment</i> , 2017, 169, 65-79.	1.9	48
68	Oxidation of Atmospheric Humic Like Substances by Ozone: A Kinetic and Structural Analysis Approach. <i>Environmental Science &amp; Technology</i> , 2011, 45, 5238-5244.	4.6	47
69	Aqueous phase oxidation of sulphur dioxide by ozone in cloud droplets. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 1693-1712.	1.9	47
70	High contributions of vehicular emissions to ammonia in three European cities derived from mobile measurements. <i>Atmospheric Environment</i> , 2018, 175, 210-220.	1.9	42
71	Evaluation of receptor and chemical transport models for PM10 source apportionment. <i>Atmospheric Environment: X</i> , 2020, 5, 100053.	0.8	41
72	European aerosol phenomenology 8: Harmonised source apportionment of organic aerosol using 22 Year-long ACSM/AMS datasets. <i>Environment International</i> , 2022, 166, 107325.	4.8	41

#	ARTICLE	IF	CITATIONS
73	Impact of anthropogenic and biogenic sources on the seasonal variation in the molecular composition of urban organic aerosols: a field and laboratory study using ultra-high-resolution mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 5973-5991.	1.9	40
74	The driving factors of new particle formation and growth in the polluted boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 14275-14291.	1.9	38
75	Assessing the influence of NO <sub>2</sub> concentrations and relative humidity on secondary organic aerosol yields from $\alpha$ -pinene photo-oxidation through smog chamber experiments and modelling calculations. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 5035-5061.	1.9	37
76	Effects of two different biogenic emission models on modelled ozone and aerosol concentrations in Europe. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 3747-3768.	1.9	36
77	Fossil and non-fossil source contributions to atmospheric carbonaceous aerosols during extreme spring grassland fires in Eastern Europe. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 5513-5529.	1.9	35
78	Sources of organic aerosols in Europe: a modeling study using CAMx with modified volatility basis set scheme. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 15247-15270.	1.9	35
79	Effect of Stove Technology and Combustion Conditions on Gas and Particulate Emissions from Residential Biomass Combustion. <i>Environmental Science &amp; Technology</i> , 2019, 53, 2209-2219.	4.6	35
80	Molecular Composition and Volatility of Nucleated Particles from $\alpha$ -Pinene Oxidation between $\sim$ 50 $^{\circ}$ C and +25 $^{\circ}$ C. <i>Environmental Science &amp; Technology</i> , 2019, 53, 12357-12365.	4.6	32
81	Urban increments of gaseous and aerosol pollutants and their sources using mobile aerosol mass spectrometry measurements. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 7117-7134.	1.9	31
82	Particle-bound reactive oxygen species (PB-ROS) emissions and formation pathways in residential wood smoke under different combustion and aging conditions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 6985-7000.	1.9	31
83	Predominance of secondary organic aerosol to particle-bound reactive oxygen species activity in fine ambient aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14703-14720.	1.9	31
84	Brown Carbon in Primary and Aged Coal Combustion Emission. <i>Environmental Science &amp; Technology</i> , 2021, 55, 5701-5710.	4.6	31
85	Equal abundance of summertime natural and wintertime anthropogenic Arctic organic aerosols. <i>Nature Geoscience</i> , 2022, 15, 196-202.	5.4	31
86	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Residential Coal Combustion. <i>Environmental Science &amp; Technology</i> , 2018, 52, 2612-2617.	4.6	30
87	Source apportionment of fine particulate matter in a Middle Eastern Metropolis, Tehran-Iran, using PMF with organic and inorganic markers. <i>Science of the Total Environment</i> , 2020, 705, 135330.	3.9	30
88	Sources of PM <sub>2.5</sub> at an urban-industrial Mediterranean city, Marseille (France): Application of the ME-2 solver to inorganic and organic markers. <i>Atmospheric Research</i> , 2018, 214, 263-274.	1.8	29
89	Constraining a hybrid volatility basis-set model for aging of wood-burning emissions using smog chamber experiments: a box-model study based on the VBS scheme of the CAMx model (v5.40). <i>Geoscientific Model Development</i> , 2017, 10, 2303-2320.	1.3	28
90	Improved source apportionment of organic aerosols in complex urban air pollution using the multilinear engine (ME-2). <i>Atmospheric Measurement Techniques</i> , 2018, 11, 1049-1060.	1.2	28

#	ARTICLE	IF	CITATIONS
91	Quantification of the impact of cooking processes on indoor concentrations of volatile organic species and primary and secondary organic aerosols. <i>Indoor Air</i> , 2019, 29, 926-942.	2.0	28
92	Structures and reactivity of peroxy radicals and dimeric products revealed by online tandem mass spectrometry. <i>Nature Communications</i> , 2021, 12, 300.	5.8	28
93	In-cloud processes of methacrolein under simulated conditions " Part 3: Hygroscopic and volatility properties of the formed secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 5119-5130.	1.9	26
94	Secondary inorganic aerosols in Europe: sources and the significant influence of biogenic VOC emissions, especially on ammonium nitrate. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 7757-7773.	1.9	26
95	Overview: Integrative and Comprehensive Understanding on Polar Environments (iCUPE) " concept and initial results. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 8551-8592.	1.9	26
96	Synergistic HNO <sub>3</sub> "H <sub>2</sub> SO <sub>4</sub> "NH <sub>3</sub> upper tropospheric particle formation. <i>Nature</i> , 2022, 605, 483-489.	13.7	26
97	Development, characterization and first deployment of an improved online reactive oxygen species analyzer. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 65-80.	1.2	25
98	Online Aerosol Chemical Characterization by Extractive Electrospray Ionization"Ultrahigh-Resolution Mass Spectrometry (EESI-Orbitrap). <i>Environmental Science &amp; Technology</i> , 2020, 54, 3871-3880.	4.6	25
99	Precursor ion scanning"mass spectrometry for the determination of nitro functional groups in atmospheric particulate organic matter. <i>Analytica Chimica Acta</i> , 2008, 618, 184-195.	2.6	24
100	Functional group composition of ambient and source organic aerosols determined by tandem mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 7041-7055.	1.9	24
101	Effects of alkylate fuel on exhaust emissions and secondary aerosol formation of a 2-stroke and a 4-stroke scooter. <i>Atmospheric Environment</i> , 2014, 94, 307-315.	1.9	24
102	Secondary organic aerosol formation from smoldering and flaming combustion of biomass: a box model parametrization based on volatility basis set. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 11461-11484.	1.9	24
103	Large contribution to secondary organic aerosol from isoprene cloud chemistry. <i>Science Advances</i> , 2021, 7, .	4.7	24
104	Composition and Source Apportionment of Organic Aerosol in Beirut, Lebanon, During Winter 2012. <i>Aerosol Science and Technology</i> , 2013, 47, 1258-1266.	1.5	23
105	Time-dependent source apportionment of submicron organic aerosol for a rural site in an alpine valley using a rolling positive matrix factorisation (PMF) window. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 15081-15101.	1.9	22
106	Influence of the vapor wall loss on the degradation rate constants in chamber experiments of levoglucosan and other biomass burning markers. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10915-10930.	1.9	19
107	Development of a versatile source apportionment analysis based on positive matrix factorization: a case study of the seasonal variation of organic aerosol sources in Estonia. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 7279-7295.	1.9	19
108	Comparison of five methodologies to apportion organic aerosol sources during a PM pollution event. <i>Science of the Total Environment</i> , 2021, 757, 143168.	3.9	19

#	ARTICLE	IF	CITATIONS
109	Highly time-resolved measurements of element concentrations in PM <sub>10</sub> and PM <sub>2.5</sub> ; comparison of Delhi, Beijing, London, and Krakow. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 717-730.	1.9	19
110	Oxidative stress-induced inflammation in susceptible airways by anthropogenic aerosol. <i>PLoS ONE</i> , 2020, 15, e0233425.	1.1	19
111	Determination of the collision rate coefficient between charged iodine acid clusters and iodine acid using the appearance time method. <i>Aerosol Science and Technology</i> , 2021, 55, 231-242.	1.5	18
112	Characterization of primary and aged wood burning and coal combustion organic aerosols in an environmental chamber and its implications for atmospheric aerosols. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 10273-10293.	1.9	17
113	Functional group composition of organic aerosol from combustion emissions and secondary processes at two contrasted urban environments. <i>Atmospheric Environment</i> , 2013, 75, 308-320.	1.9	16
114	Characterization of organic tracer compounds in PM <sub>2.5</sub> at a semi-urban site in Beirut, Lebanon. <i>Atmospheric Research</i> , 2014, 143, 85-94.	1.8	15
115	Contribution of bacteria-like particles to PM <sub>2.5</sub> aerosol in urban and rural environments. <i>Atmospheric Environment</i> , 2017, 160, 97-106.	1.9	15
116	Determination of n-alkanes, polycyclic aromatic hydrocarbons and hopanes in atmospheric aerosol: evaluation and comparison of thermal desorption GC-MS and solvent extraction GC-MS approaches. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 4779-4789.	1.2	15
117	Source-specific light absorption by carbonaceous components in the complex aerosol matrix from yearly filter-based measurements. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 12809-12833.	1.9	15
118	Wood combustion particles induce adverse effects to normal and diseased airway epithelia. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 538-548.	1.7	14
119	Identification of secondary aerosol precursors emitted by an aircraft turbofan. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7379-7391.	1.9	14
120	Photolytically induced changes in composition and volatility of biogenic secondary organic aerosol from nitrate radical oxidation during night-to-day transition. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 14907-14925.	1.9	14
121	Contribution of methane to aerosol carbon mass. <i>Atmospheric Environment</i> , 2016, 141, 41-47.	1.9	12
122	Modeling the effect of reduced traffic due to COVID-19 measures on air quality using a chemical transport model: impacts on the Po Valley and the Swiss Plateau regions. <i>Environmental Science Atmospheres</i> , 2021, 1, 228-240.	0.9	12
123	Chemical composition of nanoparticles from $\alpha$ -pinene nucleation and the influence of isoprene and relative humidity at low temperature. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 17099-17114.	1.9	12
124	Photodegradation of $\alpha$ -Pinene Secondary Organic Aerosol Dominated by Moderately Oxidized Molecules. <i>Environmental Science &amp; Technology</i> , 2021, 55, 6936-6943.	4.6	11
125	A Comprehensive Nontarget Analysis for the Molecular Reconstruction of Organic Aerosol Composition from Glacier Ice Cores. <i>Environmental Science &amp; Technology</i> , 2019, 53, 12565-12575.	4.6	10
126	Molecular characterization of ultrafine particles using extractive electrospray time-of-flight mass spectrometry. <i>Environmental Science Atmospheres</i> , 2021, 1, 434-448.	0.9	10



#	ARTICLE	IF	CITATIONS
127	Constraining the response factors of an extractive electrospray ionization mass spectrometer for near-molecular aerosol speciation. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 6955-6972.	1.2	10
128	Marine and urban influences on summertime PM <sub>2.5</sub> aerosol in the Po basin using mobile measurements. <i>Atmospheric Environment</i> , 2015, 120, 447-454.	1.9	9
129	Elucidating the present-day chemical composition, seasonality and source regions of climate-relevant aerosols across the Arctic land surface. <i>Environmental Research Letters</i> , 2022, 17, 034032.	2.2	9
130	Modelling the gas-particle partitioning and water uptake of isoprene-derived secondary organic aerosol at high and low relative humidity. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 215-244.	1.9	8
131	Survival of newly formed particles in haze conditions. <i>Environmental Science Atmospheres</i> , 2022, 2, 491-499.	0.9	8
132	Insights into organic-aerosol sources via a novel laser-desorption/ionization mass spectrometry technique applied to one year of PM <sub>10</sub> samples from nine sites in central Europe. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 2155-2174.	1.9	7
133	Effects of aerosol size and coating thickness on the molecular detection using extractive electrospray ionization. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 5913-5923.	1.2	7
134	High-frequency gaseous and particulate chemical characterization using extractive electrospray ionization mass spectrometry (Dual-Phase-EESI-TOF). <i>Atmospheric Measurement Techniques</i> , 2022, 15, 3747-3760.	1.2	7
135	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Aircraft Turbine Engines. <i>Environmental Science &amp; Technology</i> , 2017, 51, 3621-3629.	4.6	6
136	Influence of biomass burning vapor wall loss correction on modeling organic aerosols in Europe by CAMx v6.50. <i>Geoscientific Model Development</i> , 2021, 14, 1681-1697.	1.3	5
137	Particulate emissions of real-world light-duty gasoline vehicle fleet in Iran. <i>Environmental Pollution</i> , 2022, 292, 118303.	3.7	5
138	Organic aerosol source apportionment by using rolling positive matrix factorization: Application to a Mediterranean coastal city. <i>Atmospheric Environment: X</i> , 2022, 14, 100176.	0.8	4
139	Source identification and characterization of organic nitrogen in atmospheric aerosols at a suburban site in China. <i>Science of the Total Environment</i> , 2022, 818, 151800.	3.9	3
140	Fragment ion-functional group relationships in organic aerosols using aerosol mass spectrometry and mid-infrared spectroscopy. <i>Atmospheric Measurement Techniques</i> , 2022, 15, 2857-2874.	1.2	3
141	Online monitoring of volatile organic compounds emitted from human bronchial epithelial cells as markers for oxidative stress. <i>Journal of Breath Research</i> , 2021, 15, 016015.	1.5	2
142	Online detection of trace volatile organic sulfur compounds in a complex biogas mixture with proton-transfer-reaction mass spectrometry. <i>Renewable Energy</i> , 2022, 196, 1197-1203.	4.3	2
143	Real-Time Characterization of Aerosol Particle Composition During Winter High-Pollution Events in China. , 2017, , 221-244.		0
144	Source Apportionment of Inorganic Aerosols in Europe and Role of Biogenic VOC Emissions. <i>Springer Proceedings in Complexity</i> , 2018, , 375-379.	0.2	0