

Margaret K Mak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3574347/publications.pdf>

Version: 2024-02-01

10
papers

581
citations

1307366

7
h-index

1474057

9
g-index

10
all docs

10
docs citations

10
times ranked

929
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term effects of exercise and physical therapy in people with Parkinson disease. <i>Nature Reviews Neurology</i> , 2017, 13, 689-703.	4.9	318
2	Validation of the Chinese Translated Activities-Specific Balance Confidence Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 496-503.	0.5	94
3	Mediolateral sway in single-leg stance is the best discriminator of balance performance for Tai-Chi practitioners. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 683-686.	0.5	48
4	Impaired Executive Function Can Predict Recurrent Falls in Parkinson's Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2390-2395.	0.5	48
5	Task- and Context-Specific Balance Training Program Enhances Dynamic Balance and Functional Performance in Parkinsonian Nonfallers: A Randomized Controlled Trial With Six-Month Follow-Up. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2103-2111.	0.5	29
6	The effect of transcranial direct current stimulation on upper limb motor performance in Parkinson's disease: a systematic review. <i>Journal of Neurology</i> , 2020, 267, 3479-3488.	1.8	26
7	Effect of cued training on motor evoked potential and cortical silent period in people with Parkinson's disease. <i>Clinical Neurophysiology</i> , 2013, 124, 545-550.	0.7	10
8	Single session transcranial direct current stimulation to the primary motor cortex fails to enhance early motor sequence learning in Parkinson's disease. <i>Behavioural Brain Research</i> , 2022, 418, 113624.	1.2	6
9	Intelligent wearable system with accurate detection of abnormal gait and timely cueing for mobility enhancement of people with Parkinson's disease. <i>Wearable Technologies</i> , 2022, 3, .	1.6	2
10	The potential synergism by combining external counterpulsation with intermittent theta burst stimulation in post-stroke motor function recovery. <i>Medical Hypotheses</i> , 2016, 93, 140-142.	0.8	0