

Subash Sad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3574688/publications.pdf>

Version: 2024-02-01

82
papers

7,932
citations

109264

35
h-index

64755

79
g-index

82
all docs

82
docs citations

82
times ranked

8431
citing authors

#	ARTICLE	IF	CITATIONS
1	The expanding universe of T-cell subsets: Th1, Th2 and more. Trends in Immunology, 1996, 17, 138-146.	7.5	3,410
2	Cytokine-induced differentiation of precursor mouse CD8+ T cells into cytotoxic CD8+ T cells secreting Th1 or Th2 cytokines. Immunity, 1995, 2, 271-279.	6.6	656
3	Type I interferon induces necroptosis in macrophages during infection with Salmonella enterica serovar Typhimurium. Nature Immunology, 2012, 13, 954-962.	7.0	378
4	Apoptotic Vesicles Crossprime CD8 T Cells and Protect against Tuberculosis. Immunity, 2006, 24, 105-117.	6.6	353
5	Targeting macrophage necroptosis for therapeutic and diagnostic interventions in atherosclerosis. Science Advances, 2016, 2, e1600224.	4.7	214
6	Functions of CD8 T-cell subsets secreting different cytokine patterns. Seminars in Immunology, 1997, 9, 87-92.	2.7	168
7	Type-I interferon signaling through ISGF3 complex is required for sustained Rip3 activation and necroptosis in macrophages. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E3206-13.	3.3	149
8	cIAP1 and cIAP2 limit macrophage necroptosis by inhibiting Rip1 and Rip3 activation. Cell Death and Differentiation, 2012, 19, 1791-1801.	5.0	127
9	IL-15 Regulates CD8+ T Cell Contraction during Primary Infection. Journal of Immunology, 2006, 176, 507-515.	0.4	104
10	Reducing the Stimulation of CD8+ T Cells during Infection with Intracellular Bacteria Promotes Differentiation Primarily into a Central (CD62L ^{high} CD44 ^{high}) Subset. Journal of Immunology, 2005, 174, 5341-5350.	0.4	100
11	Multiple Mechanisms Compensate to Enhance Tumor-Protective CD8+ T Cell Response in the Long-Term Despite Poor CD8+ T Cell Priming Initially: Comparison Between an Acute Versus a Chronic Intracellular Bacterium Expressing a Model Antigen. Journal of Immunology, 2002, 168, 5737-5745.	0.4	90
12	Biochemical Engineering of Surface α -Mannose Polysialic Acid for Immunotargeting Tumor Cells. Journal of Biological Chemistry, 2000, 275, 32832-32836.	1.6	89
13	Archaeosomes Induce Long-Term CD8+ Cytotoxic T Cell Response to Entrapped Soluble Protein by the Exogenous Cytosolic Pathway, in the Absence of CD4+ T Cell Help. Journal of Immunology, 2000, 165, 5177-5185.	0.4	88
14	Interleukin (IL) 4, in the absence of antigen stimulation, induces an anergy-like state in differentiated CD8+ TC1 cells: loss of IL-2 synthesis and autonomous proliferation but retention of cytotoxicity and synthesis of other cytokines.. Journal of Experimental Medicine, 1995, 182, 1505-1515.	4.2	80
15	VEGF-Mediated Induction of PRD1-BF1/Blimp1 Expression Sensitizes Tumor Vasculature to Oncolytic Virus Infection. Cancer Cell, 2015, 28, 210-224.	7.7	77
16	Perforin and Fas killing by CD8+ T cells limits their cytokine synthesis and proliferation.. Journal of Experimental Medicine, 1996, 184, 1543-1547.	4.2	74
17	The Potent Adjuvant Activity of Archaeosomes Correlates to the Recruitment and Activation of Macrophages and Dendritic Cells In Vivo. Journal of Immunology, 2001, 166, 1885-1893.	0.4	71
18	<i>Lrrk2</i> alleles modulate inflammation during microbial infection of mice in a sex-dependent manner. Science Translational Medicine, 2019, 11, .	5.8	67

#	ARTICLE	IF	CITATIONS
19	Cathepsins Limit Macrophage Necroptosis through Cleavage of Rip1 Kinase. <i>Journal of Immunology</i> , 2014, 192, 5671-5678.	0.4	65
20	Activation of Dendritic Cells by Liposomes Prepared from Phosphatidylinositol Mannosides from <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin and Adjuvant Activity In Vivo. <i>Infection and Immunity</i> , 2004, 72, 5235-5246.	1.0	63
21	Perioperative Influenza Vaccination Reduces Postoperative Metastatic Disease by Reversing Surgery-Induced Dysfunction in Natural Killer Cells. <i>Clinical Cancer Research</i> , 2013, 19, 5104-5115.	3.2	59
22	Prolonged Antigen Presentation, APC-, and CD8+ T Cell Turnover during Mycobacterial Infection: Comparison with <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2004, 172, 3491-3500.	0.4	57
23	Cytotoxicity and weak CD40 ligand expression of CD8+ type 2 cytotoxic T cells restricts their potential B cell helper activity. <i>European Journal of Immunology</i> , 1997, 27, 914-922.	1.6	56
24	Archaeosomes varying in lipid composition differ in receptor-mediated endocytosis and differentially adjuvant immune responses to entrapped antigen. <i>Archaea</i> , 2003, 1, 151-164.	2.3	56
25	Archaeosomes induce enhanced cytotoxic T lymphocyte responses to entrapped soluble protein in the absence of interleukin 12 and protect against tumor challenge. <i>Cancer Research</i> , 2003, 63, 2526-34.	0.4	56
26	Delayed Expansion and Contraction of CD8+ T Cell Response during Infection with Virulent <i>Salmonella typhimurium</i> . <i>Journal of Immunology</i> , 2006, 177, 1516-1525.	0.4	53
27	Inhibition of ROS and upregulation of inflammatory cytokines by FoxO3a promotes survival against <i>Salmonella typhimurium</i> . <i>Nature Communications</i> , 2016, 7, 12748.	5.8	51
28	Caspase-3 Is Transiently Activated without Cell Death during Early Antigen Driven Expansion of CD8+ T Cells In Vivo. <i>PLoS ONE</i> , 2010, 5, e15328.	1.1	51
29	Pregnancy Impairs the Innate Immune Resistance to <i>Salmonella typhimurium</i> Leading to Rapid Fatal Infection. <i>Journal of Immunology</i> , 2007, 179, 6088-6096.	0.4	48
30	Phosphatidylserine Receptor-Mediated Recognition of Archaeosome Adjuvant Promotes Endocytosis and MHC Class I Cross-Presentation of the Entrapped Antigen by Phagosome-to-Cytosol Transport and Classical Processing. <i>Journal of Immunology</i> , 2004, 173, 566-578.	0.4	46
31	Immune dysregulation may contribute to disease pathogenesis in spinal muscular atrophy mice. <i>Human Molecular Genetics</i> , 2017, 26, ddw434.	1.4	44
32	Rapid Clonal Expansion and Prolonged Maintenance of Memory CD8+ T Cells of the Effector (CD44 ^{high} CD62 ^L low) and Central (CD44 ^{high} CD62 ^L high) Phenotype by an Archaeosome Adjuvant Independent of TLR2. <i>Journal of Immunology</i> , 2007, 178, 2396-2406.	0.4	43
33	AMPK Promotes Xenophagy through Priming of Autophagic Kinases upon Detection of Bacterial Outer Membrane Vesicles. <i>Cell Reports</i> , 2019, 26, 2150-2165.e5.	2.9	43
34	Holocranohistochemistry enables the visualization of α -synuclein expression in the murine olfactory system and discovery of its systemic anti-microbial effects. <i>Journal of Neural Transmission</i> , 2017, 124, 721-738.	1.4	42
35	Cross-Reactive Antigen Is Required to Prevent Erosion of Established T Cell Memory and Tumor Immunity: A Heterologous Bacterial Model of Attrition. <i>Journal of Immunology</i> , 2002, 169, 1197-1206.	0.4	39
36	A Novel Role of IL-15 in Early Activation of Memory CD8+ CTL after Reinfection. <i>Journal of Immunology</i> , 2005, 174, 3590-3597.	0.4	39

#	ARTICLE	IF	CITATIONS
37	A Reduced Antigen Load In Vivo, Rather Than Weak Inflammation, Causes a Substantial Delay in CD8+ T Cell Priming against <i>Mycobacterium bovis</i> (Bacillus Calmette-Guèrin). <i>Journal of Immunology</i> , 2007, 179, 211-220.	0.4	37
38	Selectively Reduced Intracellular Proliferation of <i>Salmonella enterica</i> Serovar Typhimurium within APCs Limits Antigen Presentation and Development of a Rapid CD8 T Cell Response. <i>Journal of Immunology</i> , 2009, 183, 3778-3787.	0.4	36
39	Intracellular Bacterial Vectors That Induce CD8+ T Cells with Similar Cytolytic Abilities but Disparate Memory Phenotypes Provide Contrasting Tumor Protection. <i>Cancer Research</i> , 2009, 69, 4327-4334.	0.4	35
40	Impaired Protection against <i>Mycobacterium bovis</i> Bacillus Calmette-Guèrin Infection in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2006, 176, 2496-2504.	0.4	32
41	<i>Salmonella enterica</i> Serovar Typhimurium-Induced Placental Inflammation and Not Bacterial Burden Correlates with Pathology and Fatal Maternal Disease. <i>Infection and Immunity</i> , 2010, 78, 2292-2301.	1.0	31
42	CD8+ T Cells Primed in the Periphery Provide Time-Bound Immune-Surveillance to the Central Nervous System. <i>Journal of Immunology</i> , 2011, 187, 1192-1200.	0.4	31
43	A VL single-domain antibody library shows a high-propensity to yield non-aggregating binders. <i>Protein Engineering, Design and Selection</i> , 2012, 25, 313-318.	1.0	30
44	Clinical Isolates of <i>Pseudomonas aeruginosa</i> from Chronically Infected Cystic Fibrosis Patients Fail To Activate the Inflammasome during Both Stable Infection and Pulmonary Exacerbation. <i>Journal of Immunology</i> , 2016, 196, 3097-3108.	0.4	28
45	Intrinsic Role of FoxO3a in the Development of CD8+ T Cell Memory. <i>Journal of Immunology</i> , 2013, 190, 1066-1075.	0.4	27
46	Differentiation and Functions of T Cell Subsets. <i>Novartis Foundation Symposium</i> , 1997, 204, 148-158.	1.2	26
47	Synthetic gonadotrophin-releasing hormone (GnRH) vaccines incorporating GnRH and synthetic T-helper epitopes. <i>Vaccine</i> , 1993, 11, 1145-1150.	1.7	24
48	Critical role for the Ly49 family of class I MHC receptors in adaptive natural killer cell responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11579-11584.	3.3	24
49	IFN- γ Induces the Erosion of Preexisting CD8 T Cell Memory during Infection with a Heterologous Intracellular Bacterium. <i>Journal of Immunology</i> , 2008, 181, 1700-1709.	0.4	23
50	<i>Salmonella enterica</i> Serovar Typhimurium Exploits Toll-Like Receptor Signaling during the Host-Pathogen Interaction. <i>Infection and Immunity</i> , 2009, 77, 4750-4760.	1.0	22
51	Pathogen Proliferation Governs the Magnitude but Compromises the Function of CD8 T Cells. <i>Journal of Immunology</i> , 2008, 180, 5853-5861.	0.4	21
52	Triad3a induces the degradation of early necrosome to limit RipK1-dependent cytokine production and necroptosis. <i>Cell Death and Disease</i> , 2018, 9, 592.	2.7	21
53	Preexisting Inflammation Due to <i>Mycobacterium bovis</i> BCG Infection Differentially Modulates T-Cell Priming against a Replicating or Nonreplicating Immunogen. <i>Infection and Immunity</i> , 2002, 70, 1957-1964.	1.0	20
54	Differentiated macrophages acquire a pro-inflammatory and cell death-resistant phenotype due to increasing XIAP and p38-mediated inhibition of RipK1. <i>Journal of Biological Chemistry</i> , 2018, 293, 11913-11927.	1.6	20

#	ARTICLE	IF	CITATIONS
55	Increased CD8+T Cell Memory to Concurrent Infection at the Expense of Increased Erosion of Pre-existing Memory: The Paradoxical Role of IL-15. <i>Journal of Immunology</i> , 2003, 171, 5454-5460.	0.4	19
56	Complexed soluble IL-7 receptor $\hat{\pm}$ and IL-7 increase IL-7-mediated proliferation and viability of CD8+ T-cells in vitro. <i>Cellular Immunology</i> , 2015, 293, 122-125.	1.4	17
57	Maintenance and Attrition of T-Cell Memory. <i>Critical Reviews in Immunology</i> , 2003, 23, 129-147.	1.0	17
58	Characterization of an Immunosuppressive Factor Secreted by a Human Trophoblast-Derived Choriocarcinoma Cell Line. <i>Cellular Immunology</i> , 1995, 162, 295-308.	1.4	16
59	Brief Communication; A Heterologous Oncolytic Bacteria-Virus Prime-Boost Approach for Anticancer Vaccination in Mice. <i>Journal of Immunotherapy</i> , 2018, 41, 125-129.	1.2	16
60	Culling of APCs by inflammatory cell death pathways restricts TIM3 and PD-1 expression and promotes the survival of primed CD8 T cells. <i>Cell Death and Differentiation</i> , 2017, 24, 1900-1911.	5.0	14
61	Differentiation of Subsets of CD4 ⁺ and CD8 ⁺ T Cells. <i>Novartis Foundation Symposium</i> , 1995, 195, 42-54.	1.2	12
62	IFN- $\hat{\beta}$ Expressed by T Cells Regulates the Persistence of Antigen Presentation by Limiting the Survival of Dendritic Cells. <i>Journal of Immunology</i> , 2009, 183, 7710-7718.	0.4	12
63	Influence of the genetic background and carrier protein on the antibody response to GnRH. <i>Journal of Reproductive Immunology</i> , 1991, 19, 197-207.	0.8	11
64	ORIGINAL ARTICLE: Pregnancy Does not Deter the Development of a Potent Maternal Protective CD8 ⁺ T Cell Acquired Immune Response Against <i>Listeria Monocytogenes</i> Despite Preferential Placental Colonization. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 54-65.	1.2	11
65	A Highly Effective Component Vaccine against Nontyphoidal <i>Salmonella enterica</i> Infections. <i>MBio</i> , 2015, 6, e01421-15.	1.8	11
66	Lack of Functional Selectin Ligand Interactions Compromises Long Term Tumor Protection by CD8+ T Cells. <i>PLoS ONE</i> , 2012, 7, e32211.	1.1	10
67	Tristetraprolin regulates necroptosis during tonic Toll-like receptor 4 (TLR4) signaling in murine macrophages. <i>Journal of Biological Chemistry</i> , 2020, 295, 4661-4672.	1.6	9
68	Modulation of Antigenic Location Converts Chronic into Acute Infection by Forcing CD8+ T Cell Recognition. <i>Cell Reports</i> , 2012, 2, 1710-1721.	2.9	8
69	Transcription factor Batf3 is important for development of CD8 ⁺ T cell response against a phagosomal bacterium regardless of the location of antigen. <i>Immunology and Cell Biology</i> , 2016, 94, 378-387.	1.0	8
70	Type I interferons differentially modulate maternal host immunity to infection by <i>Listeria monocytogenes</i> and <i>Salmonella enterica</i> serovar Typhimurium during pregnancy. <i>American Journal of Reproductive Immunology</i> , 2019, 81, e13068.	1.2	8
71	Impairment in inflammasome signaling by the chronic <i>Pseudomonas aeruginosa</i> isolates from cystic fibrosis patients results in an increase in inflammatory response. <i>Cell Death and Disease</i> , 2021, 12, 241.	2.7	8
72	Ripk3 licenced protection against microbial infection in the absence of Caspase-1-11 inflammasome. <i>Microbes and Infection</i> , 2020, 22, 40-45.	1.0	7

#	ARTICLE	IF	CITATIONS
73	Mutation in the Fas Pathway Impairs CD8+ T Cell Memory. <i>Journal of Immunology</i> , 2008, 180, 2933-2941.	0.4	6
74	<i>Mycobacterium bovis</i> BCG-Infected Mice Are More Susceptible to Staphylococcal Enterotoxin B-Mediated Toxic Shock than Uninfected Mice despite Reduced In Vitro Splenocyte Responses to Superantigens. <i>Infection and Immunity</i> , 2002, 70, 4148-4157.	1.0	4
75	RIPK3 and Caspase-1/11 Are Necessary for Optimal Antigen-Specific CD8 T Cell Response Elicited by Genetically Modified <i>Listeria monocytogenes</i> . <i>Frontiers in Immunology</i> , 2020, 11, 536.	2.2	4
76	Foxo3a tempers excessive glutaminolysis in activated T cells to prevent fatal gut inflammation in the murine IL-10 ^{-/-} model of colitis. <i>Cell Death and Differentiation</i> , 2022, 29, 585-599.	5.0	4
77	Lack of functional selectin-ligand interactions enhances innate immune resistance to systemic <i>Listeria monocytogenes</i> infection. <i>Journal of Leukocyte Biology</i> , 2018, 103, 355-368.	1.5	3
78	Coating M-CSF on plastic surface results in the generation of increased numbers of macrophages in vitro. <i>Journal of Immunological Methods</i> , 2020, 481-482, 112788.	0.6	1
79	IFN α receptor deficiency enhances host resistance to oral <i>Salmonella enterica</i> serovar Typhimurium infection during murine pregnancy. <i>American Journal of Reproductive Immunology</i> , 2021, 86, e13454.	1.2	1
80	Isolates of <i>Salmonella typhimurium</i> circumvent NLRP3 inflammasome recognition in macrophages during the chronic phase of infection. <i>Journal of Biological Chemistry</i> , 2022, 298, 101461.	1.6	1
81	Antigen Processing and Presentation. , 0, , 33-52.		0
82	The Detrimental Role of Type I Interferon Signaling During Infection with <i>Salmonella typhimurium</i> . , 2014, , 79-86.		0