
Robert J Schoelkopf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3578014/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Single-shot number-resolved detection of microwave photons with error mitigation. Physical Review A, 2021, 103, . | 1.0 | 9 |
| 2 | Quantum control of bosonic modes with superconducting circuits. Science Bulletin, 2021, 66, 1789-1805. | 4.3 | 45 |
| 3 | High-Fidelity Measurement of Qubits Encoded in Multilevel Superconducting Circuits. Physical Review X, 2020, 10, . | 2.8 | 45 |
| 4 | Path-Independent Quantum Gates with Noisy Ancilla. Physical Review Letters, 2020, 125, 110503. | 2.9 | 26 |
| 5 | Quantum error correction of a qubit encoded in grid states of an oscillator. Nature, 2020, 584, 368-372. | 13.7 | 232 |
| 6 | High coherence superconducting microwave cavities with indium bump bonding. Applied Physics Letters, 2020, 116, . | 1.5 | 27 |
| 7 | Efficient Multiphoton Sampling of Molecular Vibronic Spectra on a Superconducting Bosonic Processor. Physical Review X, 2020, 10, . | 2.8 | 73 |
| 8 | Error-corrected gates on an encoded qubit. Nature Physics, 2020, 16, 822-826. | 6.5 | 50 |
| 9 | Free-standing silicon shadow masks for transmon qubit fabrication. AIP Advances, 2020, 10, . | 0.6 | 14 |
| 10 | To catch and reverse a quantum jump mid-flight. Nature, 2019, 570, 200-204. | 13.7 | 185 |
| 11 | Entanglement of bosonic modes through an engineered exchange interaction. Nature, 2019, 566, 509-512. | 13.7 | 88 |
| 12 | Hardware-Efficient Quantum Random Access Memory with Hybrid Quantum Acoustic Systems. Physical Review Letters, 2019, 123, 250501. | 2.9 | 86 |
| 13 | Engineering bilinear mode coupling in circuit QED: Theory and experiment. Physical Review A, 2019, 99, . | 1.0 | 34 |
| 14 | On-demand quantum state transfer and entanglement between remote microwave cavity memories. Nature Physics, 2018, 14, 705-710. | 6.5 | 143 |
| 15 | A CNOT gate between multiphoton qubits encoded in two cavities. Nature Communications, 2018, 9, 652. | 5.8 | 95 |
| 16 | Creation and control of multi-phonon Fock states in a bulk acoustic-wave resonator. Nature, 2018, 563, 666-670. | 13.7 | 176 |
| 17 | Deterministic teleportation of a quantum gate between two logical qubits. Nature, 2018, 561, 368-373. | 13.7 | 154 |
| 18 | Deterministic Remote Entanglement of Superconducting Circuits through Microwave Two-Photon Transitions. Physical Review Letters, 2018, 120, 200501. | 2.9 | 105 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Ultra-high- <i>Q</i> phononic resonators on-chip at cryogenic temperatures. APL Photonics, 2018, 3, 066101. | 3.0 | 32 |
| 20 | Programmable Interference between Two Microwave Quantum Memories. Physical Review X, 2018, 8, . | 2.8 | 56 |
| 21 | Robust readout of bosonic qubits in the dispersive coupling regime. Physical Review A, 2018, 98, . | 1.0 | 15 |
| 22 | Fault-tolerant detection of a quantum error. Science, 2018, 361, 266-270. | 6.0 | 113 |
| 23 | Faithful conversion of propagating quantum information to mechanical motion. Nature Physics, 2017, 13, 1163-1167. | 6.5 | 92 |
| 24 | Quantum acoustics with superconducting qubits. Science, 2017, 358, 199-202. | 6.0 | 284 |
| 25 | Implementing a universal gate set on a logical qubit encoded in an oscillator. Nature Communications, 2017, 8, 94. | 5.8 | 183 |
| 26 | Controlled release of multiphoton quantum states from a microwave cavity memory. Nature Physics, 2017, 13, 882-887. | 6.5 | 101 |
| 27 | An architecture for integrating planar and 3D cQED devices. Applied Physics Letters, 2016, 109, . | 1.5 | 55 |
| 28 | Quantization of inductively shunted superconducting circuits. Physical Review B, 2016, 94, . | 1.1 | 30 |
| 29 | Suspending superconducting qubits by silicon micromachining. Applied Physics Letters, 2016, 109, . | 1.5 | 34 |
| 30 | A Schrödinger cat living in two boxes. Science, 2016, 352, 1087-1091. | 6.0 | 244 |
| 31 | Normal-metal quasiparticle traps for superconducting qubits. Physical Review B, 2016, 94, . | 1.1 | 47 |
| 32 | Continuous Quantum Nondemolition Measurement of the Transverse Component of a Qubit. Physical Review Letters, 2016, 117, 133601. | 2.9 | 35 |
| 33 | Extending the lifetime of a quantum bit with error correction in superconducting circuits. Nature, 2016, 536, 441-445. | 13.7 | 603 |
| 34 | Holonomic Quantum Control with Continuous Variable Systems. Physical Review Letters, 2016, 116, 140502. | 2.9 | 77 |
| 35 | Multilayer microwave integrated quantum circuits for scalable quantum computing. Npj Quantum Information, 2016, 2, . | 2.8 | 121 |
| 36 | Optimized tomography of continuous variable systems using excitation counting. Physical Review A, 2016, 94, . | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Universal control of an oscillator with dispersive coupling to a qubit. Physical Review A, 2015, 92, . | 1.0 | 99 |
| 38 | Cavity State Manipulation Using Photon-Number Selective Phase Gates. Physical Review Letters, 2015, 115, 137002. | 2.9 | 121 |
| 39 | Single-Photon-Resolved Cross-Kerr Interaction for Autonomous Stabilization of Photon-Number States. Physical Review Letters, 2015, 115, 180501. | 2.9 | 63 |
| 40 | Surface participation and dielectric loss in superconducting qubits. Applied Physics Letters, 2015, 107, . | 1.5 | 170 |
| 41 | Characterizing entanglement of an artificial atom and a cavity cat state with Bell's inequality. Nature Communications, 2015, 6, 8970. | 5.8 | 46 |
| 42 | Demonstration of superconducting micromachined cavities. Applied Physics Letters, 2015, 107, . | 1.5 | 39 |
| 43 | Confining the state of light to a quantum manifold by engineered two-photon loss. Science, 2015, 347, 853-857. | 6.0 | 357 |
| 44 | Dynamically protected cat-qubits: a new paradigm for universal quantum computation. New Journal of Physics, 2014, 16, 045014. | 1.2 | 394 |
| 45 | Non-Poissonian Quantum Jumps of a Fluxonium Qubit due to Quasiparticle Excitations. Physical Review Letters, 2014, 113, 247001. | 2.9 | 98 |
| 46 | Wireless Josephson amplifier. Applied Physics Letters, 2014, 104, . | 1.5 | 11 |
| 47 | Measurement and control of quasiparticle dynamics in a superconducting qubit. Nature Communications, 2014, 5, 5836. | 5.8 | 130 |
| 48 | Coherent suppression of electromagnetic dissipation due to superconducting quasiparticles. Nature, 2014, 508, 369-372. | 13.7 | 201 |
| 49 | Josephson Directional Amplifier for Quantum Measurement of Superconducting Circuits. Physical Review Letters, 2014, 112, 167701. | 2.9 | 78 |
| 50 | Tracking photon jumps with repeated quantum non-demolition parity measurements. Nature, 2014, 511, 444-448. | 13.7 | 195 |
| 51 | Deterministically Encoding Quantum Information Using 100-Photon SchrĶdinger Cat States. Science, 2013, 342, 607-610. | 6.0 | 455 |
| 52 | Hardware-Efficient Autonomous Quantum Memory Protection. Physical Review Letters, 2013, 111, 120501. | 2.9 | 189 |
| 53 | Reaching 10 ms single photon lifetimes for superconducting aluminum cavities. Applied Physics Letters, 2013, 102, . | 1.5 | 168 |
| 54 | Observation of quantum state collapse and revival due to the single-photon Kerr effect. Nature, 2013, 495, 205-209. | 13.7 | 394 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Superconducting Circuits for Quantum Information: An Outlook. Science, 2013, 339, 1169-1174. | 6.0 | 1,529 |
| 56 | Deterministic protocol for mapping a qubit to coherent state superpositions in a cavity. Physical Review A, 2013, 87, . | 1.0 | 74 |
| 57 | Quantum Back-Action of an Individual Variable-Strength Measurement. Science, 2013, 339, 178-181. | 6.0 | 215 |
| 58 | Demonstrating a Driven Reset Protocol for a Superconducting Qubit. Physical Review Letters, 2013, 110, 120501. | 2.9 | 147 |
| 59 | Measurements of Quasiparticle Tunneling Dynamics in a Band-Gap-Engineered Transmon Qubit. Physical Review Letters, 2012, 108, 230509. | 2.9 | 78 |
| 60 | Realization of three-qubit quantum error correction with superconducting circuits. Nature, 2012, 482, 382-385. | 13.7 | 481 |
| 61 | Improving the quality factor of microwave compact resonators by optimizing their geometrical parameters. Applied Physics Letters, 2012, 100, . | 1.5 | 78 |
| 62 | Black-Box Superconducting Circuit Quantization. Physical Review Letters, 2012, 108, 240502. | 2.9 | 226 |
| 63 | Observation of High Coherence in Josephson Junction Qubits Measured in a Three-Dimensional Circuit QED Architecture. Physical Review Letters, 2011, 107, 240501. | 2.9 | 830 |
| 64 | Optimized driving of superconducting artificial atoms for improved single-qubit gates. Physical Review A, 2010, 82, . | 1.0 | 144 |
| 65 | Introduction to quantum noise, measurement, and amplification. Reviews of Modern Physics, 2010, 82, 1155-1208. | 16.4 | 1,291 |
| 66 | Detecting highly entangled states with a joint qubit readout. Physical Review A, 2010, 81, . | 1.0 | 82 |
| 67 | Phase-preserving amplification near the quantum limit with a Josephson ring modulator. Nature, 2010, 465, 64-68. | 13.7 | 357 |
| 68 | Preparation and measurement of three-qubit entanglement in a superconducting circuit. Nature, 2010, 467, 574-578. | 13.7 | 476 |
| 69 | Analog information processing at the quantum limit with a Josephson ring modulator. Nature Physics, 2010, 6, 296-302. | 6.5 | 174 |
| 70 | Quantum non-demolition detection of single microwave photons in a circuit. Nature Physics, 2010, 6, 663-667. | 6.5 | 233 |
| 71 | High-Fidelity Readout in Circuit Quantum Electrodynamics Using the Jaynes-Cummings Nonlinearity. Physical Review Letters, 2010, 105, 173601. | 2.9 | 218 |
| 72 | Fast reset and suppressing spontaneous emission of a superconducting qubit. Applied Physics Letters, 2010, 96, . | 1.5 | 200 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Storage of Multiple Coherent Microwave Excitations in an Electron Spin Ensemble. Physical Review Letters, 2010, 105, 140503. | 2.9 | 156 |
| 74 | High-Cooperativity Coupling of Electron-Spin Ensembles to Superconducting Cavities. Physical Review Letters, 2010, 105, 140501. | 2.9 | 398 |
| 75 | Life after charge noise: recent results with transmon qubits. Quantum Information Processing, 2009, 8, 105-115. | 1.0 | 81 |
| 76 | Demonstration of two-qubit algorithms with a superconducting quantum processor. Nature, 2009, 460, 240-244. | 13.7 | 923 |
| 77 | Nonlinear response of the vacuum Rabi resonance. Nature Physics, 2009, 5, 105-109. | 6.5 | 226 |
| 78 | Wiring up quantum systems. Nature, 2008, 451, 664-669. | 13.7 | 786 |
| 79 | Suppressing charge noise decoherence in superconducting charge qubits. Physical Review B, 2008, 77, . | 1.1 | 415 |
| 80 | Systematic errors in shot noise thermometer measurements. , 2008, , . | | 0 |
| 81 | Ultrasensitive Quantum-Limited Far-Infrared STJ Detectors. IEEE Transactions on Applied Superconductivity, 2007, 17, 241-245. | 1.1 | 8 |
| 82 | Quantum Information Processing with Superconducting Qubits and Cavities. , 2007, , . | | 2 |
| 83 | Protocols for optimal readout of qubits using a continuous quantum nondemolition measurement. Physical Review A, 2007, 76, . | 1.0 | 106 |
| 84 | Observation of Berry's Phase in a Solid-State Qubit. Science, 2007, 318, 1889-1892. | 6.0 | 321 |
| 85 | Charge-insensitive qubit design derived from the Cooper pair box. Physical Review A, 2007, 76, . | 1.0 | 2,184 |
| 86 | Quantum-information processing with circuit quantum electrodynamics. Physical Review A, 2007, 75, . | 1.0 | 550 |
| 87 | Circuit-QED: How strong can the coupling between a Josephson junction atom and a transmission line resonator be?. Annalen Der Physik, 2007, 16, 767-779. | 0.9 | 211 |
| 88 | Resolving photon number states in a superconducting circuit. Nature, 2007, 445, 515-518. | 13.7 | 685 |
| 89 | Generating single microwave photons in a circuit. Nature, 2007, 449, 328-331. | 13.7 | 378 |
| 90 | Coupling superconducting qubits via a cavity bus. Nature, 2007, 449, 443-447. | 13.7 | 1,109 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Shot noise thermometry down to 10mK. Applied Physics Letters, 2006, 89, 183123. | 1.5 | 41 |
| 92 | Qubit-photon interactions in a cavity: Measurement-induced dephasing and number splitting. Physical Review A, 2006, 74, . | 1.0 | 281 |
| 93 | A coherent all-electrical interface between polar molecules and mesoscopic superconducting resonators. Nature Physics, 2006, 2, 636-642. | 6.5 | 372 |
| 94 | ac Stark Shift and Dephasing of a Superconducting Qubit Strongly Coupled to a Cavity Field. Physical Review Letters, 2005, 94, 123602. | 2.9 | 351 |
| 95 | Single-electron transistor backaction on the single-electron box. Physical Review B, 2005, 71, . | 1.1 | 20 |
| 96 | Noise performance of the radio-frequency single-electron transistor. Journal of Applied Physics, 2004, 95, 1274-1286. | 1.1 | 50 |
| 97 | Cavity quantum electrodynamics for superconducting electrical circuits: An architecture for quantum computation. Physical Review A, 2004, 69, . | 1.0 | 2,317 |
| 98 | Strong coupling of a single photon to a superconducting qubit using circuit quantum electrodynamics. Nature, 2004, 431, 162-167. | 13.7 | 3,195 |
| 99 | Cryogenics on a Chip. Physics Today, 2004, 57, 41-47. | 0.3 | 20 |
| 100 | Microwave oscillations of a nanomagnet driven by a spin-polarized current. Nature, 2003, 425, 380-383. | 13.7 | 1,837 |
| 101 | Primary Electronic Thermometry Using the Shot Noise of a Tunnel Junction. Science, 2003, 300, 1929-1932. | 6.0 | 147 |
| 102 | Quantum Charge Fluctuations and the Polarizability of the Single-Electron Box. Physical Review Letters, 2003, 91, 106801. | 2.9 | 27 |
| 103 | Multiplexing of radio-frequency single-electron transistors. Applied Physics Letters, 2002, 80, 3012-3014. | 1.5 | 38 |
| 104 | A high-performance cryogenic amplifier based on a radio-frequency single electron transistor. Applied Physics Letters, 2002, 81, 4859-4861. | 1.5 | 19 |
| 105 | Radio-Frequency Single-Electron Transistor as Readout Device for Qubits: Charge Sensitivity and Backaction. Physical Review Letters, 2001, 86, 3376-3379. | 2.9 | 187 |
| 106 | Amplifying quantum signals with the single-electron transistor. Nature, 2000, 406, 1039-1046. | 13.7 | 374 |
| 107 | Shot Noise Measurements in Diffusive Normal Metal-Superconductor (N-S) Junctions. Journal of Low Temperature Physics, 2000, 118, 671-678. | 0.6 | 7 |
| 108 | Observation of Photon-Assisted Noise in a Diffusive Normal Metal–Superconductor Junction. Physical Review Letters, 2000, 84, 3398-3401. | 2.9 | 129 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Title is missing!. Journal of Superconductivity and Novel Magnetism, 1999, 12, 741-746. | 0.5 | 3 |
| 110 | Mixing and noise in diffusion and phonon cooled superconducting hot-electron bolometers. Journal of Applied Physics, 1999, 85, 1644-1653. | 1.1 | 40 |
| 111 | The Radio-Frequency Single-Electron Transistor (RF-SET): A Fast and Ultrasensitive Electrometer. Science, 1998, 280, 1238-1242. | 6.0 | 675 |
| 112 | Spectrum of thermal fluctuation noise in diffusion and phonon cooled hot-electron mixers. Applied Physics Letters, 1998, 72, 1516-1518. | 1.5 | 6 |
| 113 | Observation of "Photon-Assisted―Shot Noise in a Phase-Coherent Conductor. Physical Review Letters, 1998, 80, 2437-2440. | 2.9 | 97 |
| 114 | Optical antenna: Towards a unity efficiency near-field optical probe. Applied Physics Letters, 1997, 70, 1354-1356. | 1.5 | 309 |
| 115 | Frequency Dependence of Shot Noise in a Diffusive Mesoscopic Conductor. Physical Review Letters, 1997, 78, 3370-3373. | 2.9 | 187 |
| 116 | Length scaling of bandwidth and noise in hotâ€electron superconducting mixers. Applied Physics Letters, 1996, 68, 3344-3346. | 1.5 | 65 |
| 117 | Large bandwidth and low noise in a diffusionâ€cooled hotâ€electron bolometer mixer. Applied Physics Letters, 1996, 68, 1558-1560. | 1.5 | 61 |
| 118 | Detection of coherent 7.6 HZ oscillations during a burst from Aquila X-1. Astrophysical Journal, 1991, 375, 696. | 1.6 | 15 |