

# Huiyang Bian

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3578615/huiyang-bian-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89  
papers

2,736  
citations

29  
h-index

49  
g-index

94  
ext. papers

3,750  
ext. citations

7.5  
avg, IF

5.77  
L-index

#	Paper	IF	Citations
89	Nanocellulose as green dispersant for two-dimensional energy materials. <i>Nano Energy</i> , <b>2015</b> , 13, 346-354	7.1	208
88	Rapid and near-complete dissolution of wood lignin at 80°C by a recyclable acid hydrotrope. <i>Science Advances</i> , <b>2017</b> , 3, e1701735	14.3	175
87	Integrated production of lignin containing cellulose nanocrystals (LCNC) and nanofibrils (LCNF) using an easily recyclable di-carboxylic acid. <i>Carbohydrate Polymers</i> , <b>2017</b> , 167, 167-176	10.3	134
86	Producing wood-based nanomaterials by rapid fractionation of wood at 80 °C using a recyclable acid hydrotrope. <i>Green Chemistry</i> , <b>2017</b> , 19, 3370-3379	10	117
85	Lignin-Containing Cellulose Nanofibril-Reinforced Polyvinyl Alcohol Hydrogels. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 4821-4828	8.3	103
84	Shape memory aerogels from nanocellulose and polyethyleneimine as a novel adsorbent for removal of Cu(II) and Pb(II). <i>Carbohydrate Polymers</i> , <b>2018</b> , 196, 376-384	10.3	98
83	Strong transparent magnetic nanopaper prepared by immobilization of Fe <sub>3</sub> O <sub>4</sub> nanoparticles in a nanofibrillated cellulose network. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 15278	13	96
82	Superflexible Wood. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 23520-23527	9.5	88
81	Highly Conductive Microfiber of Graphene Oxide Templated Carbonization of Nanofibrillated Cellulose. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 7366-7372	15.6	82
80	Hybridizing wood cellulose and graphene oxide toward high-performance fibers. <i>NPG Asia Materials</i> , <b>2015</b> , 7, e150-e150	10.3	75
79	Clear Wood toward High-Performance Building Materials. <i>ACS Nano</i> , <b>2019</b> , 13, 9993-10001	16.7	70
78	Procuring the nano-scale lignin in prehydrolyzate as ingredient to prepare cellulose nanofibril composite film with multiple functions. <i>Cellulose</i> , <b>2020</b> , 27, 9355-9370	5.5	62
77	Contribution of lignin to the surface structure and physical performance of cellulose nanofibrils film. <i>Cellulose</i> , <b>2018</b> , 25, 1309-1318	5.5	54
76	Recyclable and Reusable Maleic Acid for Efficient Production of Cellulose Nanofibrils with Stable Performance. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 20022-20031	8.3	54
75	Improving cellulose nanofibrillation of waste wheat straw using the combined methods of prewashing, p-toluenesulfonic acid hydrolysis, disk grinding, and endoglucanase post-treatment. <i>Bioresource Technology</i> , <b>2018</b> , 256, 321-327	11	51
74	Effect of fiber drying on properties of lignin containing cellulose nanocrystals and nanofibrils produced through maleic acid hydrolysis. <i>Cellulose</i> , <b>2017</b> , 24, 4205-4216	5.5	51
73	Lignocellulosic nanofibrils produced using wheat straw and their pulping solid residue: From agricultural waste to cellulose nanomaterials. <i>Waste Management</i> , <b>2019</b> , 91, 1-8	8.6	50

72	Nanocellulose/Gelatin Composite Cryogels for Controlled Drug Release. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 6381-6389	8.3	49
71	Natural Cellulose Nanofibers As Sustainable Enhancers in Construction Cement. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168422	3.7	47
70	High wet-strength, thermally stable and transparent TEMPO-oxidized cellulose nanofibril film via cross-linking with poly-amide epichlorohydrin resin. <i>RSC Advances</i> , <b>2017</b> , 7, 31567-31573	3.7	45
69	Lignin nanoparticles as nano-spacers for tuning the viscoelasticity of cellulose nanofibril reinforced polyvinyl alcohol-borax hydrogel. <i>European Polymer Journal</i> , <b>2018</b> , 107, 267-274	5.2	42
68	Biomass-Derived Carbon Heterostructures Enable Environmentally Adaptive Wideband Electromagnetic Wave Absorbers. <i>Nano-Micro Letters</i> , <b>2021</b> , 14, 11	19.5	42
67	Thermally conductive, super flexible and flame-retardant BN-OH/PVA composite film reinforced by lignin nanoparticles. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 14159-14169	7.1	41
66	Thermally Stable Cellulose Nanocrystals toward High-Performance 2D and 3D Nanostructures. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 28922-28929	9.5	39
65	Nanocellulose/Poly(2-(dimethylamino)ethyl methacrylate)Interpenetrating polymer network hydrogels for removal of Pb(II) and Cu(II) ions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2018</b> , 538, 474-480	5.1	39
64	Comparison of mixed enzymatic pretreatment and post-treatment for enhancing the cellulose nanofibrillation efficiency. <i>Bioresource Technology</i> , <b>2019</b> , 293, 122171	11	30
63	Manufacture of Highly Transparent and Hazy Cellulose Nanofibril Films via Coating TEMPO-Oxidized Wood Fibers. <i>Nanomaterials</i> , <b>2019</b> , 9,	5.4	29
62	On-Demand Regulation of Lignocellulosic Nanofibrils Based on Rapid Fractionation Using Acid Hydrotrope: Kinetic Study and Characterization. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 9569-9577 <sup>29</sup>	8.3	29
61	Surface enhanced Raman scattering substrate for the detection of explosives: Construction strategy and dimensional effect. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 387, 121714	12.8	29
60	Effects of preparation approaches on optical properties of self-assembled cellulose nanopapers. <i>RSC Advances</i> , <b>2017</b> , 7, 10463-10468	3.7	28
59	ZnO nanoparticles enhanced hydrophobicity for starch film and paper. <i>Materials Letters</i> , <b>2018</b> , 230, 207-210	3.5	28
58	Lignin containing cellulose nanofibril production from willow bark at 80 °C using a highly recyclable acid hydrotrope. <i>Industrial Crops and Products</i> , <b>2019</b> , 129, 15-23	5.9	28
57	Highly fluorescent graphene quantum dots from biorefinery waste for tri-channel sensitive detection of Fe ions. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 412, 125096	12.8	26
56	Starch-Based Flexible Coating for Food Packaging Paper with Exceptional Hydrophobicity and Antimicrobial Activity. <i>Polymers</i> , <b>2018</b> , 10,	4.5	24
55	Natural lignocellulosic nanofibril film with excellent ultraviolet blocking performance and robust environment resistance. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 166, 1578-1585	7.9	22

54	Preparing printable bacterial cellulose based gelatin gel to promote in vivo bone regeneration. <i>Carbohydrate Polymers</i> , <b>2021</b> , 270, 118342	10.3	22
53	Chitin nanofibers as versatile bio-templates of zeolitic imidazolate frameworks for N-doped hierarchically porous carbon electrodes for supercapacitor. <i>Carbohydrate Polymers</i> , <b>2021</b> , 251, 117107	10.3	21
52	Highly transparent and thermally stable cellulose nanofibril films functionalized with colored metal ions for ultraviolet blocking activities. <i>Carbohydrate Polymers</i> , <b>2019</b> , 213, 10-16	10.3	20
51	Water-dispersible, biocompatible and fluorescent poly(ethylene glycol)-grafted cellulose nanocrystals. <i>International Journal of Biological Macromolecules</i> , <b>2020</b> , 153, 46-54	7.9	17
50	Enhancing physical performance and hydrophobicity of paper-based cellulosic material via impregnation with starch and PEI-KH560. <i>Cellulose</i> , <b>2018</b> , 25, 1365-1375	5.5	17
49	Aerogel Perfusion-Prepared h-BN/CNF Composite Film with Multiple Thermally Conductive Pathways and High Thermal Conductivity. <i>Nanomaterials</i> , <b>2019</b> , 9,	5.4	17
48	Programmable Arrays of Micro-Bubble Constructs via Self-Encapsulation. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 4364-4373	15.6	17
47	Electrochemical sensing of lead(II) by differential pulse voltammetry using conductive polypyrrole nanoparticles. <i>Mikrochimica Acta</i> , <b>2019</b> , 187, 23	5.8	17
46	Diisocyanate modifiable commercial filter paper with tunable hydrophobicity, enhanced wet tensile strength and antibacterial activity. <i>Carbohydrate Polymers</i> , <b>2020</b> , 248, 116791	10.3	17
45	Highly Efficient Lignin Depolymerization via Effective Inhibition of Condensation during Polyoxometalate-Mediated Oxidation. <i>Energy &amp; Fuels</i> , <b>2019</b> , 33, 6483-6490	4.1	16
44	Morphology control for tunable optical properties of cellulose nanofibrils films. <i>Cellulose</i> , <b>2018</b> , 25, 5909-5918	5.5	16
43	Thermally-induced cellulose nanofibril films with near-complete ultraviolet-blocking and improved water resistance. <i>Carbohydrate Polymers</i> , <b>2019</b> , 223, 115050	10.3	16
42	Thermally Conductive and Electrical Insulation BNNS/CNF Aerogel Nano-Paper. <i>Polymers</i> , <b>2019</b> , 11,	4.5	15
41	Preparation and Characterization of Self-Reinforced Antibacterial and Oil-Resistant Paper Using a NaOH/Urea/ZnO Solution. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140603	3.7	15
40	Green and Low-cost Production of Thermally Stable and Carboxylated Cellulose Nanocrystals and Nanofibrils Using Highly Recyclable Dicarboxylic Acids. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,	1.6	14
39	Enhancement of Hydrotropic Fractionation of Poplar Wood using Autohydrolysis and Disk Refining Pretreatment: Morphology and Overall Chemical Characterization. <i>Polymers</i> , <b>2019</b> , 11,	4.5	13
38	Cationic cellulose nano-fibers (CCNF) as versatile flocculants of wood pulp for high wet web performance. <i>Carbohydrate Polymers</i> , <b>2020</b> , 229, 115434	10.3	13
37	An antibacterial composite film based on cellulose acetate/TiO <sub>2</sub> nanoparticles. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 20751-20758	3.6	13

36	Lignin Nanoparticle-Coated Celgard Separator for High-Performance Lithium-Sulfur Batteries. <i>Polymers</i> , <b>2019</b> , 11,	4.5	13
35	Recyclable deep eutectic solvent coupling sodium hydroxide post-treatment for boosting woody/herbaceous biomass conversion at mild condition. <i>Bioresource Technology</i> , <b>2021</b> , 320, 124327	11	13
34	BNNS/PVA bilayer composite film with multiple-improved properties by the synergistic actions of cellulose nanofibrils and lignin nanoparticles. <i>International Journal of Biological Macromolecules</i> , <b>2020</b> , 157, 259-266	7.9	12
33	Enhancement of the heat conduction performance of boron nitride/cellulosic fibre insulating composites. <i>PLoS ONE</i> , <b>2018</b> , 13, e0200842	3.7	12
32	Poplar Hot Water Extract Enhances Barrier and Antioxidant Properties of Chitosan/Bentonite Composite Film for Packaging Applications. <i>Polymers</i> , <b>2019</b> , 11,	4.5	12
31	Thermo-responsive cellulose paper via ARGET ATRP. <i>Fibers and Polymers</i> , <b>2016</b> , 17, 495-501	2	12
30	Fluorescent cellulose nanocrystals for the detection of lead ions in complete aqueous solution. <i>Cellulose</i> , <b>2019</b> , 26, 9553-9565	5.5	11
29	Characterization of lignocellulose aerogels fabricated using a LiCl/DMSO solution. <i>Industrial Crops and Products</i> , <b>2019</b> , 131, 293-300	5.9	11
28	Glyoxal improved functionalization of starch with AZC enhances the hydrophobicity, strength and UV blocking capacities of co-crosslinked polymer. <i>European Polymer Journal</i> , <b>2019</b> , 110, 385-393	5.2	10
27	Direct Valorization of Lignocellulosic Biomass into Value-Added Chemicals by Polyoxometalate Catalyzed Oxidation under Mild Conditions. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 22996-23004	3.9	10
26	Formaldehyde-free self-polymerization of lignin-derived monomers for synthesis of renewable phenolic resin. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 166, 1312-1319	7.9	10
25	Fluorescent CdTe-QD-encoded nanocellulose microspheres by green spraying method. <i>Cellulose</i> , <b>2018</b> , 25, 7017-7029	5.5	10
24	Preparation of lignocellulose/graphene composite conductive paper. <i>Cellulose</i> , <b>2018</b> , 25, 6139-6149	5.5	10
23	Green, efficient extraction of bamboo hemicellulose using freeze-thaw assisted alkali treatment. <i>Bioresource Technology</i> , <b>2021</b> , 333, 125107	11	10
22	Resource utilization and ionization modification of waste starch from the recycling process of old corrugated cardboard paper. <i>Journal of Environmental Management</i> , <b>2020</b> , 271, 111031	7.9	9
21	Near-complete enzymatic hydrolysis efficiency of Miscanthus using hydrotropic fractionation at atmospheric pressure. <i>Industrial Crops and Products</i> , <b>2020</b> , 149, 112365	5.9	9
20	Tailorable cellulose II nanocrystals (CNC II) prepared in mildly acidic lithium bromide trihydrate (MALBTH). <i>Green Chemistry</i> , <b>2021</b> , 23, 2778-2791	10	8
19	Valorization of Alkaline Peroxide Mechanical Pulp by Metal Chloride-Assisted Hydrotropic Pretreatment for Enzymatic Saccharification and Cellulose Nanofibrillation. <i>Polymers</i> , <b>2019</b> , 11,	4.5	7

18	Regulating lignin content to obtain excellent bamboo-derived electromagnetic wave absorber with thermal stability. <i>Chemical Engineering Journal</i> , <b>2021</b> , 430, 133178	14.7	7
17	Laccase-catalyzed chitosan-monophenol copolymer as a coating on paper enhances its hydrophobicity and strength. <i>Progress in Organic Coatings</i> , <b>2021</b> , 151, 106026	4.8	7
16	Synthetic polymers based on lignin-derived aromatic monomers for high-performance energy-storage materials. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 24065-24074	13	6
15	Facile isolation of colloidal stable chitin nano-crystals from <i>Metapenaeus ensis</i> shell via solid maleic acid hydrolysis and their application for synthesis of silver nanoparticles. <i>Cellulose</i> , <b>2020</b> , 27, 9853-9875	5.5	6
14	Highly Dispersible Cellulose Nanofibrils Produced via Mechanical Pretreatment and TEMPO-mediated Oxidation. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 2237-2244	2	6
13	Benzenesulfonic acid-based hydrotropic system for achieving lignocellulose separation and utilization under mild conditions. <i>Bioresource Technology</i> , <b>2021</b> , 337, 125379	11	6
12	Fabrication of natural cellulose microspheres via electrospraying from NaOH/Urea aqueous system. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	5
11	Facile Synthesis of Highly Hydrophobic Cellulose Nanoparticles through Post-Esterification Microfluidization. <i>Fibers</i> , <b>2018</b> , 6, 22	3.7	4
10	Effect of temperature on simultaneous separation and extraction of hemicellulose using p-toluenesulfonic acid treatment at atmospheric pressure.. <i>Bioresource Technology</i> , <b>2022</b> , 348, 126793	11	4
9	Underwater superoleophobic all-cellulose composite papers for the separation of emulsified oil. <i>Cellulose</i> , <b>2021</b> , 28, 4357-4370	5.5	3
8	Electrochemical sensing technology for liquid biopsy of circulating tumor cells-a review. <i>Bioelectrochemistry</i> , <b>2021</b> , 140, 107823	5.6	3
7	Promoting h-BN dispersion in cellulose-based composite by lignosulfonate for regulatable effectual thermal management. <i>Materials and Design</i> , <b>2022</b> , 214, 110379	8.1	2
6	Lignocellulosic nanofibril aerogel via gas phase coagulation and diisocyanate modification for solvent absorption.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 278, 119011	10.3	2
5	Value-added utilization of lignin-derived aromatic oligomers as renewable charge-storage materials. <i>Industrial Crops and Products</i> , <b>2021</b> , 171, 113848	5.9	2
4	Efficient valorization of woody biomass using two-step oxidation toward multipurpose fractionation. <i>Industrial Crops and Products</i> , <b>2021</b> , 167, 113509	5.9	1
3	Phosphomolybdic acid-catalyzed oxidation of waste starch: a new strategy for handling the OCC pulping wastewater.. <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 1	5.1	0
2	Electrochemical sensing of <i>Staphylococcus aureus</i> based on conductive anti-fouling interface.. <i>Mikrochimica Acta</i> , <b>2022</b> , 189, 97	5.8	0
1	Multifunctional cellulose paper-based materials and their application in complex wastewater treatment.. <i>International Journal of Biological Macromolecules</i> , <b>2022</b> , 207, 414-423	7.9	0

