## Mehmet Karadayi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3579722/publications.pdf

Version: 2024-02-01

28 345
papers citations

10 18 h-index g-index

29 29 all docs citations

29 times ranked 408 citing authors

#	Article	IF	Citations
1	Investigation of radiation protective features of azadispiro derivatives and their genotoxic potential with Ames/ <i>Salmonella</i> test system. International Journal of Radiation Biology, 2023, 99, 245-258.	1.8	5
2	Determination of radioprotective and genotoxic properties of sulfamide derivatives. Radiochimica Acta, 2021, 109, 891-904.	1.2	8
3	Rhizospheric PGPR Strains of Wheat, Barley and Trefoil Grown in Ağrı Province. Türk Doğa Ve Fen Dergisi, 2021, 10, 182-190.	0.5	2
4	First Report of Fungal Strains from Afşin–Elbistan Mine for Microbial Lignite Process. Geomicrobiology Journal, 2020, 37, 143-146.	2.0	8
5	Isolation and identification of Bacillus pumilus YHH-2, a potential pathogen to the alfalfa weevil (Hypera postica Gyllenhal). Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry, 2020, 44, 461-464.	2.1	1
6	Bioremoval of methylene blue from aqueous solutions by Syringa vulgaris L. hull biomass. Environmental Sustainability, 2020, 3, 303-312.	2.8	7
7	Investigation of neutron and gamma radiation protective characteristics of synthesized quinoline derivatives. International Journal of Radiation Biology, 2020, 96, 1423-1434.	1.8	39
8	Characterization of Bacterial Flora from Afşin–Elbistan Lignite Mine for Potential Microbial Biotech Applications. Geomicrobiology Journal, 2020, 37, 798-803.	2.0	3
9	Integration of molecular tools in microbial phosphate solubilization research in agriculture perspective. World Journal of Microbiology and Biotechnology, 2020, 36, 93.	3.6	31
10	Isolation and Molecular Identification of Fungi with Magnesite Enrichment Potential from KÜMAŞ Quarries in Turkey. Geomicrobiology Journal, 2020, 37, 618-622.	2.0	0
11	Culturable bacteriorhodopsin-producing haloarchaea of Tuz Lake (Turkey). Geomicrobiology Journal, 2019, 36, 831-836.	2.0	1
12	Isolation and Molecular Identification of Bacteria with Magnesite Enrichment Potential from Turanocak and Ortaocak Quarries in Kþtahya-Turkey. Geomicrobiology Journal, 2019, 36, 826-830.	2.0	3
13	Rapid Detection of Phosphate-Solubilizing Bacteria from Agricultural Areas in Erzurum. Current Microbiology, 2019, 76, 804-809.	2.2	22
14	Genotoxic evaluation of newly synthesized iminothiazolidinones. Toxicology and Industrial Health, 2017, 33, 811-820.	1.4	3
15	Two antigenotoxic chalcone glycosides from <i>Mentha longifolia</i> subsp. <i>longifolia</i> Pharmaceutical Biology, 2015, 53, 888-896.	2.9	17
16	Ultrasonic synthesis, characterization of $\hat{l}^2$ -aminoketones by bismuth(III) triflate and determination of antigenotoxic properties. Toxicology and Industrial Health, 2015, 31, 911-919.	1.4	6
17	Inhibition of the mutagenic effects of <i>N</i> -methyl- <i>N'</i> -nitro- <i>N</i> -nitrosoguanidine and 9-Aminoacridine by indenopyridines in the <i>Salmonella typhimurium</i> tester strain 1537 and <i>E. coli</i> . Drug and Chemical Toxicology, 2014, 37, 365-369.	2.3	3
18	Genotoxic and antigenotoxic assessment of four newly synthesized dihydropyridine derivatives. Toxicology and Industrial Health, 2014, 30, 275-283.	1.4	7

#	Article	IF	CITATIONS
19	Determination of genotoxic and antigenotoxic properties of essential oil from <i>Ferula orientalis </i> L. using Ames/ <i>Salmonella </i> and <i>E. coli </i> WP2 bacterial test systems. Toxicology and Industrial Health, 2014, 30, 714-723.	1.4	11
20	The synthesis, characterization, antimicrobial and antimutagenic activities of hydroxyphenylimino ligands and their metal complexes of usnic acid isolated from Usnea longissima. Dalton Transactions, 2014, 43, 6148-6164.	3.3	23
21	Protective properties of five newly synthesized cyclic compounds against sodium azide and ⟨i>N⟨ i>-methyl-⟨i>N⟨ i>′-nitro-⟨i>N⟨ i>-nitrosoguanidine genotoxicity. Toxicology and Industrial Health, 2012, 28, 605-613.	1.4	13
22	Mutagenic and antimutagenic properties of some lichen species grown in the Eastern Anatolia Region of Turkey. Cytology and Genetics, 2012, 46, 291-296.	0.5	4
23	Antigenotoxic properties of two newly synthesized βâ€aminoketones against <i>N</i> à€methylâ€ <i>N</i> â€a€nitroâ€ <i>N</i> â€nitrosoguanidine and 9â€aminoacridineâ€induced mutagen Journal of Biochemical and Molecular Toxicology, 2012, 26, 258-263.	e <b>ଞ୍ଜା</b> ଦ	13
24	Isolation of some active compounds from Origanum vulgare L. ssp. vulgare and determination of their genotoxic potentials. Food Chemistry, 2012, 130, 248-253.	8.2	35
25	Determination of antimutagenic properties of Rosmarinic acid, a phenolic compound isolated from Mentha longifolia ssp. longifolia with yeast DEL assay. , 2012, , .		3
26	Isolation of 3 Flavonoids from <i>Mentha longifolia</i> (L.) Hudson subsp. <i>longifolia</i> and Determination of Their Genotoxic Potentials by Using the <i>E. coli</i> WP2 Test System. Journal of Food Science, 2011, 76, T212-7.	3.1	22
27	Mutagenic and antimutagenic effects of hexane extract of some <i>Astragalus</i> species grown in the eastern Anatolia region of Turkey. Phytotherapy Research, 2010, 24, 1014-1018.	5.8	54
28	Isolation of Methylene Blue from Aqueous Solution Using a <i>Fraxinus Excelsior</i> L. (Oleaceae) Based Biosorbent: Isotherm, Kinetics, and Thermodynamics. Analytical Letters, 0, , 1-11.	1.8	1