

Martina Reitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3580780/publications.pdf>

Version: 2024-02-01

11
papers

132
citations

1478505

6
h-index

1720034

7
g-index

11
all docs

11
docs citations

11
times ranked

211
citing authors

#	ARTICLE	IF	CITATIONS
1	Limited role of mast cells during infection with the parasitic nematode <i>Litomosoides sigmodontis</i> . PLoS Neglected Tropical Diseases, 2020, 14, e0008534.	3.0	7
2	IL-33 facilitates rapid expulsion of the parasitic nematode <i>Strongyloides ratti</i> from the intestine via ILC2- and IL-9-driven mast cell activation. PLoS Pathogens, 2020, 16, e1009121.	4.7	29
3	Title is missing!., 2020, 16, e1009121.		0
4	Title is missing!., 2020, 16, e1009121.		0
5	Title is missing!., 2020, 16, e1009121.		0
6	Title is missing!., 2020, 16, e1009121.		0
7	Basophils are dispensable for the establishment of protective adaptive immunity against primary and challenge infection with the intestinal helminth parasite <i>Strongyloides ratti</i> . PLoS Neglected Tropical Diseases, 2018, 12, e0006992.	3.0	16
8	Interleukin-9 promotes early mast cell-mediated expulsion of <i>Strongyloides ratti</i> but is dispensable for generation of protective memory. Scientific Reports, 2018, 8, 8636.	3.3	11
9	Basophils Are Dispensable for the Control of a Filarial Infection. ImmunoHorizons, 2018, 2, 296-304.	1.8	7
10	Filariae-Retrovirus Co-infection in Mice is Associated with Suppressed Virus-Specific IgG Immune Response and Higher Viral Loads. PLoS Neglected Tropical Diseases, 2016, 10, e0005170.	3.0	15
11	Foxp3+ Regulatory T Cells Delay Expulsion of Intestinal Nematodes by Suppression of IL-9-Driven Mast Cell Activation in BALB/c but Not in C57BL/6 Mice. PLoS Pathogens, 2014, 10, e1003913.	4.7	47