List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3581490/publications.pdf Version: 2024-02-01

| | | 147801 | 31849 |
|----------|----------------|--------------|----------------|
| 128 | 20,524 | 31 | 101 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 131 | 131 | 131 | 22876 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Combined Nivolumab and Ipilimumab or Monotherapy in Untreated Melanoma. New England Journal of Medicine, 2015, 373, 23-34. | 27.0 | 6,773 |
| 2 | Overall Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2017, 377, 1345-1356. | 27.0 | 3,589 |
| 3 | Five-Year Survival with Combined Nivolumab and Ipilimumab in Advanced Melanoma. New England Journal of Medicine, 2019, 381, 1535-1546. | 27.0 | 2,484 |
| 4 | Adjuvant Nivolumab versus Ipilimumab in Resected Stage III or IV Melanoma. New England Journal of Medicine, 2017, 377, 1824-1835. | 27.0 | 1,752 |
| 5 | Nivolumab plus ipilimumab or nivolumab alone versus ipilimumab alone in advanced melanoma (CheckMate 067): 4-year outcomes of a multicentre, randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 1480-1492. | 10.7 | 1,089 |
| 6 | Dabrafenib plus trametinib in patients with BRAFV600-mutant melanoma brain metastases (COMBI-MB): a multicentre, multicohort, open-label, phase 2 trial. Lancet Oncology, The, 2017, 18, 863-873. | 10.7 | 561 |
| 7 | Efficacy and Safety of Nivolumab Alone or in Combination With Ipilimumab in Patients With Mucosal Melanoma: A Pooled Analysis. Journal of Clinical Oncology, 2017, 35, 226-235. | 1.6 | 458 |
| 8 | Long-Term Outcomes With Nivolumab Plus Ipilimumab or Nivolumab Alone Versus Ipilimumab in Patients With Advanced Melanoma. Journal of Clinical Oncology, 2022, 40, 127-137. | 1.6 | 446 |
| 9 | Adjuvant nivolumab versus ipilimumab in resected stage IIIB–C and stage IV melanoma (CheckMate 238): 4-year results from a multicentre, double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2020, 21, 1465-1477. | 10.7 | 330 |
| 10 | Prophylactic TNF blockade uncouples efficacy and toxicity in dual CTLA-4 and PD-1 immunotherapy. Nature, 2019, 569, 428-432. | 27.8 | 313 |
| 11 | Evaluation of Two Dosing Regimens for Nivolumab in Combination With Ipilimumab in Patients With Advanced Melanoma: Results From the Phase IIIb/IV CheckMate 511 Trial. Journal of Clinical Oncology, 2019, 37, 867-875. | 1.6 | 258 |
| 12 | Interferon gamma, an important marker of response to immune checkpoint blockade in non-small cell lung cancer and melanoma patients. Therapeutic Advances in Medical Oncology, 2018, 10, 175883401774974. | 3.2 | 200 |
| 13 | ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. Annals of Oncology, 2020, 31, 1435-1448. | 1.2 | 132 |
| 14 | Nivolumab for Patients With Advanced Melanoma Treated Beyond Progression. JAMA Oncology, 2017, 3, 1511. | 7.1 | 131 |
| 15 | Participation of Prostacyclin in Endothelial Dysfunction Induced by Aldosterone in Normotensive and Hypertensive Rats. Hypertension, 2005, 46, 107-112. | 2.7 | 115 |
| 16 | Efficacy of Neoadjuvant Carboplatin plus Docetaxel in Triple-Negative Breast Cancer: Combined Analysis of Two Cohorts. Clinical Cancer Research, 2017, 23, 649-657. | 7.0 | 108 |
| 17 | Immunotherapeutic effects of intratumoral nanoplexed poly I:C. , 2019, 7, 116. | | 91 |
| 18 | Pathological Response in a Triple-Negative Breast Cancer Cohort Treated with Neoadjuvant Carboplatin and Docetaxel According to Lehmann's Refined Classification. Clinical Cancer Research, 2018, 24, 1845-1852. | 7.0 | 84 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Pathological Response and Survival in Triple-Negative Breast Cancer Following Neoadjuvant Carboplatin plus Docetaxel. Clinical Cancer Research, 2018, 24, 5820-5829. | 7.0 | 82 |
| 20 | Supervised physical exercise improves VO2max, quality of life, and health in early stage breast cancer patients: a randomized controlled trial. Breast Cancer Research and Treatment, 2015, 153, 371-382. | 2.5 | 73 |
| 21 | Deregulated miRNAs in Hereditary Breast Cancer Revealed a Role for miR-30c in Regulating KRAS Oncogene. PLoS ONE, 2012, 7, e38847. | 2.5 | 71 |
| 22 | ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. Annals of Oncology, 2020, 31, 1449-1461. | 1.2 | 69 |
| 23 | Adjuvant nivolumab (NIVO) versus ipilimumab (IPI) in resected stage III/IV melanoma: 3-year efficacy and biomarker results from the phase III CheckMate 238 trial. Annals of Oncology, 2019, 30, v533-v534. | 1.2 | 65 |
| 24 | Who detects melanoma? Impact of detection patterns on characteristics and prognosis of patients with melanoma. Journal of the American Academy of Dermatology, 2016, 75, 967-974. | 1.2 | 61 |
| 25 | Safety and efficacy of nivolumab in patients with rare melanoma subtypes who progressed on or after ipilimumab treatment: a single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, 2019, 119, 168-178. | 2.8 | 61 |
| 26 | Intratumoral nanoplexed poly I:C BO-112 in combination with systemic anti–PD-1 for patients with anti–PD-1–refractory tumors. Science Translational Medicine, 2020, 12, . | 12.4 | 51 |
| 27 | CCL20 Expression by Tumor-Associated Macrophages Predicts Progression of Human Primary Cutaneous Melanoma. Cancer Immunology Research, 2018, 6, 267-275. | 3.4 | 49 |
| 28 | Running away from side effects: physical exercise as a complementary intervention for breast cancer patients. Clinical and Translational Oncology, 2015, 17, 180-196. | 2.4 | 47 |
| 29 | Immune checkpoint inhibitors: therapeutic advances in melanoma. Annals of Translational Medicine, 2015, 3, 267. | 1.7 | 47 |
| 30 | MicroRNA expression signatures for the prediction of BRCA1/2 mutationâ€associated hereditary breast cancer in paraffinâ€embedded formalinâ€fixed breast tumors. International Journal of Cancer, 2015, 136, 593-602. | 5.1 | 43 |
| 31 | Circulating Tumor Cells Following First Chemotherapy Cycle: An Early and Strong Predictor of Outcome in Patients With Metastatic Breast Cancer. Oncologist, 2013, 18, 917-923. | 3.7 | 41 |
| 32 | Pathophysiology and therapeutic possibilities of calcitonin gene-related peptide in hypertension. Journal of Physiology and Biochemistry, 2006, 62, 45-56. | 3.0 | 38 |
| 33 | Long-term survival in advanced melanoma for patients treated with nivolumab plus ipilimumab in CheckMate 067 Journal of Clinical Oncology, 2022, 40, 9522-9522. | 1.6 | 37 |
| 34 | The RANK–RANKL axis: an opportunity for drug repurposing in cancer?. Clinical and Translational Oncology, 2019, 21, 977-991. | 2.4 | 31 |
| 35 | The NER-related gene <i>GTF2H5</i> predicts survival in high-grade serous ovarian cancer patients. Journal of Gynecologic Oncology, 2016, 27, e7. | 2.2 | 30 |
| 36 | Aldosterone modulates neural vasomotor response in hypertension: role of calcitonin gene-related peptide. Regulatory Peptides, 2004, 120, 253-260. | 1.9 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Frequency of germline DNA genetic findings in an unselected prospective cohort of triple-negative breast cancer patients participating in a platinum-based neoadjuvant chemotherapy trial. Breast Cancer Research and Treatment, 2016, 156, 507-515. | 2.5 | 27 |
| 38 | Safety and efficacy of nivolumab in challenging subgroups with advanced melanoma who progressed on or after ipilimumab treatment: A single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, 2019, 121, 144-153. | 2.8 | 27 |
| 39 | Neratinib (HKI-272) in the treatment of breast cancer. Future Oncology, 2012, 8, 671-681. | 2.4 | 26 |
| 40 | Predictive factors of response to immunotherapy—a review from the Spanish Melanoma Group (GEM). Annals of Translational Medicine, 2017, 5, 389-389. | 1.7 | 26 |
| 41 | Neurogenic nitric oxide release increases in mesenteric arteries from ouabain hypertensive rats. Journal of Hypertension, 2004, 22, 949-957. | 0.5 | 25 |
| 42 | MicroRNA-based molecular classification of non-BRCA1/2 hereditary breast tumours. British Journal of Cancer, 2013, 109, 2724-2734. | 6.4 | 23 |
| 43 | Neratinib for the treatment of HER2-positive early stage breast cancer. Expert Review of Anticancer Therapy, 2017, 17, 669-679. | 2.4 | 22 |
| 44 | Recent Therapeutic Advances and Change in Treatment Paradigm of Patients with Merkel Cell Carcinoma. Oncologist, 2019, 24, 1375-1383. | 3.7 | 22 |
| 45 | SEOM clinical guideline for the management of cutaneous melanoma (2020). Clinical and Translational Oncology, 2021, 23, 948-960. | 2.4 | 22 |
| 46 | LBA44 Lenvatinib (len) plus pembrolizumab (pembro) for advanced melanoma (MEL) that progressed on a PD-1 or PD-L1 inhibitor: Initial results of LEAP-004. Annals of Oncology, 2020, 31, S1173. | 1.2 | 21 |
| 47 | Long-term fenofibrate treatment impairs endothelium-dependent dilation to acetylcholine by altering the cyclooxygenase pathway. Cardiovascular Research, 2007, 75, 398-407. | 3.8 | 20 |
| 48 | Protein kinase A increases electrical stimulation-induced neuronal nitric oxide release in rat mesenteric artery. European Journal of Pharmacology, 2004, 487, 167-173. | 3.5 | 18 |
| 49 | Aldosterone increases RAMP1 expression in mesenteric arteries from spontaneously hypertensive rats. Regulatory Peptides, 2006, 134, 61-66. | 1.9 | 18 |
| 50 | Deletion at 6q24.2–26 predicts longer survival of highâ€grade serous epithelial ovarian cancer patients. Molecular Oncology, 2015, 9, 422-436. | 4.6 | 17 |
| 51 | SEOM clinical guideline for the management of malignant melanoma (2017). Clinical and Translational Oncology, 2018, 20, 69-74. | 2.4 | 16 |
| 52 | Cirrhosis decreases vasoconstrictor response to electrical field stimulation in rat mesenteric artery: role of calcitonin gene-related peptide. Experimental Physiology, 2011, 96, 275-286. | 2.0 | 15 |
| 53 | Efficacy and safety of immune checkpoint inhibitor immunotherapy in elderly cancer patients. Clinical and Translational Oncology, 2020, 22, 555-562. | 2.4 | 14 |
| 54 | The impact of patient characteristics and disease-specific factors on first-line treatment decisions for BRAF-mutated melanoma: results from a European expert panel study. Melanoma Research, 2018, 28, 333-340. | 1.2 | 13 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Activity of docetaxel, carboplatin, and doxorubicin in patient-derived triple-negative breast cancer xenografts. Scientific Reports, 2021, 11, 7064. | 3.3 | 13 |
| 56 | Melanoma and immunotherapy bridge 2015. Journal of Translational Medicine, 2016, 14, 65. | 4.4 | 12 |
| 57 | Pembrolizumab for advanced melanoma: experience from the Spanish Expanded Access Program. Clinical and Translational Oncology, 2017, 19, 761-768. | 2.4 | 12 |
| 58 | Adjuvant nivolumab for stage III/IV melanoma: evaluation of safety outcomes and association with recurrence-free survival. , 2021, 9, e003188. | | 12 |
| 59 | Multicenter analysis of neoadjuvant docetaxel, carboplatin, and trastuzumab in HER2-positive breast cancer. Breast Cancer Research and Treatment, 2017, 162, 181-189. | 2.5 | 11 |
| 60 | Cancer immunotherapy in special challenging populations: recommendations of the Advisory Committee of Spanish Melanoma Group (GEM). , 2021, 9, e001664. | | 11 |
| 61 | Cambios epidemiológicos en el melanoma cutáneo: estudio retrospectivo de 969 casos (1996-2010). Revista Clinica Espanola, 2013, 213, 81-87. | 0.6 | 10 |
| 62 | Melanoma proteomics suggests functional differences related to mutational status. Scientific Reports, 2019, 9, 7217. | 3.3 | 10 |
| 63 | Poly (ADP-ribose) Polymerase Inhibition in Patients with Breast Cancer and BRCA 1 and 2 Mutations. Drugs, 2020, 80, 131-146. | 10.9 | 10 |
| 64 | Primary ovarian Burkitt lymphoma. Clinical and Translational Oncology, 2008, 10, 673-675. | 2.4 | 9 |
| 65 | A new era in the treatment of melanoma: from biology to clinical practice. Clinical and Translational Oncology, 2011, 13, 787-792. | 2.4 | 9 |
| 66 | Treatment patterns of adjuvant interferon-α2b for high-risk melanoma: a retrospective study of the Grupo Español Multidisciplinar de Melanoma – Prima study. Melanoma Research, 2016, 26, 278-283. | 1.2 | 8 |
| 67 | Initial results from a phase IIIb/IV study evaluating two dosing regimens of nivolumab (NIVO) in combination with ipilimumab (IPI) in patients with advanced melanoma (CheckMate 511). Annals of Oncology, 2018, 29, viii737. | 1.2 | 8 |
| 68 | Intratumoral BO-112, a double-stranded RNA (dsRNA), alone and in combination with systemic anti-PD-1 in solid tumors. Annals of Oncology, 2018, 29, viii732. | 1.2 | 8 |
| 69 | 1082MO 5-year characterization of complete responses in patients with advanced melanoma who received nivolumab plus ipilimumab (NIVO+IPI) or NIVO alone. Annals of Oncology, 2020, 31, S734-S735. | 1.2 | 8 |
| 70 | CCL20/TNF/VEGFA Cytokine Secretory Phenotype of Tumor-Associated Macrophages Is a Negative Prognostic Factor in Cutaneous Melanoma. Cancers, 2021, 13, 3943. | 3.7 | 8 |
| 71 | Frequency and Characteristics of Familial Melanoma in Spain: The FAM-GEM-1 Study. PLoS ONE, 2015, 10, e0124239. | 2.5 | 8 |
| 72 | Increased expression in calcitonin-like receptor induced by aldosterone in cerebral arteries from spontaneously hypertensive rats does not correlate with functional role of CGRP receptor. Regulatory Peptides, 2008, 146, 125-130. | 1.9 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Family History Record and Hereditary Cancer Risk Perception according to National Cancer Institute Criteria in a Spanish Medical Oncology Service: A Retrospective Study. Oncology, 2012, 82, 30-34. | 1.9 | 7 |
| 74 | Review: circulating tumor cells in the practice of breast cancer oncology. Clinical and Translational Oncology, 2016, 18, 749-759. | 2.4 | 7 |
| 75 | Ribociclib for the treatment of advanced hormone receptor-positive, HER2-negative breast cancer. Future Oncology, 2017, 13, 2137-2149. | 2.4 | 7 |
| 76 | Concordance of Genomic Variants in Matched Primary Breast Cancer, Metastatic Tumor, and Circulating Tumor DNA: The MIRROR Study. JCO Precision Oncology, 2019, 3, 1-16. | 3.0 | 7 |
| 77 | Prospective, multicenter study on the economic and clinical impact of gene-expression assays in early-stage breast cancer from a single region: the PREGECAM registry experience. Clinical and Translational Oncology, 2020, 22, 717-724. | 2.4 | 7 |
| 78 | 1076O Adjuvant nivolumab (NIVO) vs ipilimumab (IPI) in resected stage III/IV melanoma: 4-y recurrence-free and overall survival (OS) results from CheckMate 238. Annals of Oncology, 2020, 31, S731-S732. | 1.2 | 7 |
| 79 | Understanding the Lived Experiences of Patients With Melanoma: Real-World Evidence Generated Through a European Social Media Listening Analysis. JMIR Cancer, 2022, 8, e35930. | 2.4 | 7 |
| 80 | Dabrafenib plus trametinib for compassionate use in metastatic melanoma. Medicine (United States), 2017, 96, e9523. | 1.0 | 6 |
| 81 | Adjuvant therapy with nivolumab (NIVO) versus ipilimumab (IPI) after complete resection of stage III/IV melanoma: A randomized, double-blind, phase 3 trial (CheckMate 238). Annals of Oncology, 2017, 28, v632-v633. | 1.2 | 6 |
| 82 | Utility of PET/CT in patients with stage l–III melanoma. Clinical and Translational Oncology, 2020, 22, 1414-1417. | 2.4 | 6 |
| 83 | An analysis of nivolumab-mediated adverse events and association with clinical efficacy in resected stage III or IV melanoma (CheckMate 238) Journal of Clinical Oncology, 2019, 37, 9584-9584. | 1.6 | 6 |
| 84 | Evaluation of Breast Cancer Patients with Genetic Risk in a University Hospital: Before and After the Implementation of a Heredofamilial Cancer Unit. Journal of Genetic Counseling, 2018, 27, 854-862. | 1.6 | 5 |
| 85 | COVID-19 in melanoma patients: Results of the Spanish Melanoma Group Registry, GRAVID study. Journal of the American Academy of Dermatology, 2021, 84, 1412-1415. | 1.2 | 5 |
| 86 | EMRseq: Registry-based outcome analysis on 1,000 patients with BRAF V600–mutated metastatic melanoma in Europe treated with either immune checkpoint or BRAF-/MEK inhibition Journal of Clinical Oncology, 2022, 40, 9540-9540. | 1.6 | 5 |
| 87 | Exclusion Criteria vs Reality: Dual <i>BRAF</i> /MEK Inhibition and Radiotherapy in a Patient with Melanoma Metastatic to the Brain and ECOG 3. Tumori, 2016, 102, S54-S56. | 1.1 | 4 |
| 88 | For Whom the Cell Tolls? Intratumoral Treatment Links Innate and Adaptive Immunity. Clinical Cancer Research, 2019, 25, 1127-1129. | 7.0 | 4 |
| 89 | LBA66_PR Disparities in access to oncology clinical trials in Europe in the period 2009-2019. Annals of Oncology, 2020, 31, S1196. | 1.2 | 4 |
| 90 | Evaluation of a Heredofamilial Cancer Unit in Increasing Family History Collection and Genetic Counseling Referrals Among Spanish Oncologists at a University Hospital. Journal of Genetic Counseling, 2014, 23, 108-113. | 1.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cost-Effectiveness of Ipilimumab for Previously Untreated Patients with Advanced Metastatic Melanoma in Spain. Value in Health, 2014, 17, A631. | 0.3 | 3 |
| 92 | Cyclin Kinase Inhibitors in Breast Cancer: From Bench to Bedside. Current Breast Cancer Reports, 2014, 6, 79-87. | 1.0 | 3 |
| 93 | Overall survival at 4 years of follow-up in a phase III trial of nivolumab plus ipilimumab combination therapy in advanced melanoma (CheckMate 067). Annals of Oncology, 2018, 29, viii735. | 1.2 | 3 |
| 94 | 1038MO Intracranial activity of encorafenib and binimetinib followed by radiotherapy in patients with BRAF mutated melanoma and brain metastasis: Preliminary results of the GEM1802/EBRAIN-MEL phase II clinical trial. Annals of Oncology, 2021, 32, S870. | 1.2 | 3 |
| 95 | Why do patients with thick melanoma have different outcomes? A retrospective epidemiological and survival analysis. Clinical and Translational Oncology, 2017, 19, 1055-1057. | 2.4 | 2 |
| 96 | Five Years of Multidisciplinary Care in Hereditary Cancer: Our Experience in a Spanish University Hospital. Oncology, 2017, 92, 68-74. | 1.9 | 2 |
| 97 | Safety and immunobiological activity of intratumoral (IT) double-stranded RNA (dsRNA) BO-112 in solid malignancies: First in human clinical trial. Annals of Oncology, 2017, 28, v612. | 1.2 | 2 |
| 98 | Combination of intratumoural double-stranded RNA (dsRNA) BO-112 with systemic anti-PD-1 in patients with anti-PD-1 refractory cancer. Annals of Oncology, 2019, 30, xi37-xi38. | 1.2 | 2 |
| 99 | Metastatic melanoma with spontaneous regression, psoriasis and HLA-Cw6: case report and a hypothesis to explore. Tumori, 2014, 100, 144e-7e. | 1.1 | 2 |
| 100 | Melanoma de uretra masculina: caso clÃnico. Actas Urológicas Españolas, 2010, 34, 651-652. | 0.7 | 1 |
| 101 | 3540 POSTER Perception of Hereditary Cancer Risk in a Medical Oncology Service: a Retrospective Study. European Journal of Cancer, 2011, 47, S258. | 2.8 | 1 |
| 102 | A retrospective chart review study describing metastatic melanoma patients profile and treatment patterns in Spain. Clinical and Translational Oncology, 2019, 21, 1754-1762. | 2.4 | 1 |
| 103 | Abstract CT233: Phase 2 clinical study to evaluate the efficacy and safety of intratumoral BO-112 in combination with pembrolizumab in patients with advanced melanoma that have progressive disease on anti-PD-1-based therapy. Cancer Research, 2021, 81, CT233-CT233. | 0.9 | 1 |
| 104 | Venous thromboembolism incidence in cancer patients with germline BRCA mutations. Clinical and Translational Oncology, 2021, , 1. | 2.4 | 1 |
| 105 | 1056P Survival of patients with advanced melanoma according to first-line treatment and key prognostic factors: Real-world data from GEM1801 study. Annals of Oncology, 2021, 32, S881-S882. | 1.2 | 1 |
| 106 | Utilidad de la tomografÃa por emisión de positrones en el diagnóstico del nódulo pulmonar solitario con alta probabilidad de malignidad. Revista De Patologia Respiratoria, 2009, 12, 69-73. | 0.0 | 0 |
| 107 | Melanoma of male urethra: A clinical case. Actas Urológicas Españolas (English Edition), 2010, 34, 651-652. | 0.2 | 0 |
| 108 | 619 Deciphering Non-BRCA1/2 Familial Breast Tumor Heterogeneity by MiRNA Expression Profiling. European Journal of Cancer, 2012, 48, S147. | 2.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The Implementation of a Multidisciplinary Heredofamilial Cancer Unit Changes Hereditary Cancer Risk Perception among Oncologists. Annals of Oncology, 2012, 23, ix176-ix177. | 1.2 | 0 |
| 110 | A Multidisciplinary Approach to Heredofamilial Cancer Syndromes: Evaluation of the First Four Years of Experience at a Spanish University Hospital. Annals of Oncology, 2014, 25, iv166. | 1.2 | 0 |
| 111 | Evaluation of breast cancer patients with genetic risk: Before and after a multidisciplinary heredofamiliar cancer unit implementation. Annals of Oncology, 2016, 27, vi465. | 1.2 | 0 |
| 112 | Intrinsic subtype and response to neoadjuvant chemotherapy with carboplatin and docetaxel (TCb) in triple-negative breast cancer (TNBC). Annals of Oncology, 2016, 27, vi56. | 1.2 | 0 |
| 113 | GRAY-B: An open label multicenter phase-2 GEM study on ipilimumab and radiation in patients with melanoma and brain metastases. Annals of Oncology, 2016, 27, vi383. | 1.2 | Ο |
| 114 | Burden of Healthcare Costs for Merkel Cell Carcinoma Management in Spain. Value in Health, 2017, 20, A427. | 0.3 | 0 |
| 115 | Validation of the Royal Marsden Hospital (RMH) prognostic score on an enriched early treatment line cohort for phase I trial patients. Annals of Oncology, 2017, 28, v135. | 1.2 | Ο |
| 116 | Report from the II Melanoma Translational Meeting of the Spanish Melanoma Group (GEM). Annals of Translational Medicine, 2017, 5, 390-390. | 1.7 | 0 |
| 117 | Frequency of breast cancer with hereditary risk features in Spain: Analysis from GEICAM "El Ãlamo III― retrospective study. PLoS ONE, 2017, 12, e0184181. | 2.5 | Ο |
| 118 | Distribution of genomically defined recurrence risk in luminal A and B breast tumors defined by inmunohistochemistry: A retrospective study in Spanish population. Annals of Oncology, 2017, 28, v56. | 1.2 | 0 |
| 119 | Prognostic significance of sentinel node biopsy status in cutaneous melanoma: a 21-years prospective study from a single institution. Clinical and Translational Oncology, 2020, 22, 1611-1618. | 2.4 | Ο |
| 120 | ¿Cuando merece la pena realizar una linfadenectomÃa en pacientes con micrometástasis de melanoma en ganglio centinela? Un análisis retrospectivo de 20 años de experiencia. CirugÃa Y Cirujanos, 2021, 89, 457-460. | 0.1 | 0 |
| 121 | Abstract 5051: microRNA based classification of non-BRCA1/2 hereditary breast cancer tumors. , 2012, , . | | Ο |
| 122 | Family history record and hereditary cancer risk perception after the creation of a heredofamilial cancer unit in a Spanish hospital Journal of Clinical Oncology, 2012, 30, e12003-e12003. | 1.6 | 0 |
| 123 | Abstract P5-15-08: Exercise intervention to run away from breast cancer treatment side effects: An integrative approach. , 2015, , . | | Ο |
| 124 | Abstract P1-10-10: An integrative intervention to change breast cancer patients' lifestyle: A medical challenge. A randomize controlled trial. , 2016, , . | | 0 |
| 125 | Abstract P4-20-01: Implications of financial modeling in breast cancer clinical research from 1990 to 2010. , 2017, , . | | Ο |
| 126 | Highlights of the season 2016–2017 by the Spanish Melanoma Group (GEM). Annals of Translational Medicine, 2017, 5, 391-391. | 1.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | P162â€Lynch syndrome followed up in a hereditary gynaecological cancer unit. , 2019, , . | | 0 |
| 128 | Patterns of disease presentation, treatment choices and survival in real world for patients diagnosed with advanced melanoma: A prospective observational study by Spanish Melanoma Group (GEM-1801) Journal of Clinical Oncology, 2020, 38, e22022-e22022. | 1.6 | 0 |