

# Fan-Li Meng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3581723/publications.pdf>

Version: 2024-02-01

161  
papers

7,855  
citations

39113

52  
h-index

62345

84  
g-index

162  
all docs

162  
docs citations

162  
times ranked

9062  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of a novel microhotplate for application in a silicon-based nanofilm gas sensor. <i>Instrumentation Science and Technology</i> , 2023, 51, 45-58.	0.9	1
2	MoS <sub>2</sub> -Templated Porous Hollow MoO <sub>3</sub> Microspheres for Highly Selective Ammonia Sensing via a Lewis Acid-Base Interaction. <i>IEEE Transactions on Industrial Electronics</i> , 2022, 69, 960-970.	5.2	85
3	Preparation of SnO <sub>2</sub> /SiO <sub>2</sub> nanocomposites by sol-gel method for enhancing the gas sensing performance to triethylamine. <i>Journal of Alloys and Compounds</i> , 2022, 893, 162189.	2.8	34
4	Detection of four alcohol homologue gases by ZnO gas sensor in dynamic interval temperature modulation mode. <i>Sensors and Actuators B: Chemical</i> , 2022, 350, 130867.	4.0	76
5	Rational design of CuO/In <sub>2</sub> O <sub>3</sub> heterostructures with flower-like structures for low temperature detection of formaldehyde. <i>Journal of Alloys and Compounds</i> , 2022, 896, 162959.	2.8	8
6	NiO-functionalized In <sub>2</sub> O <sub>3</sub> flower-like structures with enhanced trimethylamine gas sensing performance. <i>Applied Surface Science</i> , 2022, 577, 151877.	3.1	33
7	Humidity sensing and temperature response performance of polymer gel cold-spliced optical fiber Fabry-Perot interferometer. <i>Optical Fiber Technology</i> , 2022, 68, 102823.	1.4	6
8	Phosphorus-doped porous perovskite LaFe <sub>1-x</sub> PxO <sub>3-<math>\delta</math></sub> nanosheets with rich surface oxygen vacancies for ppb level acetone sensing at low temperature. <i>Chemical Engineering Journal</i> , 2022, 431, 134280.	6.6	66
9	Formic acid gas sensor based on coreless optical fiber coated by molybdenum disulfide nanosheet. <i>Journal of Alloys and Compounds</i> , 2022, 896, 163063.	2.8	10
10	Optimal construction and gas sensing properties of SnO <sub>2</sub> @TiO <sub>2</sub> heterostructured nanorods. <i>Sensors and Actuators B: Chemical</i> , 2022, 355, 131261.	4.0	14
11	Investigation on Butanone Sensing Properties of ZnO Sensor Under Different Calcination Temperature. <i>IEEE Sensors Journal</i> , 2022, 22, 25-32.	2.4	10
12	Research Progress on Coating of Sensitive Materials for Micro-Hotplate Gas Sensor. <i>Micromachines</i> , 2022, 13, 491.	1.4	7
13	A fiber-optic formic acid gas sensor based on molybdenum disulfide nanosheets and chitosan works at room temperature. <i>Optics and Laser Technology</i> , 2022, 150, 107975.	2.2	14
14	A high-capacity and reversible patient data hiding scheme for telemedicine. <i>Biomedical Signal Processing and Control</i> , 2022, 76, 103706.	3.5	10
15	Preparation of p-LaFeO <sub>x</sub> /n-Fe <sub>1-x</sub> O <sub>3</sub> Heterojunction Composites by One-Step Hydrothermal Method and Gas Sensing Properties for Acetone. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022, 71, 1-9.	2.4	7
16	A highly selective and fast-responding triethylamine sensor based on Mo-SnO <sub>2</sub> nanomaterials. <i>Sensors and Actuators Reports</i> , 2022, 4, 100106.	2.3	2
17	Novel combined waveform temperature modulation method of NiO-In <sub>2</sub> O <sub>3</sub> based gas sensor for measuring and identifying VOC gases. <i>Journal of Alloys and Compounds</i> , 2022, 918, 165510.	2.8	20
18	UV-Light Assisted High-Performance n-Propanol Sensor Based on Rod-Like Co-Modified ZnO at Room Temperature. <i>IEEE Sensors Journal</i> , 2022, 22, 13882-13890.	2.4	3

#	ARTICLE	IF	CITATIONS
19	Metal Oxide Semiconductor Sensors for Triethylamine Detection: Sensing Performance and Improvements. <i>Chemosensors</i> , 2022, 10, 231.	1.8	27
20	Exposure Surface Active Sites of Perovskite-type $\text{LaFeO}_3$ Gas Sensors by Selectively Dissolving La Cations for Enhancing Gas Sensing Properties to Acetone. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	19
21	Dynamic Measurement of VOCs with Multiple Characteristic Peaks Based on Temperature Modulation of ZnO Gas Sensor. <i>Chemosensors</i> , 2022, 10, 226.	1.8	2
22	Dynamic Temperature Modulation Measurement of VOC Gases Based on $\text{SnO}_2$ Gas Sensor. <i>IEEE Sensors Journal</i> , 2022, 22, 14708-14716.	2.4	19
23	Preparation of $\text{NiO-In}_2\text{O}_3$ Ordered Porous Thin Film Materials With Enhanced n-Propanol Gas Sensing Properties. <i>IEEE Sensors Journal</i> , 2022, 22, 15716-15723.	2.4	7
24	Ppb-Level Triethylamine Gas Sensors Based on Palladium Nanoparticles Modified Flower-Like $\text{In}_2\text{O}_3$ Grown on rGO Nanosheets Operating at Low Temperature. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022, 71, 1-9.	2.4	12
25	Structure design and application of hollow core microstructured optical fiber gas sensor: A review. <i>Optics and Laser Technology</i> , 2021, 135, 106658.	2.2	73
26	P-n junctions based on CuO-decorated ZnO nanowires for ethanol sensing application. <i>Applied Surface Science</i> , 2021, 538, 148140.	3.1	66
27	The investigation and DFT calculation on the gas sensing properties of nanostructured $\text{SnO}_2$ . <i>Microelectronic Engineering</i> , 2021, 236, 111469.	1.1	13
28	Room-Temperature $\text{NH}_3$ Sensors Based on Boron-Doped Graphene Oxide: Enhanced Sensing Performance by B-N Covalent Interaction. <i>IEEE Nanotechnology Magazine</i> , 2021, 20, 726-732.	1.1	6
29	Ppb-Level Xylene Gas Sensors Based on $\text{Co}_3\text{O}_4$ Nanoparticle-Coated Reduced Graphene Oxide(rGO) Nanosheets Operating at Low Temperature. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.	2.4	60
30	High Response Formic Acid Gas Sensor Based on $\text{MoS}_2$ Nanosheets. <i>IEEE Nanotechnology Magazine</i> , 2021, 20, 177-184.	1.1	16
31	Investigation of Mixed-Phase $\text{WS}_2$ Nanomaterials for Ammonia Gas Sensing. <i>IEEE Sensors Journal</i> , 2021, 21, 7268-7274.	2.4	20
32	Dynamic Measurement and Recognition Methods of $\text{SnO}_2$ Sensor to VOCs Under Zigzag-Rectangular Wave Temperature Modulation. <i>IEEE Sensors Journal</i> , 2021, 21, 10915-10922.	2.4	23
33	Selectively enhanced gas-sensing performance to n-butanol based on uniform CdO-decorated porous ZnO nanobelts. <i>Sensors and Actuators B: Chemical</i> , 2021, 334, 129667.	4.0	18
34	Strategies for Improving the Sensing Performance of Semiconductor Gas Sensors for High-Performance Formaldehyde Detection: A Review. <i>Chemosensors</i> , 2021, 9, 179.	1.8	28
35	Theoretical and Experimental Research on Ammonia Sensing Properties of Sulfur-Doped Graphene Oxide. <i>Chemosensors</i> , 2021, 9, 220.	1.8	8
36	Perovskite-structured $\text{LaCoO}_3$ modified ZnO gas sensor and investigation on its gas sensing mechanism by first principle. <i>Sensors and Actuators B: Chemical</i> , 2021, 341, 130015.	4.0	138

#	ARTICLE	IF	CITATIONS
37	Highly Sensitive and Selective NH <sub>3</sub> Sensor Based on Au Nanoparticle Loaded MoO <sub>3</sub> Nanorods. IEEE Sensors Journal, 2021, 21, 18435-18442.	2.4	11
38	Research of Low-Power MEMS-Based Micro Hotplates Gas Sensor: A Review. IEEE Sensors Journal, 2021, 21, 18368-18380.	2.4	14
39	One-step synthesis of rGO/V <sub>2</sub> O <sub>5</sub> flower-like microsphere composites with enhanced trimethylamine sensing properties. Materials Letters, 2021, 299, 130023.	1.3	8
40	The rapid SERS detection of succinylcholine chloride in human plasma is based on the high affinity between quaternary ammonium salt structures. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 263, 120172.	2.0	1
41	Qualitative and quantitative recognition method of drug-producing chemicals based on SnO <sub>2</sub> gas sensor with dynamic measurement and PCA weak separation. Sensors and Actuators B: Chemical, 2021, 348, 130698.	4.0	76
42	Rose-Like MoO <sub>3</sub> /MoS <sub>2</sub> /rGO Low-Temperature Ammonia Sensors Based on Multigas Detection Methods. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-9.	2.4	30
43	Ammonia Sensor Based on Monoclinic WO <sub>3</sub> Nanorods Operating at Room Temperature. IEEE Nanotechnology Magazine, 2021, 20, 619-626.	1.1	2
44	A Temperature-Modulated Gas Sensor Based on CdO-Decorated Porous ZnO Nanobelts for the Recognizable Detection of Ethanol, Propanol, and Isopropanol. IEEE Sensors Journal, 2021, 21, 25590-25596.	2.4	12
45	Ppb-Level Butanone Sensor Based on ZnO-TiO <sub>2</sub> -rGO Nanocomposites. Chemosensors, 2021, 9, 284.	1.8	6
46	MoO <sub>3</sub> /SnO <sub>2</sub> Nanocomposite-Based Gas Sensor for Rapid Detection of Ammonia. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-9.	2.4	14
47	WO <sub>3</sub> Nanosheets/FeCo <sub>2</sub> O <sub>4</sub> Nanoparticles Heterostructures for Highly Sensitive and Selective Ammonia Sensors. IEEE Sensors Journal, 2021, 21, 26515-26525.	2.4	9
48	One-step synthesis and the enhanced trimethylamine sensing properties of Co <sub>3</sub> O <sub>4</sub> /SnO <sub>2</sub> flower-like structures. Vacuum, 2020, 171, 108994.	1.6	37
49	Graphene Foam Decorated With ZnO as a Humidity Sensor. IEEE Sensors Journal, 2020, 20, 1721-1729.	2.4	28
50	Detection and Identification of Volatile Organic Compounds Based on Temperature-Modulated ZnO Sensors. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 4533-4544.	2.4	104
51	Investigation of Grain Radius Dependence of Sensitivity for Porous Thin Film Semiconducting Metal Oxide Gas Sensor. IEEE Sensors Journal, 2020, 20, 4275-4282.	2.4	16
52	In-situ growth of V <sub>2</sub> O <sub>5</sub> flower-like structures on ceramic tubes and their trimethylamine sensing properties. Chinese Chemical Letters, 2020, 31, 2133-2136.	4.8	16
53	Microscale analysis and gas sensing characteristics based on SnO <sub>2</sub> hollow spheres. Microelectronic Engineering, 2020, 231, 111372.	1.1	12
54	Highly Sensitive Ethanol Sensor Based on Two-Dimensional Layered Mesoporous In <sub>2</sub> O <sub>3</sub> Nanosheets. IEEE Nanotechnology Magazine, 2020, 19, 486-491.	1.1	1

#	ARTICLE	IF	CITATIONS
55	Spinel-Type Materials Used for Gas Sensing: A Review. <i>Sensors</i> , 2020, 20, 5413.	2.1	31
56	Nanocomposites of ZnO Nanorods In-Situ Grown on Graphitic Carbon Nitride for Ethanol Sensing. <i>IEEE Sensors Journal</i> , 2020, 20, 11097-11104.	2.4	7
57	Ethanol Sensors Based on Porous In <sub>2</sub> O <sub>3</sub> Nanosheet-Assembled Micro-Flowers. <i>Sensors</i> , 2020, 20, 3353.	2.1	16
58	Hydrogen Leakage Detectors Based on a Polymer Microfiber Decorated With Pd Nanoparticles. <i>IEEE Sensors Journal</i> , 2019, 19, 6736-6741.	2.4	11
59	An Efficient Base Conversion Using Variable Length Segmentation and Remainder Transfer. <i>IEEE Signal Processing Letters</i> , 2019, 26, 1227-1231.	2.1	2
60	Synthesis of Au Nanoparticle-Modified Spindle Shaped $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> Nanorods and Their Gas Sensing Properties to N-Butanol. <i>IEEE Nanotechnology Magazine</i> , 2019, 18, 911-920.	1.1	29
61	High Response and Selectivity Ammonia Sensor Based on WO <sub>3</sub> /MoO <sub>3</sub> Porous and Hollow Microsphere. <i>IEEE Sensors Journal</i> , 2019, 19, 11014-11020.	2.4	11
62	ZnO-Reduced Graphene Oxide Composites Sensitized with Graphitic Carbon Nitride Nanosheets for Ethanol Sensing. <i>ACS Applied Nano Materials</i> , 2019, 2, 2734-2742.	2.4	84
63	Investigation on Trimethylamine Sensing Performance of Pd-Decorated ZnO Flower-Like Structures Synthesized by One-Step Hydrothermal Method. <i>ChemistrySelect</i> , 2019, 4, 2694-2702.	0.7	6
64	Approaches to Enhancing Gas Sensing Properties: A Review. <i>Sensors</i> , 2019, 19, 1495.	2.1	97
65	Sandwich-like composites of double-layer Co <sub>3</sub> O <sub>4</sub> and reduced graphene oxide and their sensing properties to volatile organic compounds. <i>Journal of Alloys and Compounds</i> , 2019, 793, 24-30.	2.8	87
66	Highly sensitive ethylene sensors using Pd nanoparticles and rGO modified flower-like hierarchical porous $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> . <i>Sensors and Actuators B: Chemical</i> , 2019, 290, 396-405.	4.0	49
67	In-situ growth of ordered Pd-doped ZnO nanorod arrays on ceramic tube with enhanced trimethylamine sensing performance. <i>Applied Surface Science</i> , 2019, 463, 348-356.	3.1	69
68	One-Step Synthesis of Au/SnO <sub>2</sub> /RGO Nanocomposites and Their VOC Sensing Properties. <i>IEEE Nanotechnology Magazine</i> , 2018, 17, 212-219.	1.1	144
69	A facile one-step hydrothermal synthesis of NiO/ZnO heterojunction microflowers for the enhanced formaldehyde sensing properties. <i>Journal of Alloys and Compounds</i> , 2018, 739, 260-269.	2.8	95
70	Highly Sensitive Ammonia Sensors Based on Ag-Decorated WO <sub>3</sub> Nanorods. <i>IEEE Nanotechnology Magazine</i> , 2018, 17, 1252-1258.	1.1	63
71	Highly sensitive and selective butanol sensors using the intermediate state nanocomposites converted from $\gamma$ -FeOOH to $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> . <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 543-551.	4.0	58
72	Low-temperature formaldehyde gas sensors based on NiO-SnO <sub>2</sub> heterojunction microflowers assembled by thin porous nanosheets. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 418-428.	4.0	177

#	ARTICLE	IF	CITATIONS
73	Assembly of 3D flower-like NiO hierarchical architectures by 2D nanosheets: synthesis and their sensing properties to formaldehyde. RSC Advances, 2017, 7, 3540-3549.	1.7	44
74	CuO hollow microspheres self-assembled with nanobars: Synthesis and their sensing properties to formaldehyde. Vacuum, 2017, 144, 272-280.	1.6	35
75	A biocompatible and novelty-defined Al-HAP adsorption membrane for highly effective removal of fluoride from drinking water. Journal of Colloid and Interface Science, 2017, 490, 97-107.	5.0	64
76	UV-activated room temperature single-sheet ZnO gas sensor. Micro and Nano Letters, 2017, 12, 813-817.	0.6	28
77	Trimethylamine Sensors Based on Au-Modified Hierarchical Porous Single-Crystalline ZnO Nanosheets. Sensors, 2017, 17, 1478.	2.1	97
78	Catalysis-Based Cataluminescent and Conductometric Gas Sensors: Sensing Nanomaterials, Mechanism, Applications and Perspectives. Catalysts, 2016, 6, 210.	1.6	8
79	Chlorobenzene sensor based on Pt-decorated porous single-crystalline ZnO nanosheets. Sensors and Actuators A: Physical, 2016, 252, 96-103.	2.0	42
80	Porous and single-crystalline ZnO nanobelts: fabrication with annealing precursor nanobelts, and gas-sensing and optoelectronic performance. Nanotechnology, 2016, 27, 355702.	1.3	32
81	Performance of a novelty-defined zirconium metal-organic frameworks adsorption membrane in fluoride removal. Journal of Colloid and Interface Science, 2016, 484, 162-172.	5.0	131
82	Novel volatile organic compound (VOC) sensor based on Ag-decorated porous single-crystalline ZnO nanosheets. Materials Express, 2016, 6, 191-197.	0.2	11
83	Ag/SnO <sub>2</sub> /graphene ternary nanocomposites and their sensing properties to volatile organic compounds. Journal of Alloys and Compounds, 2016, 659, 127-131.	2.8	48
84	Effective removal of fluoride by porous MgO nanoplates and its adsorption mechanism. Journal of Alloys and Compounds, 2016, 675, 292-300.	2.8	103
85	Performance of novel hydroxyapatite nanowires in treatment of fluoride contaminated water. Journal of Hazardous Materials, 2016, 303, 119-130.	6.5	134
86	Formation of Carbonized Polystyrene Sphere/hemisphere Shell Arrays by Ion Beam Irradiation and Subsequent Annealing or Chloroform Treatment. Scientific Reports, 2015, 5, 17529.	1.6	17
87	Facile preparation of size-controlled TiO <sub>2</sub> nanoparticles by hot-filament metal oxide deposition method and their gas sensing properties to NO <sub>2</sub> . Functional Materials Letters, 2015, 08, 1550043.	0.7	1
88	CTAB-Assisted Hydrothermal Synthesis of WO <sub>3</sub> Hierarchical Porous Structures and Investigation of Their Sensing Properties. Journal of Nanomaterials, 2015, 2015, 1-10.	1.5	3
89	Sub-ppb detection of acetone using Au-modified flower-like hierarchical ZnO structures. Sensors and Actuators B: Chemical, 2015, 219, 209-217.	4.0	95
90	The risk management of virtual enterprise based on bilateral negotiation. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
91	Ag-decorated ultra-thin porous single-crystalline ZnO nanosheets prepared by sunlight induced solvent reduction and their highly sensitive detection of ethanol. <i>Sensors and Actuators B: Chemical</i> , 2015, 209, 975-982.	4.0	87
92	Interlaced nanoflake-assembled flower-like hierarchical ZnO microspheres prepared by bisolvents and their sensing properties to ethanol. <i>Journal of Alloys and Compounds</i> , 2015, 632, 645-650.	2.8	56
93	New Strategy for Rapid Detection of the Simulants of Persistent Organic Pollutants Using Gas Sensor Based on 3-D Porous Single-Crystalline ZnO Nanosheets. <i>IEEE Sensors Journal</i> , 2015, 15, 3668-3674.	2.4	12
94	Wide pH range for fluoride removal from water by MHS-MgO/MgCO <sub>3</sub> adsorbent: Kinetic, thermodynamic and mechanism studies. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 194-202.	5.0	62
95	Synthesis of WO <sub>3</sub> flower-like hierarchical architectures and their sensing properties. <i>Journal of Alloys and Compounds</i> , 2015, 649, 731-738.	2.8	38
96	Graphene-based hybrids for chemiresistive gas sensors. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 68, 37-47.	5.8	276
97	Efficient removal of fluoride by hierarchical MgO microspheres: Performance and mechanism study. <i>Applied Surface Science</i> , 2015, 357, 1080-1088.	3.1	60
98	Flower-like hierarchical structures consisting of porous single-crystalline ZnO nanosheets and their gas sensing properties to volatile organic compounds (VOCs). <i>Journal of Alloys and Compounds</i> , 2015, 626, 124-130.	2.8	99
99	Enhanced adsorption of cadmium ions by 3D sulfonated reduced graphene oxide. <i>Chemical Engineering Journal</i> , 2015, 262, 1292-1302.	6.6	150
100	Catalyst-free growth of one-dimensional ZnO nanostructures on SiO <sub>2</sub> substrate and in situ investigation of their H <sub>2</sub> sensing properties. <i>Journal of Alloys and Compounds</i> , 2015, 622, 73-78.	2.8	41
101	A Novel Fluorescence Nanoprobing Strategy for Fluoride Anions Detection in Water. <i>Nanoscience and Nanotechnology Letters</i> , 2015, 7, 546-554.	0.4	1
102	Facile synthesis of porous single crystalline ZnO nanoplates and their application in photocatalytic reduction of Cr(VI) in the presence of phenol. <i>Journal of Hazardous Materials</i> , 2014, 276, 400-407.	6.5	96
103	UV irradiation synthesis of an Au-graphene nanocomposite with enhanced electrochemical sensing properties. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9189.	5.2	145
104	A three-dimensional hierarchical CdO nanostructure: Preparation and its improved gas-diffusing performance in gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2013, 184, 260-267.	4.0	33
105	Porous TiO <sub>2</sub> nanowires derived from nanotubes: Synthesis, characterization and their enhanced photocatalytic properties. <i>Microporous and Mesoporous Materials</i> , 2013, 181, 146-153.	2.2	19
106	Synthesis of Porous Gold Based on Gold-Thiol Coordination Polymer and Its Application in SERS Detection with High Activity and High Reproducibility. <i>Chemistry Letters</i> , 2013, 42, 407-409.	0.7	0
107	Plasma- and anneal-assisted hybridization of SWCNT-Au network for rapid and high-sensitive electrical detection of antibody-antigen interactions. <i>Journal of Materials Chemistry</i> , 2012, 22, 6139.	6.7	4
108	Modification of coral-like SnO <sub>2</sub> nanostructures with dense TiO <sub>2</sub> nanoparticles for a self-cleaning gas sensor. <i>Talanta</i> , 2012, 99, 394-403.	2.9	15

#	ARTICLE	IF	CITATIONS
109	Parts per billion-level detection of benzene using SnO <sub>2</sub> /graphene nanocomposite composed of sub-6nm SnO <sub>2</sub> nanoparticles. <i>Analytica Chimica Acta</i> , 2012, 736, 100-107.	2.6	84
110	Metal Oxide Nanostructures and Their Gas Sensing Properties: A Review. <i>Sensors</i> , 2012, 12, 2610-2631.	2.1	938
111	Novel hierarchically-packed tin dioxide sheets for fast adsorption of organic pollutant in aqueous solution. <i>Journal of Materials Chemistry</i> , 2012, 22, 2885-2893.	6.7	13
112	Preparation of a leaf-like CdS micro-/nanostructure and its enhanced gas-sensing properties for detecting volatile organic compounds. <i>Journal of Materials Chemistry</i> , 2012, 22, 17782.	6.7	82
113	SnO <sub>2</sub> /Reduced Graphene Oxide Nanocomposite for the Simultaneous Electrochemical Detection of Cadmium(II), Lead(II), Copper(II), and Mercury(II): An Interesting Favorable Mutual Interference. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1034-1041.	1.5	431
114	Study on the interfacial structures of Tin oxide/multiwalled carbon nanotube heterojunctions. <i>RSC Advances</i> , 2012, 2, 1942.	1.7	6
115	Sensitive detection of indoor air contaminants using a novel gas sensor based on coral-shaped tin dioxide nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2012, 165, 24-33.	4.0	8
116	Synthesis and gas sensing properties of hierarchical meso-macroporous SnO <sub>2</sub> for detection of indoor air pollutants. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 519-525.	4.0	55
117	Novel hybridized SWCNT@PCD: synthesis and host-guest inclusion for electrical sensing recognition of persistent organic pollutants. <i>Journal of Materials Chemistry</i> , 2011, 21, 11109.	6.7	26
118	Dense doping of indium to coral-like SnO <sub>2</sub> nanostructures through a plasma-assisted strategy for sensitive and selective detection of chlorobenzene. <i>Nanotechnology</i> , 2011, 22, 315501.	1.3	21
119	Electronic chip based on self-oriented carbon nanotube microelectrode array to enhance the sensitivity of indoor air pollutants capacitive detection. <i>Sensors and Actuators B: Chemical</i> , 2011, 153, 103-109.	4.0	24
120	A novel porous anodic alumina based capacitive sensor towards trace detection of PCBs. <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 641-646.	4.0	21
121	Synthesis of novel layer-packed In <sub>2</sub> O <sub>3</sub> nanostructures and their application in gas sensor for detecting indoor air contaminants. , 2011, , .		0
122	Electrochemistry of water in 1-butyl-3-methylimidazolium tetrafluoroborate at nickel electrode: application to hydrogen peroxide production and water sensing. <i>Mikrochimica Acta</i> , 2010, 168, 325-329.	2.5	1
123	Novel nanoparticle detection method using electrochemical device based on anodic aluminum oxide nanopore membrane. <i>Procedia Engineering</i> , 2010, 7, 100-105.	1.2	1
124	Comparison on gas-sensing properties of single- and multi-layered SnO <sub>2</sub> nanostructures in drug-precursors detection. <i>Procedia Engineering</i> , 2010, 7, 123-129.	1.2	1
125	Mesoporous SnO <sub>2</sub> sensor prepared by carbon nanotubes as template and its sensing properties to indoor air pollutants. <i>Procedia Engineering</i> , 2010, 7, 172-178.	1.2	13
126	p-Hexafluoroisopropanol phenyl covalently functionalized single-walled carbon nanotubes for detection of nerve agents. <i>Carbon</i> , 2010, 48, 1262-1270.	5.4	68



#	ARTICLE	IF	CITATIONS
127	A novel coral-like porous SnO <sub>2</sub> hollow architecture: biomimetic swallowing growth mechanism and enhanced photovoltaic property for dye-sensitized solar cell application. <i>Chemical Communications</i> , 2010, 46, 472-474.	2.2	120
128	Assembly, formation mechanism, and enhanced gas-sensing properties of porous and hierarchical SnO <sub>2</sub> hollow nanostructures. <i>Journal of Materials Research</i> , 2010, 25, 1992-2000.	1.2	8
129	Nanocomposites of sub-10 nm SnO <sub>2</sub> nanoparticles and MWCNTs for detection of aldrin and DDT. <i>Analytical Methods</i> , 2010, 2, 1710.	1.3	17
130	Notice of Retraction: Survey on Pre-service Teacher Educational Technology Literacy Status: Take the Jiangxi Normal University as the Example. , 2010, , .		0
131	Novel facile detection of persistent organic pollutants using highly sensitive gas sensor. <i>Talanta</i> , 2010, 82, 409-416.	2.9	5
132	Novel pyrenehexafluoroisopropanol derivative-decorated single-walled carbon nanotubes for detection of nerve agents by strong hydrogen-bonding interaction. <i>Analyst</i> , The, 2010, 135, 368-374.	1.7	98
133	Porous Hierarchical In <sub>2</sub> O <sub>3</sub> Micro-/Nanostructures: Preparation, Formation Mechanism, and Their Application in Gas Sensors for Noxious Volatile Organic Compound Detection. <i>Journal of Physical Chemistry C</i> , 2010, 114, 4887-4894.	1.5	111
134	One-step synthesis of UV-induced Pt nanotrees on the surface of DNA network. <i>Materials Research Bulletin</i> , 2009, 44, 1270-1274.	2.7	11
135	A novel highly sensitive gas ionization sensor for ammonia detection. <i>Sensors and Actuators A: Physical</i> , 2009, 150, 218-223.	2.0	69
136	A novel ammonia sensor based on high density, small diameter polypyrrole nanowire arrays. <i>Sensors and Actuators B: Chemical</i> , 2009, 142, 204-209.	4.0	80
137	Development of sensors based on CuO-doped SnO <sub>2</sub> hollow spheres for ppb level H <sub>2</sub> S gas sensing. <i>Journal of Materials Science</i> , 2009, 44, 4326-4333.	1.7	65
138	Gas sensors for ammonia detection based on polyaniline-coated multi-wall carbon nanotubes. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 163, 76-81.	1.7	108
139	Novel capacitive sensor: Fabrication from carbon nanotube arrays and sensing property characterization. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 396-401.	4.0	35
140	Triethylenetetramine (TETA)-assisted synthesis, dynamic growth mechanism, and photoluminescence properties of radial single-crystalline ZnS nanowire bundles. <i>Journal of Crystal Growth</i> , 2009, 311, 1423-1429.	0.7	21
141	Synthesis of close-packed multi-walled carbon nanotube bundles using Mo as catalyst. <i>Carbon</i> , 2009, 47, 1652-1658.	5.4	31
142	Morphogenesis and Crystallization of ZnS Microspheres by a Soft Template-Assisted Hydrothermal Route: Synthesis, Growth Mechanism, and Oxygen Sensitivity. <i>Chemistry - an Asian Journal</i> , 2009, 4, 174-180.	1.7	17
143	In Situ Growth of Tin Oxide Nanowires, Nanobelts, and Nanodendrites On the Surface of Iron-Doped Tin Oxide/Multiwalled Carbon Nanotube Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2009, 113, 20583-20588.	1.5	9
144	Nanomaterial-Assisted Signal Enhancement of Hybridization for DNA Biosensors: A Review. <i>Sensors</i> , 2009, 9, 7343-7364.	2.1	43

#	ARTICLE	IF	CITATIONS
145	Novel porous single-crystalline ZnO nanosheets fabricated by annealing ZnS(en) <sub>0.5</sub> (en =) Tj ETQq1 1 Nanotechnology, 2009, 20, 125501.	0.784314 1.3	137
146	Preparation of Porous Tin Oxide Nanotubes Using Carbon Nanotubes as Templates and Their Gas-Sensing Properties. Journal of Physical Chemistry C, 2009, 113, 9581-9587.	1.5	91
147	Novel Single-Crystalline Hierarchical Structured ZnO Nanorods Fabricated via a Wet-Chemical Route: Combined High Gas Sensing Performance with Enhanced Optical Properties. Crystal Growth and Design, 2009, 9, 1716-1722.	1.4	67
148	Dynamic Prebreakdown Current Measurement of Nanotips-Based Gas Ionization Sensor Application at Ambient Atmosphere. IEEE Sensors Journal, 2009, 9, 435-440.	2.4	10
149	Fabrication of gas ionization sensors using well-aligned MWCNT arrays grown in porous AAO templates. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 313-314, 355-358.	2.3	14
150	Template synthesis, organic gas-sensing and optical properties of hollow and porous In<sub>2</sub>O<sub>3</sub> nanospheres. Nanotechnology, 2008, 19, 345704.	1.3	106
151	A Novel Antimonyâˆ™Carbon Nanotubeâˆ™Tin Oxide Thin Film:â€‰ Carbon Nanotubes as Growth Guider and Energy Buffer. Application for Indoor Air Pollutants Gas Sensor. Journal of Physical Chemistry C, 2008, 112, 6119-6125.	1.5	54
152	Detection of volatile organic compounds by using a single temperature-modulated SnO <sub>2</sub> gas sensor and artificial neural network. Smart Materials and Structures, 2007, 16, 701-705.	1.8	27
153	In situ fabrication of carbon nanotube/nanofibres from the bulk polymer at mild temperature. Materials Letters, 2006, 60, 2312-2314.	1.3	0
154	DYNAMIC CHARACTERISTICS OF SnO <sub>2</sub> GAS SENSOR FOR LPG DETECTION. International Journal of Information Acquisition, 2004, 01, 225-230.	0.2	0
155	Carboxylation multi-walled carbon nanotubes modified with LiClO <sub>4</sub> for water vapour detection. Nanotechnology, 2004, 15, 1284-1288.	1.3	43
156	Quantitative analysis of pesticide residue based on the dynamic response of a single SnO <sub>2</sub> gas sensor. Sensors and Actuators B: Chemical, 2004, 99, 330-335.	4.0	28
157	Gas sensing behavior of a single tin dioxide sensor under dynamic temperature modulation. Sensors and Actuators B: Chemical, 2004, 99, 444-450.	4.0	98
158	New approach for the detection of organophosphorus pesticide in cabbage using SPME/SnO <sub>2</sub> gas sensor: principle and preliminary experiment. Sensors and Actuators B: Chemical, 2004, 102, 235-240.	4.0	12
159	New approach for the detection of organophosphorus pesticide in cabbage using SPME/SnO <sub>2</sub> gas sensor: principle and preliminary experiment. Sensors and Actuators B: Chemical, 2004, 102, 235-235.	4.0	2
160	Study of Influencing Factors of Dynamic Measurements Based on SnO <sub>2</sub> Gas Sensor. Sensors, 2004, 4, 95-104.	2.1	42
161	Rapid detection of hazardous gas using one SnO <sub>2</sub> gas sensor based on dynamic measurement. , 0, , .		2