# Julia Hippisley-Cox

## List of Publications by Citations

Source: https://exaly.com/author-pdf/3582939/julia-hippisley-cox-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 209
 12,014
 59
 107

 papers
 citations
 h-index
 g-index

 240
 15,157
 6.4
 6.94

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
209	Predicting cardiovascular risk in England and Wales: prospective derivation and validation of QRISK2. <i>BMJ, The</i> , <b>2008</b> , 336, 1475-82	5.9	886
208	Lifetime risks of cardiovascular disease. New England Journal of Medicine, 2012, 366, 321-9	59.2	579
207	Derivation and validation of QRISK, a new cardiovascular disease risk score for the United Kingdom: prospective open cohort study. <i>BMJ, The</i> , <b>2007</b> , 335, 136	5.9	554
206	Development and validation of QRISK3 risk prediction algorithms to estimate future risk of cardiovascular disease: prospective cohort study. <i>BMJ, The</i> , <b>2017</b> , 357, j2099	5.9	490
205	Antidepressant use and risk of adverse outcomes in older people: population based cohort study. <i>BMJ, The</i> , <b>2011</b> , 343, d4551	5.9	489
204	Risk of myocardial infarction in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. <i>BMJ, The</i> , <b>2005</b> , 330, 1366	5.9	404
203	Unintended effects of statins in men and women in England and Wales: population based cohort study using the QResearch database. <i>BMJ, The</i> , <b>2010</b> , 340, c2197	5.9	351
202	Predicting risk of osteoporotic fracture in men and women in England and Wales: prospective derivation and validation of QFractureScores. <i>BMJ, The,</i> <b>2009</b> , 339, b4229	5.9	299
201	Predicting risk of type 2 diabetes in England and Wales: prospective derivation and validation of QDScore. <i>BMJ, The</i> , <b>2009</b> , 338, b880	5.9	237
200	Anticholinergic Drug Exposure and the Risk of Dementia: A Nested Case-Control Study. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1084-1093	11.5	235
199	Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. <i>BMJ, The</i> , <b>2020</b> , 371, m3731	5.9	226
198	Derivation and validation of updated QFracture algorithm to predict risk of osteoporotic fracture in primary care in the United Kingdom: prospective open cohort study. <i>BMJ, The</i> , <b>2012</b> , 344, e3427	5.9	209
197	Derivation, validation, and evaluation of a new QRISK model to estimate lifetime risk of cardiovascular disease: cohort study using QResearch database. <i>BMJ, The</i> , <b>2010</b> , 341, c6624	5.9	205
196	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 1-11	2.6	198
195	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. <i>Heart</i> , <b>2020</b> , 106, 1503-1511	5.1	174
194	Risk of adverse gastrointestinal outcomes in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. <i>BMJ, The</i> , <b>2005</b> , 331, 1310-6	5.9	169
193	Use of hormone replacement therapy and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , <b>2019</b> , 364, k4810	5.9	151

#### (1999-2008)

192	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study. <i>Heart</i> , <b>2008</b> , 94, 34-9	5.1	142
191	Cross sectional survey of socioeconomic variations in severity and mechanism of childhood injuries in Trent 1992-7. <i>BMJ, The</i> , <b>2002</b> , 324, 1132	5.9	142
190	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2009</b> , 18, 1176-84	2.6	138
189	Depression as a risk factor for ischaemic heart disease in men: population based case-control study. BMJ: British Medical Journal, <b>1998</b> , 316, 1714-9		138
188	Risks and benefits of direct oral anticoagulants versus warfarin in a real world setting: cohort study in primary care. <i>BMJ, The</i> , <b>2018</b> , 362, k2505	5.9	134
187	Trends in national incidence, lifetime prevalence and adrenaline prescribing for anaphylaxis in England. <i>Journal of the Royal Society of Medicine</i> , <b>2008</b> , 101, 139-43	2.3	130
186	Predicting the risk of chronic Kidney Disease in men and women in England and Wales: prospective derivation and external validation of the QKidney Scores. <i>BMC Family Practice</i> , <b>2010</b> , 11, 49	2.6	126
185	Risk of malignancy in patients with schizophrenia or bipolar disorder: nested case-control study. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 1368-76		115
184	Sex inequalities in ischaemic heart disease in general practice: cross sectional survey. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 322, 832		113
183	Use of combined oral contraceptives and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , <b>2015</b> , 350, h2135	5.9	107
182	Antipsychotic drugs and risk of venous thromboembolism: nested case-control study. <i>BMJ, The</i> , <b>2010</b> , 341, c4245	5.9	107
181	Associations between body-mass index and COVID-19 severity in 6 <sup>th</sup> million people in England: a prospective, community-based, cohort study. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2021</b> , 9, 350-359	18.1	107
180	Married couplesQisk of same disease: cross sectional study. <i>BMJ, The</i> , <b>2002</b> , 325, 636	5.9	104
179	The NHS Health Check in England: an evaluation of the first 4 years. <i>BMJ Open</i> , <b>2016</b> , 6, e008840	3	103
178	Effect of combinations of drugs on all cause mortality in patients with ischaemic heart disease: nested case-control analysis. <i>BMJ</i> , <i>The</i> , <b>2005</b> , 330, 1059-63	5.9	95
177	The electronic patient record in primary careregression or progression? A cross sectional study. <i>BMJ, The,</i> <b>2003</b> , 326, 1439-43	5.9	94
176	Development and validation of risk prediction algorithm (QThrombosis) to estimate future risk of venous thromboembolism: prospective cohort study. <i>BMJ, The</i> , <b>2011</b> , 343, d4656	5.9	89
175	Association of panic disorder and panic attacks with hypertension. <i>American Journal of Medicine</i> , <b>1999</b> , 107, 310-6	2.4	85

174	Exposure to statins and risk of common cancers: a series of nested case-control studies. <i>BMC Cancer</i> , <b>2011</b> , 11, 409	4.8	83
173	Derivation and validation of QStroke score for predicting risk of ischaemic stroke in primary care and comparison with other risk scores: a prospective open cohort study. <i>BMJ, The</i> , <b>2013</b> , 346, f2573	5.9	82
172	A study of the safety and harms of antidepressant drugs for older people: a cohort study using a large primary care database. <i>Health Technology Assessment</i> , <b>2011</b> , 15, 1-202, iii-iv	4.4	82
171	Identification of new risk factors for pneumonia: population-based case-control study. <i>British Journal of General Practice</i> , <b>2009</b> , 59, e329-38	1.6	78
170	Identifying patients with suspected colorectal cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2012</b> , 62, e29-37	1.6	77
169	Antidepressants as risk factor for ischaemic heart disease: case-control study in primary care. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 666-9		76
168	Antidepressant use and risk of suicide and attempted suicide or self harm in people aged 20 to 64: cohort study using a primary care database. <i>BMJ, The</i> , <b>2015</b> , 350, h517	5.9	75
167	Risk of colorectal cancer in patients prescribed statins, nonsteroidal anti-inflammatory drugs, and cyclooxygenase-2 inhibitors: nested case-control study. <i>Gastroenterology</i> , <b>2007</b> , 133, 393-402	13.3	74
166	Prevalence, care, and outcomes for patients with diet-controlled diabetes in general practice: cross sectional survey. <i>Lancet, The</i> , <b>2004</b> , 364, 423-8	40	74
165	Discontinuation and restarting in patients on statin treatment: prospective open cohort study using a primary care database. <i>BMJ, The</i> , <b>2016</b> , 353, i3305	5.9	72
164	Inequalities in the primary care of patients with coronary heart disease and serious mental health problems: a cross-sectional study. <i>Heart</i> , <b>2007</b> , 93, 1256-62	5.1	72
163	Predicting risk of emergency admission to hospital using primary care data: derivation and validation of QAdmissions score. <i>BMJ Open</i> , <b>2013</b> , 3, e003482	3	69
162	Effects of severe mental illness on survival of people with diabetes. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 272-7	5.4	68
161	Development and validation of risk prediction algorithms to estimate future risk of common cancers in men and women: prospective cohort study. <i>BMJ Open</i> , <b>2015</b> , 5, e007825	3	67
160	Association of deprivation, ethnicity, and sex with quality indicators for diabetes: population based survey of 53,000 patients in primary care. <i>BMJ, The</i> , <b>2004</b> , 329, 1267-9	5.9	67
159	Diabetes treatments and risk of heart failure, cardiovascular disease, and all cause mortality: cohort study in primary care. <i>BMJ, The</i> , <b>2016</b> , 354, i3477	5.9	67
158	Development and validation of QDiabetes-2018 risk prediction algorithm to estimate future risk of type 2 diabetes: cohort study. <i>BMJ, The</i> , <b>2017</b> , 359, j5019	5.9	63
157	Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2012</b> , 21, 611-21	2.6	63

# (2013-2011)

156	Identifying patients with suspected lung cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e715-23	1.6	63	
155	COVID-19 Mortality Risk in Down Syndrome: Results From a Cohort Study of 8 Million Adults. <i>Annals of Internal Medicine</i> , <b>2021</b> , 174, 572-576	8	63	
154	Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care. <i>BMJ, The</i> , <b>2016</b> , 352, i1450	5.9	62	
153	Neurological complications after first dose of COVID-19 vaccines and SARS-CoV-2 infection. <i>Nature Medicine</i> , <b>2021</b> ,	50.5	61	
152	Risk of thrombocytopenia and thromboembolism after covid-19 vaccination and SARS-CoV-2 positive testing: self-controlled case series study. <i>BMJ, The</i> , <b>2021</b> , 374, n1931	5.9	61	
151	Risks of myocarditis, pericarditis, and cardiac arrhythmias associated with COVID-19 vaccination or SARS-CoV-2 infection <i>Nature Medicine</i> , <b>2021</b> ,	50.5	60	
150	Symptoms and risk factors to identify women with suspected cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2013</b> , 63, e11-21	1.6	58	
149	Symptoms and risk factors to identify men with suspected cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2013</b> , 63, e1-10	1.6	55	
148	Predicting risk of upper gastrointestinal bleed and intracranial bleed with anticoagulants: cohort study to derive and validate the QBleed scores. <i>BMJ, The</i> , <b>2014</b> , 349, g4606	5.9	54	
147	Uptake of pneumococcal polysaccharide vaccine in at-risk populations in England and Wales 1999-2005. <i>Epidemiology and Infection</i> , <b>2008</b> , 136, 360-9	4.3	54	
146	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. <i>Public Health</i> , <b>2004</b> , 118, 576-81	4	54	
145	Measuring performance and missing the point?. <i>BMJ, The</i> , <b>2007</b> , 335, 1075-6	5.9	50	
144	Trends in the epidemiology and prescribing of medication for eczema in England. <i>Journal of the Royal Society of Medicine</i> , <b>2009</b> , 102, 108-17	2.3	49	
143	Incidence and prevalence of multiple allergic disorders recorded in a national primary care database. <i>Journal of the Royal Society of Medicine</i> , <b>2008</b> , 101, 558-63	2.3	49	
142	Clinical pathways for patients with newly diagnosed hepatitis C - what actually happens. <i>Journal of Viral Hepatitis</i> , <b>2006</b> , 13, 264-71	3.4	49	
141	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. <i>Lancet Respiratory Medicine,the</i> , <b>2021</b> , 9, 909-923	35.1	48	
140	Antidepressant use and risk of cardiovascular outcomes in people aged 20 to 64: cohort study using primary care database. <i>BMJ, The</i> , <b>2016</b> , 352, i1350	5.9	46	
139	Exposure to bisphosphonates and risk of gastrointestinal cancers: series of nested case-control studies with QResearch and CPRD data. <i>BMJ, The,</i> <b>2013</b> , 346, f114	5.9	44	

138	Individualising the risks of statins in men and women in England and Wales: population-based cohort study. <i>Heart</i> , <b>2010</b> , 96, 939-47	5.1	44
137	Identifying women with suspected ovarian cancer in primary care: derivation and validation of algorithm. <i>BMJ, The</i> , <b>2011</b> , 344, d8009	5.9	44
136	Inequalities in uptake of influenza vaccine by deprivation and risk group: time trends analysis. <i>Vaccine</i> , <b>2007</b> , 25, 7363-71	4.1	44
135	Inequalities in access to coronary angiography and revascularisation: the association of deprivation and location of primary care services. <i>British Journal of General Practice</i> , <b>2000</b> , 50, 449-54	1.6	44
134	Trends in the epidemiology of chronic obstructive pulmonary disease in England: a national study of 51 804 patients. <i>British Journal of General Practice</i> , <b>2010</b> , 60, 277-84	1.6	42
133	Antidepressant use and risk of epilepsy and seizures in people aged 20 to 64lyears: cohort study using a primary care database. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 315	4.2	40
132	Economic impact of disease and injury: counting what matters. <i>BMJ, The</i> , <b>2010</b> , 340, c924	5.9	40
131	Risk of pneumonia in patients taking statins: population-based nested case-control study. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e742-8	1.6	39
130	The effect of deprivation on variations in general practitioners Qeferral rates: a cross sectional study of computerised data on new medical and surgical outpatient referrals in Nottinghamshire. <i>BMJ: British Medical Journal</i> , <b>1997</b> , 314, 1458-61		39
129	Development and validation of QMortality risk prediction algorithm to estimate short term risk of death and assess frailty: cohort study. <i>BMJ, The</i> , <b>2017</b> , 358, j4208	5.9	38
128	The performance of seven QPrediction risk scores in an independent external sample of patients from general practice: a validation study. <i>BMJ Open</i> , <b>2014</b> , 4, e005809	3	38
127	Identifying patients with suspected pancreatic cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2012</b> , 62, e38-45	1.6	38
126	Trends in the epidemiology and prescribing of medication for allergic rhinitis in England. <i>Journal of the Royal Society of Medicine</i> , <b>2008</b> , 101, 466-72	2.3	38
125	Do single handed practices offer poorer care? Cross sectional survey of processes and outcomes. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 320-3		38
124	Risk prediction of covid-19 related death and hospital admission in adults after covid-19 vaccination: national prospective cohort study. <i>BMJ, The</i> , <b>2021</b> , 374, n2244	5.9	38
123	Exposure to cyclooxygenase-2 inhibitors and risk of cancer: nested case-control studies. <i>British Journal of Cancer</i> , <b>2011</b> , 105, 452-9	8.7	37
122	Identifying undiagnosed diabetes: cross-sectional survey of 3.6 million patients@lectronic records. <i>British Journal of General Practice</i> , <b>2008</b> , 58, 192-6	1.6	37
121	Quality of diabetes care in patients with schizophrenia and bipolar disorder: cross-sectional study. Diabetic Medicine, <b>2007</b> , 24, 1442-8	3.5	37

## (2000-2018)

120	Antidepressant use and risk of adverse outcomes in people aged 20-64 years: cohort study using a primary care database. <i>BMC Medicine</i> , <b>2018</b> , 16, 36	11.4	35	
119	QRESEARCH: a new general practice database for research. <i>Journal of Innovation in Health Informatics</i> , <b>2004</b> , 12, 49-50		34	
118	A comparison of research general practices and their patients with other practicesa cross-sectional survey in Trent. <i>British Journal of General Practice</i> , <b>2002</b> , 52, 463-8	1.6	34	
117	Identifying patients with suspected gastro-oesophageal cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e707-14	1.6	33	
116	Use of hormone replacement therapy and risk of breast cancer: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , <b>2020</b> , 371, m3873	5.9	33	
115	Development and validation of risk prediction equations to estimate survival in patients with colorectal cancer: cohort study. <i>BMJ, The</i> , <b>2017</b> , 357, j2497	5.9	32	
114	Development and validation of risk prediction equations to estimate future risk of blindness and lower limb amputation in patients with diabetes: cohort study. <i>BMJ, The</i> , <b>2015</b> , 351, h5441	5.9	32	
113	Panic disorder, anxiety and depression in resistant hypertensiona case-control study. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 1077-82	1.9	31	
112	Effect of statins on the mortality of patients with ischaemic heart disease: population based cohort study with nested case-control analysis. <i>Heart</i> , <b>2006</b> , 92, 752-8	5.1	31	
111	Mortality and critical care unit admission associated with the SARS-CoV-2 lineage B.1.1.7 in England: an observational cohort study. <i>Lancet Infectious Diseases, The</i> , <b>2021</b> , 21, 1518-1528	25.5	31	
110	Use of a large general practice syndromic surveillance system to monitor the progress of the influenza A(H1N1) pandemic 2009 in the UK. <i>Epidemiology and Infection</i> , <b>2012</b> , 140, 100-5	4.3	30	
109	Consultation patterns and provision of contraception in general practice before teenage pregnancy: case-control study. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 321, 486-9		30	
108	Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. <i>Thorax</i> , <b>2021</b> ,	7.3	30	
107	Trends in the epidemiology of smoking recorded in UK general practice. <i>British Journal of General Practice</i> , <b>2010</b> , 60, e121-7	1.6	29	
106	Inequalities in hospital admission rates for unintentional poisoning in young children. <i>Injury Prevention</i> , <b>2006</b> , 12, 166-70	3.2	27	
105	General practice workload implications of the national service framework for coronary heart disease: cross sectional survey. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 269-70		27	
104	Exposure to bisphosphonates and risk of common non-gastrointestinal cancers: series of nested case-control studies using two primary-care databases. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 795-806	8.7	25	
103	Association between teenage pregnancy rates and the age and sex of general practitioners: cross sectional survey in Trent 1994-7. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 320, 842-5		25	

102	Association Between Race and COVID-19 Outcomes Among 2.6 Million Children in England. <i>JAMA Pediatrics</i> , <b>2021</b> , 175, 928-938	8.3	25
101	Value of syndromic surveillance in monitoring a focal waterborne outbreak due to an unusual Cryptosporidium genotype in Northamptonshire, United Kingdom, June - July 2008. <i>Eurosurveillance</i> , <b>2010</b> , 15, 19643	19.8	24
100	Identifying patients with suspected renal tract cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , <b>2012</b> , 62, e251-60	1.6	23
99	Incidence, prevalence and mortality of bullous pemphigoid in England 1998-2017: a population-based cohort study. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 68-77	4	23
98	Methodology for Assessing the Usefulness of General Practice Data for Research in One Research Network. <i>Health Informatics Journal</i> , <b>2004</b> , 10, 91-109	3	22
97	Cross sectional survey of effectiveness of lipid lowering drugs in reducing serum cholesterol concentration in patients in 17 general practices. <i>BMJ, The</i> , <b>2003</b> , 326, 689	5.9	19
96	Integrated Polygenic Tool Substantially Enhances Coronary Artery Disease Prediction. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , 14, e003304	5.2	19
95	Development and validation of risk prediction equations to estimate future risk of heart failure in patients with diabetes: a prospective cohort study. <i>BMJ Open</i> , <b>2015</b> , 5, e008503	3	17
94	Are spouses of patients with hypertension at increased risk of having hypertension? A population-based case-control study. <i>British Journal of General Practice</i> , <b>1998</b> , 48, 1580-3	1.6	17
93	Smoking cessation treatment in primary care: prospective cohort study. <i>Tobacco Control</i> , <b>2005</b> , 14, 242-	-65.3	16
92	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. <i>Studies in Health Technology and Informatics</i> , <b>2009</b> , 150, 190-4	0.5	16
91	Analysis of severe outcomes associated with the SARS-CoV-2 Variant of Concern 202012/01 in England using ICNARC Case Mix Programme and QResearch databases		15
90	Coronary heart disease prevention and age inequalities: the first year of the National Service Framework for CHD. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 369-75	1.6	14
89	Developing a national primary care-based early warning system for health protectiona surveillance tool for the future? Analysis of routinely collected data. <i>Journal of Public Health</i> , <b>2007</b> , 29, 75-82	3.5	13
88	Early spread of the 2009 influenza A(H1N1) pandemic in the United Kingdom Luse of local syndromic data, May August 2009. <i>Eurosurveillance</i> , <b>2011</b> , 16,	19.8	12
87	Safety of antidepressants in adults aged under 65: protocol for a cohort study using a large primary care database. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 135	4.2	11
86	Teenagers at risk of unintended pregnancy: identification of practical risk markers for use in general practice from a retrospective analysis of case records in the United Kingdom. <i>International Journal of Adolescent Medicine and Health</i> , <b>2002</b> , 14, 153-60	1.1	11
85	Sex inequalities in access to care for patients with diabetes in primary care: questionnaire survey.  British Journal of General Practice, 2006, 56, 342-8	1.6	11

# (2014-2020)

84	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003215	11.6	11
83	Use of menopausal hormone therapy and risk of dementia: nested case-control studies using QResearch and CPRD databases. <i>BMJ, The</i> , <b>2021</b> , 374, n2182	5.9	11
82	Accidental injury: a neglected area within Primary Care Groups and Trusts?. <i>Health Education Research</i> , <b>2003</b> , 18, 380-8	1.8	10
81	Early spread of the 2009 influenza A(H1N1) pandemic in the United Kingdomuse of local syndromic data, May-August 2009. <i>Eurosurveillance</i> , <b>2011</b> , 16,	19.8	10
80	Symptoms and risk factors to identify people with suspected cancer in primary care. <i>British Journal of General Practice</i> , <b>2013</b> , 63, 125-6	1.6	7
79	Exposure to bisphosphonates and risk of cancer: a protocol for nested case-control studies using the QResearch primary care database. <i>BMJ Open</i> , <b>2012</b> , 2, e000548	3	7
78	Severe traffic injuries to children, Trent, 1992-7: time trend analysis. <i>BMJ, The</i> , <b>2003</b> , 327, 593-4	5.9	7
77	No evidence that panic attacks are associated with the white coat effect in hypertension. <i>Journal of Clinical Hypertension</i> , <b>2003</b> , 5, 145-52	2.3	7
76	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: a national validation cohort study in England. <i>The Lancet Digital Health</i> , <b>2021</b> , 3, e425-e433	14.4	7
75	Exposure to combined oral contraceptives and risk of venous thromboembolism: a protocol for nested case-control studies using the QResearch and the CPRD databases. <i>BMJ Open</i> , <b>2014</b> , 4, e004499	3	6
74	Rectal and postmenopausal bleeding: consultation and referral of patients with and without severe mental health problems. <i>British Journal of General Practice</i> , <b>2007</b> , 57, 371-6	1.6	6
73	Prostate-specific antigen testing and opportunistic prostate cancer screening: a cohort study in England, 1998-2017. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e157-e165	1.6	6
72	Sickle Cell Disorders and Severe COVID-19 Outcomes: A Cohort Study. <i>Annals of Internal Medicine</i> , <b>2021</b> , 174, 1483-1487	8	6
71	Advantages of QRISK2 (2010): the key issue is ethnicity and extent of reallocation. <i>Heart</i> , <b>2011</b> , 97, 515; author reply 515-6	5.1	5
70	A pilot study of a randomized controlled trial of pragmatic eradication of Helicobactor pylori in primary care. <i>British Journal of General Practice</i> , <b>1997</b> , 47, 375-7	1.6	5
69	A case-control study on the effect of hormone replacement therapy on ischaemic heart disease. <i>British Journal of General Practice</i> , <b>2003</b> , 53, 191-6	1.6	5
68	The current status of risk-stratified breast screening. British Journal of Cancer, 2021,	8.7	5
67	QRISK2 validation by ethnic group. <i>Heart</i> , <b>2014</b> , 100, 436	5.1	4

66	QRISK or Framingham?. British Journal of Clinical Pharmacology, 2012, 74, 545-6	3.8	4
65	Assessing the accuracy of a computerized decision support system for digoxin dosing in primary care: an observational study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2005</b> , 30, 279-83	2.2	4
64	Patients who discontinued statin treatment: a protocol for cohort study using primary care data. <i>BMJ Open</i> , <b>2015</b> , 5, e008701	3	4
63	QFLU: new influenza monitoring in UK primary care to support pandemic influenza planning. <i>Eurosurveillance</i> , <b>2006</b> , 11, E060622.4	19.8	4
62	An integrated polygenic and clinical risk tool enhances coronary artery disease prediction		4
61	Protocol for the development and evaluation of a tool for predicting risk of short-term adverse outcomes due to COVID-19 in the general UK population		4
60	Association of Anticholinergic Drug Exposure With Increased Occurrence of Dementia-Reply. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1730-1731	11.5	4
59	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. <i>Heart</i> , <b>2020</b> ,	5.1	4
58	Real-world effect of antidepressants for depressive disorder in primary care: protocol of a population-based cohort study. <i>Evidence-Based Mental Health</i> , <b>2020</b> , 23, 122-126	11.1	3
57	Trends in antidepressant prescriptions in children and young people in England, 1998-2017: protocol of a cohort study using linked primary care and secondary care datasets. <i>Evidence-Based Mental Health</i> , <b>2019</b> , 22, 129-133	11.1	3
56	Report of the independent panel considering the retraction of two articles in The BMJ. <i>BMJ, The</i> , <b>2014</b> , 349, g5176	5.9	3
55	Inequalities in access to care for patients with ischaemic heart disease. <i>British Journal of General Practice</i> , <b>2004</b> , 54, 411-2	1.6	3
54	General practice characteristics associated with rates of testing and detection of hepatitis C: cross-sectional study in Nottingham and Derbyshire. <i>British Journal of General Practice</i> , <b>2006</b> , 56, 620-3	1.6	3
53	External validation of the QCovid risk prediction algorithm for risk of COVID-19 hospitalisation and mortality in adults: national validation cohort study in Scotland. <i>Thorax</i> , <b>2021</b> ,	7.3	3
52	Risk models for recurrence and survival after kidney cancer: a systematic review <i>BJU International</i> , <b>2021</b> ,	5.6	3
51	Validation study of bullous pemphigoid and pemphigus vulgaris recording in routinely collected electronic primary healthcare records in England. <i>BMJ Open</i> , <b>2020</b> , 10, e035934	3	3
50	NHS Health Checks: an observational study of equity and outcomes 2009-2017. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e701-e710	1.6	3
49	Secondary care specialist visits made by children and young people prescribed antidepressants in primary care: a descriptive study using the QResearch database. <i>BMC Medicine</i> , <b>2020</b> , 18, 93	11.4	2

48	QRisk superior in diverse South Asian groups. <i>International Journal of Clinical Practice</i> , <b>2012</b> , 66, 722	2.9	2
47	Is low-dose aspirin use associated with a reduced risk of colorectal cancer? A QResearch primary care database analysis. <i>Gut</i> , <b>2011</b> , 60, A3-A3	19.2	2
46	Music to be born to, music to die to. BMJ: British Medical Journal, 2000, 321, 1577-9		2
45	Teenage pregnancy in the UK: Where are we going wrong?. <i>International Journal of Adolescent Medicine and Health</i> , <b>2011</b> , 12, 261-74	1.1	2
44	Association between smoking, e-cigarette use and severe COVID-19: a cohort study <i>International Journal of Epidemiology</i> , <b>2022</b> ,	7.8	2
43	Risk of myocarditis following sequential COVID-19 vaccinations by age and sex		2
42	Are patients who present late with cancer registered with low referring practices?. <i>British Journal of General Practice</i> , <b>1997</b> , 47, 731-2	1.6	2
41	Associations between COVID-19 infection, tobacco smoking and nicotine use, common respiratory conditions and inhaled corticosteroids: a prospective QResearch-Case Mix Programme data linkage study January-May 2020		2
40	Lowering patients Qtholesterol. Extrapolating results of trial of simvastatin gives room for doubt. <i>BMJ: British Medical Journal</i> , <b>1995</b> , 311, 690-1		2
39	The Use of Primary Care Big Data in Understanding the Pharmacoepidemiology of COVID-19: A Consensus Statement From the COVID-19 Primary Care Database Consortium. <i>Annals of Family Medicine</i> , <b>2021</b> , 19, 135-140	2.9	2
38	Lifetime risks of cardiovascular disease. <i>New England Journal of Medicine</i> , <b>2012</b> , 366, 1641; author reply 1642-3	59.2	1
37	Adding systematic family history enquiry to cardiovascular disease risk assessment: clinical utility in primary care. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 148; author reply 149	8	1
36	Predictive effect of heartburn and indigestion and risk of upper gastro-intestinal malignancy. <i>British Journal of General Practice</i> , <b>2012</b> , 62, 124-6	1.6	1
35	Competency, consent, and the duty of care: ethical dilemma. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 317, 809-10		1
34	Analysis of incidence of motor neuron disease in England 1998-2019: use of three linked datasets <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , <b>2022</b> , 1-9	3.6	1
33	The cost-effectiveness of lipid lowering in patients with ischaemic heart disease: an intervention and evaluation in primary care. <i>British Journal of General Practice</i> , <b>2000</b> , 50, 699-705	1.6	1
32	NHS Health Checks for people with mental ill-health 2013-2017: an observational study. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e188	5.1	1
31	PROTOCOL: A cohort study examining the association between mirtazapine and mortality risk in adults with a diagnosis of depression		1

30	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: national validation cohort study in England		1
29	Risk of COVID-19 related deaths for SARS-CoV-2 Omicron (B.1.1.529) compared with Delta (B.1.617.2)		1
28	Validating the QCOVID risk prediction algorithm for risk of mortality from COVID-19 in the adult population in Wales, UK <i>International Journal of Population Data Science</i> , <b>2020</b> , 5, 1697	1.4	1
27	Childhood, teenage and young adult cancer diagnosis during the first wave of the COVID-19 pandemic: a population-based observational cohort study in England <i>Archives of Disease in Childhood</i> , <b>2022</b> ,	2.2	1
26	Respiratory tract infection and risk of bleeding in oral anticoagulant users: self-controlled case series <i>BMJ, The</i> , <b>2021</b> , 375, e068037	5.9	1
25	The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records <i>BMC Medicine</i> , <b>2022</b> , 20, 43	11.4	O
24	Predicting the risk of prostate cancer in asymptomatic men: a cohort study to develop and validate a novel algorithm. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e364-e371	1.6	O
23	Identifying symptoms associated with diagnosis of pancreatic exocrine and neuroendocrine neoplasms: a nested case-control study of the UK primary care population. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e836-e845	1.6	O
22	Hormone replacement therapy in women with cancer and risk of cancer-specific mortality and cardiovascular disease: a protocol for a cohort study from Scotland and Wales. <i>BMC Cancer</i> , <b>2021</b> , 21, 313	4.8	0
21	Incorporating cancer risk information into general practice: a qualitative study using focus groups with health professionals. <i>British Journal of General Practice</i> , <b>2017</b> , 67, 158	1.6	
20	Response to Letter on Statin Use and Risk of Cataracts: Firm Conclusions Are Still Off. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , <b>2016</b> , 21, 222	2.6	
19	Concerns on "Validation of a Data Collection Tool and Stroke Risk Predictor". <i>International Journal of Stroke</i> , <b>2015</b> , 10, E82	6.3	
18	Authors@eply to Zagarella. BMJ, The, 2015, 350, h3308	5.9	
17	Predicting risk of bladder cancer in the UK. British Journal of General Practice, 2012, 62, 570-1	1.6	
16	Independent external validation of QCancer (Ovarian). European Journal of Cancer Care, 2013, 22, 559-0	<b>52</b> .4	
15	Assisted delivery in the teenage population: the effect of inter-hospital variation, deprivation, and age. <i>International Journal of Adolescent Medicine and Health</i> , <b>2003</b> , 15, 341-7	1.1	
14	A randomized controlled trial of the effect of providing information on accidental injury admissions and their costs to Primary Care Groups and Trusts. <i>Family Practice</i> , <b>2005</b> , 22, 249-52	1.9	
13	Prediction models for endometrial cancer for the general population or symptomatic women. <i>Critical Reviews in Oncology/Hematology</i> , <b>2020</b> , 150, 102712	7	

#### LIST OF PUBLICATIONS

12	protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e045286	3
11	The AuthorsQeply. <i>Heart</i> , <b>2021</b> , 107, 85-86	5.1
10	Using electronic health records to inform trial feasibility in a rare autoimmune blistering skin disease in England. <i>BMC Medical Research Methodology</i> , <b>2021</b> , 21, 22	4.7
9	Hormone replacement therapy and cancer survival: a longitudinal cohort study: protocol paper. <i>BMJ Open</i> , <b>2021</b> , 11, e046701	3
8	Long-term oral prednisolone exposure in primary care for bullous pemphigoid: population-based study. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e904-e911	1.6
7	Development and validation of clinical prediction models for breast cancer incidence and mortality: a protocol for a dual cohort study <i>BMJ Open</i> , <b>2022</b> , 12, e050828	3
6	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	
5	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	
4	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	
3	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	
2	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	
1	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998 <b>2</b> 017: A population-based cohort study <b>2020</b> , 17, e1003215	