

Julia Hippisley-Cox

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3582939/julia-hippisle-ox-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209
papers

12,014
citations

59
h-index

107
g-index

240
ext. papers

15,157
ext. citations

6.4
avg, IF

6.94
L-index

#	Paper	IF	Citations
209	The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records.. <i>BMC Medicine</i> , 2022 , 20, 43	11.4	0
208	Analysis of incidence of motor neuron disease in England 1998-2019: use of three linked datasets.. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2022 , 1-9	3.6	1
207	Association between smoking, e-cigarette use and severe COVID-19: a cohort study.. <i>International Journal of Epidemiology</i> , 2022 ,	7.8	2
206	Childhood, teenage and young adult cancer diagnosis during the first wave of the COVID-19 pandemic: a population-based observational cohort study in England.. <i>Archives of Disease in Childhood</i> , 2022 ,	2.2	1
205	Development and validation of clinical prediction models for breast cancer incidence and mortality: a protocol for a dual cohort study.. <i>BMJ Open</i> , 2022 , 12, e050828	3	
204	Risks of myocarditis, pericarditis, and cardiac arrhythmias associated with COVID-19 vaccination or SARS-CoV-2 infection.. <i>Nature Medicine</i> , 2021 ,	50.5	60
203	External validation of the QCovid risk prediction algorithm for risk of COVID-19 hospitalisation and mortality in adults: national validation cohort study in Scotland. <i>Thorax</i> , 2021 ,	7.3	3
202	Risk models for recurrence and survival after kidney cancer: a systematic review.. <i>BJU International</i> , 2021 ,	5.6	3
201	Prostate-specific antigen testing and opportunistic prostate cancer screening: a cohort study in England, 1998-2017. <i>British Journal of General Practice</i> , 2021 , 71, e157-e165	1.6	6
200	The current status of risk-stratified breast screening. <i>British Journal of Cancer</i> , 2021 ,	8.7	5
199	Neurological complications after first dose of COVID-19 vaccines and SARS-CoV-2 infection. <i>Nature Medicine</i> , 2021 ,	50.5	61
198	Predicting the risk of prostate cancer in asymptomatic men: a cohort study to develop and validate a novel algorithm. <i>British Journal of General Practice</i> , 2021 , 71, e364-e371	1.6	0
197	The Use of Primary Care Big Data in Understanding the Pharmacoepidemiology of COVID-19: A Consensus Statement From the COVID-19 Primary Care Database Consortium. <i>Annals of Family Medicine</i> , 2021 , 19, 135-140	2.9	2
196	Quantifying the association between ethnicity and COVID-19 mortality: a national cohort study protocol. <i>BMJ Open</i> , 2021 , 11, e045286	3	
195	Integrated Polygenic Tool Substantially Enhances Coronary Artery Disease Prediction. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003304	5.2	19
194	Associations between body-mass index and COVID-19 severity in 619 million people in England: a prospective, community-based, cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 350-359	18.1	107
193	Mortality and critical care unit admission associated with the SARS-CoV-2 lineage B.1.1.7 in England: an observational cohort study. <i>Lancet Infectious Diseases</i> , 2021 , 21, 1518-1528	25.5	31

192	Identifying symptoms associated with diagnosis of pancreatic exocrine and neuroendocrine neoplasms: a nested case-control study of the UK primary care population. <i>British Journal of General Practice</i> , 2021 , 71, e836-e845	1.6	0
191	Incidence, prevalence and mortality of bullous pemphigoid in England 1998-2017: a population-based cohort study. <i>British Journal of Dermatology</i> , 2021 , 184, 68-77	4	23
190	COVID-19 Mortality Risk in Down Syndrome: Results From a Cohort Study of 8 Million Adults. <i>Annals of Internal Medicine</i> , 2021 , 174, 572-576	8	63
189	The Authors Reply. <i>Heart</i> , 2021 , 107, 85-86	5.1	
188	Using electronic health records to inform trial feasibility in a rare autoimmune blistering skin disease in England. <i>BMC Medical Research Methodology</i> , 2021 , 21, 22	4.7	
187	NHS Health Checks: an observational study of equity and outcomes 2009-2017. <i>British Journal of General Practice</i> , 2021 , 71, e701-e710	1.6	3
186	Hormone replacement therapy in women with cancer and risk of cancer-specific mortality and cardiovascular disease: a protocol for a cohort study from Scotland and Wales. <i>BMC Cancer</i> , 2021 , 21, 313	4.8	0
185	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: a national validation cohort study in England. <i>The Lancet Digital Health</i> , 2021 , 3, e425-e433	14.4	7
184	Sickle Cell Disorders and Severe COVID-19 Outcomes: A Cohort Study. <i>Annals of Internal Medicine</i> , 2021 , 174, 1483-1487	8	6
183	Risk of thrombocytopenia and thromboembolism after covid-19 vaccination and SARS-CoV-2 positive testing: self-controlled case series study. <i>BMJ, The</i> , 2021 , 374, n1931	5.9	61
182	Hormone replacement therapy and cancer survival: a longitudinal cohort study: protocol paper. <i>BMJ Open</i> , 2021 , 11, e046701	3	
181	Long-term oral prednisolone exposure in primary care for bullous pemphigoid: population-based study. <i>British Journal of General Practice</i> , 2021 , 71, e904-e911	1.6	
180	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. <i>Lancet Respiratory Medicine</i> , 2021 , 9, 909-923	35.1	48
179	Risk prediction of covid-19 related death and hospital admission in adults after covid-19 vaccination: national prospective cohort study. <i>BMJ, The</i> , 2021 , 374, n2244	5.9	38
178	Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. <i>Thorax</i> , 2021 ,	7.3	30
177	Use of menopausal hormone therapy and risk of dementia: nested case-control studies using QResearch and CPRD databases. <i>BMJ, The</i> , 2021 , 374, n2182	5.9	11
176	Association Between Race and COVID-19 Outcomes Among 2.6 Million Children in England. <i>JAMA Pediatrics</i> , 2021 , 175, 928-938	8.3	25
175	Respiratory tract infection and risk of bleeding in oral anticoagulant users: self-controlled case series.. <i>BMJ, The</i> , 2021 , 375, e068037	5.9	1

174	Real-world effect of antidepressants for depressive disorder in primary care: protocol of a population-based cohort study. <i>Evidence-Based Mental Health</i> , 2020 , 23, 122-126	11.1	3
173	Secondary care specialist visits made by children and young people prescribed antidepressants in primary care: a descriptive study using the QResearch database. <i>BMC Medicine</i> , 2020 , 18, 93	11.4	2
172	NHS Health Checks for people with mental ill-health 2013-2017: an observational study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e188	5.1	1
171	Prediction models for endometrial cancer for the general population or symptomatic women. <i>Critical Reviews in Oncology/Hematology</i> , 2020 , 150, 102712	7	
170	Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. <i>BMJ, The</i> , 2020 , 371, m3731	5.9	226
169	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003215	11.6	11
168	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. <i>Heart</i> , 2020 , 106, 1503-1511	5.1	174
167	Use of hormone replacement therapy and risk of breast cancer: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , 2020 , 371, m3873	5.9	33
166	Validation study of bullous pemphigoid and pemphigus vulgaris recording in routinely collected electronic primary healthcare records in England. <i>BMJ Open</i> , 2020 , 10, e035934	3	3
165	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. <i>Heart</i> , 2020 ,	5.1	4
164	Validating the QCOVID risk prediction algorithm for risk of mortality from COVID-19 in the adult population in Wales, UK.. <i>International Journal of Population Data Science</i> , 2020 , 5, 1697	1.4	1
163	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
162	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
161	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
160	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
159	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
158	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study 2020 , 17, e1003215		
157	Anticholinergic Drug Exposure and the Risk of Dementia: A Nested Case-Control Study. <i>JAMA Internal Medicine</i> , 2019 , 179, 1084-1093	11.5	235

156	Trends in antidepressant prescriptions in children and young people in England, 1998-2017: protocol of a cohort study using linked primary care and secondary care datasets. <i>Evidence-Based Mental Health</i> , 2019 , 22, 129-133	11.1	3
155	Association of Anticholinergic Drug Exposure With Increased Occurrence of Dementia-Reply. <i>JAMA Internal Medicine</i> , 2019 , 179, 1730-1731	11.5	4
154	Use of hormone replacement therapy and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , 2019 , 364, k4810	5.9	151
153	Antidepressant use and risk of adverse outcomes in people aged 20-64 years: cohort study using a primary care database. <i>BMC Medicine</i> , 2018 , 16, 36	11.4	35
152	Risks and benefits of direct oral anticoagulants versus warfarin in a real world setting: cohort study in primary care. <i>BMJ, The</i> , 2018 , 362, k2505	5.9	134
151	Incorporating cancer risk information into general practice: a qualitative study using focus groups with health professionals. <i>British Journal of General Practice</i> , 2017 , 67, 158	1.6	
150	Development and validation of QMortality risk prediction algorithm to estimate short term risk of death and assess frailty: cohort study. <i>BMJ, The</i> , 2017 , 358, j4208	5.9	38
149	Development and validation of QRISK3 risk prediction algorithms to estimate future risk of cardiovascular disease: prospective cohort study. <i>BMJ, The</i> , 2017 , 357, j2099	5.9	490
148	Development and validation of risk prediction equations to estimate survival in patients with colorectal cancer: cohort study. <i>BMJ, The</i> , 2017 , 357, j2497	5.9	32
147	Development and validation of QDiabetes-2018 risk prediction algorithm to estimate future risk of type 2 diabetes: cohort study. <i>BMJ, The</i> , 2017 , 359, j5019	5.9	63
146	The NHS Health Check in England: an evaluation of the first 4 years. <i>BMJ Open</i> , 2016 , 6, e008840	3	103
145	Antidepressant use and risk of cardiovascular outcomes in people aged 20 to 64: cohort study using primary care database. <i>BMJ, The</i> , 2016 , 352, i1350	5.9	46
144	Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care. <i>BMJ, The</i> , 2016 , 352, i1450	5.9	62
143	Discontinuation and restarting in patients on statin treatment: prospective open cohort study using a primary care database. <i>BMJ, The</i> , 2016 , 353, i3305	5.9	72
142	Response to Letter on Statin Use and Risk of Cataracts: Firm Conclusions Are Still Off. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2016 , 21, 222	2.6	
141	Diabetes treatments and risk of heart failure, cardiovascular disease, and all cause mortality: cohort study in primary care. <i>BMJ, The</i> , 2016 , 354, i3477	5.9	67
140	Antidepressant use and risk of suicide and attempted suicide or self harm in people aged 20 to 64: cohort study using a primary care database. <i>BMJ, The</i> , 2015 , 350, h517	5.9	75
139	Antidepressant use and risk of epilepsy and seizures in people aged 20 to 64 years: cohort study using a primary care database. <i>BMC Psychiatry</i> , 2015 , 15, 315	4.2	40

138	Concerns on "Validation of a Data Collection Tool and Stroke Risk Predictor". <i>International Journal of Stroke</i> , 2015 , 10, E82	6.3	
137	Development and validation of risk prediction equations to estimate future risk of heart failure in patients with diabetes: a prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e008503	3	17
136	Authors' Reply to Zagarella. <i>BMJ, The</i> , 2015 , 350, h3308	5.9	
135	Use of combined oral contraceptives and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. <i>BMJ, The</i> , 2015 , 350, h2135	5.9	107
134	Development and validation of risk prediction equations to estimate future risk of blindness and lower limb amputation in patients with diabetes: cohort study. <i>BMJ, The</i> , 2015 , 351, h5441	5.9	32
133	Development and validation of risk prediction algorithms to estimate future risk of common cancers in men and women: prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e007825	3	67
132	Patients who discontinued statin treatment: a protocol for cohort study using primary care data. <i>BMJ Open</i> , 2015 , 5, e008701	3	4
131	Report of the independent panel considering the retraction of two articles in The BMJ. <i>BMJ, The</i> , 2014 , 349, g5176	5.9	3
130	Predicting risk of upper gastrointestinal bleed and intracranial bleed with anticoagulants: cohort study to derive and validate the QBleed scores. <i>BMJ, The</i> , 2014 , 349, g4606	5.9	54
129	Exposure to combined oral contraceptives and risk of venous thromboembolism: a protocol for nested case-control studies using the QResearch and the CPRD databases. <i>BMJ Open</i> , 2014 , 4, e004499	3	6
128	The performance of seven QPrediction risk scores in an independent external sample of patients from general practice: a validation study. <i>BMJ Open</i> , 2014 , 4, e005809	3	38
127	QRISK2 validation by ethnic group. <i>Heart</i> , 2014 , 100, 436	5.1	4
126	Safety of antidepressants in adults aged under 65: protocol for a cohort study using a large primary care database. <i>BMC Psychiatry</i> , 2013 , 13, 135	4.2	11
125	Derivation and validation of QStroke score for predicting risk of ischaemic stroke in primary care and comparison with other risk scores: a prospective open cohort study. <i>BMJ, The</i> , 2013 , 346, f2573	5.9	82
124	Predicting risk of emergency admission to hospital using primary care data: derivation and validation of QAdmissions score. <i>BMJ Open</i> , 2013 , 3, e003482	3	69
123	Exposure to bisphosphonates and risk of gastrointestinal cancers: series of nested case-control studies with QResearch and CPRD data. <i>BMJ, The</i> , 2013 , 346, f114	5.9	44
122	Independent external validation of QCancer (Ovarian). <i>European Journal of Cancer Care</i> , 2013 , 22, 559-60	6.4	
121	Exposure to bisphosphonates and risk of common non-gastrointestinal cancers: series of nested case-control studies using two primary-care databases. <i>British Journal of Cancer</i> , 2013 , 109, 795-806	8.7	25

120	Symptoms and risk factors to identify men with suspected cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2013 , 63, e1-10	1.6	55
119	Symptoms and risk factors to identify women with suspected cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2013 , 63, e11-21	1.6	58
118	Symptoms and risk factors to identify people with suspected cancer in primary care. <i>British Journal of General Practice</i> , 2013 , 63, 125-6	1.6	7
117	QRisk superior in diverse South Asian groups. <i>International Journal of Clinical Practice</i> , 2012 , 66, 722	2.9	2
116	QRISK or Framingham?. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 545-6	3.8	4
115	Lifetime risks of cardiovascular disease. <i>New England Journal of Medicine</i> , 2012 , 366, 321-9	59.2	579
114	Identifying patients with suspected pancreatic cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2012 , 62, e38-45	1.6	38
113	Identifying patients with suspected renal tract cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2012 , 62, e251-60	1.6	23
112	Predicting risk of bladder cancer in the UK. <i>British Journal of General Practice</i> , 2012 , 62, 570-1	1.6	
111	Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 611-21	2.6	63
110	Lifetime risks of cardiovascular disease. <i>New England Journal of Medicine</i> , 2012 , 366, 1641; author reply 1642-3	59.2	1
109	Derivation and validation of updated QFracture algorithm to predict risk of osteoporotic fracture in primary care in the United Kingdom: prospective open cohort study. <i>BMJ, The</i> , 2012 , 344, e3427	5.9	209
108	Exposure to bisphosphonates and risk of cancer: a protocol for nested case-control studies using the QResearch primary care database. <i>BMJ Open</i> , 2012 , 2, e000548	3	7
107	Adding systematic family history enquiry to cardiovascular disease risk assessment: clinical utility in primary care. <i>Annals of Internal Medicine</i> , 2012 , 157, 148; author reply 149	8	1
106	Predictive effect of heartburn and indigestion and risk of upper gastro-intestinal malignancy. <i>British Journal of General Practice</i> , 2012 , 62, 124-6	1.6	1
105	Identifying patients with suspected colorectal cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2012 , 62, e29-37	1.6	77
104	Use of a large general practice syndromic surveillance system to monitor the progress of the influenza A(H1N1) pandemic 2009 in the UK. <i>Epidemiology and Infection</i> , 2012 , 140, 100-5	4.3	30
103	Antidepressant use and risk of adverse outcomes in older people: population based cohort study. <i>BMJ, The</i> , 2011 , 343, d4551	5.9	489

102	Identifying patients with suspected gastro-oesophageal cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2011 , 61, e707-14	1.6	33
101	Is low-dose aspirin use associated with a reduced risk of colorectal cancer? A QResearch primary care database analysis. <i>Gut</i> , 2011 , 60, A3-A3	19.2	2
100	Risk of pneumonia in patients taking statins: population-based nested case-control study. <i>British Journal of General Practice</i> , 2011 , 61, e742-8	1.6	39
99	Identifying patients with suspected lung cancer in primary care: derivation and validation of an algorithm. <i>British Journal of General Practice</i> , 2011 , 61, e715-23	1.6	63
98	Exposure to statins and risk of common cancers: a series of nested case-control studies. <i>BMC Cancer</i> , 2011 , 11, 409	4.8	83
97	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11	2.6	198
96	Development and validation of risk prediction algorithm (QThrombosis) to estimate future risk of venous thromboembolism: prospective cohort study. <i>BMJ, The</i> , 2011 , 343, d4656	5.9	89
95	Identifying women with suspected ovarian cancer in primary care: derivation and validation of algorithm. <i>BMJ, The</i> , 2011 , 344, d8009	5.9	44
94	Exposure to cyclooxygenase-2 inhibitors and risk of cancer: nested case-control studies. <i>British Journal of Cancer</i> , 2011 , 105, 452-9	8.7	37
93	Advantages of QRISK2 (2010): the key issue is ethnicity and extent of reallocation. <i>Heart</i> , 2011 , 97, 515; author reply 515-6	5.1	5
92	Teenage pregnancy in the UK: Where are we going wrong?. <i>International Journal of Adolescent Medicine and Health</i> , 2011 , 12, 261-74	1.1	2
91	A study of the safety and harms of antidepressant drugs for older people: a cohort study using a large primary care database. <i>Health Technology Assessment</i> , 2011 , 15, 1-202, iii-iv	4.4	82
90	Early spread of the 2009 influenza A(H1N1) pandemic in the United Kingdom Use of local syndromic data, May-August 2009. <i>Eurosurveillance</i> , 2011 , 16,	19.8	12
89	Early spread of the 2009 influenza A(H1N1) pandemic in the United Kingdom--use of local syndromic data, May-August 2009. <i>Eurosurveillance</i> , 2011 , 16,	19.8	10
88	Unintended effects of statins in men and women in England and Wales: population based cohort study using the QResearch database. <i>BMJ, The</i> , 2010 , 340, c2197	5.9	351
87	Antipsychotic drugs and risk of venous thromboembolism: nested case-control study. <i>BMJ, The</i> , 2010 , 341, c4245	5.9	107
86	Derivation, validation, and evaluation of a new QRISK model to estimate lifetime risk of cardiovascular disease: cohort study using QResearch database. <i>BMJ, The</i> , 2010 , 341, c6624	5.9	205
85	Economic impact of disease and injury: counting what matters. <i>BMJ, The</i> , 2010 , 340, c924	5.9	40

84	Individualising the risks of statins in men and women in England and Wales: population-based cohort study. <i>Heart</i> , 2010 , 96, 939-47	5.1	44
83	Trends in the epidemiology of smoking recorded in UK general practice. <i>British Journal of General Practice</i> , 2010 , 60, e121-7	1.6	29
82	Trends in the epidemiology of chronic obstructive pulmonary disease in England: a national study of 51 804 patients. <i>British Journal of General Practice</i> , 2010 , 60, 277-84	1.6	42
81	Effects of severe mental illness on survival of people with diabetes. <i>British Journal of Psychiatry</i> , 2010 , 197, 272-7	5.4	68
80	Predicting the risk of chronic Kidney Disease in men and women in England and Wales: prospective derivation and external validation of the QKidney Scores. <i>BMC Family Practice</i> , 2010 , 11, 49	2.6	126
79	Value of syndromic surveillance in monitoring a focal waterborne outbreak due to an unusual <i>Cryptosporidium</i> genotype in Northamptonshire, United Kingdom, June - July 2008. <i>Eurosurveillance</i> , 2010 , 15, 19643	19.8	24
78	Identification of new risk factors for pneumonia: population-based case-control study. <i>British Journal of General Practice</i> , 2009 , 59, e329-38	1.6	78
77	Trends in the epidemiology and prescribing of medication for eczema in England. <i>Journal of the Royal Society of Medicine</i> , 2009 , 102, 108-17	2.3	49
76	Predicting risk of type 2 diabetes in England and Wales: prospective derivation and validation of QDScore. <i>BMJ, The</i> , 2009 , 338, b880	5.9	237
75	Predicting risk of osteoporotic fracture in men and women in England and Wales: prospective derivation and validation of QFractureScores. <i>BMJ, The</i> , 2009 , 339, b4229	5.9	299
74	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
73	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. <i>Studies in Health Technology and Informatics</i> , 2009 , 150, 190-4	0.5	16
72	Trends in the epidemiology and prescribing of medication for allergic rhinitis in England. <i>Journal of the Royal Society of Medicine</i> , 2008 , 101, 466-72	2.3	38
71	Trends in national incidence, lifetime prevalence and adrenaline prescribing for anaphylaxis in England. <i>Journal of the Royal Society of Medicine</i> , 2008 , 101, 139-43	2.3	130
70	Incidence and prevalence of multiple allergic disorders recorded in a national primary care database. <i>Journal of the Royal Society of Medicine</i> , 2008 , 101, 558-63	2.3	49
69	Predicting cardiovascular risk in England and Wales: prospective derivation and validation of QRISK2. <i>BMJ, The</i> , 2008 , 336, 1475-82	5.9	886
68	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study. <i>Heart</i> , 2008 , 94, 34-9	5.1	142
67	Uptake of pneumococcal polysaccharide vaccine in at-risk populations in England and Wales 1999-2005. <i>Epidemiology and Infection</i> , 2008 , 136, 360-9	4.3	54

66	Identifying undiagnosed diabetes: cross-sectional survey of 3.6 million patients. <i>British Journal of General Practice</i> , 2008 , 58, 192-6	Electronic records.	1.6	37
65	Risk of colorectal cancer in patients prescribed statins, nonsteroidal anti-inflammatory drugs, and cyclooxygenase-2 inhibitors: nested case-control study. <i>Gastroenterology</i> , 2007 , 133, 393-402		13.3	74
64	Quality of diabetes care in patients with schizophrenia and bipolar disorder: cross-sectional study. <i>Diabetic Medicine</i> , 2007 , 24, 1442-8		3.5	37
63	Inequalities in the primary care of patients with coronary heart disease and serious mental health problems: a cross-sectional study. <i>Heart</i> , 2007 , 93, 1256-62		5.1	72
62	Measuring performance and missing the point?. <i>BMJ, The</i> , 2007 , 335, 1075-6		5.9	50
61	Risk of malignancy in patients with schizophrenia or bipolar disorder: nested case-control study. <i>Archives of General Psychiatry</i> , 2007 , 64, 1368-76			115
60	Derivation and validation of QRISK, a new cardiovascular disease risk score for the United Kingdom: prospective open cohort study. <i>BMJ, The</i> , 2007 , 335, 136		5.9	554
59	Developing a national primary care-based early warning system for health protection--a surveillance tool for the future? Analysis of routinely collected data. <i>Journal of Public Health</i> , 2007 , 29, 75-82		3.5	13
58	Inequalities in uptake of influenza vaccine by deprivation and risk group: time trends analysis. <i>Vaccine</i> , 2007 , 25, 7363-71		4.1	44
57	Rectal and postmenopausal bleeding: consultation and referral of patients with and without severe mental health problems. <i>British Journal of General Practice</i> , 2007 , 57, 371-6		1.6	6
56	Inequalities in hospital admission rates for unintentional poisoning in young children. <i>Injury Prevention</i> , 2006 , 12, 166-70		3.2	27
55	Clinical pathways for patients with newly diagnosed hepatitis C - what actually happens. <i>Journal of Viral Hepatitis</i> , 2006 , 13, 264-71		3.4	49
54	Effect of statins on the mortality of patients with ischaemic heart disease: population based cohort study with nested case-control analysis. <i>Heart</i> , 2006 , 92, 752-8		5.1	31
53	Sex inequalities in access to care for patients with diabetes in primary care: questionnaire survey. <i>British Journal of General Practice</i> , 2006 , 56, 342-8		1.6	11
52	General practice characteristics associated with rates of testing and detection of hepatitis C: cross-sectional study in Nottingham and Derbyshire. <i>British Journal of General Practice</i> , 2006 , 56, 620-3		1.6	3
51	QFLU: new influenza monitoring in UK primary care to support pandemic influenza planning. <i>Eurosurveillance</i> , 2006 , 11, E060622.4		19.8	4
50	Effect of combinations of drugs on all cause mortality in patients with ischaemic heart disease: nested case-control analysis. <i>BMJ, The</i> , 2005 , 330, 1059-63		5.9	95
49	Risk of adverse gastrointestinal outcomes in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. <i>BMJ, The</i> , 2005 , 331, 1310-6		5.9	169

48	Risk of myocardial infarction in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. <i>BMJ, The</i> , 2005 , 330, 1366	5.9	404
47	Assessing the accuracy of a computerized decision support system for digoxin dosing in primary care: an observational study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2005 , 30, 279-83	2.2	4
46	A randomized controlled trial of the effect of providing information on accidental injury admissions and their costs to Primary Care Groups and Trusts. <i>Family Practice</i> , 2005 , 22, 249-52	1.9	
45	Smoking cessation treatment in primary care: prospective cohort study. <i>Tobacco Control</i> , 2005 , 14, 242-6	5.3	16
44	Coronary heart disease prevention and age inequalities: the first year of the National Service Framework for CHD. <i>British Journal of General Practice</i> , 2005 , 55, 369-75	1.6	14
43	Methodology for Assessing the Usefulness of General Practice Data for Research in One Research Network. <i>Health Informatics Journal</i> , 2004 , 10, 91-109	3	22
42	Association of deprivation, ethnicity, and sex with quality indicators for diabetes: population based survey of 53,000 patients in primary care. <i>BMJ, The</i> , 2004 , 329, 1267-9	5.9	67
41	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. <i>Public Health</i> , 2004 , 118, 576-81	4	54
40	Prevalence, care, and outcomes for patients with diet-controlled diabetes in general practice: cross sectional survey. <i>Lancet, The</i> , 2004 , 364, 423-8	4.0	74
39	QRESEARCH: a new general practice database for research. <i>Journal of Innovation in Health Informatics</i> , 2004 , 12, 49-50		34
38	Inequalities in access to care for patients with ischaemic heart disease. <i>British Journal of General Practice</i> , 2004 , 54, 411-2	1.6	3
37	The electronic patient record in primary care--regression or progression? A cross sectional study. <i>BMJ, The</i> , 2003 , 326, 1439-43	5.9	94
36	Assisted delivery in the teenage population: the effect of inter-hospital variation, deprivation, and age. <i>International Journal of Adolescent Medicine and Health</i> , 2003 , 15, 341-7	1.1	
35	Cross sectional survey of effectiveness of lipid lowering drugs in reducing serum cholesterol concentration in patients in 17 general practices. <i>BMJ, The</i> , 2003 , 326, 689	5.9	19
34	Accidental injury: a neglected area within Primary Care Groups and Trusts?. <i>Health Education Research</i> , 2003 , 18, 380-8	1.8	10
33	Severe traffic injuries to children, Trent, 1992-7: time trend analysis. <i>BMJ, The</i> , 2003 , 327, 593-4	5.9	7
32	No evidence that panic attacks are associated with the white coat effect in hypertension. <i>Journal of Clinical Hypertension</i> , 2003 , 5, 145-52	2.3	7
31	A case-control study on the effect of hormone replacement therapy on ischaemic heart disease. <i>British Journal of General Practice</i> , 2003 , 53, 191-6	1.6	5

30	Cross sectional survey of socioeconomic variations in severity and mechanism of childhood injuries in Trent 1992-7. <i>BMJ, The</i> , 2002 , 324, 1132	5.9	142
29	Teenagers at risk of unintended pregnancy: identification of practical risk markers for use in general practice from a retrospective analysis of case records in the United Kingdom. <i>International Journal of Adolescent Medicine and Health</i> , 2002 , 14, 153-60	1.1	11
28	Married couples Risk of same disease: cross sectional study. <i>BMJ, The</i> , 2002 , 325, 636	5.9	104
27	A comparison of research general practices and their patients with other practices--a cross-sectional survey in Trent. <i>British Journal of General Practice</i> , 2002 , 52, 463-8	1.6	34
26	Antidepressants as risk factor for ischaemic heart disease: case-control study in primary care. <i>BMJ: British Medical Journal</i> , 2001 , 323, 666-9		76
25	Sex inequalities in ischaemic heart disease in general practice: cross sectional survey. <i>BMJ: British Medical Journal</i> , 2001 , 322, 832		113
24	Do single handed practices offer poorer care? Cross sectional survey of processes and outcomes. <i>BMJ: British Medical Journal</i> , 2001 , 323, 320-3		38
23	General practice workload implications of the national service framework for coronary heart disease: cross sectional survey. <i>BMJ: British Medical Journal</i> , 2001 , 323, 269-70		27
22	Association between teenage pregnancy rates and the age and sex of general practitioners: cross sectional survey in Trent 1994-7. <i>BMJ: British Medical Journal</i> , 2000 , 320, 842-5		25
21	Consultation patterns and provision of contraception in general practice before teenage pregnancy: case-control study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 486-9		30
20	Music to be born to, music to die to. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1577-9		2
19	Inequalities in access to coronary angiography and revascularisation: the association of deprivation and location of primary care services. <i>British Journal of General Practice</i> , 2000 , 50, 449-54	1.6	44
18	The cost-effectiveness of lipid lowering in patients with ischaemic heart disease: an intervention and evaluation in primary care. <i>British Journal of General Practice</i> , 2000 , 50, 699-705	1.6	1
17	Association of panic disorder and panic attacks with hypertension. <i>American Journal of Medicine</i> , 1999 , 107, 310-6	2.4	85
16	Depression as a risk factor for ischaemic heart disease in men: population based case-control study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1714-9		138
15	Competency, consent, and the duty of care: ethical dilemma. <i>BMJ: British Medical Journal</i> , 1998 , 317, 809-10		1
14	Are spouses of patients with hypertension at increased risk of having hypertension? A population-based case-control study. <i>British Journal of General Practice</i> , 1998 , 48, 1580-3	1.6	17
13	Panic disorder, anxiety and depression in resistant hypertension--a case-control study. <i>Journal of Hypertension</i> , 1997 , 15, 1077-82	1.9	31

12	The effect of deprivation on variations in general practitioners referral rates: a cross sectional study of computerised data on new medical and surgical outpatient referrals in Nottinghamshire. <i>BMJ: British Medical Journal</i> , 1997 , 314, 1458-61		39
11	A pilot study of a randomized controlled trial of pragmatic eradication of <i>Helicobacter pylori</i> in primary care. <i>British Journal of General Practice</i> , 1997 , 47, 375-7	1.6	5
10	Are patients who present late with cancer registered with low referring practices?. <i>British Journal of General Practice</i> , 1997 , 47, 731-2	1.6	2
9	Lowering patients cholesterol. Extrapolating results of trial of simvastatin gives room for doubt. <i>BMJ: British Medical Journal</i> , 1995 , 311, 690-1		2
8	Risk of myocarditis following sequential COVID-19 vaccinations by age and sex		2
7	An integrated polygenic and clinical risk tool enhances coronary artery disease prediction		4
6	Associations between COVID-19 infection, tobacco smoking and nicotine use, common respiratory conditions and inhaled corticosteroids: a prospective QResearch-Case Mix Programme data linkage study January-May 2020		2
5	Protocol for the development and evaluation of a tool for predicting risk of short-term adverse outcomes due to COVID-19 in the general UK population		4
4	Analysis of severe outcomes associated with the SARS-CoV-2 Variant of Concern 202012/01 in England using ICNARC Case Mix Programme and QResearch databases		15
3	PROTOCOL: A cohort study examining the association between mirtazapine and mortality risk in adults with a diagnosis of depression		1
2	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: national validation cohort study in England		1
1	Risk of COVID-19 related deaths for SARS-CoV-2 Omicron (B.1.1.529) compared with Delta (B.1.617.2)		1