Link E Olson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3583811/publications.pdf

Version: 2024-02-01

304743 175258 2,973 60 22 52 citations h-index g-index papers 60 60 60 4360 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Harnessing natural history collections to detect trends in bodyâ€size change as a response to warming: A critique and review of best practices. Methods in Ecology and Evolution, 2023, 14, 306-318.	5.2	3
2	Which mammals can be identified from camera traps and crowdsourced photographs?. Journal of Mammalogy, 2022, 103, 767-775.	1.3	12
3	Review of the status and conservation of tenrecs (Mammalia: Afrotheria: Tenrecidae). Oryx, 2021, 55, 13-22.	1.0	7
4	The enduringâ€"and evolvingâ€"museum conscience. Journal of Mammalogy, 2021, 102, 5-7.	1.3	2
5	Ecogeographic variation and taxonomic boundaries in Large Treeshrews (Scandentia,) Tj ETQq1 1 0.784314 rgBT 1054-1066.	T/Overlock 1.3	10 Tf 50 587
6	The limitations of external measurements for aging small mammals: the cautionary example of the Lesser Treeshrew (Scandentia: Tupaiidae: $\langle i \rangle$ Tupaia minor $\langle i \rangle$ Gýnther, 1876). Journal of Mammalogy, 2021, 102, 1079-1086.	1.3	0
7	Skeletal Variation and Taxonomic Boundaries in the Pen-tailed Treeshrew (Scandentia:) Tj ETQq1 1 0.784314 rgB	T /Overlocl	k 30 Tf 50 50
8	Coming of age: morphometric variation in the hand skeletons of juvenile and adult Lesser Treeshrews (Scandentia: Tupaiidae: Tupaia minor $G\tilde{A}\sqrt[4]{4}$ nther, 1876). Journal of Mammalogy, 2020, 101, 1151-1164.	1.3	9
9	Montane regions shape patterns of diversification in small mammals and reptiles from Madagascar's moist evergreen forest. Journal of Biogeography, 2020, 47, 2059-2072.	3.0	10
10	Speciation and gene flow in two sympatric small mammals from Madagascar, <i>Microgale fotsifotsy</i> and <i>M.Âsoricoides</i> (Mammalia: Tenrecidae). Molecular Ecology, 2020, 29, 1717-1729.	3.9	2
11	Postcranial Skeletal Variation in Pencil-Tailed Tree Mice (Rodentia: Muridae: Chiropodomys): Functional, Ecogeographic, and Taxonomic Implications. Bulletin of the Peabody Museum of Natural History, 2020, 61, 23.	1.1	0
12	Caught in the act: Incipient speciation across a latitudinal gradient in a semifossorial mammal from Madagascar, the mole tenrec Oryzorictes hova (Tenrecidae). Molecular Phylogenetics and Evolution, 2018, 126, 74-84.	2.7	10
13	Rule reversal: Ecogeographical patterns of body size variation in the common treeshrew (Mammalia,) Tj ETQq $1\ 1$	0.784314	rgBT /Overlo
14	Mammal collections of the Western Hemisphere: a survey and directory of collections. Journal of Mammalogy, 2018, 99, 1307-1322.	1.3	34
15	Novel Orthopoxvirus Infection in an Alaska Resident. Clinical Infectious Diseases, 2017, 64, 1737-1741.	5.8	54
16	Reconstructing the molecular phylogeny of giant sengis (Macroscelidea; Macroscelididae;) Tj ETQq0 0 0 rgBT /Ov	verlock 10	Tf ₈ 50 142 Td
17	A singleâ€algorithm ensemble approach to estimating suitability and uncertainty: crossâ€time projections for four Malagasy tenrecs. Diversity and Distributions, 2017, 23, 196-208.	4.1	21
18	Quantifying the similarity between genes and geography across Alaska's alpine small mammals. Journal of Biogeography, 2016, 43, 1464-1476.	3.0	33

#	Article	IF	CITATIONS
19	Multiple Loci and Complete Taxonomic Sampling Resolve the Phylogeny and Biogeographic History of Tenrecs (Mammalia: Tenrecidae) and Reveal Higher Speciation Rates in Madagascar's Humid Forests. Systematic Biology, 2016, 65, 890-909.	5.6	38
20	Skeletal variation and taxonomic boundaries among mainland and island populations of the common treeshrew (Mammalia: Scandentia: Tupaiidae). Biological Journal of the Linnean Society, 2016, , .	1.6	4
21	Transformational Principles for NEON Sampling of Mammalian Parasites and Pathogens: A Response to Springer and Colleagues. BioScience, 2016, 66, 917-919.	4.9	28
22	Recent Records of Lynx on the Alaska Peninsula. Northwestern Naturalist, 2016, 97, 124-129.	0.4	0
23	Revised distribution of an Alaskan endemic, the Alaska Hare (<i>Lepus othus</i>), with implications for taxonomy, biogeography, and climate change. Arctic Science, 2016, 2, 50-66.	2.3	6
24	Colonization from divergent ancestors: glaciation signatures on contemporary patterns of genomic variation in Collared Pikas (<i>Ochotona collaris</i>). Molecular Ecology, 2015, 24, 3688-3705.	3.9	79
25	Comparative Phylogeography Highlights the Double-Edged Sword of Climate Change Faced by Arcticand Alpine-Adapted Mammals. PLoS ONE, 2015, 10, e0118396.	2.5	18
26	Climbing behavior of northern red-backed voles (<i>Myodes rutilus</i>) and scansoriality in <i>Myodes</i> (Rodentia, Cricetidae). Journal of Mammalogy, 2015, 96, 957-963.	1.3	8
27	Complex history of isolation and gene flow in hoary, Olympic, and endangered Vancouver Island marmots. Journal of Mammalogy, 2015, 96, 810-826.	1.3	16
28	Concluding Remarks: What Do We Need To Know About Bats in Northwestern North America?. Northwestern Naturalist, 2014, 95, 318-330.	0.4	15
29	Taxonomic Boundaries and Craniometric Variation in the Treeshrews (Scandentia, Tupaiidae) from the Palawan Faunal Region. Journal of Mammalian Evolution, 2014, 21, 111-123.	1.8	18
30	Island history affects faunal composition: the treeshrews (Mammalia: Scandentia: Tupaiidae) from the Mentawai and Batu Islands, Indonesia. Biological Journal of the Linnean Society, 2014, 111, 290-304.	1.6	14
31	Spatial filtering to reduce sampling bias can improve the performance of ecological niche models. Ecological Modelling, 2014, 275, 73-77.	2.5	892
32	Preface to a Special Issue: Recent Advances in Bat Research in Northwestern Canada and Alaska. Northwestern Naturalist, 2014, 95, 173-175.	0.4	2
33	First Records of Yuma Myotis (<i>Myotis yumanensis</i>) in Alaska. Northwestern Naturalist, 2014, 95, 228-235.	0.4	8
34	Tenrecs. Current Biology, 2013, 23, R5-R8.	3.9	46
35	Morphological distinctiveness of Javan <i>Tupaia hypochrysa</i> (Scandentia, Tupaiidae). Journal of Mammalogy, 2013, 94, 938-947.	1.3	19
36	Using hand proportions to test taxonomic boundaries within the <i>Tupaia glis</i> species complex (Scandentia, Tupaiidae). Journal of Mammalogy, 2013, 94, 183-201.	1.3	21

#	Article	IF	CITATIONS
37	Evaluation of the authenticity of a highly novel environmental sequence from boreal forest soil using ribosomal RNA secondary structure modeling. Molecular Phylogenetics and Evolution, 2013, 67, 234-245.	2.7	16
38	Deep barriers, shallow divergences: reduced phylogeographical structure in the collared pika (<scp>M</scp> ammalia: <scp>L</scp> agomorpha: <i><scp>O</scp>chotona collaris</i>). Journal of Biogeography, 2013, 40, 466-478.	3.0	20
39	Limited phylogeographic structure and genetic variation in Alaska's arctic and alpine endemic, the Alaska marmot. Journal of Mammalogy, 2012, 93, 66-75.	1.3	8
40	Explosive Pleistocene range expansion leads to widespread Amazonian sympatry between robust and gracile capuchin monkeys. Journal of Biogeography, 2012, 39, 272-288.	3.0	220
41	Morphological systematics of the kipunji (Rungwecebus kipunji) and the ontogenetic development of phylogenetically informative characters in the Papionini. Journal of Human Evolution, 2011, 60, 731-745.	2.6	16
42	Molecular phylogeny of treeshrews (Mammalia: Scandentia) and the timescale of diversification in Southeast Asia. Molecular Phylogenetics and Evolution, 2011, 60, 358-372.	2.7	104
43	Eastern Beringian biogeography: historical and spatial genetic structure of singing voles in Alaska. Journal of Biogeography, 2010, 37, 1414-1431.	3.0	11
44	The biogeography of introgression in the critically endangered African monkey <i>Rungwecebus kipunji</i> . Biology Letters, 2010, 6, 233-237.	2.3	41
45	First Record of a Least Weasel, Mustela nivalis, on the Kenai Peninsula, Alaska. Northwestern Naturalist, 2009, 90, 256-258.	0.4	1
46	Networks, Trees, and Treeshrews: Assessing Support and Identifying Conflict with Multiple Loci and a Problematic Root. Systematic Biology, 2009, 58, 257-270.	5.6	25
47	Multiple colonisations of the western Indian Ocean by Pteropus fruit bats (Megachiroptera:) Tj ETQq1 1 0.784314 2009, 51, 294-303.	4 rgBT /Ov 2.7	
48	Inferring divergence times within pikas (Ochotona spp.) using mtDNA and relaxed molecular dating techniques. Molecular Phylogenetics and Evolution, 2009, 53, 1-12.	2.7	50
49	Revised Distribution of the Alaska Marmot, Marmota Broweri, and Confirmation of Parapatry with Hoary Marmots. Journal of Mammalogy, 2009, 90, 859-869.	1.3	12
50	Additional molecular evidence strongly supports the distinction between the recently described African primate Rungwecebus kipunji (Cercopithecidae, Papionini) and Lophocebus. Molecular Phylogenetics and Evolution, 2008, 48, 789-794.	2.7	24
51	Ecotypic variation in the context of global climate change: revisiting the rules. Ecology Letters, 2006, 9, 853-869.	6.4	472
52	A New Genus of African Monkey, Rungwecebus: Morphology, Ecology, and Molecular Phylogenetics. Science, 2006, 312, 1378-1381.	12.6	108
53	Intraordinal phylogenetics of treeshrews (Mammalia: Scandentia) based on evidence from the mitochondrial 12S rRNA gene. Molecular Phylogenetics and Evolution, 2005, 35, 656-673.	2.7	70
54	Phylogeny, phylogeography, and geographic variation of Sylvisorex howelli (Soricidae), an endemic shrew of the Eastern Arc Mountains, Tanzania. Journal of Zoology, 2005, 266, 341-354.	1.7	37

#	Article	IF	CITATIONS
55	A multidimensional approach for detecting species patterns in Malagasy vertebrates. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 6587-6594.	7.1	71
56	Phylogenetic Relationships Among Treeshrews (Scandentia): A Review and Critique of the Morphological Evidence. Journal of Mammalian Evolution, 2004, 11, 49-71.	1.8	29
57	Contamination and chimerism are perpetuating the legend of the snake-eating cow with twisted horns (Pseudonovibos spiralis). A case study of the pitfalls of ancient DNA. Molecular Phylogenetics and Evolution, 2003, 27, 545-548.	2.7	16
58	Using Secondary Structure to Identify Ribosomal Numts: Cautionary Examples from the Human Genome. Molecular Biology and Evolution, 2002, 19, 93-100.	8.9	44
59	Debate on the authenticity of <i>Pseudonovibos spiralis</i> as a new species of wild bovid from Vietnam and Cambodia. Journal of Zoology, 2001, 255, 437-444.	1.7	7

Illumination of cryptic species boundaries in long-tailed shrew tenrecs (Mammalia: Tenrecidae;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54 60 1.6 70 Journal of the Linnean Society, 0, 83, 1-22.