

David G E Smith

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3585092/david-g-e-smith-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

3,417
citations

31
h-index

55
g-index

102
ext. papers

3,999
ext. citations

4.4
avg, IF

4.56
L-index

#	Paper	IF	Citations
98	Plasmid Mediated Colistin-Resistance in Clinical Extraintestinal Strains Isolated in Poland.. <i>Frontiers in Microbiology</i> , 2021 , 12, 547020	5.7	2
97	Propionic Acid Promotes the Virulent Phenotype of Crohn's Disease-Associated Adherent-Invasive Escherichia coli. <i>Cell Reports</i> , 2020 , 30, 2297-2305.e5	10.6	24
96	Antimicrobial Properties of Gallium(III)- and Iron(III)-Loaded Polysaccharides Affecting the Growth of , and , In Vitro.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 7589-7597	4.1	5
95	Antibacterial Activities of Ga(III) against Are Substantially Impacted by Fe(III) Uptake Systems and Multidrug Resistance in Combination with Oxygen Levels. <i>ACS Infectious Diseases</i> , 2020 , 6, 2959-2969	5.5	4
94	Substantial Extracellular Metabolic Differences Found Between Phylogenetically Closely Related Probiotic and Pathogenic Strains of. <i>Frontiers in Microbiology</i> , 2019 , 10, 252	5.7	8
93	Subclinical endometritis in dairy cattle is associated with distinct mRNA expression patterns in blood and endometrium. <i>PLoS ONE</i> , 2019 , 14, e0220244	3.7	10
92	Rapid and robust analytical protocol for E. coli STEC bacteria subspecies differentiation using whole cell MALDI mass spectrometry. <i>Talanta</i> , 2018 , 182, 164-170	6.2	5
91	Postgenomics Characterization of an Essential Genetic Determinant of Mammary Pathogenic. <i>MBio</i> , 2018 , 9,	7.8	25
90	MALDIrppa: quality control and robust analysis for mass spectrometry data. <i>Bioinformatics</i> , 2018 , 34, 522-523	7.2	13
89	Immunomodulation of Host Chitinase 3-Like 1 During a Mammary Pathogenic Infection. <i>Frontiers in Immunology</i> , 2018 , 9, 1143	8.4	8
88	The bile salt sodium taurocholate induces Campylobacter jejuni outer membrane vesicle production and increases OMV-associated proteolytic activity. <i>Cellular Microbiology</i> , 2018 , 20, e12814	3.9	18
87	Unexpected differential metabolic responses of Campylobacter jejuni to the abundant presence of glutamate and fucose. <i>Metabolomics</i> , 2018 , 14, 144	4.7	13
86	Variant O89 O-Antigen of Is Associated With Group 1 Capsule Loci and Multidrug Resistance. <i>Frontiers in Microbiology</i> , 2018 , 9, 2026	5.7	5
85	Host-associated niche metabolism controls enteric infection through fine-tuning the regulation of type 3 secretion. <i>Nature Communications</i> , 2018 , 9, 4187	17.4	23
84	Genome-wide fitness analyses of the foodborne pathogen Campylobacter jejuni in in vitro and in vivo models. <i>Scientific Reports</i> , 2017 , 7, 1251	4.9	27
83	Analysis of Campylobacter jejuni infection in the gnotobiotic piglet and genome-wide identification of bacterial factors required for infection. <i>Scientific Reports</i> , 2017 , 7, 44283	4.9	9
82	Local immunization impacts the response of dairy cows to Escherichia coli mastitis. <i>Scientific Reports</i> , 2017 , 7, 3441	4.9	33

81	Host species adaptation of TLR5 signalling and flagellin recognition. <i>Scientific Reports</i> , 2017 , 7, 17677	4.9	13
80	A population genomics approach to exploiting the accessory VesistomeVof. <i>Microbial Genomics</i> , 2017 , 3, e000108	4.4	12
79	Genomic content typifying a prevalent clade of bovine mastitis-associated Escherichia coli. <i>Scientific Reports</i> , 2016 , 6, 30115	4.9	26
78	Phylogenomic exploration of the relationships between strains of Mycobacterium avium subspecies paratuberculosis. <i>BMC Genomics</i> , 2016 , 17, 79	4.5	38
77	Mevalonate Biosynthesis Intermediates Are Key Regulators of Innate Immunity in Bovine Endometritis. <i>Journal of Immunology</i> , 2016 , 196, 823-31	5.3	16
76	Novel Single Nucleotide Polymorphism-Based Assay for Genotyping Mycobacterium avium subsp. paratuberculosis. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 556-64	9.7	10
75	A Highly Conserved Bacterial D-Serine Uptake System Links Host Metabolism and Virulence. <i>PLoS Pathogens</i> , 2016 , 12, e1005359	7.6	35
74	Draft Genome Sequences of Enterohemorrhagic Escherichia coli Encoding Extended-Spectrum Beta-Lactamases. <i>Genome Announcements</i> , 2016 , 4,		1
73	Staphylococcus aureus Phenol-Soluble Modulins Impair Interleukin Expression in Bovine Mammary Epithelial Cells. <i>Infection and Immunity</i> , 2016 , 84, 1682-1692	3.7	15
72	The host metabolite D-serine contributes to bacterial niche specificity through gene selection. <i>ISME Journal</i> , 2015 , 9, 1039-51	11.9	28
71	Functional analysis of bovine TLR5 and association with IgA responses of cattle following systemic immunisation with H7 flagella. <i>Veterinary Research</i> , 2015 , 46, 9	3.8	14
70	Evidence of land-sea transfer of the zoonotic pathogen Campylobacter to a wildlife marine sentinel species. <i>Molecular Ecology</i> , 2015 , 24, 208-21	5.7	16
69	Superoxide dismutase SodB is a protective antigen against Campylobacter jejuni colonisation in chickens. <i>Vaccine</i> , 2015 , 33, 6206-11	4.1	14
68	Optimizing the Protection of Cattle against Escherichia coli O157:H7 Colonization through Immunization with Different Combinations of H7 Flagellin, Tir, Intimin-531 or EspA. <i>PLoS ONE</i> , 2015 , 10, e0128391	3.7	21
67	Draft Genome Sequence of Isolate Staphylococcus aureus LHSKBclinical, Isolated from an Infected Hip. <i>Genome Announcements</i> , 2015 , 3,		2
66	Peripheral blood leukocytes of cows with subclinical endometritis show an altered cellular composition and gene expression. <i>Theriogenology</i> , 2014 , 81, 906-17	2.8	27
65	Proteomic and genomic analysis reveals novel outer membrane proteins and potential heterogeneity. <i>EuPA Open Proteomics</i> , 2014 , 4, 184-194	0.1	5
64	Differential endometrial cell sensitivity to a cholesterol-dependent cytolysin links Trueperella pyogenes to uterine disease in cattle. <i>Biology of Reproduction</i> , 2014 , 90, 54	3.9	76

63	Draft Genome Sequence of <i>Trueperella pyogenes</i> , Isolated from the Infected Uterus of a Postpartum Cow with Metritis. <i>Genome Announcements</i> , 2014 , 2,		10
62	Characterization of the in vitro core surface proteome of <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> , the causative agent of contagious bovine pleuropneumonia. <i>Veterinary Microbiology</i> , 2014 , 168, 116-23	3-3	18
61	Functional characterisation of bovine TLR5 indicates species-specific recognition of flagellin. <i>Veterinary Immunology and Immunopathology</i> , 2014 , 157, 197-205	2	15
60	Draft Genome Sequence of <i>Escherichia coli</i> MS499, Isolated from the Infected Uterus of a Postpartum Cow with Metritis. <i>Genome Announcements</i> , 2014 , 2,		13
59	Proteomic analysis of <i>Lawsonia intracellularis</i> reveals expression of outer membrane proteins during infection. <i>Veterinary Microbiology</i> , 2014 , 174, 448-455	3-3	13
58	Genomic characterisation of an endometrial pathogenic <i>Escherichia coli</i> strain reveals the acquisition of genetic elements associated with extra-intestinal pathogenicity. <i>BMC Genomics</i> , 2014 , 15, 1075	4-5	11
57	Risk factors associated with <i>Lawsonia intracellularis</i> in English pig farms. <i>Veterinary Journal</i> , 2013 , 197, 707-11	2-5	7
56	Comparative molecular analysis of ovine and bovine <i>Streptococcus uberis</i> isolates. <i>Journal of Dairy Science</i> , 2013 , 96, 962-70	4	10
55	Genome Sequence of <i>Lawsonia intracellularis</i> Strain N343, Isolated from a Sow with Hemorrhagic Proliferative Enteropathy. <i>Genome Announcements</i> , 2013 , 1,		12
54	Phenotypic and functional heterogeneity of bovine blood monocytes. <i>PLoS ONE</i> , 2013 , 8, e71502	3-7	54
53	Verotoxin-2 activates mitogen-activated protein kinases in bovine adherent peripheral blood mononuclear cells. <i>Journal of Comparative Pathology</i> , 2012 , 147, 20-3	1	3
52	Expression patterns of five polymorphic membrane proteins during the <i>Chlamydia abortus</i> developmental cycle. <i>Veterinary Microbiology</i> , 2012 , 160, 525-9	3-3	11
51	Complete genome sequence of <i>Corynebacterium pseudotuberculosis</i> strain 1/06-A, isolated from a horse in North America. <i>Journal of Bacteriology</i> , 2012 , 194, 4476	3-5	13
50	<i>Campylobacter jejuni</i> outer membrane vesicles play an important role in bacterial interactions with human intestinal epithelial cells. <i>Infection and Immunity</i> , 2012 , 80, 4089-98	3-7	103
49	Complete genome sequences of <i>Corynebacterium pseudotuberculosis</i> strains 3/99-5 and 42/02-A, isolated from sheep in Scotland and Australia, respectively. <i>Journal of Bacteriology</i> , 2012 , 194, 4736-7	3-5	12
48	Processing of <i>Chlamydia abortus</i> polymorphic membrane protein 18D during the chlamydial developmental cycle. <i>PLoS ONE</i> , 2012 , 7, e49190	3-7	14
47	Host-response patterns of intramammary infections in dairy cows. <i>Veterinary Immunology and Immunopathology</i> , 2011 , 144, 270-89	2	200
46	Genetic variability of <i>Chlamydia abortus</i> strains assessed by PCR-RFLP analysis of polymorphic membrane protein-encoding genes. <i>Veterinary Microbiology</i> , 2011 , 151, 284-90	3-3	8

45	Characterisation of proteins extracted from the surface of Salmonella Typhimurium grown under SPI-2-inducing conditions by LC-ESI/MS/MS sequencing. <i>Proteomics</i> , 2011 , 11, 361-70	4.8	11
44	Targeted allele replacement mutagenesis of <i>Corynebacterium pseudotuberculosis</i> . <i>Applied and Environmental Microbiology</i> , 2011 , 77, 3532-5	4.8	2
43	Phosphorylation of the epidermal growth factor receptor (EGFR) is essential for interleukin-8 release from intestinal epithelial cells in response to challenge with <i>Escherichia coli</i> O157 : H7 flagellin. <i>Microbiology (United Kingdom)</i> , 2011 , 157, 2339-2347	2.9	6
42	A novel <i>Lawsonia intracellularis</i> autotransporter protein is a prominent antigen. <i>Vaccine Journal</i> , 2011 , 18, 1282-7		10
41	Genome sequence of the <i>Chlamydophila abortus</i> variant strain LLG. <i>Journal of Bacteriology</i> , 2011 , 193, 4276-7	3.5	12
40	Genomic and surface proteomic analysis of the canine pathogen <i>Staphylococcus pseudintermedius</i> reveals proteins that mediate adherence to the extracellular matrix. <i>Infection and Immunity</i> , 2011 , 79, 3074-86	3.7	50
39	<i>Campylobacter jejuni</i> 81-176 forms distinct microcolonies on in vitro-infected human small intestinal tissue prior to biofilm formation. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 3079-3084	2.9	29
38	Immunization of cattle with a combination of purified intimin-531, EspA and Tir significantly reduces shedding of <i>Escherichia coli</i> O157:H7 following oral challenge. <i>Vaccine</i> , 2010 , 28, 1422-8	4.1	76
37	IgA and IgG antibody responses following systemic immunization of cattle with native H7 flagellin differ in epitope recognition and capacity to neutralise TLR5 signalling. <i>Vaccine</i> , 2010 , 28, 1412-21	4.1	20
36	In vitro antagonistic activities of <i>Lactobacillus</i> spp. against <i>Brachyspira hyodysenteriae</i> and <i>Brachyspira pilosicoli</i> . <i>Veterinary Microbiology</i> , 2009 , 138, 184-90	3.3	23
35	Expression by <i>Lawsonia intracellularis</i> of type III secretion system components during infection. <i>Veterinary Microbiology</i> , 2009 , 139, 298-303	3.3	16
34	Performance of five different electrospray ionisation sources in conjunction with rapid monolithic column liquid chromatography and fast MS/MS scanning. <i>Proteomics</i> , 2009 , 9, 1720-6	4.8	5
33	An investigation of the expression and adhesin function of H7 flagella in the interaction of <i>Escherichia coli</i> O157 : H7 with bovine intestinal epithelium. <i>Cellular Microbiology</i> , 2009 , 11, 121-37	3.9	109
32	<i>Escherichia coli</i> O157:H7 colonization in cattle following systemic and mucosal immunization with purified H7 flagellin. <i>Infection and Immunity</i> , 2008 , 76, 2594-602	3.7	72
31	EspP, a Type V-secreted serine protease of enterohaemorrhagic <i>Escherichia coli</i> O157:H7, influences intestinal colonization of calves and adherence to bovine primary intestinal epithelial cells. <i>FEMS Microbiology Letters</i> , 2007 , 271, 258-64	2.9	66
30	Analysis of the expression, regulation and export of NleA-E in <i>Escherichia coli</i> O157 : H7. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 1350-1360	2.9	42
29	Shedding of <i>Escherichia coli</i> O157:H7 in calves is reduced by prior colonization with the homologous strain. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 3765-7	4.8	22
28	Simple methods for measurement of bovine mucosal antibody responses in vivo. <i>Veterinary Immunology and Immunopathology</i> , 2007 , 118, 160-7	2	12

27	Cloning, expression, and characterization of fimbrial operon F9 from enterohemorrhagic Escherichia coli O157:H7. <i>Infection and Immunity</i> , 2006 , 74, 2233-44	3.7	68
26	Ultra-fast tandem mass spectrometry scanning combined with monolithic column liquid chromatography increases throughput in proteomic analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 2074-80	2.2	65
25	Analysis of fimbrial gene clusters and their expression in enterohaemorrhagic Escherichia coli O157:H7. <i>Environmental Microbiology</i> , 2006 , 8, 1033-47	5.2	82
24	Differences in levels of secreted locus of enterocyte effacement proteins between human disease-associated and bovine Escherichia coli O157. <i>Infection and Immunity</i> , 2005 , 73, 2571	3.7	2
23	Rectal carriage of enterohemorrhagic Escherichia coli O157 in slaughtered cattle. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 93-7	4.8	147
22	The LEE1 promoters from both enteropathogenic and enterohemorrhagic Escherichia coli can be activated by PerC-like proteins from either organism. <i>Journal of Bacteriology</i> , 2005 , 187, 458-72	3.5	53
21	Escherichia coli O157 : H7 forms attaching and effacing lesions at the terminal rectum of cattle and colonization requires the LEE4 operon. <i>Microbiology (United Kingdom)</i> , 2005 , 151, 2773-2781	2.9	122
20	Immunomagnetic separation of the intestinal spirochaetes Brachyspira pilosicoli and Brachyspira hyodysenteriae from porcine faeces. <i>Journal of Medical Microbiology</i> , 2004 , 53, 301-307	3.2	8
19	Co-ordinate single-cell expression of LEE4- and LEE5-encoded proteins of Escherichia coli O157:H7. <i>Molecular Microbiology</i> , 2004 , 54, 337-52	4.1	49
18	Direct and indirect transcriptional activation of virulence genes by an AraC-like protein, PerA from enteropathogenic Escherichia coli. <i>Molecular Microbiology</i> , 2004 , 54, 1117-33	4.1	62
17	Lymphoid follicle-dense mucosa at the terminal rectum is the principal site of colonization of enterohemorrhagic Escherichia coli O157:H7 in the bovine host. <i>Infection and Immunity</i> , 2003 , 71, 1505-1512	3.7	425
16	Verotoxin 1 binding to intestinal crypt epithelial cells results in localization to lysosomes and abrogation of toxicity. <i>Cellular Microbiology</i> , 2003 , 5, 85-97	3.9	88
15	Effects of sub-MIC concentrations of antibiotics on growth of and toxin production by Clostridium difficile. <i>Journal of Medical Microbiology</i> , 2003 , 52, 1033-1038	3.2	46
14	Changes in sensitivity patterns to selected antibiotics in Clostridium difficile in geriatric in-patients over an 18-month period. <i>Journal of Medical Microbiology</i> , 2003 , 52, 259-263	3.2	37
13	Heterogeneous surface expression of EspA translocon filaments by Escherichia coli O157:H7 is controlled at the posttranscriptional level. <i>Infection and Immunity</i> , 2003 , 71, 5900-9	3.7	75
12	LsaA, an antigen involved in cell attachment and invasion, is expressed by Lawsonia intracellularis during infection in vitro and in vivo. <i>Infection and Immunity</i> , 2002 , 70, 2899-907	3.7	26
11	Consequences of EHEC colonisation in humans and cattle. <i>International Journal of Medical Microbiology</i> , 2002 , 292, 169-83	3.7	16
10	Expression of receptors for verotoxin 1 from Escherichia coli O157 on bovine intestinal epithelium. <i>Journal of Medical Microbiology</i> , 2002 , 51, 143-149	3.2	50

9	Differences in levels of secreted locus of enterocyte effacement proteins between human disease-associated and bovine Escherichia coli O157. <i>Infection and Immunity</i> , 2001 , 69, 5107-14	3-7	69
8	Gamma interferon influences intestinal epithelial hyperplasia caused by Lawsonia intracellularis infection in mice. <i>Infection and Immunity</i> , 2000 , 68, 6737-43	3-7	40
7	Effects of carbon dioxide and sub-lethal levels of antibiotics on adherence of coagulase-negative staphylococci to polystyrene and silicone rubber. <i>Journal of Antimicrobial Chemotherapy</i> , 1991 , 27, 577-87	5-1	40
6	Characterization of cell envelope proteins of Staphylococcus epidermidis cultured in human peritoneal dialysate. <i>Infection and Immunity</i> , 1991 , 59, 617-24	3-7	31
5	Variation in the expression of cell envelope proteins of coagulase-negative staphylococci cultured under iron-restricted conditions in human peritoneal dialysate. <i>Journal of General Microbiology</i> , 1991 , 137, 2561-70		25
4	Influence of carbon dioxide on growth and antibiotic susceptibility of coagulase-negative staphylococci cultured in human peritoneal dialysate. <i>Journal of Clinical Microbiology</i> , 1990 , 28, 2183-6	9-7	29
3	Influence of carbon dioxide on the surface characteristics and adherence potential of coagulase-negative staphylococci. <i>Journal of Clinical Microbiology</i> , 1990 , 28, 1813-7	9-7	43
2	Genome-Wide Fitness Analyses of the Foodborne Pathogen <i>Campylobacter jejuni</i> in In Vitro and In Vivo Models		1
1	Application of Proteomics to Elucidate Bacterium-Host Interactions		319-348