

Ali Asghar Talebi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/358699/publications.pdf>

Version: 2024-02-01

187
papers

1,988
citations

304368

22
h-index

395343

33
g-index

191
all docs

191
docs citations

191
times ranked

1277
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Organic and Inorganic Nanoparticles in the Drug Delivery System for Hypertension Treatment: A Systematic Review. <i>Current Cardiology Reviews</i> , 2022, 18, 89-100.	0.6	6
2	<i>Wolbachia</i> promotes successful sex with siblings in the parasitoid <i>Habrobracon hebetor</i> . <i>Pest Management Science</i> , 2022, 78, 362-368.	1.7	4
3	Co-culture of mesenchymal stem cell spheres with hematopoietic stem cells under hypoxia: a cost-effective method to maintain self-renewal and homing marker expression. <i>Molecular Biology Reports</i> , 2022, 49, 931-941.	1.0	3
4	Monitoring of Mutual Interference Behavior of <i>Trichogramma brassicae</i> (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (T Entomology, 2022, 51, 54-64.	0.5	1
5	Changes in Functional and Numerical Responses of the Parasitoid Wasp <i>Trichogramma brassicae</i> (Hymenoptera: Trichogrammatidae) Over 45 Generations of Rearing on <i>Ephestia kuehniella</i> . <i>Annals of the Entomological Society of America</i> , 2022, 115, 326-335.	1.3	2
6	Cover Image, Volume 78, Issue 1. <i>Pest Management Science</i> , 2022, 78, .	1.7	0
7	Study of the robber flies (Diptera: Asilidae) in northwestern Iran: new records, description of a new species, and an updated checklist of Iranian fauna. , 2022, 77, 2487-2496.		1
8	Rejuvenation improves the quality of <i>Trichogramma brassicae</i> Bezdenko (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (T	0.8	1
9	A classification of tetravalent non-normal Cayley graphs of order twice a prime square. <i>Journal of Algebraic Combinatorics</i> , 2021, 53, 663-676.	0.4	2
10	Review of the family Ismaridae Thomson, 1858 (Hymenoptera: Diaprioidea) from Iran. <i>Oriental Insects</i> , 2021, 55, 165-175.	0.1	1
11	Quality control of the parasitoid wasp <i>Trichogramma brassicae</i> (Hymenoptera: Trichogrammatidae) over 45 generations of rearing on <i>Sitotroga cerealella</i> . <i>Insect Science</i> , 2021, 28, 180-190.	1.5	13
12	Age-dependent functional response of <i>Aphidius matricariae</i> (Hymenoptera: Braconidae) on tobacco aphid, <i>Myzus persicae nicotianae</i> (Hemiptera: Aphididae). <i>Journal of Asia-Pacific Entomology</i> , 2021, 24, 470-476.	0.4	3
13	Biological Control of Greenhouse Pests in Iran. <i>Progress in Biological Control</i> , 2021, , 553-577.	0.5	0
14	First record of <i>Oscheius myriophilus</i> (Poinar, 1986) (Rhabditida: Rhabditidae) from Iran; and its efficacy against two economic forest trees pests, <i>Cydalima perspectalis</i> (Walker, 1859) (Lepidoptera: Crambidae) and <i>Hyphantria cunea</i> (Drury, 1773) (Lepidoptera: Erebididae) in laboratory condition. <i>Journal of Nematology</i> , 2021, 53, 1-16.	0.4	10
15	Continuous rearing on <i>Ephestia kuehniella</i> reshaped quality of the parasitoid wasp <i>Trichogramma brassicae</i> (Hymenoptera: Trichogrammatidae). <i>Journal of Asia-Pacific Entomology</i> , 2021, 24, 166-174.	0.4	3
16	Rheumatoid arthritis is associated with KIR2DS4-full among the KIR genes in Lur Population of Iran. <i>Reports of Biochemistry and Molecular Biology</i> , 2021, 10, 84-94.	0.5	3
17	Study on hypoxia-inducible factor and its roles in immune system. <i>Immunological Medicine</i> , 2021, 44, 223-236.	1.4	8
18	Description of a New Species of the Genus <i>Protapanteles</i> Ashmead, 1898 (Hymenoptera: Braconidae: Tj ETQq0 0 0 rgBT /Overlock 10 T	0.1	2

#	ARTICLE	IF	CITATIONS
19	Contribution to the Ophioninae (Hymenoptera: Ichneumonidae) of Iran with the description of 16 new species and an illustrated key to the Eremotylus of the Western Palaearctic. <i>Zootaxa</i> , 2021, 5023, 151-206.	0.2	3
20	In vitro and Ex vivo Antiparasitic Effect of <i>Rheum ribes</i> L. Extract Against the Hydatid Cyst Protoscolex. <i>Infectious Disorders - Drug Targets</i> , 2021, 21, e170721187993.	0.4	2
21	<p>New data on the subfamily Opiinae (Hymenoptera: Braconidae) from Iran</p>. <i>Zootaxa</i> , 2021, 4903, 331-352.	0.2	2
22	The vasodilatory effects of medicinal herbs on the cardiovascular system: A systematic review. <i>Journal of HerbMed Pharmacology</i> , 2021, 10, 367-374.	0.4	1
23	First report of the occurrence of the genus <i>Pantolyta</i> Foerster, 1856 (Hymenoptera: Diapriidae) from Iran. , 2021, 7, 51-58.		0
24	A new species and new records of Ichneumonini (Hymenoptera: Ichneumonidae, Ichneumoninae) from Iran. , 2021, 7, 287-322.		1
25	The Impact of EGCG and RG108 on SOCS1 Promoter DNA Methylation and Expression in U937 Leukemia Cells. <i>Reports of Biochemistry and Molecular Biology</i> , 2021, 10, 455-461.	0.5	4
26	Coinfection of the secondary symbionts, <i>Hamiltonella defensa</i> and <i>Arsenophonus</i> sp. contribute to the performance of the major aphid pest, <i>Aphis gossypii</i> (Hemiptera: Aphididae). <i>Insect Science</i> , 2020, 27, 86-98.	1.5	37
27	Description of a new species of the genus <i>Deuterixys</i> (Hymenoptera: Braconidae: Microgastrinae) from Iran. <i>Biologia (Poland)</i> , 2020, 75, 267-272.	0.8	4
28	Tritrophic interactions in a wheat (<i>Triticum aestivum</i>), aphid (<i>Rhopalosiphum padi</i>) and parasitoid (<i>Aphidius matricariae</i>) system. <i>Crop Protection</i> , 2020, 130, 105076.	1.0	3
29	Effects of cold storage on life history traits of <i>Aphidius matricariae</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 800-807.	0.7	11
30	Temperature-dependent functional response of <i>Diglyphus isaea</i> and <i>Hemiptarsenus zilahisebessi</i> parasitizing <i>Liriomyza sativae</i> . <i>Journal of Asia-Pacific Entomology</i> , 2020, 23, 418-424.	0.4	1
31	Study of the genus <i>Bracon</i> Fabricius, 1804 (Hymenoptera: Braconidae) from Iran: new subspecies, new records and an updated checklist. <i>Zootaxa</i> , 2020, 4758, 201-230.	0.2	2
32	Age stage, two-sex life table of <i>Habrobracon hebetor</i> (Braconidae) on <i>Spodoptera exigua</i> (Noctuidae) reared on different sugar beet genotypes. <i>Bulletin of Entomological Research</i> , 2020, 110, 542-549.	0.5	3
33	In vivo Evaluation of the Repellency Effects of Nanoemulsion of <i>Mentha piperita</i> and <i>Eucalyptus globulus</i> Essential Oils against mosquitoes. <i>Open Biotechnology Journal</i> , 2020, 14, 145-152.	0.6	5
34	Correct original spelling of <i>Venanides caspicus</i> (Hymenoptera: Braconidae). <i>Acta Entomologica Musei Nationalis Pragae</i> , 2020, 60, 390-390.	0.5	0
35	Effects of UV Radiation on Egg Hatching Population Growth and Reproductive Parameters of Indianmeal Moth <i>Plodia interpunctella</i> (Hübner) (Lepidoptera: Pyralidae). <i>Sumerianz Journal of Agriculture and Veterinary</i> , 2020, , 130-142.	0.1	1
36	Insect Pest Management for Healthy Seed Production. , 2020, , 211-269.		1

#	ARTICLE	IF	CITATIONS
37	Effect of ultra violet irradiation on life table of Mediterranean flour moth, <i>Ephestia kuehniella</i> Zeller (Lepidoptera: Pyralidae). <i>Azarian Journal of Agriculture</i> , 2020, 7, 8-16.	0.1	1
38	New Record and New Species of the Genus <i>Dioctria</i> Meigen, 1803 (Diptera: Asilidae) from Iran, with an Updated Checklist. <i>Transactions of the American Entomological Society</i> , 2020, 146, .	0.1	0
39	Polymorphisms of Pre-miR-499 rs3746444 T/C and Pre-miR-146a rs2910164 C/G in the Autoimmune Diseases of Rheumatoid Arthritis and Systemic Lupus Erythematosus in the West of Iran. <i>Iranian Journal of Public Health</i> , 2020, 49, 782-790.	0.3	5
40	An alpha diversity survey of Heterostigmatic mites (Trombidiformes, Prostigmata) phoretic on scarabaeoid beetles in Hyrcani forest, northern Iran. <i>Systematic and Applied Acarology</i> , 2020, 25, 2033-2046.	0.5	5
41	Additions to the fauna of Braconidae (Hym., Ichneumonoidea) of Iran based on the specimens housed in Hayk Mirzayans Insect Museum with six new records for Iran. , 2020, 6, 353-364.		7
42	MicroCT 3D reconstruction of three described braconid species (Hymenoptera: Braconidae). , 2020, 6, 331-342.		5
43	The microRNA pathway is involved in <i>Spodoptera frugiperda</i> (Sf9) cells antiviral immune defense against <i>Autographa californica</i> multiple nucleopolyhedrovirus infection. <i>Insect Biochemistry and Molecular Biology</i> , 2019, 112, 103202.	1.2	17
44	A review of the Iranian species of genus <i>Iconella</i> Mason (Hymenoptera: Braconidae: Microgastrinae) with description of two new species. <i>Zootaxa</i> , 2019, 4586, zootaxa.4586.3.6.	0.2	6
45	Sublethal effects of spiroadiclofen on the demographic parameters of <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae). <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 938-952.	0.6	5
46	Two new species of <i>Chrysis</i> Linnaeus (Hymenoptera, Chrysididae) from Iran. <i>Journal of Asia-Pacific Entomology</i> , 2019, 22, 1005-1012.	0.4	4
47	Foraging behavior of <i>Aphidius matricariae</i> (Hymenoptera: Braconidae) on tobacco aphid, <i>Myzus persicae nicotianae</i> (Hemiptera: Aphididae). <i>Bulletin of Entomological Research</i> , 2019, 109, 840-848.	0.5	13
48	Modeling interactions and dynamics of <i>Aphidius matricariae</i> and <i>Praon volucre</i> (Hymenoptera:) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 30	1.4	2
49	<i>Wolbachia</i> induce cytoplasmic incompatibility and affect mate preference in <i>Habrobracon hebetor</i> to increase the chance of its transmission to the next generation. <i>Journal of Invertebrate Pathology</i> , 2019, 163, 1-7.	1.5	17
50	The efficiency of <i>Amblyseius swirskii</i> in control of <i>Tetranychus urticae</i> and <i>Trialeurodes vaporariorum</i> is affected by various factors. <i>Bulletin of Entomological Research</i> , 2019, 109, 365-375.	0.5	9
51	Different pepper cultivars affect performance of second (<i>Myzus persicae</i>) and third (<i>Diaeretiella</i>) Tj ETQq1 1 0.784314 rgBT /Qverlock 10	0.4	16
52	Three new species of the genus <i>Choeras</i> Mason, 1981 (Hymenoptera: Braconidae, Microgastrinae) from Iran. <i>Zootaxa</i> , 2019, 4545, 77-92.	0.2	10
53	The effects of Spiromesifen on life history traits and demographic parameters of predatory mite <i>Neoseiulus californicus</i> (Acari: Phytoseiidae) and its prey <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae). <i>Systematic and Applied Acarology</i> , 2019, 24, 1512-1525.	0.5	7
54	Three new species and two new records of the genus <i>Cotesia</i> Cameron (Hymenoptera: Braconidae) from Iran. <i>European Journal of Taxonomy</i> , 2019, , .	0.6	6

#	ARTICLE	IF	CITATIONS
55	Venanides caspius sp. nov. from Iran, the first species of Venanides (Hymenoptera: Braconidae) described from the Palaearctic Region. <i>Acta Entomologica Musei Nationalis Pragae</i> , 2019, 59, 543-548.	0.5	5
56	Factitious prey and artificial diets: do they all have the potential to facilitate rearing of <i>Typhlodromus bagdasarjani</i> (Acari: Phytoseiidae)? <i>International Journal of Acarology</i> , 2018, 44, 121-128.	0.3	11
57	Sublethal effects of pyridaben on life table parameters of the predatory mite <i>Neoseiulus californicus</i> (McGregor) (Acari: Phytoseiidae). <i>Zoology and Ecology</i> , 2018, 28, 56-63.	0.2	6
58	Two new species of the genus <i>Anisobas</i> Wesmael (Hymenoptera: Ichneumonidae: Ichneumoninae) from Iran and Uzbekistan. <i>Zoology in the Middle East</i> , 2018, 64, 262-266.	0.2	1
59	First record of the genus <i>Punicodoxa</i> (Acari: Microdispidae) from Asia, with description of a new species phoretic on termites (Insecta: Isoptera). <i>Systematic and Applied Acarology</i> , 2018, 23, 468.	0.5	5
60	Canola quality affects second (<i>Brevicoryne brassicae</i>) and third (<i>Diaeretiella rapae</i>) trophic levels. <i>Arthropod-Plant Interactions</i> , 2018, 12, 291-301.	0.5	13
61	New records for fauna of the subfamily Dexiinae (Diptera: Tachinidae) in Iran. <i>Polish Journal of Entomology</i> , 2018, 87, 153-164.	0.1	2
62	The effects of spirotetramat on the demographic parameters of <i>Neoseiulus californicus</i> (Phytoseiidae). <i>Systematic and Applied Acarology</i> , 2018, 23, 1952.	0.5	9
63	Interactions among food diets and rearing substrates affect development and population growth rate of <i>Typhlodromus bagdasarjani</i> . <i>Systematic and Applied Acarology</i> , 2018, 23, 1845.	0.5	1
64	Parasitism capacity and searching efficiency of <i>Diaeretiella rapae</i> parasitizing <i>Brevicoryne brassicae</i> on susceptible and resistant canola cultivars. <i>Journal of Asia-Pacific Entomology</i> , 2018, 21, 1095-1101.	0.4	11
65	Small interfering RNA pathway contributes to antiviral immunity in <i>Spodoptera frugiperda</i> (Sf9) cells following <i>Autographa californica</i> multiple nucleopolyhedrovirus infection. <i>Insect Biochemistry and Molecular Biology</i> , 2018, 101, 24-31.	1.2	32
66	New data of the subfamily Tachininae (Diptera: Tachinidae) from north-western Iran. <i>Zoology and Ecology</i> , 2018, 28, 252-258.	0.2	4
67	Long-term feeding on greenhouse cucumber affects life table parameters of two-spotted spider mite and its predator <i>Phytoseiulus persimilis</i> . <i>Systematic and Applied Acarology</i> , 2018, 23, 2304.	0.5	19
68	Association study between DNA methylation and genetic variation of gene with the risk of coronary artery disease. <i>Molecular Biology Research Communications</i> , 2018, 7, 173-179.	0.2	7
69	Age-specific functional response and predation capacity of <i>Phytoseiulus persimilis</i> (Phytoseiidae) on the two-spotted spider mite. <i>Acarologia</i> , 2018, 58, 31-40.	0.2	31
70	Screening of Potential Sources of Resistance to <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) in 24 Sugar Beet Genotypes. <i>Journal of Economic Entomology</i> , 2017, 110, tow257.	0.8	7
71	Linking pollen quality and performance of <i>Neoseiulus californicus</i> (Acari: Phytoseiidae) in two-spotted spider mite management programmes. <i>Pest Management Science</i> , 2017, 73, 452-461.	1.7	56
72	How pollen supplementary diet affect life table and predation capacity of <i>Neoseiulus californicus</i> on two-spotted spider mite. <i>Systematic and Applied Acarology</i> , 2017, 22, 135.	0.5	25

#	ARTICLE	IF	CITATIONS
73	Eight new species of Dolichopodinae (Diptera: Dolichopodidae) from northern Iran. Zootaxa, 2017, 4242, 111.	0.2	6
74	Age-specific functional response and predation rate of <i>Amblyseius swirskii</i> (Phytoseiidae) on two-spotted spider mite. Systematic and Applied Acarology, 2017, 22, 159.	0.5	40
75	Natural diets versus factitious prey: comparative effects on development, fecundity and life table of <i>Amblyseius swirskii</i> (Acari: Phytoseiidae). Systematic and Applied Acarology, 2017, 22, 711.	0.5	28
76	Quantitative Analysis of Long-Term Mass Rearing of <i>Neoseiulus californicus</i> (Acari: Phytoseiidae) on Almond Pollen. Journal of Economic Entomology, 2017, 110, 1442-1450.	0.8	39
77	Estimating and modelling reproductive parameters of <i>Helicoverpa armigera</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462	0.2	6
78	Attempt to Develop Cost-Effective Rearing of <i>Amblyseius swirskii</i> (Acari: Phytoseiidae): Assessment of Different Artificial Diets. Journal of Economic Entomology, 2017, 110, 1525-1532.	0.8	19
79	Diapause Induced by Temperature and Photoperiod Affects Fatty Acid Compositions and Cold Tolerance of <i>Phthorimaea operculella</i> (Lepidoptera: Gelechiidae). Environmental Entomology, 2017, 46, 1456-1463.	0.7	21
80	Occurrence of the rare root aphid parasitoid, <i>Aclitus obscuripennis</i> (Hymenoptera: Braconidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	0.8	1
81	New Mutations in APC Gene Among Familial Adenomatous Polyposis (FAP) Patients in Iran. International Journal of Human Genetics, 2017, 17, 145-150.	0.1	2
82	Interactions between two-spotted spider mite, <i>Tetranychus urticae</i> and greenhouse whitefly, <i>Trialeurodes vaporariorum</i> on strawberry. Systematic and Applied Acarology, 2017, 22, 2083.	0.5	5
83	Demographic analysis of sublethal effects of spiromesifen on <i>Neoseiulus californicus</i> (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462	0.2	10
84	CXCR4 expression is associated with time-course permanent and temporary myocardial infarction in rats. Iranian Journal of Basic Medical Sciences, 2017, 20, 648-654.	1.0	3
85	Comparison of degree-day distribution models for predicting emergence of the cabbage aphid on canola. Crop Protection, 2016, 80, 138-143.	1.0	3
86	On the fauna of the subfamily Phasiinae (Diptera: Tachinidae) in northwestern Iran. Zoology and Ecology, 2016, 26, 181-190.	0.2	6
87	Pollen quality and predator viability: life table of <i>Typhlodromus bagdasarjani</i> on seven different plant pollens and two-spotted spider mite. Systematic and Applied Acarology, 2016, 21, 1399.	0.5	34
88	Interference competition between <i>Aphidius matricariae</i> and <i>Praon volucre</i> (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	0.5	6
89	Age-Specific Functional Response of <i>Aphidius matricariae</i> and <i>Praon volucre</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462	0.5	19
90	Two Remarkable New Species of the Superfamily Pygmephorioidea (Acari: Heterostigmata) Associated With Beetles (Coleoptera: Carabidae, Staphylinidae). Annals of the Entomological Society of America, 2016, 109, 136-144.	1.3	6

#	ARTICLE	IF	CITATIONS
91	A new genus and species of the family Pygmephoridae (Acari: Heterostigmata) associated with Carpelimus rivularis (Coleoptera: Staphylinidae). Systematic and Applied Acarology, 2016, 21, 461.	0.5	8
92	Contribution to the knowledge of the Chrysididae (Hymenoptera, Aculeata) in the south of Iran, with nine new records. Turkish Journal of Zoology, 2016, 40, 202-214.	0.4	3
93	Prevalence of Abelson murine leukemia viral oncogene homolog-breakpoint cluster region fusions and correlation with peripheral blood parameters in chronic myelogenous leukemia patients in Lorestan Province, Iran. International Journal of Applied & Basic Medical Research, 2016, 6, 271.	0.2	2
94	First record of the family Proctotrupidae (Hymenoptera: Proctotrupeoidea) from Iran, with five new species records. Turkish Journal of Zoology, 2016, 40, 27-34.	0.4	1
95	A new genus and species of mites of the family Caraboacaridae (Acari: Heterostigmata) associated with <i>Clivina ypsilon</i> (Coleoptera: Carabidae) with notes on distribution and host range of the family. Canadian Entomologist, 2015, 147, 370-380.	0.4	4
96	Three new species of the genus <sc><i>C</i></sc> (<sc>A</sc> carii) (Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547) with a key to species. Entomological Science, 2015, 18, 461-469.	0.3	10
97	A review of the subfamily Rogadinae (Hymenoptera: Braconidae) from Iran. Zootaxa, 2015, 3973, 227-50.	0.2	10
98	A revision of the genus Pelecocera Meigen with the description of the male of peleocera persiana Kuznetsov from Iran (Diptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (Syrp	0.2	10
99	Pseudopygmephorellus mazandaranicus sp. nov. (Acari: Heterostigmata: Pygmephoridae), phoretic on scarabaeid dung beetles (Coleoptera: Scarabaeidae) from Iran. Zootaxa, 2015, 3919, 100-10.	0.2	9
100	First record of the family Heloridae (Hymenoptera: Proctotrupeoidea) from Iran, with description of a new species. Zootaxa, 2015, 3946, 577.	0.2	4
101	New species and records of the family Microdispidae (Acari: Prostigmata) from Golestan province, Iran. International Journal of Acarology, 2015, 41, 600-605.	0.3	4
102	Two new species of the genus Premicrodispus (Acari: Microdispidae) associated with beetles (Coleoptera: Lucanidae: Tenebrionidae), with a key to Palaearctic species of the genus. Journal of Natural History, 2015, 49, 915-931.	0.2	6
103	First record of the genus Aethiophenax (Acari: Acarophenacidae) from Asia, redefinition of the genus and description of a new species. Journal of Asia-Pacific Entomology, 2015, 18, 389-395.	0.4	12
104	A New Genus and Two New Species of the Family Pygmephoridae (Acari: Heterostigmata) Associated with Beetles (Insecta: Coleoptera). Annals of the Entomological Society of America, 2015, 108, 893-901.	1.3	11
105	Additional evidence and new records of the genus Bracon Fabricius, 1804 (Hymenoptera: Braconidae) in southern Iran. Turkish Journal of Zoology, 2015, 39, 1110-1120.	0.4	7
106	Two heterostigmatic mite species (Acari: Dolichocybidae, Podapolipidae) associated with Scarabaeus pius (Coleoptera: Scarabaeidae) from Iran. Acta Zoologica Academiae Scientiarum Hungaricae, 2015, 61, 25-32.	0.1	6
107	New data on Empis Linnaeus (Diptera: Empididae) from Iran, with description of a new species of the subgenus Lissemphis Bezzi.. Zootaxa, 2014, 3884, 185.	0.2	0
108	Study of the genus Bracon Fabricius, 1804 (Hymenoptera: Braconidae) of Southern Iran with description of a new species. Zootaxa, 2014, 3754, 353-80.	0.2	15

#	ARTICLE	IF	CITATIONS
109	Study of the genus <i>Opius</i> Wesmael (Hymenoptera: Braconidae: Opiinae) in Southern Iran, with eleven new records. <i>Zootaxa</i> , 2014, 3884, 1-26.	0.2	9
110	A survey of Euphorinae (Hymenoptera: Braconidae) of southern Iran, with description of a new species. <i>Zootaxa</i> , 2014, 3900, 415-28.	0.2	4
111	First record of <i>Microplitis rufiventris</i> Kokujev, 1914 (Braconidae: Microgastrinae) from Iran. <i>Check List</i> , 2014, 10, 441.	0.1	5
112	First record of the genus <i>Acanthomastix</i> Mahunka, 1972 (Acari: Dolichocybidae) from Asia, with the description of a new species. <i>International Journal of Acarology</i> , 2014, 40, 7-14.	0.3	14
113	Faunistic survey of the family Dolichopodidae in forests of northern Iran with nine species as new records for the country. <i>Zoology and Ecology</i> , 2014, 24, 266-273.	0.2	4
114	A New Species of the Genus <i>Mirax</i> Haliday, 1833 (Hymenoptera: Braconidae: Miracinae) from Iran. <i>Annales Zoologici</i> , 2014, 64, 677-682.	0.1	8
115	Review of <i>Gasteruption</i> Latreille (Hymenoptera, Gasteruptionidae) from Iran and Turkey, with the description of 15 new species. <i>ZooKeys</i> , 2014, 458, 1-187.	0.5	20
116	Effects of cold acclimation, cooling rate and heat stress on cold tolerance of the potato tuber moth <i>Phthorimaea operculella</i> (Lepidoptera: Gelechiidae). <i>European Journal of Entomology</i> , 2014, 111, 487-494.	1.2	19
117	A study of the genus <i>Empidideicus</i> Becker, 1907 (Diptera: Mythicomyiidae) in northern Iran, with description of a new species. <i>Turkish Journal of Zoology</i> , 2014, 38, 257-262.	0.4	4
118	Parasitoid- and Hyperparasitoid-Mediated Seasonal Dynamics of the Cabbage Aphid (Hemiptera: <i>Trioza</i>) on <i>Brassica oleracea</i> L. <i>Journal of Applied Entomology</i> , 2014, 10, 50-53.	0.7	10
119	Over expression of HIF-1 α in human mesenchymal stem cells increases their supportive functions for hematopoietic stem cells in an experimental co-culture model. <i>Hematology</i> , 2014, 19, 85-98.	0.7	17
120	Temperature-dependent life history of <i>Siphia maydis</i> (Hemiptera: Aphididae) on wheat. <i>Journal of Plant Protection Research</i> , 2014, 54, 374-382.	1.0	3
121	New Species and New Record of the Genus <i>Caesarodispus</i> (Acari: Heterostigmatina: Microdispidae) Phoretic on <i>Temnothorax</i> sp. (Hymenoptera: Formicidae). <i>Annales Zoologici</i> , 2014, 64, 273-278.	0.1	10
122	Life Table Parameters and Survivorship of <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) at Constant Temperatures. <i>Environmental Entomology</i> , 2014, 43, 795-803.	0.7	24
123	An illustrated key to world species of the mite family Trochometridiidae (Acari: Prostigmata), with description of a new species and new insect host records. <i>Canadian Entomologist</i> , 2014, 146, 471-480.	0.4	2
124	<i>Dorsipes caspius</i> n. sp. (Acari: Podapolipidae), a subelytral parasite of <i>Pterostichus caspius</i> (Menetries) (Coleoptera: Carabidae) with notes on host range of the genus and the distribution of the platysmae group. <i>Systematic Parasitology</i> , 2014, 89, 117-132.	0.5	10
125	A contribution to the knowledge of Agathidinae (Hymenoptera: Braconidae) from Iran with description of a new species. <i>Biologia (Poland)</i> , 2014, 69, 228-235.	0.8	6
126	A new species description of the acanthomus species group (Acari: Podapolipidae: Eutarsopolipus), with keys to world species of the group. <i>Applied Entomology and Zoology</i> , 2014, 49, 109-117.	0.6	5

#	ARTICLE	IF	CITATIONS
127	Wasps of the subfamily Doryctinae (Hymenoptera: Braconidae) in Iran. <i>Zoology in the Middle East</i> , 2014, 60, 65-81.	0.2	9
128	Taxonomic study of the subfamily Doryctinae (Hymenoptera: Braconidae) in Hormozgan province, southern Iran. <i>Zoology and Ecology</i> , 2014, , 1-15.	0.2	2
129	Evaluation of tomato cultivars to <i>Helicoverpa armigera</i> using two-sex life table parameters in laboratory. <i>Journal of Asia-Pacific Entomology</i> , 2014, 17, 837-844.	0.4	33
130	Development response of <i>Spodoptera exigua</i> to eight constant temperatures: Linear and nonlinear modeling. <i>Journal of Asia-Pacific Entomology</i> , 2014, 17, 349-354.	0.4	24
131	New records of mites of the superfamily Pygmephoroidae (Acari: Heterostigmatina) associated with insects from northeastern Iran and new host records. <i>Systematic and Applied Acarology</i> , 2014, 19, 154.	0.5	9
132	A contribution to the tribe Chelonini Foerster (Hymenoptera: Braconidae: Cheloninae) of northern Iran, with first records for eight species and an updated check list of Iranian species. <i>Zoosystematics and Evolution</i> , 2013, 89, 227-238.	0.4	2
133	A review of the genus <i>Phania</i> Meigen, 1824 (Diptera: Tachinidae: Phasiinae) in Iran with the description of a new species. <i>Zoology and Ecology</i> , 2013, 23, 13-19.	0.2	4
134	Temperature thresholds and thermal requirements for development of Iranian <i>Diuraphis noxia</i> population (Hemiptera: Aphididae) on wheat. <i>Zoology and Ecology</i> , 2013, 23, 323-329.	0.2	7
135	Reproductive parameters and life expectancy of <i>Tetranychus urticae</i> (Acari: Tetranychidae) on 12 genotypes of melon and cucumber in laboratory condition. <i>Archives of Phytopathology and Plant Protection</i> , 2013, 46, 971-979.	0.6	1
136	A new species group and species of the genus <i>Pavana</i> (Acari: Dolichocybidae), phoretic on <i>Onthophagus vitulus</i> (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 32	0.2	10
137	Development and fecundity of <i>Spodoptera exigua</i> (Hübner) (Lepidoptera: Noctuidae) on different soybean cultivars. <i>Archives of Phytopathology and Plant Protection</i> , 2012, 45, 90-98.	0.6	4
138	Demographic parameters of two spotted spider mite, <i>Tetranychus urticae</i> Koch (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 32	0.6	0
139	Effect of Temperature on Development and Fecundity of the Brown Mite, <i>Bryobia rubrioculus</i> Scheuten (Acari: Tetranychidae). <i>African Entomology</i> , 2012, 20, 69-75.	0.6	4
140	A study of the tribe Bombyliini (Diptera: Bombyliidae: Bombyliinae) of Iran with description of female genitalia. <i>Zoology and Ecology</i> , 2012, 22, 212-225.	0.2	1
141	Life Table of <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) on Five Soybean Cultivars. <i>Psyche: Journal of Entomology</i> , 2012, 2012, 1-7.	0.4	9
142	First records of <i>Macrocentrus Curtis</i> , 1833 (Hymenoptera: Braconidae: Macrocentrinae) from Northern Iran. <i>Zoology and Ecology</i> , 2012, 22, 41-50.	0.2	3
143	Demographic Parameters of <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae) on Different Soybean Cultivars. <i>Environmental Entomology</i> , 2012, 41, 326-332.	0.7	27
144	Comparison of development and demographic parameters of <i>Diuraphis noxia</i> (Hem., Aphididae) and its parasitoid, <i>Diaeretiella rapae</i> (Hym., Braconidae: Aphidiinae). <i>Archives of Phytopathology and Plant Protection</i> , 2012, 45, 886-897.	0.6	5

#	ARTICLE	IF	CITATIONS
145	Evaluation of Canola Cultivars for Resistance to <i>Helicoverpa armigera</i> (Lepidoptera: Tj ETQq1 1 0,84314 rgBT /Ove	0,84314	25
146	A <i>Bacillus thuringiensis</i> strain producing epizootics on <i>Plodia interpunctella</i> : A case study. Journal of Stored Products Research, 2012, 48, 52-60.	1.2	12
147	Effect of Different Constant Temperatures on Biology of <i>Schizaphis Graminum</i> (Rondani) (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Ove 52, 319-323.	1.0	1
148	Demography of greenbug, <i>Schizaphis graminum</i> (Rondani) (Hemiptera: Aphididae) on six barley cultivars. Archives of Phytopathology and Plant Protection, 2011, 44, 484-492.	0.6	6
149	A review of the genus <i>Platypygus</i> Loew (Mythicomyiidae: Platypyginae) in Iran, with notes on <i>Cyrtisopsis maculiventris</i> (Loew) n. comb.. Zootaxa, 2011, 2979, 25.	0.2	3
150	Foraging Behavior of <i>Praon volucre</i> (Hymenoptera: Braconidae) a Parasitoid of <i>Sitobion avenae</i> (Hemiptera: Aphididae) on Wheat. Psyche: Journal of Entomology, 2011, 2011, 1-7.	0.4	5
151	Checklist of eulophid wasps (Insecta: Hymenoptera: Eulophidae) of Iran. Check List, 2011, 7, 708.	0.1	14
152	Study on some biological characteristics of <i>Tetrastichus gallerucae</i> (Hym. Eulophidae), important parasitoid of Elm leaf beetle eggs in Kerman, Iran. Archives of Phytopathology and Plant Protection, 2011, 44, 1075-1080.	0.6	1
153	Life history and demography of <i>Psyllaephagus zdeneki</i> (Hymenoptera: Encyrtidae), a potential candidate for biological control of olive psylla, <i>Euphyllura pakistanica</i> (Hemiptera: Psyllidae). Biocontrol Science and Technology, 2011, 21, 765-778.	0.5	1
154	New records of Cheloninae (Förster, 1862) and Braconinae (Nees, 1811) (Insecta: Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0,1	0,1	3
155	The foraging behavior of <i>Diaeretiella rapae</i> (Hymenoptera: Braconidae) on <i>Diuraphis noxia</i> (Hemiptera: Tj ETQq1 1 0,784314 rgBT /Ove 0,2	0,2	13
156	Development of a Cost Effective Medium for Production of <i>Bacillus Thuringiensis</i> Bioinsecticide Using Food Barley. Journal of Plant Protection Research, 2010, 50, 9-14.	1.0	12
157	Two new species of the genus <i>Apolysis</i> (Apolysini, Bombyliidae, Diptera) from the north of Iran. Zootaxa, 2010, 2441, 41.	0.2	5
158	Effect of Temperature on Demographic Parameters of the Hawthorn Red Midget Moth, <i>Phyllonorycter corylifoliella</i> , on Apple. Journal of Insect Science, 2010, 10, 1-12.	0.6	12
159	First record of the genus <i>Empidideicus</i> (Diptera: Bombylioidea: Mythicomyiidae) from Iran, with description of six new species. Zootaxa, 2010, 2627, 1.	0.2	5
160	Bumblebee diversity and abundance in the Iranian Alborz Mountains (Hymenoptera: Apidae). Zoology in the Middle East, 2009, 46, 83-94.	0.2	6
161	Effect of temperature on life history and population growth parameters of <i>Planococcus citri</i> (Homoptera, Pseudococcidae) on coleus [<i>Solenostemon scutellarioides</i> (L.) Codd.]. Archives of Biological Sciences, 2009, 61, 329-336.	0.2	17
162	Distribution and diversity of wheat aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) in Iran. European Journal of Entomology, 2008, 105, 863-870.	1.2	21

#	ARTICLE	IF	CITATIONS
163	A review of <i>Aphidius</i> Nees (Hymenoptera: Braconidae: Aphidiinae) in Iran: host associations, distribution and taxonomic notes. <i>Zootaxa</i> , 2008, 1767, 37.	0.2	27
164	A Survey of the Localities and Food-Plants of the Bumblebees of Iran (Hymenoptera: Apidae: <i>Bombus</i>). <i>Entomologia Generalis</i> , 2008, 30, 283-299.	1.1	5
165	New Host Records of the Ladybeetle Parasitoid species <i>Homalotylus sinensis</i> in Iran (Hymenoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.1	4
166	Thermal Requirement and Development of <i>Liriomyza sativae</i> (Diptera: Agromyzidae) on Cucumber. <i>Journal of Economic Entomology</i> , 2007, 100, 350-356.	0.8	18
167	The Molecular Analysis of β -Thalassemia Mutations in Lorestan Province, Iran. <i>Hemoglobin</i> , 2007, 31, 343-349.	0.4	32
168	Effect of Temperature on Life History of <i>Aphidius colemani</i> and <i>Aphidius matricariae</i> (Hymenoptera: Braconidae), Two Parasitoids of <i>Aphis gossypii</i> and <i>Myzus persicae</i> (Homoptera: Aphididae). <i>Environmental Entomology</i> , 2007, 36, 263-271.	0.7	91
169	Host stage preference, functional response and mutual interference of <i>Aphidius matricariae</i> (Hym.: Braconidae: Aphidiinae) on <i>Aphis fabae</i> (Hom.: Aphididae). <i>Entomological Science</i> , 2007, 10, 323-331.	0.3	40
170	Temperature-dependent development of <i>Diglyphus isaea</i> (Hymenoptera: Eulophidae) on <i>Liriomyza sativae</i> (Diptera: Agromyzidae) on cucumber. <i>Journal of Pest Science</i> , 2007, 80, 71-77.	1.9	36
171	Effect of temperature on biology and population growth parameters of <i>Aphis gossypii</i> Glover (Hom.). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.8	62
172	Comparative demography of <i>Liriomyza sativae</i> Blanchard (Diptera: Agromyzidae) on cucumber at seven constant temperatures. <i>Insect Science</i> , 2006, 13, 477-483.	1.5	19
173	Temperature-dependent functional response of two aphid parasitoids, <i>Aphidius colemani</i> and <i>Aphidius matricariae</i> (Hymenoptera: Aphidiidae), on the cotton aphid. <i>Journal of Pest Science</i> , 2006, 79, 183-188.	1.9	89
174	A new species of <i>Aphidius</i> Nees, 1818 (Hymenoptera, Braconidae, Aphidiinae) attacking <i>Uroleucon</i> aphids (Homoptera, Aphididae) from Iran and Iraq. <i>Journal of Natural History</i> , 2006, 40, 1923-1929.	0.2	6
175	Functional response and mutual interference of <i>Diaeretiella rapae</i> (Hymenoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.6	73
176	Parasitoid complex (Hymenoptera, Braconidae, Aphidiinae) of <i>Aphis craccivora</i> Koch (Homoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.9	30
177	Linking Life Table and Consumption Rate of <i>Amblyseius swirskii</i> (Acari: Phytoseiidae) in Presence and Absence of Different Pollens. <i>Annals of the Entomological Society of America</i> , 0, , saw091.	1.3	19
178	Taxonomic study of the genus <i>Microplitis</i> Förster, 1862 (Hymenoptera, Braconidae, Microgastrinae) from Iran. <i>European Journal of Taxonomy</i> , 0, 744, 83-118.	0.6	4
179	Host stage preference and temperature-dependent functional response of <i>Diaeretiella rapae</i> (Hymenoptera: Braconidae) on <i>Schizaphis graminum</i> (Homoptera: Aphididae). <i>International Journal of Tropical Insect Science</i> , 0, , 1.	0.4	2
180	The impact of cucumber nitrogen nutrition on life history traits of <i>Tetranychus urticae</i> (Koch) (Acari:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.2	5

#	ARTICLE	IF	CITATIONS
181	A contribution to the knowledge of heterostigmatic mites (Acari: Prostigmata) in western Mazandaran Province, Northern Iran. <i>Acarologia</i> , 0, 55, 311-320.	0.2	2
182	A contribution to the knowledge of heterostigmatic mites (Acari: Prostigmata) in western Mazandaran Province, Northern Iran. <i>Acarologia</i> , 0, 55, 311-320.	0.2	16
183	Evaluation of different artificial diets for rearing the predatory mite <i>Neoseiulus californicus</i> (Acari: Tj ETQq1 1 0.784314 rgBT /Overlo	0.2	18
184	Review of the genus <i>Aristelix</i> Nixon, 1943 (Hymenoptera, Braconidae, Alysiniinae), with description of a new species from Iran and clarification of the status of <i>Antrusa chrysogastra</i> (Tobias, 1986). <i>Journal of Hymenoptera Research</i> , 0, 45, 97-111.	0.8	2
185	REVIEW OF THE GENUS <i>DIOCTRIA</i> MEIGEN, 1803 (DIPTERA ASILIDAE) FROM IRAN, WITH FOUR NEW SPECIES RECORDS FOR THE IRANIAN FAUNA. <i>Redia</i> , 0, 102, 3-11.	0.1	2
186	Optimization of mass rearing of <i>Aphidius matricariae</i> on tritrophic plant-aphid-parasitoid systems. <i>BioControl</i> , 0, , .	0.9	0
187	New species of robber fly of the genus <i>Andrenosoma</i> Rondani, 1856 (Diptera: Asilidae) from Iran. <i>Zoology in the Middle East</i> , 0, , 1-10.	0.2	0