Gay M Crooks

List of Publications by Citations

Source: https://exaly.com/author-pdf/3587312/gay-m-crooks-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers5,367
citations37
h-index72
g-index140
ext. papers6,196
ext. citations8.7
avg, IF5
L-index

#	Paper	IF	Citations
111	Human hematopoietic stem/progenitor cells modified by zinc-finger nucleases targeted to CCR5 control HIV-1 in vivo. <i>Nature Biotechnology</i> , 2010 , 28, 839-47	44.5	555
110	Engraftment of gene-modified umbilical cord blood cells in neonates with adenosine deaminase deficiency. <i>Nature Medicine</i> , 1995 , 1, 1017-23	50.5	529
109	T lymphocytes with a normal ADA gene accumulate after transplantation of transduced autologous umbilical cord blood CD34+ cells in ADA-deficient SCID neonates. <i>Nature Medicine</i> , 1998 , 4, 775-80	50.5	286
108	Albumin-expressing hepatocyte-like cells develop in the livers of immune-deficient mice that received transplants of highly purified human hematopoietic stem cells. <i>Blood</i> , 2003 , 101, 4201-8	2.2	225
107	Gene therapy for adenosine deaminase-deficient severe combined immune deficiency: clinical comparison of retroviral vectors and treatment plans. <i>Blood</i> , 2012 , 120, 3635-46	2.2	189
106	Mapping the first stages of mesoderm commitment during differentiation of human embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 13742-7	11.5	179
105	Identification of a novel, human multilymphoid progenitor in cord blood. <i>Blood</i> , 2001 , 97, 3683-90	2.2	164
104	Critical factors influencing stable transduction of human CD34(+) cells with HIV-1-derived lentiviral vectors. <i>Molecular Therapy</i> , 2000 , 2, 71-80	11.7	142
103	Dynamic tracking of human hematopoietic stem cell engraftment using in vivo bioluminescence imaging. <i>Blood</i> , 2003 , 102, 3478-82	2.2	141
102	Perivascular support of human hematopoietic stem/progenitor cells. <i>Blood</i> , 2013 , 121, 2891-901	2.2	138
101	The contribution of bone marrow-derived cells to the tumor vasculature in neuroblastoma is matrix metalloproteinase-9 dependent. <i>Cancer Research</i> , 2005 , 65, 3200-8	10.1	137
100	Long non-coding RNA profiling of human lymphoid progenitor cells reveals transcriptional divergence of B cell and T cell lineages. <i>Nature Immunology</i> , 2015 , 16, 1282-91	19.1	134
99	A CD133-expressing murine liver oval cell population with bilineage potential. Stem Cells, 2007, 25, 241	95289	119
98	Fibroblast growth factor 10 is critical for liver growth during embryogenesis and controls hepatoblast survival via beta-catenin activation. <i>Hepatology</i> , 2007 , 46, 1187-97	11.2	105
97	Generation of mature T cells from human hematopoietic stem and progenitor cells in artificial thymic organoids. <i>Nature Methods</i> , 2017 , 14, 521-530	21.6	91
96	In Vitro Identification of Single CD34+CD38ICells With Both Lymphoid and Myeloid Potential. <i>Blood</i> , 1998 , 91, 4145-4151	2.2	87
95	Integrin alpha4 blockade sensitizes drug resistant pre-B acute lymphoblastic leukemia to chemotherapy. <i>Blood</i> , 2013 , 121, 1814-8	2.2	82

(2010-2012)

94	Lymphoid priming in human bone marrow begins before expression of CD10 with upregulation of L-selectin. <i>Nature Immunology</i> , 2012 , 13, 963-71	19.1	82
93	Human developmental chondrogenesis as a basis for engineering chondrocytes from pluripotent stem cells. <i>Stem Cell Reports</i> , 2013 , 1, 575-89	8	81
92	Expansion of liver cancer stem cells during aging in methionine adenosyltransferase 1A-deficient mice. <i>Hepatology</i> , 2008 , 47, 1288-97	11.2	74
91	Human intrathymic lineage commitment is marked by differential CD7 expression: identification of CD7- lympho-myeloid thymic progenitors. <i>Blood</i> , 2008 , 111, 1318-26	2.2	70
90	Organoid-Induced Differentiation of Conventional T Cells from Human Pluripotent Stem Cells. <i>Cell Stem Cell</i> , 2019 , 24, 376-389.e8	18	70
89	Dynamics of HSPC repopulation in nonhuman primates revealed by a decade-long clonal-tracking study. <i>Cell Stem Cell</i> , 2014 , 14, 473-85	18	67
88	Detection of leukemic cells in the CD34(+)CD38(-) bone marrow progenitor population in children with acute lymphoblastic leukemia. <i>Blood</i> , 2001 , 97, 3925-30	2.2	66
87	The effects of Campath 1H upon graft-versus-host disease, infection, relapse, and immune reconstitution in recipients of pediatric unrelated transplants. <i>Biology of Blood and Marrow Transplantation</i> , 2007 , 13, 584-93	4.7	53
86	Immune-cell lineage commitment: translation from mice to humans. <i>Immunity</i> , 2007 , 26, 674-7	32.3	52
85	GPI-80 defines self-renewal ability in hematopoietic stem cells during human development. <i>Cell Stem Cell</i> , 2015 , 16, 80-7	18	50
84	Medial HOXA genes demarcate haematopoietic stem cell fate during human development. <i>Nature Cell Biology</i> , 2016 , 18, 595-606	23.4	50
83	Stable gene transfer to human CD34(+) hematopoietic cells using the Sleeping Beauty transposon. <i>Experimental Hematology</i> , 2006 , 34, 1333-43	3.1	48
82	Ikaros isoform x is selectively expressed in myeloid differentiation. <i>Journal of Immunology</i> , 2003 , 170, 3091-8	5.3	47
81	Progressive declines in neurocognitive function among survivors of hematopoietic stem cell transplantation for pediatric hematologic malignancies. <i>Journal of Pediatric Hematology/Oncology</i> , 2008 , 30, 411-8	1.2	46
80	Retroviral mediated transfer of the cDNA for human glucocerebrosidase into hematopoietic stem cells of patients with Gaucher disease. A phase I study. <i>Human Gene Therapy</i> , 1996 , 7, 231-53	4.8	44
79	Stable transgene expression in primitive human CD34+ hematopoietic stem/progenitor cells, using the Sleeping Beauty transposon system. <i>Human Gene Therapy</i> , 2009 , 20, 1607-26	4.8	41
78	Critical differences in hematopoiesis and lymphoid development between humans and mice. <i>Journal of Clinical Immunology</i> , 2013 , 33, 711-5	5.7	40
77	In vivo deficiency of both C/EBPland C/EBPland collaboration and lack of cytokine response. <i>PLoS ONE</i> , 2010 , 5, e15419	3.7	39

76	MLLT3 governs human haematopoietic stem-cell self-renewal and engraftment. Nature, 2019, 576, 281-	- 2586 4	38
75	Toward gene therapy for Gaucher disease. <i>Human Gene Therapy</i> , 1991 , 2, 101-5	4.8	36
74	Stimulation of Hair Growth by Small Molecules that Activate Autophagy. Cell Reports, 2019, 27, 3413-34	l21b£3	34
73	Quantum dot labeling and tracking of human leukemic, bone marrow and cord blood cells. <i>Leukemia Research</i> , 2007 , 31, 643-51	2.7	34
72	Engineering the human thymic microenvironment to support thymopoiesis in vivo. <i>Stem Cells</i> , 2014 , 32, 2386-96	5.8	33
71	Cutting edge: predominant expression of a novel Ikaros isoform in normal human hemopoiesis. Journal of Immunology, 2001, 167, 1867-70	5.3	32
7º	Formation of pancreatic duct epithelium from bone marrow during neonatal development. <i>Stem Cells</i> , 2006 , 24, 307-14	5.8	31
69	Prolonged pancytopenia in a gene therapy patient with ADA-deficient SCID and trisomy 8 mosaicism: a case report. <i>Blood</i> , 2007 , 109, 503-6	2.2	30
68	Human hematopoietic lineage commitment. <i>Immunological Reviews</i> , 2002 , 187, 48-64	11.3	30
67	Successful hematopoietic stem cell transplantation for Niemann-Pick disease type B. <i>Pediatrics</i> , 2005 , 116, 1022-5	7.4	30
66	Gene therapy for adenosine deaminase deficiency. Annual Review of Medicine, 2000, 51, 33-47	17.4	28
65	Artificial thymic organoids represent a reliable tool to study T-cell differentiation in patients with severe T-cell lymphopenia. <i>Blood Advances</i> , 2020 , 4, 2611-2616	7.8	27
64	Clinical and genetic heterogeneity in Omenn syndrome and severe combined immune deficiency. <i>Pediatric Transplantation</i> , 2009 , 13, 244-50	1.8	27
63	SCL expression at critical points in human hematopoietic lineage commitment. Stem Cells, 2005, 23, 852	²- <u>6</u> .8	27
62	Lysophosphatidic acid mediates myeloid differentiation within the human bone marrow microenvironment. <i>PLoS ONE</i> , 2013 , 8, e63718	3.7	27
61	VEGF-mediated cross-talk within the neonatal murine thymus. <i>Blood</i> , 2009 , 113, 2723-31	2.2	26
60	Bone marrow fails to differentiate into liver epithelium during murine development and regeneration. <i>Hepatology</i> , 2007 , 45, 1250-60	11.2	26
59	Autologous Ex Vivo Lentiviral Gene Therapy for Adenosine Deaminase Deficiency. <i>New England Journal of Medicine</i> , 2021 , 384, 2002-2013	59.2	24

(2018-2019)

58	Development of Hematopoietic Stem Cell-Engineered Invariant Natural Killer T Cell Therapy for Cancer. <i>Cell Stem Cell</i> , 2019 , 25, 542-557.e9	18	23	
57	Busulfan and cyclophosphamide as a conditioning regimen for pediatric acute lymphoblastic leukemia patients undergoing bone marrow transplantation. <i>Journal of Pediatric Hematology/Oncology</i> , 2004 , 26, 91-7	1.2	22	
56	BALR-6 regulates cell growth and cell survival in B-lymphoblastic leukemia. <i>Molecular Cancer</i> , 2015 , 14, 214	42.1	21	
55	Effects of sublethal irradiation on patterns of engraftment after murine bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 608-19	4.7	20	
54	From pluripotent stem cells to T cells. Experimental Hematology, 2019, 71, 24-31	3.1	20	
53	Lysophosphatidic acid mediates fibrosis in injured joints by regulating collagen type I biosynthesis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 308-18	6.2	19	
52	Transcriptionally and Functionally Distinct Mesenchymal Subpopulations Are Generated from Human Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2018 , 10, 436-446	8	17	
51	Anti-CD52 antibody-mediated immune ablation with autologous immune recovery for the treatment of refractory juvenile polymyositis. <i>Journal of Clinical Immunology</i> , 2011 , 31, 615-22	5.7	16	
50	Expansion of multipotent and lymphoid-committed human progenitors through intracellular dimerization of Mpl. <i>Blood</i> , 2008 , 111, 4064-74	2.2	16	
49	Ifosfamide and etoposide in recurrent childhood acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 1995 , 17, 34-8	1.2	16	
48	Inferring relative numbers of human leucocyte genome replications. <i>British Journal of Haematology</i> , 2008 , 141, 862-71	4.5	15	
47	Second hematopoietic stem cell transplantation in pediatric patients: overall survival and long-term follow-up. <i>Biology of Blood and Marrow Transplantation</i> , 2002 , 8, 221-8	4.7	15	
46	Fluorescent immunohistochemistry and in situ hybridization analysis of mouse pancreas using low-power antigen-retrieval technique. <i>Journal of Histochemistry and Cytochemistry</i> , 2006 , 54, 843-7	3.4	13	
45	Human lymphoid development in the absence of common Ethain receptor signaling. <i>Journal of Immunology</i> , 2014 , 192, 5050-8	5.3	12	
44	Rapid thymic reconstitution following bone marrow transplantation in neonatal mice is VEGF-dependent. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 683-9	4.7	12	
43	Dysregulated gene expression during hematopoietic differentiation from human embryonic stem cells. <i>Molecular Therapy</i> , 2011 , 19, 768-81	11.7	12	
42	IL-3 increases production of B lymphoid progenitors from human CD34+CD38- cells. <i>Journal of Immunology</i> , 2000 , 165, 2382-9	5.3	12	
41	Myeloid Disease Mutations of Splicing Factor SRSF2 Cause G2-M Arrest and Skewed Differentiation of Human Hematopoietic Stem and Progenitor Cells. <i>Stem Cells</i> , 2018 , 36, 1663-1675	5.8	11	

40	The challenges and promises of blood engineered from human pluripotent stem cells. <i>Advanced Drug Delivery Reviews</i> , 2011 , 63, 331-41	18.5	11
39	Lentiviral Gene Therapy with Autologous Hematopoietic Stem and Progenitor Cells (HSPCs) for the Treatment of Severe Combined Immune Deficiency Due to Adenosine Deaminase Deficiency (ADA-SCID): Results in an Expanded Cohort. <i>Blood</i> , 2019 , 134, 3345-3345	2.2	11
38	Expression from second-generation feline immunodeficiency virus vectors is impaired in human hematopoietic cells. <i>Molecular Therapy</i> , 2002 , 6, 645-52	11.7	10
37	Erythropoiesis from human embryonic stem cells through erythropoietin-independent AKT signaling. <i>Stem Cells</i> , 2014 , 32, 1503-14	5.8	8
36	A reduced-toxicity regimen is associated with durable engraftment and clinical cure of nonmalignant genetic diseases among children undergoing blood and marrow transplantation with an HLA-matched related donor. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 440-4	4.7	8
35	Novel pathways to erythropoiesis induced by dimerization of intracellular C-Mpl in human hematopoietic progenitors. <i>Stem Cells</i> , 2012 , 30, 697-708	5.8	7
34	Development of allogeneic HSC-engineered iNKT cells for off-the-shelf cancer immunotherapy. <i>Cell Reports Medicine</i> , 2021 , 2, 100449	18	7
33	Genetic Tagging During Human Mesoderm Differentiation Reveals Tripotent Lateral Plate Mesodermal Progenitors. <i>Stem Cells</i> , 2016 , 34, 1239-50	5.8	7
32	IND-Enabling Studies for a Clinical Trial to Genetically Program a Persistent Cancer-Targeted Immune System. <i>Clinical Cancer Research</i> , 2019 , 25, 1000-1011	12.9	7
31	Analysis of Fes kinase activity in myeloid cell growth and differentiation. Stem Cells, 1996, 14, 714-24	5.8	5
30	In [Vitro Recapitulation of Murine Thymopoiesis from Single Hematopoietic Stem Cells. <i>Cell Reports</i> , 2020 , 33, 108320	10.6	5
29	Gene Editing Rescues In vitro T Cell Development of RAG2-Deficient Induced Pluripotent Stem Cells in an Artificial Thymic Organoid System. <i>Journal of Clinical Immunology</i> , 2021 , 41, 852-862	5.7	5
28	Unrelated donor hematopoietic stem cell transplantation for the treatment of non-malignant genetic diseases: An alemtuzumab based regimen is associated with cure of clinical disease; earlier clearance of alemtuzumab may be associated with graft rejection. <i>American Journal of Hematology</i> ,	7.1	4
27	2015 , 90, 1021-6 Pre- and post-natal treatment of hemophagocytic lymphohistiocytosis. <i>Pediatric Blood and Cancer</i> , 2009 , 52, 139-42	3	4
26	Nidogen-1 Mitigates Ischemia and Promotes Tissue Survival and Regeneration. <i>Advanced Science</i> , 2021 , 8, 2002500	13.6	4
25	The expansion of thymopoiesis in neonatal mice is dependent on expression of high mobility group a 2 protein (Hmga2). <i>PLoS ONE</i> , 2015 , 10, e0125414	3.7	3
24	Regulated expansion of human pancreatic beta-cells. <i>Molecular Therapy</i> , 2010 , 18, 1389-96	11.7	3
23	Hematopoietic stem cell transplantation for severe combined immune deficiency. <i>Current Allergy and Asthma Reports</i> , 2001 , 1, 416-20	5.6	3

22	Vascular Pericytes Sustain Hematopoietic Stem Cells. <i>Blood</i> , 2011 , 118, 2394-2394	2.2	2
21	Pleiotropic Roles of VEGF in the Microenvironment of the Developing Thymus. <i>Journal of Immunology</i> , 2020 , 205, 2423-2436	5.3	2
20	3D-organoid culture supports differentiation of human CAR iPSCs into highly functional CAR Titells <i>Cell Stem Cell</i> , 2022 ,	18	2
19	Lineage assays: which pathway to take?. <i>Blood</i> , 2011 , 117, 2560	2.2	1
18	Inability to Express HOXA Cluster and BCL11A Genes Compromises Self-Renewal and Multipotency of hESC-Derived Hematopoietic Cells. <i>Blood</i> , 2012 , 120, 1190-1190	2.2	1
17	Inducing Definitive Erythropoiesis From Human Embryonic Stem Cells Through a Novel Intracellular MPL Dimerization Strategy. <i>Blood</i> , 2013 , 122, 1172-1172	2.2	1
16	Formation of Pancreatic Duct Cells from Bone Marrow during Neonatal Development <i>Blood</i> , 2004 , 104, 675-675	2.2	1
15	The Metabolic Landscape of Thymic T Cell Development and. Frontiers in Immunology, 2021, 12, 716661	8.4	1
14	Generation of Artificial Thymic Organoids from Human and Murine Hematopoietic Stem and Progenitor Cells <i>Current Protocols</i> , 2022 , 2, e403		O
13	In Vitro T Cell Differentiation from Human Hematopoietic Stem Cells (HSC) and Lymphoid Progenitors <i>Blood</i> , 2004 , 104, 4159-4159	2.2	
12	Human Progenitor and Stem Cell Expansion through Selective, Reversible Cytokine Receptor Signaling <i>Blood</i> , 2005 , 106, 31-31	2.2	
11	Utility of Quantum Dots for Labeling and Tracking Leukemic Cell Lines, Human Bone Marrow and CD 34+ Umbilical Cord Blood <i>Blood</i> , 2005 , 106, 1729-1729	2.2	
10	Human Thymus Contains Hematopoietic Stem and Lymphoid Progenitor Populations That Can Be Identified by Differential Expression of CD7 <i>Blood</i> , 2006 , 108, 1660-1660	2.2	
9	Campath 1H Versus ATG for the Prophylaxis of Graft Versus Host Disease Does Not Increase the Risk of Relapse or Infections <i>Blood</i> , 2006 , 108, 2888-2888	2.2	
8	In Vivo Biosafety Model To Assess Risk of Adverse Events from Retroviral and Lentiviral Vectors <i>Blood</i> , 2007 , 110, 2595-2595	2.2	
7	In Vitro Generation of Human Pluripotent Stem Cell-Derived T Cells for Immunotherapy. <i>Blood</i> , 2017 , 130, 691-691	2.2	
6	Artificial Thymic Organoids Permit Allelic Exclusion and Efficient Generation of NaWe TCR-Engineered T-Cells from Human Hematopoietic Stem Cells In Vitro. <i>Blood</i> , 2016 , 128, 4553-4553	2.2	
5	BCL11B Is a Key Regulator of T-Lineage Differentiation during the Initial Stages of Human Thymopoiesis. <i>Blood</i> , 2016 , 128, 2657-2657	2.2	

4	Frequent in Vivo redundancy of C/EBPIand C/EBPIduring Myeloid Development. <i>Blood</i> , 2008 , 112, 2440-2440	2.2
3	Preclinical Studies for Sickle Cell Disease Gene Therapy Using Bone Marrow CD34+ Cells Modified with a AS3-Globin Lentiviral Vector. <i>Blood</i> , 2011 , 118, 3119-3119	2.2
2	Efficient Erythropoiesis From Human Embryonic Stem Cells Through Dimerization of Intracellular MPL <i>Blood</i> , 2012 , 120, 2291-2291	2.2
1	Engineering The Human Thymic Microenvironment To Support Thymopoiesis. <i>Blood</i> , 2013 , 122, 3494-3-	4 <u>9.4</u> 2