
## Hyoun Soo Lim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3587598/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biotic responses of deep-sea benthic foraminifera in the equatorial Indian Ocean during the Quaternary: Influence of the ballasting effect on organic matter by calcareous plankton skeletons. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 585, 110724.	2.3	1
2	Diminutive pterosaur tracks and trackways (Pteraichnus gracilis ichnosp. nov.) from the Lower Cretaceous Jinju Formation, Gyeongsang Basin, Korea. Cretaceous Research, 2022, 131, 105080.	1.4	7
3	Impact of anthropogenic inputs on Pb content of moss Sanionia uncinata (Hedw.) Loeske in King George Island, West Antarctica revealed by Pb isotopes. Geosciences Journal, 2022, 26, 225-234.	1.2	4
4	Statistical understanding for snow cover effects on near-surface ground temperature at the margin of maritime Antarctica, King George Island. Geoderma, 2022, 410, 115661.	5.1	4
5	Evolution of Depositional Environments in Response to the Holocene Sea-Level Change in the Lower Delta Plain of Nakdong River Delta, Korea. Applied Sciences (Switzerland), 2022, 12, 177.	2.5	1
6	Benthic foraminifera in the Nakdong River Delta (southeast Korea) and their response to middle Holocene climatic change in the coastal environment of the East Asian margin. Journal of Asian Earth Sciences, 2022, 234, 105273.	2.3	1
7	Detrital zircon U-Pb ages of the Cretaceous Iljik, Jeomgok, and Sagok formations in the Cheongsong Global Geopark, Korea: Depositional age and Provenance. Journal of the Korean Earth Science Society, 2021, 42, 11-38.	0.2	2
8	Silicon Isotope Measurement of Giant Diatoms Using MC-ICP-MS. Journal of the Korean Earth Science Society, 2021, 42, 1-10.	0.2	0
9	Development Status and Prospect of Geopark Characters. Journal of the Korean Earth Science Society, 2021, 42, 65-75.	0.2	0
10	Occurrence and Identification of Tephra Layers found in the Ulsan area, Southeastern Korea. Journal of the Korean Earth Science Society, 2021, 42, 55-64.	0.2	2
11	Kinematic characteristics and movement timing of the Wonwonsa fault in the central Ulsan fault. Journal of the Geological Society of Korea, 2021, 57, 35-48.	0.7	5
12	Geological values of the Ueumdo geosite in the Hwaseong Geopark, Korea and its application to geo-education. Journal of the Geological Society of Korea, 2021, 57, 257-273.	0.7	4
13	The relationships of present vegetation, bacteria, and soil properties with soil organic matter characteristics in moist acidic tundra in Alaska. Science of the Total Environment, 2021, 772, 145386.	8.0	15
14	Geo-educational Values of the Jebudo Geosite in the Hwaseong Geopark, Korea. Journal of the Korean Earth Science Society, 2021, 42, 311-324.	0.2	0
15	Development and timing of two orthogonal fold systems in the western Gyeonggi Massif, Korea. Episodes, 2021, 44, 83-97.	1.2	2
16	Detrital zircon provenance of the Lower Cretaceous Duwon Formation based on LA-MC-ICPMS U-Pb ages and morphology in the Goheung area, southern Korea: A new supply mechanism of Early Cretaceous zircons. Cretaceous Research, 2021, , 104955.	1.4	4
17	First report of bird tracks (Ignotornis seoungjoseoi ichnosp. nov.) from the Jinju Formation (Lower) Tj ETQq1 🕻	l 0.784314 r 1.4	gBŢ/Overlo

Late Pleistocene sedimentary environment and reverse faulting along the Chugaryung Fault in the central Korean Peninsula: a case study on the Cheorwon Basin. Geosciences Journal, 2020, 24, 615-623.

1.2 5

#	Article	IF	CITATIONS
19	Hydrogeological characteristics of groundwater and surface water associated with two small lake systems on King George Island, Antarctica. Journal of Hydrology, 2020, 590, 125537.	5.4	11
20	Isotopic characteristics of snow and its meltwater over the Barton Peninsula, Antarctica. Cold Regions Science and Technology, 2020, 173, 102997.	3.5	7
21	Detrital zircon geochronology of the Cretaceous Sindong Group, Gyeongsang Basin, Korea and its implications for paleodrainage systems. Episodes, 2020, 43, 711-738.	1.2	4
22	Detrital zircon U-Pb ages of the uppermost Jinju Formation in the Natural Monument No. 534 †Tracksite of Pterosaurs, Birds, and Dinosaurs in Hotandong, Jinju', Korea. Journal of the Korean Earth Science Society, 2020, 41, 367-380.	0.2	4
23	Assessment of the value and development of geological heritages in Gangwon Province, Korea. Journal of the Geological Society of Korea, 2020, 56, 683-702.	0.7	1
24	Glacial melting pulses in the Antarctica: Evidence for different responses to regional effects of global warming recorded in Antarctic bivalve shell (Laternula elliptica). Journal of Marine Systems, 2019, 197, 103179.	2.1	4
25	Local-scale variation of soil bacterial communities in ice-free regions of maritime Antarctica. Soil Biology and Biochemistry, 2019, 133, 165-173.	8.8	32
26	Evaluation of ethoxylated nonionic surfactants for solubilization of chlorinated organic phases: Effects of partitioning loss and macroemulsion formation. Journal of Contaminant Hydrology, 2019, 223, 103475.	3.3	12
27	Past climate changes over South Korea during MIS3 and MIS1 and their links to regional and global climate changes. Quaternary International, 2019, 519, 74-81.	1.5	13
28	Zircon U-Pb ages of Duwon Formation and Goheung Tuff in Goheung area, southern Korea. Journal of the Geological Society of Korea, 2019, 55, 583-594.	0.7	4
29	Petrological and geochemical compositions of beach sands of the Barton and Weaver peninsulas of King George Island, West Antarctica: implications for provenance and depositional history. Episodes, 2019, 42, 149-164.	1.2	4
30	Three-dimensional modelling of urban area based on the urban geological approach. Journal of the Geological Society of Korea, 2019, 55, 333-342.	0.7	2
31	Trace-element composition of the Cretaceous Sindong Group, Gyeongsang Basin, Korea and its implication for provenance. Journal of the Geological Society of Korea, 2019, 55, 531-549.	0.7	5
32	Dinosaur track-bearing deposits in Sagok Formation (Cretaceous) at Sinseong-ri, Cheonsong-gun, Korea: Occurrences and paleoenvironments. Journal of the Geological Society of Korea, 2019, 55, 495-511.	0.7	5
33	Effects of solvent participation and controlled product separation on biomass liquefaction: A case study of sewage sludge. Applied Energy, 2018, 218, 402-416.	10.1	35
34	Geochronology and sedimentary environment at the Udu-dong archeological site, Chuncheon, South Korea. Holocene, 2018, 28, 1512-1522.	1.7	0
35	Cretaceous Pterosaur Tracks in Daegok-ri, Ulju-gun, Ulsan: Spatio-temporal Distribution of Pterosaur in the Korean Peninsula. Journal of the Korean Earth Science Society, 2018, 39, 458-472.	0.2	5
36	Assessment of the value and distribution of geological heritages in Gyeongbuk Province, Korea. Journal of the Geological Society of Korea, 2018, 54, 133-151.	0.7	2

#	Article	IF	CITATIONS
37	Reply to the comment on Lee et al., a€œDetrital zircon geochronology and Nd isotope geochemistry of the basal succession of the Taebaeksan Basin, South Korea: Implications for the Gondwana linkage of the Sino-Korean (North China) block during the Neoproterozoic–early Cambrian―[Palaeogeography, Palaeoclimatology, Palaeoecology 441 (2016): 770–786]. Palaeogeography, Palaeoclimatology,	2.3	5
38	Palaeoecology, 2016, 459, 613-617. Thermal characteristics of soil and water during summer at King Sejong Station, King George Island, Antarctica. Geosciences Journal, 2016, 20, 503-516.	1.2	11
39	Influence of Soil Characteristics and Proximity to Antarctic Research Stations on Abundance of Antibiotic Resistance Genes in Soils. Environmental Science & Technology, 2016, 50, 12621-12629.	10.0	107
40	Holocene benthic foraminiferal faunas in coastal deposits of the Nakdong River delta (Korea) and Izumo Plain (Japan). Quaternary International, 2016, 392, 13-24.	1.5	16
41	Detrital zircon geochronology and Nd isotope geochemistry of the basal succession of the Taebaeksan Basin, South Korea: Implications for the Gondwana linkage of the Sino-Korean (North) Tj ETQq1 1 Palaeoecology, 2016, 441, 770-786.	0.78 <u>43</u> 14 rg	gBT <sub>36</sub> Overloci
42	A paleoenvironmental study of Holocene delta sediments in Nakdong River Estuary. Journal of the Geological Society of Korea, 2016, 52, 15-30.	0.7	5
43	Depositional age and petrological characteristics of the Jangsan Formation in the Taebaeksan Basin, Korea-revisited. Journal of the Geological Society of Korea, 2016, 52, 67-77.	0.7	12
44	Geological characteristics of unconventional hydrocarbon resources. Journal of the Geological Society of Korea, 2016, 52, 79-93.	0.7	1
45	Anthropocene: on the starting point and the significance of the new geological epoch. Journal of the Geological Society of Korea, 2016, 52, 163-171.	0.7	3
46	Formation mechanism of listric normal faults and calcite veins within the shale-dominant strata of the upper Jinju formation in the cretaceous Gyeongsang Basin, Korea. Journal of the Geological Society of Korea, 2016, 52, 373-388.	0.7	0
47	Assessment of the value and distribution of geological heritages in Chungcheong Province, Korea. Journal of the Geological Society of Korea, 2016, 52, 639-664.	0.7	7
48	Geological heritages of the candidate site for National Geopark around the west coast of Chungcheongnam-do Province, Korea: Characteristics and values. Journal of the Geological Society of Korea, 2016, 52, 665-689.	0.7	4
49	Reply to the comment on "Depositional age and petrological characteristics of the Jangsan Formation in the Taebaeksan Basin, Korea-revisited―by Lee, Y.I., Choi, T. and Lim, H.S Journal of the Geological Society of Korea, 2016, 52, 969-973.	0.7	1
50	Comparison of thermal characteristics of soil in austral summer and winter at King Sejong Station, King George Island, Antarctica. Journal of the Geological Society of Korea, 2016, 52, 901-915.	0.7	2
51	Woo et al. reply. Nature, 2015, 526, E2-E3.	27.8	0
52	Highly Heterogeneous Soil Bacterial Communities around Terra Nova Bay of Northern Victoria Land, Antarctica. PLoS ONE, 2015, 10, e0119966.	2.5	51
53	A preliminary study of calcite beef found in the Cretaceous Jinju Formation, Gyeongsang Basin, Korea. Journal of the Geological Society of Korea, 2015, 51, 597.	0.7	4
54	Soil development and bacterial community shifts along the chronosequence of the Midtre Lovénbreen glacier foreland in Svalbard. Journal of Ecology and Environment, 2015, 38, 461-476.	1.6	19

#	Article	IF	CITATIONS
55	Variations of Soil Temperatures in Winter and Spring at a High Elevation Area (Boulder, Colorado). Journal of Soil and Groundwater Environment, 2015, 20, 16-25.	0.1	0
56	Late <scp>Q</scp> uaternary glaciation in the <scp>N</scp> unâ€ <scp>K</scp> un massif, northwestern <scp>I</scp> ndia. Boreas, 2014, 43, 67-89.	2.4	47
57	Mid-latitude interhemispheric hydrologic seesaw over the past 550,000 years. Nature, 2014, 508, 378-382.	27.8	54
58	Orbital―and millennialâ€scale climate and vegetation changes between 32.5 and 6.9k cal a BP from Hanon Maar paleolake on Jeju Island, South Korea. Journal of Quaternary Science, 2014, 29, 570-580.	2.1	13
59	High-resolution multi-proxy evidence for millennial- and centennial-scale climate oscillations during the last deglaciation in Jeju Island, South Korea. Quaternary Science Reviews, 2014, 105, 112-125.	3.0	28
60	Geochemical characteristics of meltwater and pondwater on Barton and Weaver Peninsulas of King George Island, West Antarctica. Geochemical Journal, 2014, 48, 409-422.	1.0	14
61	Soil organic carbon characteristics relating to geomorphology near Vestre Lovénbreen moraine in Svalbard. Journal of Ecology and Environment, 2014, 37, 69-79.	1.6	4
62	A Preliminary Study of Rodent Burrows at Lake Hovsgol, Mongolia: Comparison with the Late Pleistocene Rodent Burrows of Korea. Journal of the Korean Earth Science Society, 2014, 35, 290-294.	0.2	0
63	Deposition and weathering of Asian dust in Paleolithic sites, Korea. Quaternary Science Reviews, 2013, 78, 283-300.	3.0	17
64	Pollen and sediment evidence for late-Holocene human impact at the Seonam-dong archeological site, Gwangju, Korea. Review of Palaeobotany and Palynology, 2013, 193, 110-118.	1.5	9
65	Chronostratigraphy of the sedimentary record of Limnopolar Lake, Byers Peninsula, Livingston Island, Antarctica. Antarctic Science, 2013, 25, 198-212.	0.9	38
66	Late Pleistocene– <scp>H</scp> olocene records from Lake Ulaan, southern Mongolia: implications for east Asian palaeomonsoonal climate changes. Journal of Quaternary Science, 2013, 28, 370-378.	2.1	39
67	Stream Water and Groundwater Interaction Revealed by Temperature Monitoring in Agricultural Areas. Water (Switzerland), 2013, 5, 1677-1698.	2.7	18
68	Reduction of thermal damage in photodynamic therapy by laser irradiation techniques. Journal of Biomedical Optics, 2012, 17, 128001.	2.6	14
69	Holocene environmental changes on the east coast of Korea. Journal of Paleolimnology, 2012, 48, 535-544.	1.6	11
70	Multi-proxy evidence for late Holocene anthropogenic environmental changes at Bongpo marsh on the east coast of Korea. Quaternary Research, 2012, 78, 209-216.	1.7	13
71	Detrital zircon U–Pb ages of the Jangsan Formation in the northeastern Okcheon belt, Korea and its implications for material source, provenance, and tectonic setting. Sedimentary Geology, 2012, 282, 256-267.	2.1	31
72	Bacterial diversity in ornithogenic soils compared to mineral soils on King George Island, Antarctica. Journal of Microbiology, 2012, 50, 1081-1085.	2.8	25

#	Article	IF	CITATIONS
73	Geochemistry of Quaternary sediments of the Jeongokri archaeological site, Korea: implications for provenance and palaeoenvironments during the Late Pleistocene. Journal of Quaternary Science, 2012, 27, 260-268.	2.1	17
74	Late Quaternary glacial–interglacial variations in sediment supply in the southern Drake Passage. Quaternary Research, 2012, 78, 119-129.	1.7	15
75	Holocene and Eemian climatic optima in the Korean Peninsula based on textural and carbon isotopic records from the stalagmite of the Daeya Cave, South Korea. Quaternary Science Reviews, 2011, 30, 1218-1231.	3.0	30
76	Change in gene abundance in the nitrogen biogeochemical cycle with temperature and nitrogen addition in Antarctic soils. Research in Microbiology, 2011, 162, 1018-1026.	2.1	124
77	Comparison of radiocarbon and OSL dating methods for a Late Quaternary sediment core from Lake Ulaan, Mongolia. Journal of Paleolimnology, 2011, 45, 127-135.	1.6	32
78	Polychlorinated biphenyl congeners in soils and lichens from King George Island, South Shetland Islands, Antarctica. Antarctic Science, 2010, 22, 31.	0.9	38
79	Short Note: Polychlorinated biphenyl congeners in Antarctic biota from the Barton Peninsula, King George Island. Antarctic Science, 2010, 22, 283-284.	0.9	4
80	Identification and characterization of the encrusting materials in a coastal liquefied petroleum gas storage cavern. Environmental Earth Sciences, 2010, 61, 1165-1177.	2.7	5
81	Detrital zircon geochronology of the Cretaceous Sindong Group, Southeast Korea: Implications for depositional age and Early Cretaceous igneous activity. Island Arc, 2010, 19, 647-658.	1.1	67
82	Late Holocene cyclic glaciomarine sedimentation in a subpolar fjord of the South Shetland Islands, Antarctica, and its paleoceanographic significance: Sedimentological, geochemical, and paleontological evidence. Bulletin of the Geological Society of America, 2010, 122, 1298-1307.	3.3	13
83	New age constraints for hominid footprints found on Jeju Island, South Korea. Journal of Archaeological Science, 2010, 37, 3338-3343.	2.4	14
84	Vegetation and climate history during the late Pleistocene and early Holocene inferred from pollen record in Gwangju area, South Korea. Quaternary International, 2010, 227, 61-67.	1.5	25
85	Late Pleistocene Paleovegetation and Paleoclimate of the Uiwang Area Based on Pollen Analysis. Journal of the Korean Earth Science Society, 2010, 31, 698-707.	0.2	1
86	Rate of late Quaternary iceâ€cap thinning on King George Island, South Shetland Islands, West Antarctica defined by cosmogenic <sup>36</sup> Cl surface exposure dating. Boreas, 2009, 38, 207-213.	2.4	31
87	Heavy Metal Concentrations in the Fruticose Lichen Usnea aurantiacoatra from King George Island, South Shetland Islands, West Antarctica. Journal of the Korean Society for Applied Biological Chemistry, 2009, 52, 503-508.	0.9	17
88	Carbon and nitrogen isotope composition of vegetation on King George Island, maritime Antarctic. Polar Biology, 2009, 32, 1607-1615.	1.2	52
89	Late-Holocene palaeoclimatic change at the Dongnimdong archaeological site, Gwangju, SW Korea. Holocene, 2007, 17, 665-672.	1.7	19
90	Characteristics of tephra in Holocene lake sediments on King George Island, West Antarctica: implications for deglaciation and paleoenvironment. Quaternary Science Reviews, 2007, 26, 3167-3178.	3.0	26

#	Article	IF	CITATIONS
91	Vertebrate burrows in late pleistocene paleosols at Korean Palaeolithic sites and their significance as a stratigraphic marker. Quaternary Research, 2007, 68, 213-219.	1.7	12
92	Vegetation and climate changes during the Late Pleistocene to Holocene inferred from pollen record in Jinju area, South Korea. Geosciences Journal, 2006, 10, 423-431.	1.2	47
93	Cooling history of the Upper Cretaceous Palgongsan Granite, Gyeongsang Basin, SE Korea and its tectonic implication for uplift on the active continental margin. Tectonophysics, 2005, 403, 151-165.	2.2	15
94	Geochemistry of soils of King George Island, South Shetland Islands, West Antarctica: Implications for pedogenesis in cold polar regions. Geochimica Et Cosmochimica Acta, 2004, 68, 4319-4333.	3.9	84
95	Thermal history of the Cretaceous Sindong Group, Gyeongsang Basin, Korea based on fission track analysis. Basin Research, 2003, 15, 139-152.	2.7	17
96	Fission-track dating calibration of age standards in a Korean reactor, HANARO. Geosciences Journal, 2000, 4, 251-254.	1.2	4