Patrice Nabbe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3587683/publications.pdf

Version: 2024-02-01

1477746 1281420 11 301 11 6 citations h-index g-index papers 12 12 12 535 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. Journal of the American Medical Directors Association, 2013, 14, 319-325.	1.2	167
2	The European General Practice Research Network Presents the Translations of Its Comprehensive Definition of Multimorbidity in Family Medicine in Ten European Languages. PLoS ONE, 2015, 10, e0115796.	1.1	41
3	Which DSM validated tools for diagnosing depression are usable in primary care research? A systematic literature review. European Psychiatry, 2017, 39, 99-105.	0.1	35
4	One consensual depression diagnosis tool to serve many countries: a challenge! A RAND/UCLA methodology. BMC Research Notes, 2018, 11, 4.	0.6	19
5	The French version of the HSCL-25 has now been validated for use in primary care. PLoS ONE, 2019, 14, e0214804.	1.1	19
6	Evaluating the validity of the French version of the Four-Dimensional Symptom Questionnaire with differential item functioning analysis. Family Practice, 2015, 32, cmv025.	0.8	6
7	A systematic literature review of patient self-assessment instruments concerning quality of primary care in multiprofessional clinics. Family Practice, 2022, 39, 951-963.	0.8	4
8	Nine Forward–Backward Translations of the Hopkins Symptom Checklist-25 With Cultural Checks. Frontiers in Psychiatry, 2021, 12, 688154.	1.3	3
9	Cross-Cultural Validation of the Definition of Multimorbidity in the Bulgarian Language / ĐšÑƒĐ»ÑŒÑ,ÑƒÑ€Đ°Đ Medica, 2015, 57, 127-132.	»ÑŒĐ½Đ)°Ñᢩ•Вал <mark>Đ</mark> ,ŧ
10	Identifying clinical, biological, and quality of life variables associated with depression, anxiety, and fatigue in pSS and sicca syndrome patients: a prospective single-centre cohort study. Joint Bone Spine, 2022, 89, 105413.	0.8	1
11	Multimorbid outpatients: A high frequency of FP appointments and/or family difficulties, should alert FPs to the possibility of death or acute hospitalization occurring within six months; A primary care feasibility study. PLoS ONE, 2017, 12, e0186931.	1.1	0