

# Filip K Knop

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3590468/publications.pdf>

Version: 2024-02-01

461  
papers

18,344  
citations

13068

68  
h-index

21474

114  
g-index

496  
all docs

496  
docs citations

496  
times ranked

18094  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of glucagon-like peptide-1 receptor agonists on weight loss: systematic review and meta-analyses of randomised controlled trials. <i>BMJ: British Medical Journal</i> , 2012, 344, d7771-d7771.	2.4	731
2	Improvement of Insulin Sensitivity after Lean Donor Feces in Metabolic Syndrome Is Driven by Baseline Intestinal Microbiota Composition. <i>Cell Metabolism</i> , 2017, 26, 611-619.e6.	7.2	689
3	Recovery of gut microbiota of healthy adults following antibiotic exposure. <i>Nature Microbiology</i> , 2018, 3, 1255-1265.	5.9	483
4	Impact of oral vancomycin on gut microbiota, bile acid metabolism, and insulin sensitivity. <i>Journal of Hepatology</i> , 2014, 60, 824-831.	1.8	475
5	Four weeks of near-normalisation of blood glucose improves the insulin response to glucagon-like peptide-1 and glucose-dependent insulinotropic polypeptide in patients with type 2 diabetes. <i>Diabetologia</i> , 2009, 52, 199-207.	2.9	351
6	Glucagon-like peptide 1 in health and disease. <i>Nature Reviews Endocrinology</i> , 2018, 14, 390-403.	4.3	304
7	Reduced Incretin Effect in Type 2 Diabetes. <i>Diabetes</i> , 2007, 56, 1951-1959.	0.3	297
8	Glucose-Dependent Insulinotropic Polypeptide. <i>Diabetes</i> , 2011, 60, 3103-3109.	0.3	265
9	2-Oleoyl Glycerol Is a GPR119 Agonist and Signals GLP-1 Release in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1409-E1417.	1.8	238
10	Loss of Incretin Effect Is a Specific, Important, and Early Characteristic of Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, S251-S257.	4.3	233
11	The Glucagonostatic and Insulinotropic Effects of Glucagon-Like Peptide 1 Contribute Equally to Its Glucose-Lowering Action. <i>Diabetes</i> , 2010, 59, 1765-1770.	0.3	230
12	Secretion of glucagon-like peptide-1 in patients with type 2 diabetes mellitus: systematic review and meta-analyses of clinical studies. <i>Diabetologia</i> , 2013, 56, 965-972.	2.9	199
13	The Pathophysiology of Diabetes Involves a Defective Amplification of the Late-Phase Insulin Response to Glucose by Glucose-Dependent Insulinotropic Polypeptide—Regardless of Etiology and Phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 4897-4903.	1.8	197
14	Impaired Regulation of the Incretin Effect in Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 737-745.	1.8	190
15	Benefits and Harms of Sodium-Glucose Co-Transporter 2 Inhibitors in Patients with Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0166125.	1.1	188
16	Plasma proteome profiling discovers novel proteins associated with non-alcoholic fatty liver disease. <i>Molecular Systems Biology</i> , 2019, 15, e8793.	3.2	176
17	Rationale, design, and baseline characteristics for a large international trial of cardiovascular disease prevention in people with dysglycemia: The ORIGIN Trial (Outcome Reduction with an Initial) Tj ETQq1 1 0.784314 rgB1/Over	1.1	171
18	Inappropriate suppression of glucagon during OGTT but not during isoglycaemic i.v. glucose infusion contributes to the reduced incretin effect in type 2 diabetes mellitus. <i>Diabetologia</i> , 2007, 50, 797-805.	2.9	165

#	ARTICLE	IF	CITATIONS
19	Hepatic transcriptome signatures in patients with varying degrees of nonalcoholic fatty liver disease compared with healthy normal-weight individuals. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G462-G472.	1.6	162
20	Hyperglucagonaemia analysed by glucagon sandwich ELISA: nonspecific interference or truly elevated levels?. <i>Diabetologia</i> , 2014, 57, 1919-1926.	2.9	156
21	Impaired incretin effect and fasting hyperglucagonaemia characterizing type 2 diabetic subjects are early signs of dysmetabolism in obesity. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 500-510.	2.2	153
22	Increased Postprandial GIP and Glucagon Responses, But Unaltered GLP-1 Response after Intervention with Steroid Hormone, Relative Physical Inactivity, And High-Calorie Diet in Healthy Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 447-453.	1.8	152
23	The separate and combined impact of the intestinal hormones, GIP, GLP-1, and GLP-2, on glucagon secretion in type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E1038-E1046.	1.8	148
24	Glucagon and Amino Acids Are Linked in a Mutual Feedback Cycle: The Liver- $\alpha$ -Cell Axis. <i>Diabetes</i> , 2017, 66, 235-240.	0.3	144
25	The Nkx6.1 homeodomain transcription factor suppresses glucagon expression and regulates glucose-stimulated insulin secretion in islet beta cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7297-7302.	3.3	142
26	The effect of exogenous GLP-1 on food intake is lost in male truncally vagotomized subjects with pyloroplasty. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G1117-G1127.	1.6	138
27	Evidence of Extrapancratic Glucagon Secretion in Man. <i>Diabetes</i> , 2016, 65, 585-597.	0.3	136
28	Regulation of glucagon secretion by incretins. <i>Diabetes, Obesity and Metabolism</i> , 2011, 13, 89-94.	2.2	132
29	Self-Expanding Metal Stents for Colonic Obstruction: Experiences From 104 Procedures in a Single Center. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 444-450.	0.7	130
30	Efficacy and safety of liraglutide for overweight adult patients with type 1 diabetes and insufficient glycaemic control (Lira-1): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 221-232.	5.5	127
31	Continuous glucose monitoring in pregnant women with type 1 diabetes: an observational cohort study of 186 pregnancies. <i>Diabetologia</i> , 2019, 62, 1143-1153.	2.9	127
32	Secretion of Glucose-Dependent Insulinotropic Polypeptide in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3346-3352.	4.3	125
33	Bariatric surgery in patients with non-alcoholic fatty liver disease - from pathophysiology to clinical effects. <i>World Journal of Hepatology</i> , 2019, 11, 138-149.	0.8	122
34	Glucagon-like peptide-1 receptor agonists for the treatment of type 2 diabetes: Differences and similarities. <i>European Journal of Internal Medicine</i> , 2014, 25, 407-414.	1.0	120
35	Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3633-3640.	1.8	118
36	Separate and Combined Glucometabolic Effects of Endogenous Glucose-Dependent Insulinotropic Polypeptide and Glucagon-like Peptide 1 in Healthy Individuals. <i>Diabetes</i> , 2019, 68, 906-917.	0.3	118

#	ARTICLE	IF	CITATIONS
37	Specificity and sensitivity of commercially available assays for glucagon and oxyntomodulin measurement in humans. <i>European Journal of Endocrinology</i> , 2014, 170, 529-538.	1.9	116
38	Glucagon antagonism as a potential therapeutic target in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2011, 13, 965-971.	2.2	114
39	Glucagon Receptor Signaling and Glucagon Resistance. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3314.	1.8	113
40	Glucagon Receptor Signaling and Lipid Metabolism. <i>Frontiers in Physiology</i> , 2019, 10, 413.	1.3	112
41	The Liver- $\alpha$ -Cell Axis and Type 2 Diabetes. <i>Endocrine Reviews</i> , 2019, 40, 1353-1366.	8.9	110
42	Effect of the EndoBarrier G <sub>astrointestinal</sub> L <sub>iner</sub> on obesity and type 2 diabetes: a systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 300-305.	2.2	107
43	Enteroendocrine K and L cells in healthy and type 2 diabetic individuals. <i>Diabetologia</i> , 2018, 61, 284-294.	2.9	107
44	Clinical relevance of the bile acid receptor TGR5 in metabolism. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 224-233.	5.5	105
45	Twelve weeks treatment with the DPP-4 inhibitor, sitagliptin, prevents degradation of peptide YY and improves glucose and non-glucose induced insulin secretion in patients with type 2 diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2010, 12, 323-333.	2.2	104
46	Glucose-Dependent Insulinotropic Polypeptide Inhibits Bone Resorption in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2325-E2329.	1.8	104
47	The biology of glucagon and the consequences of hyperglucagonemia. <i>Biomarkers in Medicine</i> , 2016, 10, 1141-1151.	0.6	102
48	Postprandial Plasma Concentrations of Individual Bile Acids and FGF-19 in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3002-3009.	1.8	100
49	Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1870-1882.	0.5	98
50	Glucagon and Type 2 Diabetes: the Return of the Alpha Cell. <i>Current Diabetes Reports</i> , 2014, 14, 555.	1.7	96
51	Glucose-Lowering Effects and Low Risk of Hypoglycemia in Patients With Maturity-Onset Diabetes of the Young When Treated With a GLP-1 Receptor Agonist: A Double-Blind, Randomized, Crossover Trial. <i>Diabetes Care</i> , 2014, 37, 1797-1805.	4.3	94
52	Effect of Roux-en-Y gastric bypass on the distribution and hormone expression of small-intestinal enteroendocrine cells in obese patients with type 2 diabetes. <i>Diabetologia</i> , 2015, 58, 2254-2258.	2.9	94
53	The Role of Glucagon in the Pathophysiology and Treatment of Type 2 Diabetes. <i>Mayo Clinic Proceedings</i> , 2018, 93, 217-239.	1.4	94
54	Increased postprandial responses of GLP-1 and GIP in patients with chronic pancreatitis and steatorrhea following pancreatic enzyme substitution. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E324-E330.	1.8	92

#	ARTICLE	IF	CITATIONS
55	Reduced Glucose Tolerance and Insulin Resistance Induced by Steroid Treatment, Relative Physical Inactivity, and High-Calorie Diet Impairs the Incretin Effect in Healthy Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3309-3317.	1.8	92
56	Glucagon-like peptide-1 receptor agonists and risk of acute pancreatitis in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 906-908.	2.2	90
57	Preserved Inhibitory Potency of GLP-1 on Glucagon Secretion in Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4679-4687.	1.8	89
58	Species-specific action of (Pro3)GIP as a full agonist at human GIP receptors, but a partial agonist and competitive antagonist at rat and mouse GIP receptors. <i>British Journal of Pharmacology</i> , 2016, 173, 27-38.	2.7	86
59	Metformin-induced glucagon-like peptide-1 secretion contributes to the actions of metformin in type 2 diabetes. <i>JCI Insight</i> , 2018, 3, .	2.3	86
60	Specificity and sensitivity of commercially available assays for glucagon-like peptide-1 (GLP-1): implications for GLP-1 measurements in clinical studies. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 1155-1164.	2.2	85
61	Effect of Antibiotics on Gut Microbiota, Gut Hormones and Glucose Metabolism. <i>PLoS ONE</i> , 2015, 10, e0142352.	1.1	85
62	Near normalisation of blood glucose improves the potentiating effect of GLP-1 on glucose-induced insulin secretion in patients with type 2 diabetes. <i>Diabetologia</i> , 2008, 51, 632-640.	2.9	82
63	Effects of combined GIP and GLP-1 infusion on energy intake, appetite and energy expenditure in overweight/obese individuals: a randomised, crossover study. <i>Diabetologia</i> , 2019, 62, 665-675.	2.9	81
64	Glucose-dependent Insulinotropic Polypeptide: Blood Glucose Stabilizing Effects in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E418-E426.	1.8	79
65	Resolution of type 2 diabetes following gastric bypass surgery: involvement of gut-derived glucagon and glucagonotropic signalling?. <i>Diabetologia</i> , 2009, 52, 2270-2276.	2.9	77
66	Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020, 7, 4189-4197.	1.4	77
67	Evidence of a liver-alpha cell axis in humans: hepatic insulin resistance attenuates relationship between fasting plasma glucagon and glucagonotropic amino acids. <i>Diabetologia</i> , 2018, 61, 671-680.	2.9	76
68	N-terminally and C-terminally truncated forms of glucose-dependent insulinotropic polypeptide are high-affinity competitive antagonists of the human GIP receptor. <i>British Journal of Pharmacology</i> , 2016, 173, 826-838.	2.7	72
69	Bile acid sequestrants for glycemic control in patients with type 2 diabetes: A systematic review with meta-analysis of randomized controlled trials. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 918-927.	1.2	72
70	Palaeolithic diet decreases fasting plasma leptin concentrations more than a diabetes diet in patients with type 2 diabetes: a randomised cross-over trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 80.	2.7	71
71	Effect of chenodeoxycholic acid and the bile acid sequestrant colesevelam on glucagon-like peptide-1 secretion. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 571-580.	2.2	71
72	Lixisenatide for type 2 diabetes mellitus. <i>Expert Opinion on Investigational Drugs</i> , 2011, 20, 549-557.	1.9	70

#	ARTICLE	IF	CITATIONS
73	Mechanism of Metabolic Advantages After Bariatric Surgery. <i>Diabetes Care</i> , 2013, 36, S287-S291.	4.3	70
74	Incidence and Prognosis of Psoriasis and Psoriatic Arthritis in Patients Undergoing Bariatric Surgery. <i>JAMA Surgery</i> , 2017, 152, 344.	2.2	69
75	Glucagon-like peptide-1 receptor agonists for antipsychotic-associated cardio-metabolic risk factors: A systematic review and individual participant data meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 293-302.	2.2	69
76	Inappropriate glucagon response after oral compared with isoglycemic intravenous glucose administration in patients with type 1 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E832-E837.	1.8	67
77	Genetic variation in the two-pore domain potassium channel, TASK-1, may contribute to an atrial substrate for arrhythmogenesis. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 67, 69-76.	0.9	66
78	GIP(3-30)NH2 is an efficacious GIP receptor antagonist in humans: a randomised, double-blinded, placebo-controlled, crossover study. <i>Diabetologia</i> , 2018, 61, 413-423.	2.9	66
79	Glucagon acutely regulates hepatic amino acid catabolism and the effect may be disturbed by steatosis. <i>Molecular Metabolism</i> , 2020, 42, 101080.	3.0	66
80	Effect of Oxyntomodulin, Glucagon, GLP-1, and Combined Glucagon +GLP-1 Infusion on Food Intake, Appetite, and Resting Energy Expenditure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4541-4552.	1.8	65
81	Future Perspectives on GLP-1 Receptor Agonists and GLP-1/glucagon Receptor Co-agonists in the Treatment of NAFLD. <i>Frontiers in Endocrinology</i> , 2018, 9, 649.	1.5	65
82	Glucose-Dependent Insulinotropic Polypeptide (GIP) Inhibits Bone Resorption Independently of Insulin and Glycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 288-294.	1.8	64
83	MECHANISMS IN ENDOCRINOLOGY: Bile acid sequestrants in type 2 diabetes: potential effects on GLP1 secretion. <i>European Journal of Endocrinology</i> , 2014, 171, R47-R65.	1.9	62
84	Patients with psoriasis are insulin resistant. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 599-605.	0.6	62
85	Safety and Efficacy of Liraglutide in Patients With Type 2 Diabetes and End-Stage Renal Disease: An Investigator-Initiated, Placebo-Controlled, Double-Blind, Parallel-Group, Randomized Trial. <i>Diabetes Care</i> , 2016, 39, 206-213.	4.3	62
86	Effect of antibiotics on gut microbiota, glucose metabolism and body weight regulation: a review of the literature. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 444-453.	2.2	62
87	FGF21, a liver hormone that inhibits alcohol intake in mice, increases in human circulation after acute alcohol ingestion and sustained binge drinking at Oktoberfest. <i>Molecular Metabolism</i> , 2018, 11, 96-103.	3.0	62
88	Impaired Incretin-Induced Amplification of Insulin Secretion after Glucose Homeostatic Dysregulation in Healthy Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1363-1370.	1.8	61
89	Hyperglucagonemia correlates with plasma levels of non-branched-chain amino acids in patients with liver disease independent of type 2 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G91-G96.	1.6	61
90	Evaluation of the incretin effect in humans using GIP and GLP-1 receptor antagonists. <i>Peptides</i> , 2020, 125, 170183.	1.2	61

#	ARTICLE	IF	CITATIONS
91	Glucose-Dependent Insulinotropic Polypeptide Augments Glucagon Responses to Hypoglycemia in Type 1 Diabetes. <i>Diabetes</i> , 2015, 64, 72-78.	0.3	60
92	Diabetic and nondiabetic patients with nonalcoholic fatty liver disease have an impaired incretin effect and fasting hyperglucagonaemia. <i>Journal of Internal Medicine</i> , 2016, 279, 485-493.	2.7	58
93	Exenatide: pharmacokinetics, clinical use, and future directions. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 555-571.	0.9	58
94	Thirty days of resveratrol supplementation does not affect postprandial incretin hormone responses, but suppresses postprandial glucagon in obese subjects. <i>Diabetic Medicine</i> , 2013, 30, 1214-1218.	1.2	57
95	Postprandial gallbladder emptying in patients with type 2 diabetes: potential implications for bile-induced secretion of glucagon-like peptide 1. <i>European Journal of Endocrinology</i> , 2014, 171, 407-419.	1.9	56
96	Glucagon responses to increasing oral loads of glucose and corresponding isoglycaemic intravenous glucose infusions in patients with type 2 diabetes and healthy individuals. <i>Diabetologia</i> , 2014, 57, 1720-1725.	2.9	56
97	GLP-1 and Amylin in the Treatment of Obesity. <i>Current Diabetes Reports</i> , 2016, 16, 1.	1.7	56
98	Supportive and non-supportive interactions in families with a type 2 diabetes patient: an integrative review. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 57.	1.2	56
99	Glucose-dependent insulinotropic polypeptide (GIP) receptor antagonists as anti-diabetic agents. <i>Peptides</i> , 2018, 100, 173-181.	1.2	56
100	The insulinotropic effect of GIP is impaired in patients with chronic pancreatitis and secondary diabetes mellitus as compared to patients with chronic pancreatitis and normal glucose tolerance. <i>Regulatory Peptides</i> , 2007, 144, 123-130.	1.9	55
101	Nonalcoholic Fatty Liver Disease Is Prevalent in Women With Prior Gestational Diabetes Mellitus and Independently Associated With Insulin Resistance and Waist Circumference. <i>Diabetes Care</i> , 2017, 40, 109-116.	4.3	54
102	L-Cell Differentiation Is Induced by Bile Acids Through GPBAR1 and Paracrine GLP-1 and Serotonin Signaling. <i>Diabetes</i> , 2020, 69, 614-623.	0.3	54
103	Bile-induced secretion of glucagon-like peptide-1: pathophysiological implications in type 2 diabetes?. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E10-E13.	1.8	53
104	Oxyntomodulin Identified as a Marker of Type 2 Diabetes and Gastric Bypass Surgery by Mass-spectrometry Based Profiling of Human Plasma. <i>EBioMedicine</i> , 2016, 7, 112-120.	2.7	53
105	Effect of GLP-1 receptor agonist treatment on body weight in obese antipsychotic-treated patients with schizophrenia: a randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 162-171.	2.2	53
106	Effects of lixisenatide on elevated liver transaminases: systematic review with individual patient data meta-analysis of randomised controlled trials on patients with type 2 diabetes. <i>BMJ Open</i> , 2014, 4, e005325.	0.8	52
107	Characterisation of oral and i.v. glucose handling in truncally vagotomised subjects with pyloroplasty. <i>European Journal of Endocrinology</i> , 2013, 169, 187-201.	1.9	51
108	Involvement of glucagon-like peptide-1 in the glucose-lowering effect of metformin. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 955-961.	2.2	50

#	ARTICLE	IF	CITATIONS
109	Glucagon Resistance at the Level of Amino Acid Turnover in Obese Subjects With Hepatic Steatosis. <i>Diabetes</i> , 2020, 69, 1090-1099.	0.3	50
110	GLP-1 agonists for type 2 diabetes: pharmacokinetic and toxicological considerations. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013, 9, 17-29.	1.5	49
111	The Alpha-Cell as Target for Type 2 Diabetes Therapy. <i>Review of Diabetic Studies</i> , 2011, 8, 369-381.	0.5	49
112	K <sub>ATP</sub> Channel Closure Ameliorates the Impaired Insulinotropic Effect of Glucose-Dependent Insulinotropic Polypeptide in Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 603-608.	1.8	48
113	Diabetes and obesity treatment based on dual incretin receptor activation: twincretins™. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 847-854.	2.2	47
114	The Effects of Dual GLP-1/GIP Receptor Agonism on Glucagon Secretion—A Review. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4092.	1.8	47
115	Human translatability of the GAN diet-induced obese mouse model of non-alcoholic steatohepatitis. <i>BMC Gastroenterology</i> , 2020, 20, 210.	0.8	47
116	GLP-1 Restores Altered Insulin and Glucagon Secretion in Posttransplantation Diabetes. <i>Diabetes Care</i> , 2016, 39, 617-624.	4.3	46
117	Four weeks of near-normalization of blood glucose has no effect on postprandial GLP-1 and GIP secretion, but augments pancreatic $\beta$ -cell responsiveness to a meal in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2008, 25, 1268-1275.	1.2	45
118	Cephalic phase secretion of insulin and other enteropancreatic hormones in humans. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, G43-G51.	1.6	45
119	Postprandial gut hormone responses and glucose metabolism in cholecystectomized patients. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G413-G419.	1.6	43
120	Bile Acid Sequestrants: Glucose-Lowering Mechanisms and Efficacy in Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2014, 14, 482.	1.7	43
121	Incretin Effect and Glucagon Responses to Oral and Intravenous Glucose in Patients With Maturity-Onset Diabetes of the Young—Type 2 and Type 3. <i>Diabetes</i> , 2014, 63, 2838-2844.	0.3	43
122	Hemodynamic Effects of Glucagon: A Literature Review. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1804-1812.	1.8	43
123	Non-alcoholic fatty liver disease alters expression of genes governing hepatic nitrogen conversion. <i>Liver International</i> , 2019, 39, 2094-2101.	1.9	43
124	Once-Weekly GLP-1 Agonists: How Do They Differ from Exenatide and Liraglutide?. <i>Current Diabetes Reports</i> , 2010, 10, 124-132.	1.7	42
125	Current evidence for a role of GLP-1 in Roux-Y gastric bypass-induced remission of type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 291-298.	2.2	41
126	Transfer of liraglutide from blood to cerebrospinal fluid is minimal in patients with type 2 diabetes. <i>International Journal of Obesity</i> , 2015, 39, 1651-1654.	1.6	41



#	ARTICLE	IF	CITATIONS
127	Separate and Combined Effects of GIP and GLP-1 Infusions on Bone Metabolism in Overweight Men Without Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2953-2960.	1.8	41
128	Incretin-Based Therapy of Type 2 Diabetes Mellitus. <i>Current Protein and Peptide Science</i> , 2009, 10, 46-55.	0.7	40
129	No Hypoglycemia After Subcutaneous Administration of Glucagon-Like Peptide-1 in Lean Type 2 Diabetic Patients and in Patients With Diabetes Secondary to Chronic Pancreatitis. <i>Diabetes Care</i> , 2003, 26, 2581-2587.	4.3	39
130	Lack of effect of the glucagon-like peptide-1 receptor agonist liraglutide on psoriasis in glucose-tolerant patients – a randomized placebo-controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 555-559.	1.3	39
131	Effects of glucagon-like peptide-1 receptor agonists on cardiovascular risk factors: A narrative review of head-to-head comparisons. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 508-519.	2.2	39
132	Metabolic profile in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 8.	0.8	39
133	Efficacy and safety of meal-time administration of short-acting exenatide for glycaemic control in type 1 diabetes (MAG1C): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 313-324.	5.5	39
134	Improvement in psoriasis after treatment with the glucagon-like peptide-1 receptor agonist liraglutide. <i>Acta Diabetologica</i> , 2014, 51, 147-150.	1.2	38
135	EJE PRIZE 2018: A gut feeling about glucagon. <i>European Journal of Endocrinology</i> , 2018, 178, R267-R280.	1.9	38
136	No Acute Effects of Exogenous Glucose-Dependent Insulinotropic Polypeptide on Energy Intake, Appetite, or Energy Expenditure When Added to Treatment With a Long-Acting Glucagon-Like Peptide 1 Receptor Agonist in Men With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 588-596.	4.3	38
137	Mechanisms of the Incretin Effect in Subjects with Normal Glucose Tolerance and Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e73154.	1.1	38
138	Reduced postprandial <sc>GLP</sc>-1 responses in women with gestational diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 713-720.	2.2	37
139	GIP and GLP-1 Receptor Antagonism During a Meal in Healthy Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e725-e738.	1.8	37
140	Treatment of type 2 diabetes with glucagon-like peptide-1 receptor agonists. <i>International Journal of Clinical Practice</i> , 2009, 63, 1154-1160.	0.8	36
141	No cognitive-enhancing effect of <sc>GLP</sc>-1 receptor agonism in antipsychotic-treated, obese patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 52-62.	2.2	36
142	Near-normalization of glycaemic control with glucagon-like peptide-1 receptor agonist treatment combined with exercise in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 172-180.	2.2	36
143	Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2226-2233.	4.3	36
144	Diabetic Ketoacidosis in a Patient with Type 2 Diabetes After Initiation of Sodium-Glucose Cotransporter 2 Inhibitor Treatment. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 168-170.	1.2	35

#	ARTICLE	IF	CITATIONS
145	Use of antibiotics in childhood and risk of Type 1 diabetes: a population-based case-control study. <i>Diabetic Medicine</i> , 2017, 34, 272-277.	1.2	35
146	Incretin mimetics: a novel therapeutic option for patients with type 2 diabetes &ndash; a review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 0, Volume 3, 155-163.	1.1	34
147	Gastric bypass surgery: Improving psoriasis through a GLP-1-dependent mechanism?. <i>Medical Hypotheses</i> , 2011, 77, 1098-1101.	0.8	34
148	Lipid and liver abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 670-676.	1.1	34
149	Adult atopic dermatitis and the risk of type 2 diabetes. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1057-1059.	1.5	34
150	Investigating Intestinal Glucagon After Roux-en-Y Gastric Bypass Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 6403-6416.	1.8	34
151	Inability of Some Commercial Assays to Measure Suppression of Glucagon Secretion. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-5.	1.0	33
152	The bile acid-sequestering resin sevelamer eliminates the acute <scp>GLP</scp>-1 stimulatory effect of endogenously released bile acids in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 362-369.	2.2	33
153	Do the Actions of Glucagon-Like Peptide-1 on Gastric Emptying, Appetite, and Food Intake Involve Release of Amylin in Humans?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2367-2375.	1.8	31
154	Gastric Emptying of Orally Administered Glucose Solutions and Incretin Hormone Responses Are Unaffected by Laparoscopic Adjustable Gastric Banding. <i>Obesity Surgery</i> , 2011, 21, 625-632.	1.1	31
155	Elimination and Degradation of Glucagon-like Peptide-1 and Glucose-Dependent Insulinotropic Polypeptide in Patients with End-Stage Renal Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2457-2466.	1.8	31
156	Azithromycin and hydroxychloroquine in hospitalised patients with confirmed COVID-19: a randomised double-blinded placebo-controlled trial. <i>European Respiratory Journal</i> , 2022, 59, 2100752.	3.1	31
157	The altered serum lipidome and its diagnostic potential for Non-Alcoholic Fatty Liver (NAFL)-associated hepatocellular carcinoma. <i>EBioMedicine</i> , 2021, 73, 103661.	2.7	31
158	Cardiovascular safety and benefits of GLP-1 receptor agonists. <i>Expert Opinion on Drug Safety</i> , 2017, 16, 351-363.	1.0	30
159	FGF21 suppresses alcohol consumption through an amygdalo-striatal circuit. <i>Cell Metabolism</i> , 2022, 34, 317-328.e6.	7.2	30
160	Glucagon suppression during OGTT worsens while suppression during IVGTT sustains alongside development of glucose intolerance in patients with chronic pancreatitis. <i>Regulatory Peptides</i> , 2010, 164, 144-150.	1.9	29
161	Gastrointestinal factors contribute to glucometabolic disturbances in nondiabetic patients with end-stage renal disease. <i>Kidney International</i> , 2013, 83, 915-923.	2.6	29
162	Circulating Glucagon 1-61 Regulates Blood Glucose by Increasing Insulin Secretion and Hepatic Glucose Production. <i>Cell Reports</i> , 2017, 21, 1452-1460.	2.9	28

#	ARTICLE	IF	CITATIONS
163	Effects of liraglutide on gallbladder emptying: A randomized, placebo-controlled trial in adults with overweight or obesity. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2557-2564.	2.2	28
164	Association Between Topical Corticosteroid Use and Type 2 Diabetes in Two European Population-Based Adult Cohorts. <i>Diabetes Care</i> , 2019, 42, 1095-1103.	4.3	28
165	Antidiabetes Agents and Incident Depression: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020, 43, 3050-3060.	4.3	28
166	Alpha- and beta-cell abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 567-575.	1.2	27
167	Single-Dose Metformin Enhances Bile Acid-Induced Glucagon-Like Peptide-1 Secretion in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4153-4162.	1.8	27
168	Glucose-dependent insulinotropic polypeptide (GIP) and cardiovascular disease. <i>Peptides</i> , 2020, 125, 170174.	1.2	27
169	An overview of obesity mechanisms in humans: Endocrine regulation of food intake, eating behaviour and common determinants of body weight. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 17-35.	2.2	27
170	A Pharmacological and Clinical Overview of Oral Semaglutide for the Treatment of Type 2 Diabetes. <i>Drugs</i> , 2021, 81, 1003-1030.	4.9	27
171	Effect of exercise combined with glucagon-like peptide-1 receptor agonist treatment on cardiac function: a randomized double-blind placebo-controlled clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1040-1044.	2.2	26
172	Lixisenatide, a novel GLP-1 receptor agonist for the treatment of type 2 diabetes mellitus. <i>IDrugs: the Investigational Drugs Journal</i> , 2009, 12, 503-13.	0.7	26
173	The Liver- $\beta$ -Cell Axis in Health and in Disease. <i>Diabetes</i> , 2022, 71, 1852-1861.	0.3	26
174	Increased expression of glucagon-like peptide-1 receptors in psoriasis plaques. <i>Experimental Dermatology</i> , 2013, 22, 150-152.	1.4	25
175	The impact of dipeptidyl peptidase 4 inhibition on incretin effect, glucose tolerance, and gastrointestinal-mediated glucose disposal in healthy subjects. <i>European Journal of Endocrinology</i> , 2014, 171, 353-362.	1.9	25
176	<i>N</i> -acyl taurines are endogenous lipid messengers that improve glucose homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24770-24778.	3.3	25
177	GIP and the gut-bone axis – Physiological, pathophysiological and potential therapeutic implications. <i>Peptides</i> , 2020, 125, 170197.	1.2	25
178	The role of endogenous GIP and GLP-1 in postprandial bone homeostasis. <i>Bone</i> , 2020, 140, 115553.	1.4	25
179	Hypoglycaemia and cardiac arrhythmias in diabetes. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020, 11, 204201882091180.	1.4	25
180	Amylin and Calcitonin: Potential Therapeutic Strategies to Reduce Body Weight and Liver Fat. <i>Frontiers in Endocrinology</i> , 2020, 11, 617400.	1.5	25

#	ARTICLE	IF	CITATIONS
181	Glucagon-like peptide-1 analogs against antipsychotic-induced weight gain: potential physiological benefits. <i>BMC Medicine</i> , 2012, 10, 92.	2.3	24
182	Incretin and pancreatic hormone secretion in Caucasian non-diabetic carriers of the <i>rs7903146</i> risk T allele. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 91-95.	2.2	24
183	Decreased plasma chemerin levels in women with gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2014, 31, 936-940.	1.2	24
184	Adverse drug reactions associated with the use of liraglutide in patients with type 2 diabetes – focus on pancreatitis and pancreas cancer. <i>Expert Opinion on Drug Safety</i> , 2015, 14, 171-180.	1.0	24
185	Involvement of steatosis-induced glucagon resistance in hyperglucagonaemia. <i>Medical Hypotheses</i> , 2016, 86, 100-103.	0.8	24
186	Cholecystokinin-Induced Gallbladder Emptying and Metformin Elicit Additive Glucagon-Like Peptide-1 Responses. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2076-2083.	1.8	24
187	The impact of EndoBarrier gastrointestinal liner in obese patients with normal glucose tolerance and in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 189-199.	2.2	24
188	Pregnancy loss is associated with type 2 diabetes: a nationwide case-control study. <i>Diabetologia</i> , 2020, 63, 1521-1529.	2.9	24
189	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	2.2	24
190	The design and discovery of lixisenatide for the treatment of type 2 diabetes mellitus. <i>Expert Opinion on Drug Discovery</i> , 2014, 9, 1223-1251.	2.5	23
191	Impaired incretin effect is an early sign of glucose dysmetabolism in nondiabetic patients with psoriasis. <i>Journal of Internal Medicine</i> , 2015, 278, 660-670.	2.7	22
192	The role of efferent cholinergic transmission for the insulinotropic and glucagonostatic effects of GLP-1. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R544-R551.	0.9	22
193	Determinants of Fasting Hyperglucagonemia in Patients with Type 2 Diabetes and Nondiabetic Control Subjects. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 530-536.	0.5	22
194	Efficacy and Safety of Glimperide With or Without Linagliptin Treatment in Patients With HNF1A Diabetes (Maturity-Onset Diabetes of the Young Type 3): A Randomized, Double-Blinded, Placebo-Controlled, Crossover Trial (GLIMLINA). <i>Diabetes Care</i> , 2020, 43, 2025-2033.	4.3	22
195	Identification and Metabolic Profiling of a Novel Human Gut-derived LEAP2 Fragment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e966-e981.	1.8	22
196	The spectrum of antidiabetic actions of GLP-1 in patients with diabetes. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2009, 23, 453-462.	2.2	21
197	Emerging GLP-1 receptor agonists. <i>Expert Opinion on Emerging Drugs</i> , 2011, 16, 607-618.	1.0	21
198	Postpartum reversibility of impaired incretin effect in gestational diabetes mellitus. <i>Regulatory Peptides</i> , 2013, 186, 104-107.	1.9	21

#	ARTICLE	IF	CITATIONS
199	Sustained Weight Loss After Treatment With a Glucagon-Like Peptide-1 Receptor Agonist in an Obese Patient With Schizophrenia and Type 2 Diabetes. <i>American Journal of Psychiatry</i> , 2013, 170, 681-682.	4.0	21
200	Glucose-lowering effects and mechanisms of the bile acid-sequestering resin sevelamer. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1623-1631.	2.2	21
201	Effects of endogenous GIP in patients with type 2 diabetes. <i>European Journal of Endocrinology</i> , 2021, 185, 33-45.	1.9	21
202	LEAP2 reduces postprandial glucose excursions and ad libitum food intake in healthy men. <i>Cell Reports Medicine</i> , 2022, 3, 100582.	3.3	21
203	Incretin-Based Therapy and Type 2 Diabetes. <i>Vitamins and Hormones</i> , 2010, 84, 389-413.	0.7	20
204	Treatment of antipsychotic-associated obesity with a GLP-1 receptor agonist: protocol for an investigator-initiated prospective, randomised, placebo-controlled, double-blinded intervention study: the TAO study protocol. <i>BMJ Open</i> , 2014, 4, e004158.	0.8	20
205	Effects of glucagon-like peptide-1 on glucagon secretion in patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016, 64, 908-915.	1.8	20
206	GIP's effect on bone metabolism is reduced by the selective GIP receptor antagonist GIP(3-30)NH <sub>2</sub> . <i>Bone</i> , 2020, 130, 115079.	1.4	20
207	Arginine-vasopressin mediates counter-regulatory glucagon release and is diminished in type 1 diabetes. <i>ELife</i> , 2021, 10, .	2.8	20
208	Long-Acting GLP-1 Analogs for the Treatment of Type 2 Diabetes Mellitus. <i>BioDrugs</i> , 2008, 22, 251-257.	2.2	19
209	Effect of the EndoBarrier Gastrointestinal Liner on obesity and type 2 diabetes: protocol for systematic review and meta-analysis of clinical studies. <i>BMJ Open</i> , 2013, 3, e003417.	0.8	19
210	Use of inhaled corticosteroids and the risk of developing type 2 diabetes in patients with chronic obstructive pulmonary disease. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1348-1356.	2.2	19
211	Glucometabolic Hormones and Cardiovascular Risk Markers in Antipsychotic-Treated Patients. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e899-e905.	1.1	19
212	Glucagon-like peptide-2, but not glucose-dependent insulinotropic polypeptide, stimulates glucagon release in patients with type 1 diabetes. <i>Regulatory Peptides</i> , 2010, 163, 96-101.	1.9	18
213	Clinical Pharmacokinetics and Pharmacodynamics of Albiglutide. <i>Clinical Pharmacokinetics</i> , 2017, 56, 719-731.	1.6	18
214	Current Therapies That Modify Glucagon Secretion: What Is the Therapeutic Effect of Such Modifications?. <i>Current Diabetes Reports</i> , 2017, 17, 128.	1.7	18
215	Bone Turnover Markers in Patients With Nonalcoholic Fatty Liver Disease and/or Type 2 Diabetes During Oral Glucose and Isoglycemic Intravenous Glucose. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2042-2049.	1.8	18
216	GIP's involvement in the pathophysiology of type 2 diabetes. <i>Peptides</i> , 2020, 125, 170178.	1.2	18

#	ARTICLE	IF	CITATIONS
217	Differential time responses in inflammatory and oxidative stress markers after a marathon: An observational study. <i>Journal of Sports Sciences</i> , 2020, 38, 2080-2091.	1.0	18
218	Lixisenatide for the treatment of type 2 diabetes. <i>Drugs of Today</i> , 2013, 49, 537.	0.7	18
219	Cardiovascular biomarkers in clinical studies of type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1350-1360.	2.2	17
220	Cholecystokinin secretion is suppressed by glucagon-like peptide-1: clue to the mechanism of the adverse gallbladder events of GLP-1-derived drugs. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 1429-1432.	0.6	17
221	Glucose metabolism in patients with psoriasis. <i>British Journal of Dermatology</i> , 2019, 180, 264-271.	1.4	17
222	How glucagon-like peptide 1 receptor agonists work. <i>Endocrine Connections</i> , 2021, 10, R200-R212.	0.8	17
223	Understanding the place for <sc>GLP-1RA</sc> therapy: Translating guidelines for treatment of type 2 diabetes into everyday clinical practice and patient selection. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 40-52.	2.2	17
224	Associations of hypoglycemia, glycemic variability and risk of cardiac arrhythmias in insulin-treated patients with type 2 diabetes: a prospective, observational study. <i>Cardiovascular Diabetology</i> , 2021, 20, 241.	2.7	17
225	Effects of sitagliptin on counter-regulatory and incretin hormones during acute hypoglycaemia in patients with type 1 diabetes: a randomized double-blind placebo-controlled crossover study. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 546-553.	2.2	16
226	Clearance of glucoregulatory peptide hormones during haemodialysis and haemodiafiltration in non-diabetic end-stage renal disease patients. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 513-520.	0.4	16
227	Efficacy and safety of fixed-ratio combination of insulin degludec and liraglutide (IDegLira) for the treatment of type 2 diabetes. <i>Expert Opinion on Drug Safety</i> , 2017, 16, 387-396.	1.0	16
228	Effects of liraglutide on cardiovascular risk factors in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 734-738.	2.2	16
229	Impaired beta cell sensitivity to incretins in type 2 diabetes is insufficiently compensated by higher incretin response. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 1123-1129.	1.1	16
230	Differences Between Randomized Clinical Trial Patients and Real-World Initiators of the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Diabetes Care</i> , 2018, 41, e133-e135.	4.3	16
231	New Avenues in the Regulation of Gallbladder Motility—Implications for the Use of Glucagon-Like Peptide—Derived Drugs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2463-2472.	1.8	16
232	Remission of Bile Acid Malabsorption Symptoms Following Treatment With the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Gastroenterology</i> , 2019, 157, 569-571.	0.6	16
233	Influence of gastrointestinal factors on glucose metabolism in patients with cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1522-1528.	1.4	15
234	Pancreatic polypeptide responses to isoglycemic oral and intravenous glucose in humans with and without intact vagal innervation. <i>Peptides</i> , 2015, 71, 229-231.	1.2	15

#	ARTICLE	IF	CITATIONS
235	A comprehensive compartmental model of blood glucose regulation for healthy and type 2 diabetic subjects. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 1383-1398.	1.6	15
236	Guanylin and uroguanylin mRNA expression is increased following Roux-en-Y gastric bypass, but guanylinins do not play a significant role in body weight regulation and glycemic control. <i>Peptides</i> , 2018, 101, 32-43.	1.2	15
237	Adaptive changes in pancreas post Roux-en-Y gastric bypass induced weight loss. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3025.	1.7	15
238	Patient Assessment of Family Function, Glycemic Control and Quality of Life in Adult Patients With Type 2 Diabetes and Incipient Complications. <i>Canadian Journal of Diabetes</i> , 2019, 43, 193-200.	0.4	15
239	High-Dose Glucagon Has Hemodynamic Effects Regardless of Cardiac Beta-Adrenoceptor Blockade: A Randomized Clinical Trial. <i>Journal of the American Heart Association</i> , 2020, 9, e016828.	1.6	15
240	The role of GLP-1 in the postprandial effects of acarbose in type 2 diabetes. <i>European Journal of Endocrinology</i> , 2021, 184, 383-394.	1.9	15
241	Exendin(9-39)NH <sub>2</sub> : Recommendations for clinical use based on a systematic literature review. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2419-2436.	2.2	15
242	Hepatic microbiome in healthy lean and obese humans. <i>JHEP Reports</i> , 2021, 3, 100299.	2.6	15
243	Prediabetes Defined by First Measured HbA1c Predicts Higher Cardiovascular Risk Compared With HbA1c in the Diabetes Range: A Cohort Study of Nationwide Registries. <i>Diabetes Care</i> , 2021, 44, 2767-2774.	4.3	15
244	Small-Bowel Hemangiosarcoma and Capsule Endoscopy. <i>Endoscopy</i> , 2003, 35, 637-637.	1.0	14
245	Increased Levels of YKL-40 and Interleukin 6 in Patients With Chronic Pancreatitis and Secondary Diabetes. <i>Pancreas</i> , 2012, 41, 1316-1318.	0.5	14
246	Postprandial responses of incretin and pancreatic hormones in non-diabetic patients with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 119-127.	0.4	14
247	Semimechanistic model describing gastric emptying and glucose absorption in healthy subjects and patients with type 2 diabetes. <i>Journal of Clinical Pharmacology</i> , 2016, 56, 340-348.	1.0	14
248	Mechanism-Based Modeling of Gastric Emptying Rate and Gallbladder Emptying in Response to Caloric Intake. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2016, 5, 692-700.	1.3	14
249	Risk stratification by endocrinologists of patients with type 2 diabetes in a Danish specialised outpatient clinic: a cross-sectional study. <i>BMC Health Services Research</i> , 2016, 16, 124.	0.9	14
250	Women with prior gestational diabetes mellitus and prediabetes are characterised by a decreased incretin effect. <i>Diabetologia</i> , 2017, 60, 1344-1353.	2.9	14
251	Evidence connecting old, new and neglected glucose-lowering drugs to bile acid-induced GLP-1 secretion: a review. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1214-1222.	2.2	14
252	Ghrelin secretion in humans – a role for the vagus nerve?. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13295.	1.6	14

#	ARTICLE	IF	CITATIONS
253	One Year's Treatment with the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide Decreases Hepatic Fat Content in Women with Nonalcoholic Fatty Liver Disease and Prior Gestational Diabetes Mellitus in a Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 3213.	1.0	14
254	GIP and GLP-1 Potentiate Sulfonylurea-Induced Insulin Secretion in Hepatocyte Nuclear Factor 1 $\alpha$ Mutation Carriers. <i>Diabetes</i> , 2020, 69, 1989-2002.	0.3	14
255	Dose-dependent efficacy of the glucose-dependent insulinotropic polypeptide (GIP) receptor antagonist GIP(3-30)NH <sub>2</sub> on GIP actions in humans. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 68-74.	2.2	14
256	Worry vs. knowledge about treatment-associated hypoglycaemia and weight gain in type 2 diabetic patients on metformin and/or sulphonylurea. <i>Current Medical Research and Opinion</i> , 2012, 28, 731-736.	0.9	13
257	Albiglutide for treating type 2 diabetes: an evaluation of pharmacokinetics/pharmacodynamics and clinical efficacy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015, 11, 1493-1503.	1.5	13
258	A sandwich ELISA for measurement of the primary glucagon-like peptide-1 metabolite. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017, 313, E284-E291.	1.8	13
259	Effects of Smoking Versus Nonsmoking on Postprandial Glucose Metabolism in Heavy Smokers Compared With Nonsmokers. <i>Diabetes Care</i> , 2018, 41, 1260-1267.	4.3	13
260	The efficacy and safety of exenatide once weekly in patients with type 2 diabetes. <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 501-510.	0.9	13
261	Glycemic, maternal and neonatal outcomes in women with type 1 diabetes using continuous glucose monitoring during pregnancy – Pump vs multiple daily injections, a secondary analysis of an observational cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 927-933.	1.3	13
262	Review: DPP IV inhibitors - current evidence and future directions. <i>British Journal of Diabetes and Vascular Disease</i> , 2007, 7, 69-74.	0.6	12
263	The unobtainable placebo: control of independent clinical research by industry?. <i>Lancet, The</i> , 2012, 379, 30.	6.3	12
264	Efficacy and safety of the glucagon-like peptide-1 receptor agonist liraglutide added to insulin therapy in poorly regulated patients with type 1 diabetes--a protocol for a randomised, double-blind, placebo-controlled study: The Lira-1 study. <i>BMJ Open</i> , 2015, 5, e007791-e007791.	0.8	12
265	Higher Endogenous Glucose Production During OGTT vs Isoglycemic Intravenous Glucose Infusion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4377-4384.	1.8	12
266	Model-Based Prediction of Plasma Concentration and Enterohepatic Circulation of Total Bile Acids in Humans. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2018, 7, 603-612.	1.3	12
267	Glucose-Dependent Insulinotropic Polypeptide Is a Pancreatic Polypeptide Secretagogue in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e502-e510.	1.8	12
268	Glucose-Dependent Insulinotropic Polypeptide (GIP) Reduces Bone Resorption in Patients With Type 2 Diabetes. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa097.	0.1	12
269	Acute hypoglycemia and risk of cardiac arrhythmias in insulin-treated type 2 diabetes and controls. <i>European Journal of Endocrinology</i> , 2021, 185, 343-353.	1.9	12
270	Incretin mimetics: a novel therapeutic option for patients with type 2 diabetes - a review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2010, 3, 155-63.	1.1	12



#	ARTICLE	IF	CITATIONS
271	Safety and efficacy of liraglutide in patients with type 2 diabetes and end-stage renal disease: protocol for an investigator-initiated prospective, randomised, placebo-controlled, double-blinded, parallel intervention study. <i>BMJ Open</i> , 2013, 3, e002764.	0.8	11
272	Retinal vascular and structural dynamics during acute hyperglycaemia. <i>Acta Ophthalmologica</i> , 2015, 93, 697-705.	0.6	11
273	Pancreatic Amylase and Lipase Plasma Concentrations Are Unaffected by Increments in Endogenous GLP-1 Levels Following Liquid Meal Tests. <i>Diabetes Care</i> , 2015, 38, e71-e72.	4.3	11
274	Postprandial incretin and islet hormone responses and dipeptidyl-peptidase 4 enzymatic activity in patients with maturity onset diabetes of the young. <i>European Journal of Endocrinology</i> , 2015, 173, 205-215.	1.9	11
275	Bone Status in Obese, Non-diabetic, Antipsychotic-Treated Patients, and Effects of the Glucagon-Like Peptide-1 Receptor Agonist Exenatide on Bone Turnover Markers and Bone Mineral Density. <i>Frontiers in Psychiatry</i> , 2018, 9, 781.	1.3	11
276	Glucagon-Metabolic Effects of Pharmacotherapy-Induced Modulation of Bile Acid Physiology. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 362-373.	1.8	11
277	The Role of Glucagon in the Acute Therapeutic Effects of SGLT2 Inhibition. <i>Diabetes</i> , 2020, 69, 2619-2629.	0.3	11
278	The GLP-1 receptor agonist lixisenatide reduces postprandial glucose in patients with diabetes secondary to total pancreatectomy: a randomised, placebo-controlled, double-blinded crossover trial. <i>Diabetologia</i> , 2020, 63, 1285-1298.	2.9	11
279	Glycemic Control and Variability of Diabetes Secondary to Total Pancreatectomy Assessed by Continuous Glucose Monitoring. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 168-173.	1.8	11
280	Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214.	0.8	10
281	Sevelamer in a diabetologist's perspective: a phosphate-binding resin with glucose-lowering potential. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 116-120.	2.2	10
282	Short-acting glucagon-like peptide-1 receptor agonists as add-on to insulin therapy in type 1 diabetes: review. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 915-925.	2.2	10
283	The effect of empagliflozin on oxidative nucleic acid modifications in patients with type 2 diabetes: protocol for a randomised, double-blinded, placebo-controlled trial. <i>BMJ Open</i> , 2017, 7, e014728.	0.8	10
284	The Gut: A Key to the Pathogenesis of Type 2 Diabetes?. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 259-262.	0.5	10
285	Comparing olive oil and C4-dietary oil, a prodrug for the GPR119 agonist, 2-oleoyl glycerol, less energy intake of the latter is needed to stimulate incretin hormone secretion in overweight subjects with type 2 diabetes. <i>Nutrition and Diabetes</i> , 2018, 8, 2.	1.5	10
286	Management of people with Type 2 diabetes shared between a specialized outpatient clinic and primary health care is noninferior to management in a specialized outpatient clinic: a randomized, noninferiority trial. <i>Diabetic Medicine</i> , 2019, 36, 854-861.	1.2	10
287	Experience of family function, family involvement, and self-management in adult patients with type 2 diabetes: A thematic analysis. <i>Journal of Advanced Nursing</i> , 2020, 76, 621-631.	1.5	10
288	Proactive Prophylaxis With Azithromycin and HydroxyChloroquine in Hospitalised Patients With COVID-19 (ProPAC-COVID): A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2020, 21, 513.	0.7	10

#	ARTICLE	IF	CITATIONS
289	Clinical pharmacology of imeglimin for the treatment of type 2 diabetes. Expert Opinion on Pharmacotherapy, 2020, 21, 871-882.	0.9	10
290	INPP4B protects from metabolic syndrome and associated disorders. Communications Biology, 2021, 4, 416.	2.0	10
291	Expression of Cholecystokinin and its Receptors in the Intestinal Tract of Type 2 Diabetes Patients and Healthy Controls. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 2164-2170.	1.8	10
292	Myocardial Impairment and Acute Respiratory Distress Syndrome in Hospitalized Patients With COVID-19. JACC: Cardiovascular Imaging, 2020, 13, 2474-2476.	2.3	10
293	64-OR: Postprandial Effects of Endogenous Glucose-Dependent Insulinotropic Polypeptide in Type 2 Diabetes. Diabetes, 2019, 68, .	0.3	10
294	Beta-Hydroxybutyrate Suppresses Hepatic Production of the Ghrelin Receptor Antagonist LEAP2. Endocrinology, 2022, 163, .	1.4	10
295	The effect of a glucagon-like peptide-1 receptor agonist on glucose tolerance in women with previous gestational diabetes mellitus: protocol for an investigator-initiated, randomised, placebo-controlled, double-blinded, parallel intervention trial. BMJ Open, 2013, 3, e003834.	0.8	9
296	Recovery of the Incretin Effect in Type 2 Diabetic Patients After Biliopancreatic Diversion. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1984-1988.	1.8	9
297	Preclinical discovery and development of colesevelam for the treatment of type 2 diabetes. Expert Opinion on Drug Discovery, 2018, 13, 1161-1167.	2.5	9
298	Extrapancreatic glucagon: Present status. Diabetes Research and Clinical Practice, 2019, 147, 19-28.	1.1	9
299	The Glycemic Effect of Liraglutide Evaluated by Continuous Glucose Monitoring in Persons with Type 2 Diabetes Receiving Dialysis. Nephron, 2021, 145, 27-34.	0.9	9
300	Parenteral nutrition impairs plasma bile acid and gut hormone responses to mixed meal testing in lean healthy men. Clinical Nutrition, 2021, 40, 1013-1021.	2.3	9
301	Glucagonostatic Potency of GLP-1 in Patients With Type 2 Diabetes, Patients With Type 1 Diabetes, and Healthy Control Subjects. Diabetes, 2021, 70, 1347-1356.	0.3	9
302	Study protocol for a multicentre, randomised, parallel group, sham-controlled clinical trial investigating the effect of transcutaneous vagal nerve stimulation on gastrointestinal symptoms in people with diabetes complicated with diabetic autonomic neuropathy: the DAN-VNS Study. BMJ Open, 2021, 11, e038677.	0.8	9
303	Therapy for Obesity Based on Gastrointestinal Hormones. Review of Diabetic Studies, 2011, 8, 339-347.	0.5	9
304	Increased Postprandial Response of Glucagon-Like Peptide-2 in Patients with Chronic Pancreatitis and Pancreatic Exocrine Insufficiency. Pancreatology, 2010, 10, 201-207.	0.5	8
305	Postprandial prolactin suppression appears absent in antipsychotic-treated male patients. Psychoneuroendocrinology, 2015, 60, 1-6.	1.3	8
306	Mathematical Modelling of Glucose-Dependent Insulinotropic Polypeptide and Glucagon-Like Peptide-1 following Ingestion of Glucose. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 290-297.	1.2	8

#	ARTICLE	IF	CITATIONS
307	GIP(3-30)NH <sub>2</sub> – a tool for the study of GIP physiology. <i>Current Opinion in Pharmacology</i> , 2020, 55, 31-40.	1.7	8
308	Glucagon-Like Peptide 2 Inhibits Postprandial Gallbladder Emptying in Man: A Randomized, Double-Blinded, Crossover Study. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00257.	1.3	8
309	Incretin hormones and beta cell function in chronic pancreatitis. <i>Danish Medical Bulletin</i> , 2010, 57, B4163.	0.3	8
310	The effect of curcumin on hepatic fat content in individuals with obesity. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2192-2202.	2.2	8
311	Effect of bile acid sequestrants on glycaemic control: protocol for a systematic review with meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2012, 2, e001803.	0.8	7
312	Shared care management of patients with type 2 diabetes across the primary and secondary healthcare sectors: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 277.	0.7	7
313	Gastrin secretion in normal subjects and diabetes patients is inhibited by glucagon-like peptide 1: a role in the gastric side effects of GLP-1-derived drugs?. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1448-1451.	0.6	7
314	Gut Mucosal Gene Expression and Metabolic Changes After Roux-En-Y Gastric Bypass Surgery. <i>Obesity</i> , 2020, 28, 2163-2174.	1.5	7
315	Vitamin D Supplementation Improves Fasting Insulin Levels and HDL Cholesterol in Infertile Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 98-108.	1.8	7
316	Glucose-metabolic effects of oral and intravenous alcohol administration in men. <i>Endocrine Connections</i> , 2019, 8, 1372-1382.	0.8	7
317	The use of double-balloon enteroscopy in retrieving mucosal biopsies from the entire human gastrointestinal tract. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1143-1149.	0.6	6
318	Plasma YKL-40 during pregnancy and gestational diabetes mellitus. <i>Journal of Reproductive Immunology</i> , 2015, 112, 68-72.	0.8	6
319	Vagotomy and subsequent development of diabetes – A nested case-control study. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 954-960.	1.5	6
320	Glimepiride monotherapy versus combination of glimepiride and linagliptin therapy in patients with HNF1A-diabetes: a protocol for a randomised, double-blinded, placebo-controlled trial. <i>BMJ Open</i> , 2018, 8, e022517.	0.8	6
321	Proactive prophylaxis with azithromycin and hydroxychloroquine in hospitalized patients with COVID-19 (ProPAC-COVID): a statistical analysis plan. <i>Trials</i> , 2020, 21, 867.	0.7	6
322	What is on the horizon for type 2 diabetes pharmacotherapy? – An overview of the antidiabetic drug development pipeline. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 1253-1265.	2.5	6
323	Predictors of Improvement in Quality of Life When Treating Hypothyroidism. <i>Journal of Thyroid Research</i> , 2021, 2021, 1-7.	0.5	6
324	Bile acid-farnesoid X receptor-fibroblast growth factor 19 axis in patients with short bowel syndrome: The randomized, glepaglutide phase 2 trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2022, 46, 923-935.	1.3	6

#	ARTICLE	IF	CITATIONS
325	Secretion of parathyroid hormone may be coupled to insulin secretion in humans. <i>Endocrine Connections</i> , 2020, 9, 747-754.	0.8	6
326	Glucagon Clearance Is Preserved in Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 73-82.	0.3	6
327	Replacing SUs with incretin-based therapies for type 2 diabetes mellitus: challenges and feasibility. <i>IDrugs: the Investigational Drugs Journal</i> , 2008, 11, 497-501.	0.7	6
328	Dasiglucagon Effectively Mitigates Postbariatric Postprandial Hypoglycemia: A Randomized, Double-Blind, Placebo-Controlled, Crossover Trial. <i>Diabetes Care</i> , 2022, 45, 1476-1481.	4.3	6
329	The GetGoal clinical trial program of lixisenatide, a once-daily GLP-1 receptor agonist. <i>Expert Review of Endocrinology and Metabolism</i> , 2011, 6, 513-525.	1.2	5
330	Comment on Xu et al. Effects of Metformin on Metabolite Profiles and LDL Cholesterol in Patients With Type 2 Diabetes. <i>Diabetes Care</i> 2015;38:1858-1867. <i>Diabetes Care</i> , 2015, 38, e215-e215.	4.3	5
331	Postprandial Plasma Concentrations of ProANP in Patients with Type 2 Diabetes and Healthy Controls. <i>Clinical Chemistry</i> , 2017, 63, 1040-1041.	1.5	5
332	Liraglutide-Induced Weight Loss May be Affected by Autonomic Regulation in Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , 2019, 10, 242.	1.5	5
333	Treatment of type 2 diabetes in children: what are the specific considerations?. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 1-15.	0.9	5
334	Effects of short-acting exenatide added three times daily to insulin therapy on bone metabolism in type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 221-227.	2.2	5
335	Enterohepatic, Gluco-metabolic, and Gut Microbial Characterization of Individuals With Bile Acid Malabsorption. , 2022, 1, 299-312.		5
336	Acute concomitant glucose-dependent insulinotropic polypeptide receptor antagonism during glucagon-like peptide 1 receptor agonism does not affect appetite, resting energy expenditure or food intake in patients with type 2 diabetes and overweight/obesity. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1882-1887.	2.2	5
337	Delayed Ischemic Cecal Perforation Despite Optimal Decompression After Placement of a Self-Expanding Metal Stent: Report of a Case. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1970-1973.	0.7	4
338	TASK-1 potassium channel mutations in atrial fibrillation. <i>European Heart Journal</i> , 2013, 34, 3411-3411.	1.0	4
339	The effects of sodium-glucose co-transporter 2 inhibitors in patients with type 2 diabetes: protocol for a systematic review with meta-analysis of randomised trials. <i>BMJ Open</i> , 2014, 4, e005378-e005378.	0.8	4
340	Duodenal L cell density correlates with features of metabolic syndrome and plasma metabolites. <i>Endocrine Connections</i> , 2018, 7, 673-680.	0.8	4
341	No changes in levels of bone formation and resorption markers following a broad-spectrum antibiotic course. <i>BMC Endocrine Disorders</i> , 2018, 18, 60.	0.9	4
342	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019, 9, e024065.	0.8	4

#	ARTICLE	IF	CITATIONS
343	The effect of acute intragastric vs. intravenous alcohol administration on inflammation markers, blood lipids and gallbladder motility in healthy men. <i>Alcohol</i> , 2020, 87, 29-37.	0.8	4
344	Prototype of an evidence-based tool to aid individualized treatment for type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1666-1671.	2.2	4
345	Systemic Corticosteroids and the Risk of Venous Thromboembolism in Patients with Severe COPD: A Nationwide Study of 30,473 Outpatients. <i>Biomedicines</i> , 2021, 9, 874.	1.4	4
346	The effect of 6-day subcutaneous glucose-dependent insulinotropic polypeptide infusion on time in glycaemic range in patients with type 1 diabetes: a randomised, double-blind, placebo-controlled crossover trial. <i>Diabetologia</i> , 2021, 64, 2425-2431.	2.9	4
347	Glucose-dependent insulinotropic polypeptide induces lipolysis during stable basal insulin substitution and hyperglycaemia in men with type 1 diabetes: A randomized, double-blind, placebo-controlled, crossover clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 142-147.	2.2	4
348	Mono- and Co-Activation of the GIP and GLP-1 Receptors Inhibits Bone Resorption. <i>Diabetes</i> , 2018, 67, .	0.3	4
349	10-LB: Dasiglucagon Ameliorates Postprandial Hypoglycemia after Roux-en-y Gastric Bypass. <i>Diabetes</i> , 2020, 69, 10-LB.	0.3	4
350	1662-P: Lower Expression of Bile Acid Transporters and Fibroblast Growth Factor 19 in Mucosa Biopsies from the Ileocecal Region in Persons with Type 2 Diabetes Compared with Healthy Controls. <i>Diabetes</i> , 2020, 69, .	0.3	4
351	Hemoglobin A1c and Fructosamine Evaluated in Patients with Type 2 Diabetes Receiving Peritoneal Dialysis Using Long-Term Continuous Glucose Monitoring. <i>Nephron</i> , 2022, 146, 146-152.	0.9	4
352	THERAPY OF ENDOCRINE DISEASE: Amylin and calcitonin receptor physiology and pharmacology. <i>European Journal of Endocrinology</i> , 2022, 186, R93-R111.	1.9	4
353	Hypoglycaemia and rebound hyperglycaemia increase left ventricular systolic function in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2027-2037.	2.2	4
354	Comment on: Villareal et al. (2009) TCF7L2 Variant rs7903146 Affects the Risk of Type 2 Diabetes by Modulating Incretin Action. <i>Diabetes</i> ;59:479-485. <i>Diabetes</i> , 2010, 59, e4-e4.	0.3	3
355	Electroretinography in healthy subjects in relation to systemic glucocorticoid intake. <i>Documenta Ophthalmologica</i> , 2012, 124, 49-57.	1.0	3
356	Dulaglutide: a novel once-weekly glucagon-like peptide-1 receptor agonist. <i>Clinical Investigation</i> , 2014, 4, 729-743.	0.0	3
357	Premature explantation of an EndoBarrier gastrointestinal liner because of sleeve invagination. <i>Endoscopy</i> , 2015, 47, E275-E276.	1.0	3
358	Disturbed postprandial glucose metabolism and gut hormone responses in non-diabetic patients with psoriasis. <i>British Journal of Dermatology</i> , 2016, 175, 1085-1088.	1.4	3
359	Is glucagon-like peptide-1 fully protected by the dipeptidyl peptidase 4 inhibitor sitagliptin when administered to patients with type 2 diabetes?. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1937-1943.	2.2	3
360	Protocol for Meal-time Administration of Exenatide for Glycaemic Control in Type 1 Diabetes Cases (The MAG1C trial): a randomised, double-blinded, placebo-controlled trial. <i>BMJ Open</i> , 2018, 8, e021861.	0.8	3

#	ARTICLE	IF	CITATIONS
361	Clinical characteristics and glucose-lowering drug utilization among patients initiating liraglutide in Denmark: a routine clinical care prescription study. <i>Journal of Diabetes</i> , 2019, 11, 690-694.	0.8	3
362	Changes in oxidative nucleic acid modifications and inflammation following one-week treatment with the bile acid sequestrant sevelamer: Two randomised, placebo-controlled trials. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107446.	1.2	3
363	Effect of the Incretin Hormones on the Endocrine Pancreas in End-Stage Renal Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e564-e574.	1.8	3
364	Effect of short-acting exenatide administered three times daily on markers of cardiovascular disease in type 1 diabetes: A randomized double-blind placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1639-1647.	2.2	3
365	Protocol for a randomised, double-blinded, placebo-controlled, double-dummy 6-week clinical trial comparing the treatment effects of the glucagon-like peptide 1 receptor agonist liraglutide versus the bile acid sequestrant colesevelam on bile acid malabsorption. <i>BMJ Open</i> , 2021, 11, e044711.	0.8	3
366	Weight gain on antipsychotics – A perfect storm of complex pathophysiology and psychopharmacology. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 521-523.	2.2	3
367	Prevalence of non-alcoholic fatty liver disease in patients with chronic kidney disease: a cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1927-1934.	0.4	3
368	A role for exogenous GLP-1 in the management of postprandial hypoglycaemia after Roux-en-Y gastric bypass?. <i>European Journal of Endocrinology</i> , 2019, 181, C5-C8.	1.9	3
369	Incretin mimetics: a novel therapeutic option for patients with type 2 diabetes – a review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 0, , 155.	1.1	3
370	Postprandial Effects of Individual and Combined GIP and GLP-1 Receptor Antagonization in Healthy Subjects. <i>Diabetes</i> , 2018, 67, 145-OR.	0.3	3
371	1952-P: Glucagon Receptor Antagonism Increases Plasma Amino Acids and Glucagon. <i>Diabetes</i> , 2019, 68, .	0.3	3
372	89-LB: The Effect of GIP on Plasma Glucose in a Setting of Prandial Insulin Overdose and Physical Activity after Meal Intake in Patients with Type 1 Diabetes. <i>Diabetes</i> , 2020, 69, .	0.3	3
373	Individual and Combined Glucose-Lowering Effects of Glucagon Receptor Antagonism and Dipeptidyl Peptidase-4 Inhibition. <i>Diabetes</i> , 2018, 67, .	0.3	3
374	Management of Patients with Type 2 Diabetes Shared between a Specialized Outpatient Clinic and General Practice Was Noninferior to Mono Management in a Specialized Outpatient Clinic – A Prospective, Randomized, Noninferiority Trial. <i>Diabetes</i> , 2018, 67, .	0.3	3
375	1052-P: Investigation of the Extrapancreatic Effects of the DPP-4 Inhibitor Sitagliptin: A Randomized, Double-Blinded, Placebo-Controlled Crossover Trial in Totally Pancreatectomized Patients. <i>Diabetes</i> , 2020, 69, .	0.3	3
376	The glucagon receptor antagonist LY2409021 has no effect on postprandial glucose in type 2 diabetes. <i>European Journal of Endocrinology</i> , 2022, 186, 207-221.	1.9	3
377	<i>MYC</i> mRNA expression throughout the intestine is not associated with body mass index or type 2 diabetes. <i>Endocrinology, Diabetes and Metabolism</i> , 2022, 5, e00327.	1.0	3
378	Acute changes in plasma glucose increases left ventricular systolic function in insulin-treated patients with type 2 diabetes and controls. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1123-1131.	2.2	3

#	ARTICLE	IF	CITATIONS
379	Response to Comment on: Knop et al. (2007) Reduced Incretin Effect in Type 2 Diabetes: Cause or Consequence of the Diabetic State? <i>Diabetes</i> 56:1951-1959. <i>Diabetes</i> , 2008, 57, e2-e3.	0.3	2
380	Comment on: Chen et al. Utilizing the Second-Meal Effect in Type 2 Diabetes: Practical Use of a Soya-Yogurt Snack. <i>Diabetes Care</i> 2010;33:2552-2554. <i>Diabetes Care</i> , 2011, 34, e44-e44.	4.3	2
381	Glucagon and the gut hormones GLP-1 and oxyntomodulin increase resting energy expenditure in man. <i>Regulatory Peptides</i> , 2012, 177, S15-S16.	1.9	2
382	A 25-Year-Old Woman with Type 2 Diabetes and Liver Disease. <i>Case Reports in Gastroenterology</i> , 2014, 8, 398-403.	0.3	2
383	On the role of gallbladder emptying and incretin hormones for nutrient-mediated TSH suppression in patients with type 2 diabetes. <i>Endocrine Connections</i> , 2014, 3, 193-199.	0.8	2
384	SU18. GLP-1 Receptor Agonist Treatment in Schizophrenia Patients With Obesity. <i>Schizophrenia Bulletin</i> , 2017, 43, S167-S167.	2.3	2
385	Human myotubularin-related protein 9 regulates ER-to-Golgi trafficking and modulates WNT3A secretion. <i>Experimental Cell Research</i> , 2020, 386, 111709.	1.2	2
386	Circulating Levels of the Soluble Receptor for AGE (sRAGE) during Escalating Oral Glucose Dosages and Corresponding Isoglycaemic i.v. Glucose Infusions in Individuals with and without Type 2 Diabetes. <i>Nutrients</i> , 2020, 12, 2928.	1.7	2
387	Metabolic effects of 1-week binge drinking and fast food intake during Roskilde Festival in young healthy male adults. <i>European Journal of Endocrinology</i> , 2021, 185, 23-32.	1.9	2
388	Neurotensin secretion after Roux- $\text{Y}$ gastric bypass, sleeve gastrectomy, and truncal vagotomy with pyloroplasty. <i>Neurogastroenterology and Motility</i> , 2021, , e14210.	1.6	2
389	Individual and Combined Glucose-Lowering Effects of Glucagon Receptor Antagonism and Sodium-Glucose Cotransporter 2 Inhibition. <i>Diabetes</i> , 2018, 67, 1942-P.	0.3	2
390	1145-P: Acarbose-Induced Glucagon-Like Peptide-1 Secretion Contributes to the Glucose-Lowering Effect of Acarbose. <i>Diabetes</i> , 2019, 68, 1145-P.	0.3	2
391	A gut feeling about glucagon. <i>Endocrine Abstracts</i> , 0, , .	0.0	2
392	1140-P: Empagliflozin Attenuates Fasting and Postprandial Hyperglycemia in Totally Pancreatectomized Patients: A Randomized, Double-Blinded, Placebo-Controlled Crossover Trial. <i>Diabetes</i> , 2020, 69, .	0.3	2
393	No detectable effect of a type 2 diabetes-associated TCF7L2 genotype on the incretin effect. <i>Endocrine Connections</i> , 2020, 9, 1221-1232.	0.8	2
394	Editorial: Proglucagon-Derived Peptides. <i>Frontiers in Endocrinology</i> , 2021, 12, 776871.	1.5	2
395	First Case Report Associating Chronic Pancreatitis and Ehlers-Danlos Syndrome. <i>Pancreas</i> , 2011, 40, 157-159.	0.5	1
396	Comment on: Gogebakan et al. Glucose-Dependent Insulinotropic Polypeptide Reduces Fat-Specific Expression and Activity of 11 $\beta$ -Hydroxysteroid Dehydrogenase Type 1 and Inhibits Release of Free Fatty Acids. <i>Diabetes</i> 2012;61:292-300. <i>Diabetes</i> , 2012, 61, e12-e12.	0.3	1

#	ARTICLE	IF	CITATIONS
397	Unprecedented high insulin secretion in a healthy human subject after intravenous glucagon-like peptide-1: a case report. <i>BMC Research Notes</i> , 2014, 7, 326.	0.6	1
398	Fixed combination of insulin and a glucagon-like peptide-1 analog for the treatment of type 2 diabetes, exemplified by insulin degludec and liraglutide. <i>Expert Review of Clinical Pharmacology</i> , 2015, 8, 273-282.	1.3	1
399	Effects of glucose-dependent insulinotropic polypeptide on glucagon. <i>Cardiovascular Endocrinology</i> , 2016, 5, 75-81.	0.8	1
400	Liraglutide "preventing or postponing T2DM diagnosis?. <i>Nature Reviews Endocrinology</i> , 2017, 13, 320-322.	4.3	1
401	OP0340...Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal observational studies. , 2017, , .		1
402	Restoration of enteroendocrine and pancreatic function after internal hernia and short bowel syndrome in a young woman with gastric bypass - a 2-year follow-up. <i>Physiological Reports</i> , 2018, 6, e13686.	0.7	1
403	O12.4. EFFECTS OF THE GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST EXENATIDE ON BONE STATUS IN OBESE, NON-DIABETIC, ANTIPSYCHOTIC-TREATED SCHIZOPHRENIA SPECTRUM PATIENTS. <i>Schizophrenia Bulletin</i> , 2019, 45, S198-S199.	2.3	1
404	Normal insulin sensitivity, glucose tolerance, gut incretin and pancreatic hormone responses in adults with atopic dermatitis. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2161-2169.	2.2	1
405	Reduced erythrocyte lifespan measured by chromium-51 in patients with type-2 diabetes undergoing long-term hemodialysis. <i>Hemodialysis International</i> , 2021, 25, 198-204.	0.4	1
406	Pancreatic polypeptide: A potential biomarker of glucose-dependent insulinotropic polypeptide receptor activation in vivo. <i>Diabetic Medicine</i> , 2021, 38, e14592.	1.2	1
407	Positioning Glucagon-like-peptide- 1 - based Treatments within an Optimal Management Regimen for Type 2 Diabetes. <i>European Endocrinology</i> , 2008, 4, 44.	0.8	1
408	Glucagon Resistance at the Level of Amino Acid Turnover and Ureagenesis in Obese Subjects with Hepatic Steatosis. <i>Diabetes</i> , 2018, 67, 147-OR.	0.3	1
409	1976-P: Physiological Effects of GIP(1-30)NH <sub>2</sub> in Healthy Subjects. <i>Diabetes</i> , 2019, 68, 1976-P.	0.3	1
410	981-P: GIP and GLP-1 Potentiate Sulfonylurea-Induced Insulin Secretion in HNF1A Diabetes. <i>Diabetes</i> , 2019, 68, .	0.3	1
411	GLP-1 Receptor Agonists and DPP-4 Inhibitors. <i>MD Conference Express</i> , 2012, 12, 24-26.	0.0	1
412	Clinical Features and Hepatic Molecular Characteristics in NAFLD and NASH Patients Compared to Normal Weight Healthy Individuals. <i>Diabetes</i> , 2018, 67, .	0.3	1
413	351-OR: Six-Day Subcutaneous GIP Infusion Increases Glycemic Time-in-Range in Patients with Type 1 Diabetes. <i>Diabetes</i> , 2020, 69, 351-OR.	0.3	1
414	The impact of pancreatic enzyme supplementation on postprandial responses of glucagon-like Peptide-2 in patients with chronic pancreatitis and pancreatic exocrine insufficiency. <i>JOP: Journal of the Pancreas</i> , 2010, 11, 489-91.	1.5	1



#	ARTICLE	IF	CITATIONS
415	Endogenous Glucose-Dependent Insulinotropic Polypeptide Contributes to Sitagliptin-Mediated Improvement in Beta Cell Function in Patients with Type 2 Diabetes. <i>Diabetes</i> , 0, , .	0.3	1
416	25th Scientific Meeting of the Anglo-Danish-Dutch Diabetes Group. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2008, 25, 17-17.	0.2	0
417	Add-on to metformin in T2DM—linagliptin or glimepiride?. <i>Nature Reviews Endocrinology</i> , 2012, 8, 576-578.	4.3	0
418	Letter by Knop Regarding Article, "Effect of Torcetrapib on Glucose, Insulin, and Hemoglobin A 1c in Subjects in the Investigation of Lipid Level Management to Understand its Impact in Atherosclerotic Events (ILLUMINATE) Trial"; <i>Circulation</i> , 2012, 125, e428.	1.6	0
419	Authors' reply to de Oliveira and Iverson. <i>BMJ: British Medical Journal</i> , 2012, 344, e1459-e1459.	2.4	0
420	Acute dipeptidyl peptidase 4 inhibition has no impact on the incretin effect, glucose tolerance or gastric emptying in healthy subjects. <i>Regulatory Peptides</i> , 2012, 177, S30-S31.	1.9	0
421	The Role of Glucagon-like Receptor-1 Agonists in the Metabolic Syndrome. , 2013, , 165-183.		0
422	Cardiovascular effects of alpha-linolenic acid—a possible role of glucagon-like peptide-1. <i>Experimental Biology and Medicine</i> , 2013, 238, 1116-1117.	1.1	0
423	The Authors Reply:. <i>Kidney International</i> , 2014, 85, 212-213.	2.6	0
424	Poster #S8 GLUCOMETABOLIC HORMONES AND CARDIOVASCULAR RISK MARKERS IN ANTIPSYCHOTIC-TREATED PATIENTS. <i>Schizophrenia Research</i> , 2014, 153, S90-S91.	1.1	0
425	Response to the Letter: "Epidemiologic Association Between Antibiotic Use With the Risk of Developing Type 2 Diabetes" by López-Hernández, D.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, L121-L121.	1.8	0
426	"No cognitive-enhancing effect of GLP-1 receptor agonism in antipsychotic-treated, obese patients with schizophrenia": authors' response. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 526-527.	2.2	0
427	MO019INCRETIN EFFECT IS REDUCED IN END-STAGE RENAL DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii49-iii49.	0.4	0
428	Response to Letter to the Editor: "Hemodynamic Effects of Glucagon: A Literature Review"; <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4480-4481.	1.8	0
429	SP426HYPOGLYCAEMIC EPISODES EVALUATED BY CONTINUOUS GLUCOSE MONITORING IN PATIENTS WITH TYPE 2 DIABETES AND DIALYSIS-DEPENDENT END-STAGE RENAL DISEASE RANDOMISED TO 12-WEEK LIRAGLUTIDE OR PLACEBO TREATMENT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i492-i492.	0.4	0
430	Glucose metabolism in patients with psoriasis. <i>British Journal of Dermatology</i> , 2019, 180, e41-e41.	1.4	0
431	OP0011...EFFECT OF LIRAGLUTIDE ON BODY WEIGHT AND PAIN IN THE TREATMENT OF OVERWEIGHT AND KNEE OSTEOARTHRITIS: A RANDOMISED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY. , 2019, , .		0
432	FRI-339-Clinical translatability of a diet-induced obese mouse model of non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2019, 70, e544.	1.8	0

#	ARTICLE	IF	CITATIONS
433	Response to Letter to the Editor from McKee and McGill: "Glycemic Control and Variability of Diabetes Secondary to Total Pancreatectomy Assessed by Continuous Glucose Monitoring" Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4307-e4308.	1.8	0
434	MO633GLYCAEMIC MARKERS IN PATIENTS WITH TYPE 2 DIABETES UNDERGOING HAEMODIALYSIS EVALUATED BY LONG-TERM CONTINUOUS GLUCOSE MONITORING*. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
435	MO457PREVALENCE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN PATIENTS WITH CHRONIC KIDNEY DISEASE: A CASE-CONTROL STUDY. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
436	Mechanisms in Endocrinology: The physiology of neuronostatin. European Journal of Endocrinology, 2021, 185, R93-R101.	1.9	0
437	The Accuracy of Hemoglobin A1c and Fructosamine Evaluated by Long-Term Continuous Glucose Monitoring in Patients with Type 2 Diabetes Undergoing Hemodialysis. Blood Purification, 2021, , 1-9.	0.9	0
438	Glucagon-like Peptides and Insulin Sensitivity. , 2008, , 233-254.		0
439	The Effect of Ethanol on Inflammation Markers and FGF-21 in Healthy Individuals. Diabetes, 2018, 67, .	0.3	0
440	More Subjects Achieved Composite Reductions of =1% HbA1c, =5% Body Weight, and =5 mmHg SBP with Semaglutide vs. Comparators (SUSTAIN 1-5, 7). Diabetes, 2018, 67, .	0.3	0
441	Glucagon-Like Peptide-1 Is a Significant Determinant of the Second-Meal Effect in Patients with Type 2 Diabetes. Diabetes, 2018, 67, 1963-P.	0.3	0
442	The Role of Glucagon-Like Peptide-1 for the Postprandial Effects of Metformin in Type 2 Diabetes. Diabetes, 2018, 67, .	0.3	0
443	1980-P: A Characterization of Postprandial Glucose Metabolism and Incretin Hormone Responses in Patients with Bile Acid Malabsorption. Diabetes, 2019, 68, 1980-P.	0.3	0
444	1186-P: Lean Women with Polycystic Ovary Syndrome and Insulin Resistance Have Normal Incretin Effect, which Is Unaffected by Metformin Therapy. Diabetes, 2019, 68, 1186-P.	0.3	0
445	62-OR: Evidence of Gut-Derived Glucagon in Man. Diabetes, 2019, 68, .	0.3	0
446	63-OR: The Physiological Effects of Extrapancreatic Glucagon in Totally Pancreatectomized Patients Evaluated Using Glucagon Receptor Antagonism. Diabetes, 2019, 68, 63-OR.	0.3	0
447	1721-P: Effect of the TCF7L2 Variant rs7903146 T Allele on the Incretin Effect in Individuals with Normal Glucose Tolerance or Type 2 Diabetes. Diabetes, 2019, 68, .	0.3	0
448	23-OR: The Effect of 14-Day Atorvastatin Treatment on Postprandial Glucose Metabolism in Healthy Males" A Link to Why Statin Therapy Increases the Risk of Type 2 Diabetes?. Diabetes, 2019, 68, .	0.3	0
449	1982-P: Glucagon-Like Peptide-2 Inhibits Postprandial Gallbladder Emptying in Healthy Male Individuals" A Randomized, Double-Blinded, Placebo-Controlled Study. Diabetes, 2019, 68, 1982-P.	0.3	0
450	2187-PUB: Identifying Risk Predictors for Gastrointestinal Adverse Events with Once-Weekly Semaglutide. Diabetes, 2020, 69, 2187-PUB.	0.3	0

#	ARTICLE	IF	CITATIONS
451	1906-P: Glucose-Dependent Insulinotropic Polypeptide (GIP) Reduces Bone Resorption in Patients with Type 2 Diabetes. Diabetes, 2020, 69, 1906-P.	0.3	0
452	160-OR: Acute Changes in Plasma Glucose Have Impact on Left Ventricular Systolic Function in Insulin-Treated Patients with Type 2 Diabetes. Diabetes, 2020, 69, 160-OR.	0.3	0
453	263-OR: Counterregulatory Responses to Hypoglycemia in Totally Pancreatectomized Patients. Diabetes, 2020, 69, 263-OR.	0.3	0
454	923-P: Improved Glycemic Variability and Control without Increased Risk of Hypoglycemia when Linagliptin Is Added to Glimepiride Therapy in Patients with HNF1A-Diabetes. Diabetes, 2020, 69, .	0.3	0
455	2160-PUB: Development of an Evidence-Based Tool to Facilitate Individualized Treatment in the Clinic for Patients with Type 2 Diabetes. Diabetes, 2020, 69, 2160-PUB.	0.3	0
456	1905-P: Downregulation of HMGC2 Expression in Small Intestinal Mucosa Biopsies after Roux-en-Y Gastric Bypass Surgery: A Possible Contributor to GLP-1 Hypersecretion?. Diabetes, 2020, 69, 1905-P.	0.3	0
457	2103-P: Glucose-Dependent Insulinotropic Polypeptide (GIP) Protects against Cytokine-Induced Cell Death and Exerts Both Insulinotropic and Glucagonotropic Effects in Human Islets. Diabetes, 2020, 69, .	0.3	0
458	1094-P: Short-Acting Exenatide and Markers of Cardiovascular Disease in Type 1 Diabetes: A Randomized, Double-Blinded, Placebo-Controlled Trial. Diabetes, 2020, 69, 1094-P.	0.3	0
459	Long-term use of inhaled corticosteroids and the risk of type 2 diabetes in COPD. , 2020, , .		0
460	Gastric Aspiration Improves Postprandial Glucose Tolerance Without Causing a Compensatory Increase in Appetite and Food Intake. Obesity Surgery, 2022, 32, 1385-1390.	1.1	0
461	MO408: Hepatic Steatosis in Patients With Type 2 Diabetes and Chronic Kidney Disease. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0