

Frances Shawyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3591042/publications.pdf>

Version: 2024-02-01

36
papers

1,121
citations

393982

19
h-index

395343

33
g-index

43
all docs

43
docs citations

43
times ranked

1445
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental Health in Australia: Psychological Distress Reported in Six Consecutive Cross-Sectional National Surveys From 2001 to 2018. <i>Frontiers in Psychiatry</i> , 2022, 13, 815904.	1.3	12
2	Group Mindfulness-Integrated Cognitive Behavior Therapy (MiCBT) Reduces Depression and Anxiety and Improves Flourishing in a Transdiagnostic Primary Care Sample Compared to Treatment-as-Usual: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	5
3	Socio-economic disadvantage and resource distribution for mental health care: a model proposal and example application for Victoria, Australia. <i>Australasian Psychiatry</i> , 2021, 29, 157-162.	0.4	2
4	REFOCUS-PULSAR Recovery-Oriented Practice Training in Adult Primary Mental Health Care: Exploratory Findings Including From a Pretestâ€“Posttest Evaluation. <i>Frontiers in Psychiatry</i> , 2021, 12, 625408.	1.3	2
5	1539Australiaâ€™s worsening mental health â€“ whatâ€™s next?. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
6	Study protocol for a randomized control trial to investigate the effectiveness of an 8-week mindfulness-integrated cognitive behavior therapy (MiCBT) transdiagnostic group intervention for primary care patients. <i>BMC Psychiatry</i> , 2020, 20, 7.	1.1	12
7	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 402.	1.3	17
8	Resolving the paradox of increased mental health expenditure and stable prevalence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 844-850.	1.3	21
9	Determinants of Mental Illness Among Humanitarian Migrants: Longitudinal Analysis of Findings From the First Three Waves of a Large Cohort Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 545.	1.3	27
10	REFOCUS-PULSAR recovery-oriented practice training in specialist mental health care: a stepped-wedge cluster randomised controlled trial. <i>Lancet Psychiatry</i> ,the, 2019, 6, 103-114.	3.7	44
11	Prevalence of psychological distress: How do Australia and Canada compare?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 227-238.	1.3	26
12	Finding â€œhard to findâ€“literature on hard to find groups: A novel technique to search grey literature on refugees and asylum seekers. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	1.1	20
13	Is the paranoia as defence model of persecutory delusions defensible?. <i>Lancet Psychiatry</i> ,the, 2018, 5, 861-862.	3.7	0
14	The mental health status of refugees and asylum seekers attending a refugee health clinic including comparisons with a matched sample of Australian-born residents. <i>BMC Psychiatry</i> , 2017, 17, 76.	1.1	94
15	Mindfulness-based cognitive therapy delays depressive relapse across demographic subgroups. <i>Evidence-Based Mental Health</i> , 2017, 20, e5-e5.	2.2	0
16	The PULSAR Specialist Care protocol: a stepped-wedge cluster randomized control trial of a training intervention for community mental health teams in recovery-oriented practice. <i>BMC Psychiatry</i> , 2017, 17, 172.	1.1	8
17	Acceptance and commitment therapy for psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 140-148.	1.7	64
18	A systematic review of studies with a representative sample of refugees and asylum seekers living in the community for participation in mental health research. <i>BMC Medical Research Methodology</i> , 2017, 17, 37.	1.4	45

#	ARTICLE	IF	CITATIONS
19	Mindfulness-based cognitive therapy for recurrent major depression: A "best buy" for health care?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1001-1013.	1.3	15
20	Does rumination mediate the relationship between mindfulness and depressive relapse?. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 33-49.	1.3	24
21	The PULSAR primary care protocol: a stepped-wedge cluster randomized controlled trial to test a training intervention for general practitioners in recovery-oriented practice to optimize personal recovery in adult patients. BMC Psychiatry, 2016, 16, 451.	1.1	8
22	Mental disorders and distress: Associations with demographics, remoteness and socioeconomic deprivation of area of residence across Australia. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1169-1179.	1.3	45
23	Beliefs about Voices and Schemas about Self and Others in Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 209-223.	0.9	42
24	A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: study protocol. BMC Psychiatry, 2014, 14, 198.	1.1	22
25	A cross-sectional survey of the mental health needs of refugees and asylum seekers attending a refugee health clinic: a study protocol for using research to inform local service delivery. BMC Psychiatry, 2014, 14, 356.	1.1	11
26	Mindfulness-based cognitive therapy for recurrent depression: A translational research study with 2-year follow-up. Australian and New Zealand Journal of Psychiatry, 2014, 48, 743-755.	1.3	54
27	Mindfulness-based Training Shows Promise in Assisting Staff to Reduce Their Use of Restrictive Interventions in Residential Services. Mindfulness, 2014, 5, 598-603.	1.6	21
28	Evaluation of an Occupational Mindfulness Program for Staff Employed in the Disability Sector in Australia. Mindfulness, 2013, 4, 122-136.	1.6	59
29	A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. Behaviour Research and Therapy, 2012, 50, 110-121.	1.6	115
30	The DARE study of relapse prevention in depression: design for a phase 1/2 translational randomised controlled trial involving mindfulness-based cognitive therapy and supported self monitoring. BMC Psychiatry, 2012, 12, 3.	1.1	15
31	Auditory hallucinations: a review of assessment tools. Clinical Psychology and Psychotherapy, 2011, 18, 524-534.	1.4	37
32	Cognitive Behavioural Therapy for Auditory Hallucinations: Effectiveness and Predictors of Outcome in a Specialist Clinic. Behavioural and Cognitive Psychotherapy, 2011, 39, 129-138.	0.9	39
33	An effectiveness trial of cognitive behaviour therapy in a representative sample of outpatients with psychosis. British Journal of Clinical Psychology, 2009, 48, 47-62.	1.7	40
34	Acting on Harmful Command Hallucinations in Psychotic Disorders. Journal of Nervous and Mental Disease, 2008, 196, 390-398.	0.5	28
35	The voices acceptance and action scale (VAAS): Pilot data. Journal of Clinical Psychology, 2007, 63, 593-606.	1.0	101
36	Command Hallucinations and Violence: Implications for Detention and Treatment. Psychiatry, Psychology and Law, 2003, 10, 97-107.	0.9	44