

# Fazel Shojaei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3591052/publications.pdf>

Version: 2024-02-01

41  
papers

2,303  
citations

257101  
24  
h-index

288905  
40  
g-index

42  
all docs

42  
docs citations

42  
times ranked

3483  
citing authors

#	ARTICLE	IF	CITATIONS
1	A first-principles and machine-learning investigation on the electronic, photocatalytic, mechanical and heat conduction properties of nanoporous C <sub>5</sub> N monolayers. <i>Nanoscale</i> , 2022, 14, 4324-4333.	2.8	26
2	Comment on "Biphenylene monolayer as a two-dimensional nonbenzenoid carbon allotrope: a first-principles study". <i>Journal of Physics Condensed Matter</i> , 2022, 34, 248001.	0.7	0
3	A combined first-principles and machine-learning investigation on the stability, electronic, optical, and mechanical properties of novel C <sub>6</sub> N <sub>7</sub> -based nanoporous carbon nitrides. <i>Carbon</i> , 2022, 194, 230-239.	5.4	24
4	Comment on "A novel two-dimensional boron-carbon-nitride (BCN) monolayer: A first-principles insight". [ <i>J. Appl. Phys.</i> 130, 114301 (2021)]. <i>Journal of Applied Physics</i> , 2022, 131, 216101.	1.1	0
5	CdInGaS <sub>4</sub> : An unexplored two-dimensional materials with desirable band gap for optoelectronic devices. <i>Journal of Alloys and Compounds</i> , 2021, 854, 157220.	2.8	19
6	MoSi <sub>2</sub> N <sub>4</sub> single-layer: a novel two-dimensional material with outstanding mechanical, thermal, electronic and optical properties. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 155303.	1.3	160
7	Two-dimensional carbon nitride C <sub>6</sub> N nanosheet with egg-comb-like structure and electronic properties of a semimetal. <i>Nanotechnology</i> , 2021, 32, 215702.	1.3	50
8	First-principles investigation of electronic, optical, mechanical and heat transport properties of pentadiamond: A comparison with diamond. <i>Carbon Trends</i> , 2021, 3, 100036.	1.4	16
9	Exceptional piezoelectricity, high thermal conductivity and stiffness and promising photocatalysis in two-dimensional MoSi <sub>2</sub> N <sub>4</sub> family confirmed by first-principles. <i>Nano Energy</i> , 2021, 82, 105716.	8.2	303
10	High tensile strength and thermal conductivity in BeO monolayer: A first-principles study. <i>FlatChem</i> , 2021, 28, 100257.	2.8	24
11	Ultrahigh stiffness and anisotropic Dirac cones in BeN <sub>4</sub> and MgN <sub>4</sub> monolayers: a first-principles study. <i>Materials Today Nano</i> , 2021, 15, 100125.	2.3	23
12	Ultrahigh carrier mobility, Dirac cone and high stretchability in pyrenyl and pyrazinoquinoxaline graphdiyne/graphyne nanosheets confirmed by first-principles. <i>Applied Surface Science</i> , 2021, 557, 149699.	3.1	9
13	Outstandingly high thermal conductivity, elastic modulus, carrier mobility and piezoelectricity in two-dimensional semiconducting CrC <sub>2</sub> N <sub>4</sub> : a first-principles study. <i>Materials Today Energy</i> , 2021, 22, 100839.	2.5	19
14	As <sub>2</sub> S <sub>3</sub> , As <sub>2</sub> Se <sub>3</sub> and As <sub>2</sub> Te <sub>3</sub> nanosheets: superstretchable semiconductors with anisotropic carrier mobilities and optical properties. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2400-2410.	2.7	45
15	Two-dimensional silicon bismotide (SiBi) monolayer with a honeycomb-like lattice: first-principles study of tuning the electronic properties. <i>RSC Advances</i> , 2020, 10, 31894-31900.	1.7	23
16	Nanoporous C <sub>3</sub> N <sub>4</sub> , C <sub>3</sub> N <sub>5</sub> and C <sub>3</sub> N <sub>6</sub> nanosheets; novel strong semiconductors with low thermal conductivities and appealing optical/electronic properties. <i>Carbon</i> , 2020, 167, 40-50.	5.4	72
17	High thermal conductivity in semiconducting Janus and non-Janus diamanes. <i>Carbon</i> , 2020, 167, 51-61.	5.4	39
18	First-principles investigation of mechanical, electronic and optical properties of H-, F- and Cl-diamane. <i>Applied Surface Science</i> , 2020, 528, 147035.	3.1	47

#	ARTICLE	IF	CITATIONS
19	Copper halide diselenium: predicted two-dimensional materials with ultrahigh anisotropic carrier mobilities. RSC Advances, 2020, 10, 8016-8026.	1.7	10
20	Silicon diphosphide (SiP <sub>2</sub> ) and silicon diarsenide (SiAs <sub>2</sub> ): Novel stable 2D semiconductors with high carrier mobilities, promising for water splitting photocatalysts. Materials Today Energy, 2020, 16, 100377.	2.5	33
21	Modifying the electronic and geometrical properties of mono/bi-layer graphite-like BC <sub>2</sub> N via alkali metal (Li, Na) adsorption and intercalation: computational approach. New Journal of Chemistry, 2019, 43, 13122-13133.	1.4	9
22	Thickness-dependent bandgap and electrical properties of GeP nanosheets. Journal of Materials Chemistry A, 2019, 7, 16526-16532.	5.2	45
23	Evolutionary search for (M <sub>16</sub> ) <sup>Q</sup> (M = Sc–Ni; Q = 0–1) clusters: bowl/boat vs. tubular shape. Physical Chemistry Chemical Physics, 2019, 21, 22618-22628.	1.3	18
24	Two-dimensional GeAs with a visible range band gap. Journal of Materials Chemistry A, 2018, 6, 9089-9098.	5.2	55
25	Arsenic for high-capacity lithium- and sodium-ion batteries. Nanoscale, 2018, 10, 7047-7057.	2.8	37
26	Stability Trend of Tilted Perovskites. Journal of Physical Chemistry C, 2018, 122, 15214-15219.	1.5	30
27	Electronic structure and photocatalytic band offset of few-layer GeP <sub>2</sub> . Journal of Materials Chemistry A, 2017, 5, 22146-22155.	5.2	68
28	Partially planar BP <sub>3</sub> with high electron mobility as a phosphorene analog. Journal of Materials Chemistry C, 2017, 5, 11267-11274.	2.7	37
29	Effect of Si–Si Bonds in Silicon-Doped $\pm$ -Phosphorene Bilayers: Two-Dimensional Layers and One-Dimensional Nanoribbons. Journal of Physical Chemistry C, 2016, 120, 17106-17114.	1.5	5
30	Photoluminescence and Photocurrents of GaS <sub>1-x</sub> Se <sub>x</sub> Nanobelts. Chemistry of Materials, 2016, 28, 5811-5820.	3.2	28
31	Electronic Structures and Li-Diffusion Properties of Group IV–V Layered Materials: Hexagonal Germanium Phosphide and Germanium Arsenide. Journal of Physical Chemistry C, 2016, 120, 23842-23850.	1.5	41
32	Electronic structure of the germanium phosphide monolayer and Li-diffusion in its bilayer. Physical Chemistry Chemical Physics, 2016, 18, 32458-32465.	1.3	32
33	Stability and electronic structures of triazine-based carbon nitride nanotubes. RSC Advances, 2015, 5, 10892-10898.	1.7	11
34	Electronic Structure and Carrier Mobility of Two-Dimensional $\pm$ Arsenic Phosphide. Journal of Physical Chemistry C, 2015, 119, 20210-20216.	1.5	65
35	Reversible Halide Exchange Reaction of Organometal Trihalide Perovskite Colloidal Nanocrystals for Full-Range Band Gap Tuning. Nano Letters, 2015, 15, 5191-5199.	4.5	432
36	Red-to-Ultraviolet Emission Tuning of Two-Dimensional Gallium Sulfide/Selenide. ACS Nano, 2015, 9, 9585-9593.	7.3	163

#	ARTICLE	IF	CITATIONS
37	Reactivity of the free and (5,5)-carbon nanotube-supported AuPt bimetallic clusters towards O <sub>2</sub> activation: a theoretical study. Physical Chemistry Chemical Physics, 2015, 17, 3659-3672.	1.3	9
38	Continuous Tuning of Band Gap for Ĥ-Conjugated Ni Bis(dithiolene) Complex Bilayer. Journal of Physical Chemistry C, 2014, 118, 25626-25632.	1.5	15
39	Mechanical and Electronic Properties of Ĥ-Conjugated Metal Bis(dithiolene) Complex Sheets. Chemistry of Materials, 2014, 26, 2967-2974.	3.2	30
40	Tetragonal Phase Germanium Nanocrystals in Lithium Ion Batteries. ACS Nano, 2013, 7, 9075-9084.	7.3	120
41	Phase Evolution of Tin Nanocrystals in Lithium Ion Batteries. ACS Nano, 2013, 7, 11103-11111.	7.3	105