

Xuqi Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3591187/publications.pdf>

Version: 2024-02-01

74
papers

2,845
citations

147726

31
h-index

189801

50
g-index

74
all docs

74
docs citations

74
times ranked

4441
citing authors

#	ARTICLE	IF	CITATIONS
1	SDF-1/CXCR4 signaling induces pancreatic cancer cell invasion and epithelial-mesenchymal transition in vitro through non-canonical activation of Hedgehog pathway. <i>Cancer Letters</i> , 2012, 322, 169-176.	3.2	167
2	Hedgehog signaling regulates hypoxia induced epithelial to mesenchymal transition and invasion in pancreatic cancer cells via a ligand-independent manner. <i>Molecular Cancer</i> , 2013, 12, 66.	7.9	147
3	Sonic Hedgehog Paracrine Signaling Activates Stromal Cells to Promote Perineural Invasion in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 4326-4338.	3.2	125
4	Desmoplasia suppression by metformin-mediated AMPK activation inhibits pancreatic cancer progression. <i>Cancer Letters</i> , 2017, 385, 225-233.	3.2	89
5	Reactive Oxygen Species and Targeted Therapy for Pancreatic Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-9.	1.9	81
6	Neurotransmitter Substance P Mediates Pancreatic Cancer Perineural Invasion via NK-1R in Cancer Cells. <i>Molecular Cancer Research</i> , 2013, 11, 294-302.	1.5	78
7	SIRT1 is a regulator of autophagy: Implications in gastric cancer progression and treatment. <i>FEBS Letters</i> , 2015, 589, 2034-2042.	1.3	77
8	miR-221/222 induces pancreatic cancer progression through the regulation of matrix metalloproteinases. <i>Oncotarget</i> , 2015, 6, 14153-14164.	0.8	76
9	$\hat{\pm}$ -Mangostin Suppresses the Viability and Epithelial-Mesenchymal Transition of Pancreatic Cancer Cells by Downregulating the PI3K/Akt Pathway. <i>BioMed Research International</i> , 2014, 2014, 1-12.	0.9	72
10	$\hat{\pm}$ -Mangostin inhibits hypoxia-driven ROS-induced PSC activation and pancreatic cancer cell invasion. <i>Cancer Letters</i> , 2014, 347, 129-138.	3.2	71
11	Exosomal MiR-744 Inhibits Proliferation and Sorafenib Chemoresistance in Hepatocellular Carcinoma by Targeting PAX2. <i>Medical Science Monitor</i> , 2019, 25, 7209-7217.	0.5	70
12	Ginkgolic acid suppresses the development of pancreatic cancer by inhibiting pathways driving lipogenesis. <i>Oncotarget</i> , 2015, 6, 20993-21003.	0.8	68
13	Upregulated miR-106a plays an oncogenic role in pancreatic cancer. <i>FEBS Letters</i> , 2014, 588, 705-712.	1.3	67
14	Resveratrol enhances the chemotherapeutic response and reverses the stemness induced by gemcitabine in pancreatic cancer cells via targeting SREBP1. <i>Cell Proliferation</i> , 2019, 52, e12514.	2.4	65
15	Stromal-derived factor-1/CXCL12-CXCR4 chemotactic pathway promotes perineural invasion in pancreatic cancer. <i>Oncotarget</i> , 2015, 6, 4717-4732.	0.8	65
16	Targeting the Cancer-Stroma Interaction: A Potential Approach for Pancreatic Cancer Treatment. <i>Current Pharmaceutical Design</i> , 2012, 18, 2404-2415.	0.9	58
17	The SDF-1/CXCR4 axis induces epithelial-mesenchymal transition in hepatocellular carcinoma. <i>Molecular and Cellular Biochemistry</i> , 2014, 392, 77-84.	1.4	55
18	Curcumin inhibits hypoxia inducible factor-1-induced epithelial-mesenchymal transition in HepG2 hepatocellular carcinoma cells. <i>Molecular Medicine Reports</i> , 2014, 10, 2505-2510.	1.1	55

#	ARTICLE	IF	CITATIONS
19	β2-AR-HIF-1α: A Novel Regulatory Axis for Stress-Induced Pancreatic Tumor Growth and Angiogenesis. <i>Current Molecular Medicine</i> , 2013, 13, 1023-1034.	0.6	54
20	Resveratrol in the treatment of pancreatic cancer. <i>Annals of the New York Academy of Sciences</i> , 2015, 1348, 10-19.	1.8	53
21	High glucose microenvironment accelerates tumor growth via SREBP1-autophagy axis in pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 302.	3.5	53
22	Inhibiting YAP expression suppresses pancreatic cancer progression by disrupting tumor-stromal interactions. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 69.	3.5	52
23	Activation of Nrf2 by Sulforaphane Inhibits High Glucose-Induced Progression of Pancreatic Cancer via AMPK Dependent Signaling. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 1201-1215.	1.1	49
24	Gli-1 is crucial for hypoxia-induced epithelial-mesenchymal transition and invasion of breast cancer. <i>Tumor Biology</i> , 2015, 36, 3119-3126.	0.8	47
25	Curcumin Suppresses Hepatic Stellate Cell-Induced Hepatocarcinoma Angiogenesis and Invasion through Downregulating CTGF. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-12.	1.9	45
26	Delayed traumatic diaphragmatic hernia. <i>Medicine (United States)</i> , 2016, 95, e4362.	0.4	44
27	Therapeutic Potential of Perineural Invasion, Hypoxia and Desmoplasia in Pancreatic Cancer. <i>Current Pharmaceutical Design</i> , 2012, 18, 2395-2403.	0.9	44
28	Pancreatic stellate cells contribute pancreatic cancer pain via activation of sHH signaling pathway. <i>Oncotarget</i> , 2016, 7, 18146-18158.	0.8	43
29	miR-539 inhibits FSCN1 expression and suppresses hepatocellular carcinoma migration and invasion. <i>Oncology Reports</i> , 2017, 37, 2593-2602.	1.2	39
30	Overexpression of Nodal induces a metastatic phenotype in pancreatic cancer cells via the Smad2/3 pathway. <i>Oncotarget</i> , 2015, 6, 1490-1506.	0.8	39
31	Lipoxin A ₄ Attenuates Cell Invasion by Inhibiting ROS/ERK/MMP Pathway in Pancreatic Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-9.	1.9	37
32	Effect of Resveratrol on the Prevention of Intra-Abdominal Adhesion Formation in a Rat Model. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 33-46.	1.1	34
33	Lipoxin A4 reverses mesenchymal phenotypes to attenuate invasion and metastasis via the inhibition of autocrine TGF- β 1 signaling in pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 181.	3.5	32
34	Effect of Emodin on Preventing Postoperative Intra-Abdominal Adhesion Formation. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-12.	1.9	31
35	Hydrogen peroxide mediates hyperglycemia-induced invasive activity via ERK and p38 MAPK in human pancreatic cancer. <i>Oncotarget</i> , 2015, 6, 31119-31133.	0.8	31
36	The Activation of β<sub>1</sub>-integrin by Type I Collagen Coupling with the Hedgehog Pathway Promotes the Epithelial-Mesenchymal Transition in Pancreatic Cancer. <i>Current Cancer Drug Targets</i> , 2014, 14, 446-457.	0.8	31

#	ARTICLE	IF	CITATIONS
37	Ginkgolic acid inhibits the invasiveness of colon cancer cells through AMPK activation. <i>Oncology Letters</i> , 2017, 14, 5831-5838.	0.8	30
38	Role of glial cell line-derived neurotrophic factor in perineural invasion of pancreatic cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1826, 112-120.	3.3	27
39	The Prognostic Role of SIRT1-Autophagy Axis in Gastric Cancer. <i>Disease Markers</i> , 2016, 2016, 1-11.	0.6	27
40	The Relevance of Nrf2 Pathway and Autophagy in Pancreatic Cancer Cells upon Stimulation of Reactive Oxygen Species. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-11.	1.9	27
41	Resveratrol Counteracts Hypoxia-Induced Gastric Cancer Invasion and EMT through Hedgehog Pathway Suppression. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2020, 20, 1105-1114.	0.9	27
42	Long non-coding RNA FOXD2-AS1 plays an oncogenic role in hepatocellular carcinoma by targeting miR-206. <i>Oncology Reports</i> , 2018, 40, 3625-3634.	1.2	26
43	Gallic Acid Attenuates Postoperative Intra-Abdominal Adhesion by Inhibiting Inflammatory Reaction in a Rat Model. <i>Medical Science Monitor</i> , 2018, 24, 827-838.	0.5	25
44	Resveratrol Ameliorates the Malignant Progression of Pancreatic Cancer by Inhibiting Hypoxia-induced Pancreatic Stellate Cell Activation. <i>Cell Transplantation</i> , 2020, 29, 096368972092998.	1.2	25
45	PTTG regulates the metabolic switch of ovarian cancer cells via the c-myc pathway. <i>Oncotarget</i> , 2015, 6, 40959-40969.	0.8	23
46	Hypoxia-inducible Factor-1 α Mediates Hyperglycemia-induced Pancreatic Cancer Glycolysis. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 19, 1503-1512.	0.9	22
47	Paracrine Sonic Hedgehog Signaling Derived from Tumor Epithelial Cells: A Key Regulator in the Pancreatic Tumor Microenvironment. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2012, 22, 97-108.	0.4	21
48	Keratinocyte Growth Factor Combined with a Sodium Hyaluronate Gel Inhibits Postoperative Intra-Abdominal Adhesions. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1611.	1.8	20
49	Resveratrol inhibits hepatocellular carcinoma progression driven by hepatic stellate cells by targeting Gli-1. <i>Molecular and Cellular Biochemistry</i> , 2017, 434, 17-24.	1.4	20
50	Positive feedback in Cav α 1 β signalling in PSCs mediates metabolic coupling between PSCs and tumour cells. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9397-9408.	1.6	20
51	Upregulation of MiR-212 Inhibits Migration and Tumorigenicity and Inactivates Wnt/ β -Catenin Signaling in Human Hepatocellular Carcinoma. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303461876522.	0.8	19
52	Prognostic value of fibrinogen and D-dimer-fibrinogen ratio in resectable gastrointestinal stromal tumors. <i>World Journal of Gastroenterology</i> , 2018, 24, 5046-5056.	1.4	19
53	Inhibition of cyclooxygenase-2 prevents intra-abdominal adhesions by decreasing activity of peritoneal fibroblasts. <i>Drug Design, Development and Therapy</i> , 2015, 9, 3083.	2.0	18
54	β 2-Adrenogenic signaling regulates NNK-induced pancreatic cancer progression via upregulation of HIF-1 α . <i>Oncotarget</i> , 2016, 7, 17760-17772.	0.8	17

#	ARTICLE	IF	CITATIONS
55	Metformin suppresses the invasive ability of pancreatic cancer cells by blocking autocrine TGF β 1 signaling. <i>Oncology Reports</i> , 2018, 40, 1495-1502.	1.2	16
56	Danhong Injection Alleviates Postoperative Intra-abdominal Adhesion in a Rat Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-11.	1.9	16
57	Chronic alcohol exposure exacerbates inflammation and triggers pancreatic acinar-to-ductal metaplasia through PI3K/Akt/IKK. <i>International Journal of Molecular Medicine</i> , 2015, 35, 653-663.	1.8	15
58	A comprehensive nutritional survey of hospitalized patients: Results from nutritionDay 2016 in China. <i>PLoS ONE</i> , 2018, 13, e0194312.	1.1	15
59	A combination of hybrid polydopamine-human keratinocyte growth factor nanoparticles and sodium hyaluronate for the efficient prevention of postoperative abdominal adhesion formation. <i>Acta Biomaterialia</i> , 2022, 138, 155-167.	4.1	15
60	Gastrointestinal stromal tumors. <i>Medicine (United States)</i> , 2018, 97, e0568.	0.4	14
61	Paeoniflorin prevents postoperative peritoneal adhesion formation in an experimental rat model. <i>Oncotarget</i> , 2017, 8, 93899-93911.	0.8	13
62	Huaier extract restrains pancreatic cancer by suppressing Wnt/ β -catenin pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 127, 110126.	2.5	12
63	Laparoscopic Versus Open Resection of Gastric Gastrointestinal Stromal Tumors Larger Than 5 cm: A Single-Center, Retrospective Study. <i>Surgical Innovation</i> , 2017, 24, 582-589.	0.4	11
64	Long-term survival outcomes and adverse effects of nasopharyngeal carcinoma patients treated with IMRT in a non-endemic region: a population-based retrospective study. <i>BMJ Open</i> , 2021, 11, e045417.	0.8	11
65	TMIGD1 Inhibited Abdominal Adhesion Formation by Alleviating Oxidative Stress in the Mitochondria of Peritoneal Mesothelial Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-16.	1.9	9
66	Disrupting the Balance between Tumor Epithelia and Stroma is a Possible Therapeutic Approach for Pancreatic Cancer. <i>Medical Science Monitor</i> , 2014, 20, 2002-2006.	0.5	9
67	Potent Antitumor Activity Generated by a Novel Tumor Specific Cytotoxic T Cell. <i>PLoS ONE</i> , 2013, 8, e66659.	1.1	6
68	Preventive Effects of the Intestine Function Recovery Decoction, a Traditional Chinese Medicine, on Postoperative Intra-Abdominal Adhesion Formation in a Rat Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-10.	0.5	6
69	Upregulation of microRNA-300 induces the proliferation of liver cancer by downregulating transcription factor FOXO1. <i>Oncology Reports</i> , 2018, 40, 3561-3572.	1.2	6
70	Cav-1 Ablation in Pancreatic Stellate Cells Promotes Pancreatic Cancer Growth through Nrf2-Induced shh Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-12.	1.9	5
71	Biomarkers Screening Between Preoperative and Postoperative Patients in Pancreatic Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 4161-4165.	0.5	5
72	Recovery of Urinary Functions After Laparoscopic Total Mesorectal Excision for T4 Rectal Cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2016, 26, 614-617.	0.5	3

#	ARTICLE	IF	CITATIONS
73	4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone provokes progression from chronic pancreatitis to pancreatic intraepithelial neoplasia. IScience, 2022, 25, 103647.	1.9	1
74	The Inhibitory Effects of Naringin in a Rat Model of Postoperative Intraperitoneal Adhesion Formation. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-10.	0.5	0